
Eirik Helseth

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/363047/publications.pdf Version: 2024-02-01



FIDIR HEISETH

#	Article	IF	CITATIONS
1	The Risk of Benign Paroxysmal Positional Vertigo After Head Trauma. Laryngoscope, 2022, 132, 443-448.	1.1	6
2	Wholeâ€exome sequencing in syndromic craniosynostosis increases diagnostic yield and identifies candidate genes in osteogenic signaling pathways. American Journal of Medical Genetics, Part A, 2022, 188, 1464-1475.	0.7	7
3	Surgery for brain metastases—impact of the extent of resection. Acta Neurochirurgica, 2022, 164, 2773-2780.	0.9	15
4	Incidence of emergency neurosurgical TBI procedures: a population-based study. BMC Emergency Medicine, 2022, 22, 1.	0.7	14
5	The impact of body mass index and height on risk for primary tumours of the spinal cord, spinal meninges, spinal and peripheral nerves in 1.7 million norwegian women and men: a prospective cohort study. Acta OncolÃ3gica, 2022, 61, 1-6.	0.8	4
6	APOE-ε4 Is Associated With Reduced Verbal Memory Performance and Higher Emotional, Cognitive, and Everyday Executive Function Symptoms Two Months After Mild Traumatic Brain Injury. Frontiers in Neurology, 2022, 13, 735206.	1.1	4
7	Impact of Somatic Vulnerability, Psychosocial Robustness and Injury-Related Factors on Fatigue following Traumatic Brain Injury—A Cross-Sectional Study. Journal of Clinical Medicine, 2022, 11, 1733.	1.0	2
8	Epidemiology of traumatic cervical spinal fractures in a general Norwegian population. Injury Epidemiology, 2022, 9, 10.	0.8	13
9	Vasospasm Surveillance by a Simplified Transcranial Doppler Protocol in Traumatic Brain Injury. World Neurosurgery, 2022, 164, e318-e325.	0.7	2
10	Anatomical distribution of mandibular fractures from severe bicycling accidents: A 12â€year experience from a Norwegian level 1 trauma center. Dental Traumatology, 2022, 38, 424-430.	0.8	3
11	Bicycle-related cervical spine injuries. North American Spine Society Journal (NASSJ), 2022, 10, 100119.	0.3	0
12	Early postâ€ŧraumatic seizures in hospitalized patients with traumatic brain injury. Acta Neurologica Scandinavica, 2022, 146, 485-491.	1.0	7
13	Frequency of fatigue and its changes in the first 6Âmonths after traumatic brain injury: results from the CENTER-TBI study. Journal of Neurology, 2021, 268, 61-73.	1.8	12
14	Dentoalveolar injuries, bicycling accidents and helmet use in patients referred to a Norwegian Trauma Centre: A 12â€year prospective study. Dental Traumatology, 2021, 37, 240-246.	0.8	8
15	Benefits of clinical criteria and high-throughput sequencing for diagnosing children with syndromic craniosynostosis. European Journal of Human Genetics, 2021, 29, 920-929.	1.4	13
16	Real-world validity of randomized controlled phase III trials in newly diagnosed glioblastoma: to whom do the results of the trials apply?. Neuro-Oncology Advances, 2021, 3, vdab008.	0.4	20
17	Apolipoprotein É>4 Status and Brain Structure 12 Months after Mild Traumatic Injury: Brain Age Prediction Using Brain Morphometry and Diffusion Tensor Imaging. Journal of Clinical Medicine, 2021, 10, 418.	1.0	3
18	Favorable prognosis with nonsurgical management of type III acute odontoid fractures: a consecutive series of 212 patients. Spine Journal, 2021, 21, 1149-1158.	0.6	1

EIRIK HELSETH

#	Article	IF	CITATIONS
19	Inter-physician variability in strategies linked to treatment limitations after severe traumatic brain injury; proactivity or wait-and-see. BMC Medical Ethics, 2021, 22, 43.	1.0	3
20	Rehabilitation Needs, Service Provision, and Costs in the First Year Following Traumatic Injuries: Protocol for a Prospective Cohort Study. JMIR Research Protocols, 2021, 10, e25980.	0.5	5
21	Management and long-term outcome of type II acute odontoid fractures: a population-based consecutive series of 282 patients. Spine Journal, 2021, 21, 627-637.	0.6	10
22	Impact of Preinjury Antithrombotic Therapy on 30–Day Mortality in Older Patients Hospitalized With Traumatic Brain Injury (TBI). Frontiers in Neurology, 2021, 12, 650695.	1.1	11
23	In the Aftermath of Acute Hospitalization for Traumatic Brain Injury: Factors Associated with the Direct Pathway into Specialized Rehabilitation. Journal of Clinical Medicine, 2021, 10, 3577.	1.0	4
24	Variations in the Management of Diffuse Low-Grade Gliomas – a Scandinavian Multicenter Study. Neuro-Oncology Practice, 2021, 8, 706-717.	1.0	4
25	Novel human melanoma brain metastasis models in athymic nude fox1 nu mice: Siteâ€specific metastasis patterns reflecting their clinical origin. Cancer Medicine, 2021, 10, 8604-8613.	1.3	2
26	WHO grade I meningiomas: classification-tree for prognostic factors of survival. Neurosurgical Review, 2020, 43, 749-758.	1.2	11
27	The effect of tumor removal via craniotomies on preoperative hydrocephalus in adult patients with intracranial tumors. Neurosurgical Review, 2020, 43, 141-151.	1.2	3
28	Traumatic brain injury—the effects of patient age on treatment intensity and mortality. BMC Neurology, 2020, 20, 376.	0.8	29
29	Odontoid fractures: impact of age and comorbidities on surgical decision making. BMC Surgery, 2020, 20, 236.	0.6	15
30	The number of patients hospitalized with bicycle injuries is increasing - A cry for better road safety. Accident Analysis and Prevention, 2020, 148, 105836.	3.0	18
31	Characteristics of traumatic brain injury patients with abnormal neuroimaging in Southeast Norway. Injury Epidemiology, 2020, 7, 45.	0.8	13
32	Unmet rehabilitation needs in 86% of Norwegian paediatric embryonal brain tumour survivors. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1875-1886.	0.7	16
33	Epidemiology of craniosynostosis in Norway. Journal of Neurosurgery: Pediatrics, 2020, 26, 68-75.	0.8	29
34	Skull base versus non-skull base meningioma surgery in the elderly. Neurosurgical Review, 2019, 42, 961-972.	1.2	27
35	Neurocritical care physicians' doubt about whether to withdraw life-sustaining treatment the first days after devastating brain injury: an interview study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 81.	1.1	13
36	Retrospective single-centre series of 1300 consecutive cases of outpatient cervical spine surgery: complications, hospital readmissions, and reoperations. British Journal of Neurosurgery, 2019, 33, 613-619.	0.4	12

EIRIK HELSETH

#	Article	IF	CITATIONS
37	Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. Lancet Neurology, The, 2019, 18, 923-934.	4.9	304
38	Clinical, Radiological, and Demographic Details of Benign External Hydrocephalus: A Population-Based Study. Pediatric Neurology, 2019, 96, 53-57.	1.0	21
39	Posterior fossa meningiomas: perioperative predictors of extent of resection, overall survival and progression-free survival. Acta Neurochirurgica, 2019, 161, 1003-1011.	0.9	16
40	Extent of Resection in Meningioma: Predictive Factors and Clinical Implications. Scientific Reports, 2019, 9, 5944.	1.6	64
41	Meningioma Surgery–Are We Making Progress?. World Neurosurgery, 2019, 125, e205-e213.	0.7	36
42	EPID-25. HOW MANY PATIENTS IN A REAL WORLD GLIOBLASTOMA POPULATION MEET ELIGIBILITY CRITERIA IN CLINICAL TRIALS?. Neuro-Oncology, 2019, 21, vi80-vi80.	0.6	0
43	Time of Injury and Relation to Alcohol Intoxication in Moderate-to-Severe Traumatic Brain Injury: A Decade-Long Prospective Study. World Neurosurgery, 2019, 122, e684-e689.	0.7	19
44	Quality of life and physician-reported developmental, cognitive, and social problems in children with benign external hydrocephalus—long-term follow-up. Child's Nervous System, 2019, 35, 245-250.	0.6	12
45	Meningiomas: skull base versus non-skull base. Neurosurgical Review, 2019, 42, 163-173.	1.2	83
46	Hyperbaric oxygen therapy of air embolus in the cerebral venous sinuses after intracranial surgery: a case report. Acta Neurochirurgica, 2018, 160, 1401-1405.	0.9	3
47	Minimally Invasive Microsurgical Resection of Primary, Intradural Spinal Tumors is Feasible and Safe: A Consecutive Series of 83 Patients. Neurosurgery, 2018, 82, 365-371.	0.6	33
48	Risk factors for new-onset shunt-dependency after craniotomies for intracranial tumors in adult patients. Neurosurgical Review, 2018, 41, 465-472.	1.2	9
49	Best practice guidelines for blunt cerebrovascular injury (BCVI). Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 90.	1.1	91
50	Epidemiology of Benign External Hydrocephalus in Norway—A Population-Based Study. Pediatric Neurology, 2017, 73, 36-41.	1.0	37
51	Overweight, obesity and height as risk factors for meningioma, glioma, pituitary adenoma and nerve sheath tumor: a large population-based prospective cohort study. Acta Oncológica, 2017, 56, 1302-1309.	0.8	26
52	Cognitive Event-Related Potentials during the Sub-Acute Phase of Severe Traumatic Brain Injury and Their Relationship to Outcome. Journal of Neurotrauma, 2017, 34, 3124-3133.	1.7	3
53	White matter microstructure is associated with functional, cognitive and emotional symptoms 12 months after mild traumatic brain injury. Scientific Reports, 2017, 7, 13795.	1.6	39
54	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. Lancet Neurology, The, 2017, 16, 987-1048.	4.9	1,571

EIRIK HELSETH

#	Article	IF	CITATIONS
55	Treatment-limiting decisions in patients with severe traumatic brain injury in a Norwegian regional trauma center. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 44.	1.1	25
56	Neurocognitive and psychosocial function in children with benign external hydrocephalus (BEH)—a long-term follow-up study. Child's Nervous System, 2017, 33, 91-99.	0.6	22
57	Predicting Outcome 12 Months after Mild Traumatic Brain Injury in Patients Admitted to a Neurosurgery Service. Frontiers in Neurology, 2017, 8, 125.	1.1	25
58	The impact of body mass index and height on the risk for glioblastoma and other glioma subgroups: a large prospective cohort study. Neuro-Oncology, 2016, 19, now272.	0.6	29
59	Diagnostic performance of texture analysis on MRI in grading cerebral gliomas. European Journal of Radiology, 2016, 85, 824-829.	1.2	140
60	Complications and long-term outcomes after open surgery for traumatic subaxial cervical spine fractures: a consecutive series of 303 patients. BMC Surgery, 2016, 16, 56.	0.6	19
61	Smoking, obesity and the risk of pituitary adenoma: a large prospective cohort study (The HUNT Study). European Journal of Epidemiology, 2016, 31, 95-98.	2.5	5
62	The effect of pregnancy on survival in a low-grade glioma cohort. Journal of Neurosurgery, 2016, 125, 393-400.	0.9	23
63	The impact of blood ethanol concentration on the classification of head injury severity in traumatic brain injury. Brain Injury, 2015, 29, 1648-1653.	0.6	10
64	Low immediate postoperative serum-cortisol nadir predicts the short-term, but not long-term, remission after pituitary surgery for Cushing's disease. BMC Endocrine Disorders, 2015, 15, 62.	0.9	16
65	Cranioplasty complications and risk factors associated with bone flap resorption. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 75.	1.1	116
66	Transcriptional Profiling of Adult Neural Stem-Like Cells from the Human Brain. PLoS ONE, 2014, 9, e114739.	1.1	15
67	Incidence of traumatic cervical spine fractures in the Norwegian population: a national registry study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 78.	1.1	36
68	Cerebral Revascularization for Skull Base Tumors. World Neurosurgery, 2014, 82, 575-576.	0.7	8
69	The epidemiology of traumatic cervical spine fractures: a prospective population study from Norway. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 85.	1.1	79
70	Benign external hydrocephalus: a review, with emphasis on management. Neurosurgical Review, 2011, 34, 417-432.	1.2	143
71	Assessment of intracranial pressure volume relationships in childhood: the lumbar infusion test versus intracranial pressure monitoring. Child's Nervous System, 2001, 17, 382-390.	0.6	19