

Beung Chul Ahn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3630694/publications.pdf>

Version: 2024-02-01

25
papers

1,697
citations

643344

15
h-index

651938

25
g-index

25
all docs

25
docs citations

25
times ranked

3306
citing authors

#	ARTICLE	IF	CITATIONS
1	Predicting treatment outcomes using ¹⁸ F-FDG PET biomarkers in patients with non-small-cell lung cancer receiving chemoimmunotherapy. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592110687.	1.4	7
2	Incorporation of SKI-G-801, a Novel AXL Inhibitor, With Anti-PD-1 Plus Chemotherapy Improves Anti-Tumor Activity and Survival by Enhancing T Cell Immunity. <i>Frontiers in Oncology</i> , 2022, 12, 821391.	1.3	6
3	SKI-G-801, an AXL kinase inhibitor, blocks metastasis through inducing anti-tumor immune responses and potentiates anti-PD-1 therapy in mouse cancer models. <i>Clinical and Translational Immunology</i> , 2022, 11, e1364.	1.7	6
4	Hyperprogressive disease during PD-1 blockade in patients with advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2021, 74, 350-359.	1.8	122
5	Dynamic changes in circulating PD-1+CD8+ T lymphocytes for predicting treatment response to PD-1 blockade in patients with non-small-cell lung cancer. <i>European Journal of Cancer</i> , 2021, 143, 113-126.	1.3	30
6	Overexpression of poliovirus receptor is associated with poor prognosis in head and neck squamous cell carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2741-2750.	1.2	4
7	Distinct Characteristics and Clinical Outcomes to Predict the Emergence of MET Amplification in Patients with Non-Small Cell Lung Cancer Who Developed Resistance after Treatment with Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors. <i>Cancers</i> , 2021, 13, 3096.	1.7	7
8	Prognostic implications of PD-L1 expression in patients with angiosarcoma. <i>Future Science OA</i> , 2021, 7, FSO691.	0.9	4
9	Analyses of CNS Response to Osimertinib in Patients with T790M-Positive Advanced NSCLC from ASTRIS Korean Subset, Open-Label Real-World Study. <i>Cancers</i> , 2021, 13, 3681.	1.7	3
10	Clinical decision support algorithm based on machine learning to assess the clinical response to anti-programmed death-1 therapy in patients with non-small-cell lung cancer. <i>European Journal of Cancer</i> , 2021, 153, 179-189.	1.3	16
11	A phase II study of poziotinib in patients with recurrent and/or metastatic head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2021, 10, 7012-7020.	1.3	8
12	The Next Target for NSCLC: Let It Be RET. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1803-1805.	0.5	1
13	Immunotherapy for Non-small Cell Lung Cancer: Current Landscape and Future Perspectives. <i>Immune Network</i> , 2020, 20, e10.	1.6	86
14	Repotrectinib Exhibits Potent Antitumor Activity in Treatment-Naïve and Solvent-Front Mutant ROS1-Rearranged Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 3287-3295.	3.2	66
15	Real-World Analysis of the Efficacy of Rebiopsy and EGFR Mutation Test of Tissue and Plasma Samples in Drug-Resistant Non-Small Cell Lung Cancer. <i>Yonsei Medical Journal</i> , 2019, 60, 525.	0.9	23
16	Comprehensive analysis of the characteristics and treatment outcomes of patients with non-small cell lung cancer treated with anti-PD-1 therapy in real-world practice. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1613-1623.	1.2	66
17	Hyperprogressive disease during PD-1/PD-L1 blockade in patients with non-small-cell lung cancer. <i>Annals of Oncology</i> , 2019, 30, 1104-1113.	0.6	205
18	Patient-Derived Cells to Guide Targeted Therapy for Advanced Lung Adenocarcinoma. <i>Scientific Reports</i> , 2019, 9, 19909.	1.6	18

#	ARTICLE	IF	CITATIONS
19	Investigating the Feasibility of Targeted Next-Generation Sequencing to Guide the Treatment of Head and Neck Squamous Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2019, 51, 300-312.	1.3	48
20	CNS Efficacy of Osimertinib in Patients With T790M-Positive Advanced Non-Small-Cell Lung Cancer: Data From a Randomized Phase III Trial (AURA3). <i>Journal of Clinical Oncology</i> , 2018, 36, 2702-2709.	0.8	359
21	Characteristics and Outcome of ROS1-Positive Non-Small Cell Lung Cancer Patients in Routine Clinical Practice. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1373-1382.	0.5	77
22	Open-Label, Multicenter, Phase II Study of Ceritinib in Patients With Non-Small-Cell Lung Cancer Harboring ROS1 Rearrangement. <i>Journal of Clinical Oncology</i> , 2017, 35, 2613-2618.	0.8	260
23	Detection of activating and acquired resistant mutation in plasma from EGFR-mutated NSCLC patients by peptide nucleic acid (PNA) clamping-assisted fluorescence melting curve analysis. <i>Oncotarget</i> , 2017, 8, 65111-65122.	0.8	23
24	PD-L1 expression on immune cells, but not on tumor cells, is a favorable prognostic factor for head and neck cancer patients. <i>Scientific Reports</i> , 2016, 6, 36956.	1.6	196
25	Phase II Clinical and Exploratory Biomarker Study of Dacomitinib in Patients with Recurrent and/or Metastatic Squamous Cell Carcinoma of Head and Neck. <i>Clinical Cancer Research</i> , 2015, 21, 544-552.	3.2	56