

Young Bin Song

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3631931/publications.pdf>

Version: 2024-02-01

189
papers

5,043
citations

117625

34
h-index

128289

60
g-index

191
all docs

191
docs citations

191
times ranked

5735
citing authors

#	ARTICLE	IF	CITATIONS
1	Moderate-Intensity Statins Plus Ezetimibe vs. High-Intensity Statins After Coronary Revascularization: A Cohort Study. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 141-150.	2.6	4
2	Association Between Preexisting Elevated Left Ventricular Filling Pressure and Clinical Outcomes of Future Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 660-667.	1.6	1
3	Differential Prognostic Impact of Off-Hours for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock. , 2022, 1, 7.		0
4	Impact of Left Ventricular Ejection Fraction on Procedural and Long-Term Outcomes of Bifurcation Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2022, 172, 18-25.	1.6	4
5	Functional angiography-derived index of microcirculatory resistance validated with microvascular obstruction in cardiac magnetic resonance after STEMI. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2022, 75, 786-796.	0.6	4
6	Platelet Function and Genotype after DES Implantation in East Asian Patients: Rationale and Characteristics of the PTRG-DES Consortium. <i>Yonsei Medical Journal</i> , 2022, 63, 413.	2.2	13
7	De-escalation strategies of dual antiplatelet therapy in patients undergoing percutaneous coronary intervention for acute coronary syndrome. <i>Cardiovascular Prevention and Pharmacotherapy</i> , 2022, 4, 63-69.	0.1	0
8	Use of intravascular ultrasound and long-term cardiac death or myocardial infarction in patients receiving current generation drug-eluting stents. <i>Scientific Reports</i> , 2022, 12, 8237.	3.3	11
9	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 691-699.	0.6	0
10	Impact of stent designs of second-generation drug-eluting stents on long-term outcomes in coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, 458-467.	1.7	1
11	Differential effects of dual antiplatelet therapy in patients presented with acute coronary syndrome vs. stable ischaemic heart disease after coronary artery bypass grafting. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 517-526.	3.0	6
12	Association of baseline platelet count with all-cause mortality after acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 176-183.	1.0	13
13	Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 112-124.	3.0	13
14	Residual functional SYNTAX score by quantitative flow ratio and improvement of exercise capacity after revascularization. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E454-E466.	1.7	2
15	Clinical relevance and prognostic implications of contrast quantitative flow ratio in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2021, 325, 23-29.	1.7	17
16	Efficacy of coronary imaging on bifurcation intervention. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 54-66.	2.3	13
17	Differential clinical impact of chronic total occlusion revascularization based on left ventricular systolic function. <i>Clinical Research in Cardiology</i> , 2021, 110, 237-248.	3.3	1
18	Safety of 3-Month Dual Antiplatelet Therapy After Implantation of Ultrathin Sirolimus-Eluting Stents With Biodegradable Polymer (Orsiro): Results From the SMART-CHOICE Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e018366.	3.7	8

#	ARTICLE	IF	CITATIONS
19	Differential Prognostic Implications of Vasoactive Inotropic Score for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock According to Use of Mechanical Circulatory Support*. <i>Critical Care Medicine</i> , 2021, 49, 770-780.	0.9	19
20	Sex difference in long-term clinical outcomes after percutaneous coronary intervention: A propensity-matched analysis of National Health Insurance data in Republic of Korea. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E171-E180.	1.7	1
21	Late Survival Benefit of Percutaneous Coronary Intervention Compared With Medical Therapy in Patients With Coronary Chronic Total Occlusion: A 10-Year Follow-Up Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019022.	3.7	23
22	P2Y12 inhibitor monotherapy after coronary stenting according to type of P2Y12 inhibitor. <i>Heart</i> , 2021, 107, 1077-1083.	2.9	5
23	Effects of Prolonged Dual Antiplatelet Therapy in ST-Segment Elevation vs. Non-ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 817-825.	1.6	1
24	Comparison of 2-Stenting Strategies Depending on Sequence or Technique for Bifurcation Lesions in the Second-Generation Drug-Eluting Stent Era: Analysis From the COBIS (Coronary Bifurcation) Trial. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1077-1083.	1.6	1
25	P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. <i>BMJ</i> , 2021, 373, n1332.	6.0	144
26	Clinical Characteristics and Predictors of In-Hospital Mortality in Patients With Cardiogenic Shock: Results From the RESCUE Registry. <i>Circulation: Heart Failure</i> , 2021, 14, e008141.	3.9	25
27	Comprehensive assessment of heart failure in patients with preserved ejection fraction undergoing coronary bypass grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, , .	0.8	2
28	Differential Factors for Predicting Outcomes in Left Main versus Non-Left Main Coronary Bifurcation Stenting. <i>Journal of Clinical Medicine</i> , 2021, 10, 3024.	2.4	4
29	P2Y12 Inhibitor Monotherapy Versus Conventional Dual Antiplatelet Therapy or Aspirin Monotherapy in Acute Coronary Syndrome: A Pooled Analysis of the SMART-DATE and SMART-CHOICE Trials. <i>American Journal of Cardiology</i> , 2021, 150, 47-54.	1.6	4
30	Physiological Distribution and Local Severity of Coronary Artery Disease and Outcomes After Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1771-1785.	2.9	26
31	Functional Coronary Angiography-Derived Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1670-1684.	2.9	46
32	Coronary Microcirculatory Dysfunction and Acute Cellular Rejection After Heart Transplantation. <i>Circulation</i> , 2021, 144, 1459-1472.	1.6	16
33	Old Age and Myocardial Injury in ST-Segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2021, 362, 592-600.	1.1	1
34	P2Y12 inhibitor monotherapy in complex percutaneous coronary intervention: A post-hoc analysis of SMART-CHOICE randomized clinical trial. <i>Cardiology Journal</i> , 2021, 28, 855-863.	1.2	13
35	Ten-Year Trends in Coronary Bifurcation Percutaneous Coronary Intervention: Prognostic Effects of Patient and Lesion Characteristics, Devices, and Techniques. <i>Journal of the American Heart Association</i> , 2021, 10, e021632.	3.7	10
36	Clinical and Prognostic Impact From Objective Analysis of Post-Angioplasty Fractional Flow Reserve Pullback. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1888-1900.	2.9	8

#	ARTICLE	IF	CITATIONS
37	Effects of Statin Intensity on Long-Term Outcomes after Coronary Artery Bypass Grafting. <i>Annals of Thoracic Surgery</i> , 2021, , .	1.3	0
38	Incidence and Predictors of Stent Thrombosis in Patients Treated with Stents for Coronary Bifurcation Narrowing (From the BIFURCAT Registry). <i>American Journal of Cardiology</i> , 2021, 156, 24-31.	1.6	4
39	Long-term Outcomes of Clopidogrel Monotherapy versus Prolonged Dual Antiplatelet Therapy beyond 12 Months after Percutaneous Coronary Intervention in High-risk Patients. <i>Journal of Korean Medical Science</i> , 2021, 36, e106.	2.5	1
40	Clinical Significance of Serum Lactate in Acute Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5278.	2.4	4
41	Weight Change and Development of Subclinical Carotid Atherosclerosis Among Metabolically Healthy Adults: A Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e410-e416.	3.6	3
42	Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. <i>American Journal of Cardiology</i> , 2020, 125, 320-327.	1.6	14
43	Non- α alcoholic fatty liver disease and the incidence of myocardial infarction: A cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 833-839.	2.8	66
44	Intravascular ultrasound or optical coherence tomography-defined anatomic severity and hemodynamic severity assessed by coronary physiologic indices. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 812-821.	0.6	6
45	Comparison of fractional myocardial mass, a vessel-specific myocardial mass-at-risk, with coronary angiographic scoring systems for predicting myocardial ischemia. <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 322-329.	1.3	0
46	Prognostic Implications of Post-Intervention Resting Pd/Pa and Fractional Flow Reserve in Patients With Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1920-1933.	2.9	23
47	Preoperative cardiac troponin below the 99th-percentile upper reference limit and 30-day mortality after noncardiac surgery. <i>Scientific Reports</i> , 2020, 10, 17007.	3.3	8
48	Automated Algorithm Using Pre-Intervention Fractional Flow Reserve Pullback Curve to Predict Post-Intervention Physiological Results. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 2670-2684.	2.9	26
49	Response by Choi et al to Letter Regarding Article, "Clinical Usefulness of PRECISE-DAPT Score for Predicting Bleeding Events in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: An Analysis From the SMART-DATE Randomized Trial" <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e009645.	3.9	4
50	Duration of dual antiplatelet therapy after myocardial infarction: Insights from a pooled database of the SMART-DATE and DAPT-STEMI trials. <i>Atherosclerosis</i> , 2020, 315, 55-61.	0.8	4
51	Prognostic Impact of Residual Anatomic Disease Burden After Functionally Complete Revascularization. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e009232.	3.9	16
52	Clinical Usefulness of PRECISE-DAPT Score for Predicting Bleeding Events in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008530.	3.9	18
53	Long-term β -blocker therapy and clinical outcomes after acute myocardial infarction in patients without heart failure: nationwide cohort study. <i>European Heart Journal</i> , 2020, 41, 3521-3529.	2.2	48
54	Effect of Sex Difference of Coronary Microvascular Dysfunction on Long-Term Outcomes in Deferred Lesions. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1669-1679.	2.9	20

#	ARTICLE	IF	CITATIONS
55	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	3.9	30
56	Blood Pressure at 6 Months After Acute Myocardial Infarction and Outcomes at 2 Years: The Perils Associated With Excessively Low Blood Pressures. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1641-1648.	1.7	1
57	The differential neurologic prognosis of low-flow time according to the initial rhythm in patients who undergo extracorporeal cardiopulmonary resuscitation. <i>Resuscitation</i> , 2020, 148, 121-127.	3.0	25
58	Multidisciplinary team approach in acute myocardial infarction patients undergoing veno-arterial extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2020, 10, 83.	4.6	15
59	Optimal Timing of Venoarterial-Extracorporeal Membrane Oxygenation in Acute Myocardial Infarction Patients Suffering From Refractory Cardiogenic Shock. <i>Circulation Journal</i> , 2020, 84, 1502-1510.	1.6	32
60	Long-Term Outcomes in Patients Undergoing Percutaneous Coronary Intervention with or without Preprocedural Exercise Stress Test. <i>Journal of Korean Medical Science</i> , 2020, 35, e3.	2.5	5
61	Mildly Elevated Cardiac Troponin below the 99th-Percentile Upper Reference Limit after Noncardiac Surgery. <i>Korean Circulation Journal</i> , 2020, 50, 925.	1.9	6
62	Coronary Circulatory Indexes in Non-Infarct-Related Vascular Territories in a Porcine Acute Myocardial Infarction Model. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1155-1167.	2.9	9
63	Clinical Implications of Early Exercise Treadmill Testing after Percutaneous Coronary Intervention in the Drug-eluting Stent Era. <i>Journal of Korean Medical Science</i> , 2020, 35, e229.	2.5	1
64	Comparison of Exercise Performance and Clinical Outcome Between Functional Complete and Incomplete Revascularization. <i>Korean Circulation Journal</i> , 2020, 50, 406.	1.9	2
65	Predictors of Survival to Discharge After Successful Weaning From Venoarterial Extracorporeal Membrane Oxygenation in Patients With Cardiogenic Shock. <i>Circulation Journal</i> , 2020, 84, 2205-2211.	1.6	6
66	Comparison of long-term clinical outcomes between revascularization versus medical treatment in patients with silent myocardial ischemia. <i>International Journal of Cardiology</i> , 2019, 277, 47-53.	1.7	9
67	Risk Prediction Model of In-hospital Mortality in Patients With Myocardial Infarction Treated With Venoarterial Extracorporeal Membrane Oxygenation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 724-731.	0.6	8
68	Prognostic Implications of Diastolic Dysfunction Change in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2019, 83, 1891-1900.	1.6	6
69	Effect of sarpgrelate and high-dose statin on the reduction of coronary spasm in vasospastic angina: A two by two factorial, pilot randomized study. <i>Clinical Cardiology</i> , 2019, 42, 899-907.	1.8	10
70	Perioperative myocardial injury in revascularized coronary patients who undergo noncardiac surgery. <i>PLoS ONE</i> , 2019, 14, e0219043.	2.5	6
71	Prognostic implications of post-percutaneous coronary intervention neutrophil-to-lymphocyte ratio on infarct size and clinical outcomes in patients with acute myocardial infarction. <i>Scientific Reports</i> , 2019, 9, 9646.	3.3	25
72	P2Y12 Inhibitor Monotherapy vs Dual Antiplatelet Therapy After Percutaneous Coronary Intervention Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1607.	7.4	14

#	ARTICLE	IF	CITATIONS
73	Clinical Outcome of Lesions With Discordant Results Among Different Invasive Physiologic Indices—Resting Distal Coronary to Aortic Pressure Ratio, Resting Full-Cycle Ratio, Diastolic Pressure Ratio, Instantaneous Wave-Free Ratio, and Fractional Flow Reserve. <i>Circulation Journal</i> , 2019, 83, 2210-2221.	1.6	37
74	Physiologic Characteristics and Clinical Outcomes of Patients With Discordance Between FFR and iFR. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2018-2031.	2.9	56
75	Neurologic Outcomes in Patients Who Undergo Extracorporeal Cardiopulmonary Resuscitation. <i>Annals of Thoracic Surgery</i> , 2019, 108, 749-755.	1.3	36
76	Comparison of Current and Novel ECG-Independent Algorithms for Resting Pressure Derived Physiologic Indices. <i>IEEE Access</i> , 2019, 7, 144313-144323.	4.2	1
77	Effect of P2Y12 Inhibitor Monotherapy vs Dual Antiplatelet Therapy on Cardiovascular Events in Patients Undergoing Percutaneous Coronary Intervention. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 2428.	7.4	424
78	Impact of Cannula Size on Clinical Outcomes in Peripheral Venoarterial Extracorporeal Membrane Oxygenation. <i>ASAIO Journal</i> , 2019, 65, 573-579.	1.6	41
79	Prognostic Value of Admission Blood Glucose Level in Critically Ill Patients Admitted to Cardiac Intensive Care Unit according to the Presence or Absence of Diabetes Mellitus. <i>Journal of Korean Medical Science</i> , 2019, 34, e70.	2.5	5
80	Association Between Body Mass Index and Mortality in Patients Requiring Cardiac Critical Care. <i>Circulation Journal</i> , 2019, 83, 743-748.	1.6	2
81	Impact of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention on Long-Term Clinical Outcomes in Patients Undergoing Complex Procedures. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 607-620.	2.9	120
82	Season and myocardial injury in patients with ST-segment elevation myocardial infarction: A cardiac magnetic resonance imaging study. <i>PLoS ONE</i> , 2019, 14, e0211807.	2.5	4
83	Contemporary Discrepancies of Stenosis Assessment by Computed Tomography and Invasive Coronary Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e007720.	2.6	28
84	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 & 2016 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2019, 49, 1136.	1.9	29
85	Prognostic Impact of β -Blocker Dose After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2019, 83, 410-417.	1.6	32
86	Second-generation drug-eluting stenting versus coronary artery bypass grafting for treatment of coronary chronic total occlusion. <i>Journal of Cardiology</i> , 2019, 73, 432-437.	1.9	6
87	Safety and Efficacy of Biodegradable Polymer-biolimus-eluting Stents (BP-BES) Compared with Durable Polymer-everolimus-eluting Stents (DP-EES) in Patients Undergoing Complex Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2019, 49, 69.	1.9	7
88	The clinical impact of sex differences on ischemic postconditioning during primary percutaneous coronary intervention: a POST (the effects of postconditioning on myocardial reperfusion in patients) Tj ETQq0 0 Orig BT / Overlock 10 Tf		
89	Physiological and Clinical Assessment of Resting Physiological Indexes. <i>Circulation</i> , 2019, 139, 889-900.	1.6	90
90	Impact of Chronic Total Coronary Occlusion Location on Long-term Survival After Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 717-723.	0.6	5

#	ARTICLE	IF	CITATIONS
91	Vasoactive Inotropic Score as a Predictor of Mortality in Adult Patients With Cardiogenic Shock: Medical Therapy Versus ECMO. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 40-47.	0.6	32
92	Clinical Significance of Reciprocal ST-segment Changes in Patients With STEMI: A Cardiac Magnetic Resonance Imaging Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 120-129.	0.6	2
93	The Effects of Preoperative Aspirin on Coronary Artery Bypass Surgery: a Systematic Meta-Analysis. <i>Korean Circulation Journal</i> , 2019, 49, 498.	1.9	6
94	The Proximal Optimization Technique Improves Clinical Outcomes When Treated without Kissing Ballooning in Patients with a Bifurcation Lesion. <i>Korean Circulation Journal</i> , 2019, 49, 485.	1.9	12
95	Treatment Strategy for STEMI With Bifurcation Culprit Lesion Undergoing Primary PCI: The COBIS II Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 811-819.	0.6	4
96	Differential Clinical Outcomes Between Angiographic Complete Versus Incomplete Coronary Revascularization, According to the Presence of Chronic Kidney Disease in the Drug-eluting Stent Era. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	6
97	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2018, 82, 1112-1120.	1.6	18
98	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2018, 71, 844-856.	2.8	77
99	Rationale and design of the comparison between a P2Y12 inhibitor monotherapy versus dual antiplatelet therapy in patients undergoing implantation of coronary drug-eluting stents (SMART-CHOICE): A prospective multicenter randomized trial. <i>American Heart Journal</i> , 2018, 197, 77-84.	2.7	8
100	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1274-1284.	13.7	261
101	Impact of different nitrate therapies on long-term clinical outcomes of patients with vasospastic angina: A propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2018, 252, 1-5.	1.7	17
102	Fluoroscopy-guided simultaneous distal perfusion as a preventive strategy of limb ischemia in patients undergoing extracorporeal membrane oxygenation. <i>Annals of Intensive Care</i> , 2018, 8, 101.	4.6	23
103	Long-term Survival Benefit of Statin in Patients with Coronary Chronic Total Occlusion without Revascularization. <i>Journal of Korean Medical Science</i> , 2018, 33, e134.	2.5	1
104	Impact of Natural Mild Hypothermia in the Early Phase of ST-Elevation Myocardial Infarction: Cardiac Magnetic Resonance Imaging Study. <i>Journal of Cardiovascular Imaging</i> , 2018, 26, 175.	0.7	3
105	Prognostic Implications of Relative Increase and Final Fractional Flow Reserve in Patients With Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 2099-2109.	2.9	67
106	Fractional Flow Reserve and Instantaneous Wave-Free Ratio for Nonculprit Stenosis in Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1848-1858.	2.9	28
107	Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1247-1258.	2.9	34
108	Prognostic Implication of Thermodilution Coronary Flow Reserve in Patients Undergoing Fractional Flow Reserve Measurement. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1423-1433.	2.9	50

#	ARTICLE	IF	CITATIONS
109	Risk Scoring System to Assess Outcomes in Patients Treated with Contemporary Guideline-Adherent Optimal Therapies after Acute Myocardial Infarction. Korean Circulation Journal, 2018, 48, 492.	1.9	5
110	Benefit of Prolonged Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stent for Coronary Bifurcation Lesions. Circulation: Cardiovascular Interventions, 2018, 11, e005849.	3.9	30
111	Effect of Side Branch Predilation in Coronary Bifurcation Stenting With the Provisional Approach—Results From the COBIS (Coronary Bifurcation Stenting) II Registry. Circulation Journal, 2018, 82, 1293-1301.	1.6	5
112	Outcomes in Patients with Diabetes Mellitus According to Insulin Treatment After Percutaneous Coronary Intervention in the Second-Generation Drug-Eluting Stent Era. American Journal of Cardiology, 2018, 121, 1505-1511.	1.6	26
113	Extended Clopidogrel Therapy Beyond 12 Months and Long-Term Outcomes in Patients With Diabetes Mellitus Receiving Coronary Arterial Second-Generation Drug-Eluting Stents. American Journal of Cardiology, 2018, 122, 705-711.	1.6	7
114	Revascularization vs. Medical Therapy for Coronary Chronic Total Occlusions in Patients With Chronic Kidney Disease. Circulation Journal, 2018, 82, 2136-2142.	1.6	5
115	Deferred versus conventional stent implantation in patients with acute ST-segment elevation myocardial infarction: An updated meta-analysis of 10 studies. International Journal of Cardiology, 2017, 230, 509-517.	1.7	8
116	Identification of Coronary Artery Side Branch Supplying Myocardial Mass That May Benefit From Revascularization. JACC: Cardiovascular Interventions, 2017, 10, 571-581.	2.9	58
117	Cardioprotective Effects of Intracoronary Morphine in ST-segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: A Prospective, Randomized Trial. Journal of the American Heart Association, 2017, 6, .	3.7	18
118	Clinical Significance of Postinfarct Fever in ST-segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. Journal of the American Heart Association, 2017, 6, .	3.7	11
119	Gender differences in long-term clinical outcomes and prognostic factors in patients with vasospastic angina. International Journal of Cardiology, 2017, 249, 6-11.	1.7	15
120	Conservative versus aggressive treatment strategy with angiographic guidance alone in patients with intermediate coronary lesions: The SMART-CASE randomized, non-inferiority trial. International Journal of Cardiology, 2017, 240, 114-119.	1.7	4
121	Glycemic Control Status After Percutaneous Coronary Intervention and Long-Term Clinical Outcomes in Patients With Type 2 Diabetes Mellitus. Circulation: Cardiovascular Interventions, 2017, 10, .	3.9	32
122	Non-alcoholic fatty liver disease and progression of coronary artery calcium score: a retrospective cohort study. Gut, 2017, 66, 323-329.	12.1	125
123	Response by Hwang et al to Letter Regarding Article, "Glycemic Control Status After Percutaneous Coronary Intervention and Long-Term Clinical Outcomes in Patients With Type 2 Diabetes Mellitus". Circulation: Cardiovascular Interventions, 2017, 10, .	3.9	6
124	The association of findings on brain computed tomography with neurologic outcomes following extracorporeal cardiopulmonary resuscitation. Critical Care, 2017, 21, 15.	5.8	36
125	Is cardiac magnetic resonance necessary for prediction of left ventricular remodeling in patients with reperfused ST-segment elevation myocardial infarction?. International Journal of Cardiovascular Imaging, 2017, 33, 2003-2012.	1.5	4
126	Impact of a cardiac intensivist on mortality in patients with cardiogenic shock. International Journal of Cardiology, 2017, 244, 220-225.	1.7	34

#	ARTICLE	IF	CITATIONS
127	Uric Acid Level Has a U-shaped Association with Clinical Outcomes in Patients with Vasospastic Angina. <i>Journal of Korean Medical Science</i> , 2017, 32, 1275.	2.5	11
128	Clinical outcomes of biodegradable polymer biolimus-eluting BioMatrix stents versus durable polymer everolimus-eluting Xience stents. <i>PLoS ONE</i> , 2017, 12, e0183079.	2.5	4
129	Morphine Does Not Affect Myocardial Salvage in ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2017, 12, e0170115.	2.5	18
130	Duration of dual antiplatelet therapy in patients treated with percutaneous coronary intervention for coronary chronic total occlusion. <i>PLoS ONE</i> , 2017, 12, e0176737.	2.5	11
131	The Impact of Renal Dysfunction on the Long Term Clinical Outcomes of Diabetic Patients Undergoing Percutaneous Coronary Intervention in the Drug-Eluting Stent Era. <i>PLoS ONE</i> , 2016, 11, e0141846.	2.5	4
132	D-Dimer Levels Predict Myocardial Injury in ST-Segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>PLoS ONE</i> , 2016, 11, e0160955.	2.5	31
133	Clinical implications of low-dose aspirin on vasospastic angina patients without significant coronary artery stenosis; a propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2016, 221, 161-166.	1.7	20
134	Association Between Presence of a Cardiac Intensivist and Mortality in an Adult Cardiac Care Unit. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2637-2648.	2.8	101
135	Borderline ankle-brachial index is associated with poor short-term clinical outcome after coronary artery intervention. <i>Atherosclerosis</i> , 2016, 249, 186-190.	0.8	7
136	Impact of statin therapy on long-term clinical outcomes of vasospastic angina without significant stenosis: A propensity-score matched analysis. <i>International Journal of Cardiology</i> , 2016, 223, 791-796.	1.7	18
137	Shock Index as a Predictor of Myocardial Injury in ST-segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2016, 352, 574-581.	1.1	13
138	Differential effect of side branch intervention on long-term clinical outcomes according to side branch stenosis after main vessel stenting: Results from the COBIS (Coronary Bifurcation Stenting) Registry II. <i>International Journal of Cardiology</i> , 2016, 221, 471-477.	1.7	1
139	Safety of 6-month duration of dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndromes: Rationale and design of the Smart Angioplasty Research Team's safety of 6-month duration of Dual Antiplatelet Therapy after percutaneous coronary intervention in patients with acute coronary syndromes (SMART-DATE) prospective multicenter randomized trial. <i>American Heart Journal</i> , 2016, 199, 1-9.	2.7	7
140	Association of periprocedural myocardial infarction with long-term survival in patients treated with coronary revascularization therapy of chronic total occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 1042-1049.	1.7	14
141	Clinical Outcomes of Vasospastic Angina Patients Presenting With Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	23
142	Optimal Medical Therapy vs. Percutaneous Coronary Intervention for Patients With Coronary Chronic Total Occlusion: A Propensity-Matched Analysis. <i>Circulation Journal</i> , 2016, 80, 211-217.	1.6	38
143	Major Predictors of Long-Term Clinical Outcomes After Percutaneous Coronary Intervention for Coronary Bifurcation Lesions With 2-Stent Strategy. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1879-1886.	2.9	25
144	Triple rule-out computed tomography for risk stratification of patients with acute chest pain. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 291-300.	1.3	12

#	ARTICLE	IF	CITATIONS
145	Physiological Severity of Coronary Artery Stenosis Depends on the Amount of Myocardial Mass Subtended by the Coronary Artery. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1548-1560.	2.9	77
146	Optimal medical therapy may be a better initial strategy in patients with chronic total occlusion of a single coronary artery. <i>International Journal of Cardiology</i> , 2016, 210, 56-62.	1.7	18
147	Clopidogrel Versus Aspirin as an Antiplatelet Monotherapy After 12-Month Dual-Antiplatelet Therapy in the Era of Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e002816.	3.9	40
148	A protective role of early collateral blood flow in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2016, 171, 56-63.	2.7	37
149	Optimal Strategy for Provisional Side Branch Intervention in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 517-526.	2.9	40
150	Percutaneous removal using Perclose ProGlide closure devices versus surgical removal for weaning after percutaneous cannulation for venoarterial extracorporeal membrane oxygenation. <i>Journal of Vascular Surgery</i> , 2016, 63, 998-1003.e1.	1.1	64
151	Survival After Extracorporeal Cardiopulmonary Resuscitation on Weekends in Comparison With Weekdays. <i>Annals of Thoracic Surgery</i> , 2016, 101, 133-140.	1.3	38
152	First-Generation Versus Second-Generation Drug-Eluting Stents in Coronary Chronic Total Occlusions: Two-Year Results of a Multicenter Registry. <i>PLoS ONE</i> , 2016, 11, e0157549.	2.5	8
153	Screening for Abdominal Aortic Aneurysm during Transthoracic Echocardiography in Patients with Significant Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2015, 56, 38.	2.2	21
154	Effects of High-dose Atorvastatin Pretreatment in Patients with ST-segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: A Cardiac Magnetic Resonance Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 435.	2.5	4
155	Long-term effects of ischemic postconditioning on clinical outcomes: 1-year follow-up of the POST randomized trial. <i>American Heart Journal</i> , 2015, 169, 639-646.	2.7	21
156	Biodegradable polymer biolimus-eluting stent versus durable polymer everolimus-eluting stent in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015, 183, 190-197.	1.7	4
157	Long-Term Survival Benefit of Revascularization Compared With Medical Therapy in Patients With Coronary Chronic Total Occlusion and Well-Developed Collateral Circulation. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 271-279.	2.9	145
158	Clinical outcomes of multiple chronic total occlusions in coronary arteries according to three therapeutic strategies: Bypass surgery, percutaneous intervention and medication. <i>International Journal of Cardiology</i> , 2015, 197, 2-7.	1.7	23
159	Assessment of Perioperative Cardiac Risk of Patients Undergoing Noncardiac Surgery Using Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	2.6	33
160	Comparative Effectiveness of Angiotensin II Receptor Blockers Versus Angiotensin-Converting Enzyme Inhibitors Following Contemporary Treatments in Patients with Acute Myocardial Infarction: Results from the Korean Working Group in Myocardial Infarction (KorMI) Registry. <i>American Journal of Cardiovascular Drugs</i> , 2015, 15, 439-449.	2.2	14
161	Anticoagulation in Ischemic Left Ventricular Aneurysm. <i>Mayo Clinic Proceedings</i> , 2015, 90, 441-449.	3.0	20
162	Noninvasive Discrimination of Coronary Chronic Total Occlusion and Subtotal Occlusion by Coronary Computed Tomography Angiography. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1143-1153.	2.9	25

#	ARTICLE	IF	CITATIONS
163	Duration of clopidogrel-based dual antiplatelet therapy and clinical outcomes after endeavor sprint zotarolimus-eluting stent implantation in patients presenting with acute coronary syndrome. <i>European Journal of Internal Medicine</i> , 2015, 26, 521-527.	2.2	5
164	Long-Term Clinical Outcomes of Final Kissing Ballooning in Coronary Bifurcation Lesions Treated With the 1-Stent Technique. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1297-1307.	2.9	56
165	Clinical Outcomes of Patients with Acute Myocardial Infarction Complicated by Severe Refractory Cardiogenic Shock Assisted with Percutaneous Cardiopulmonary Support. <i>Yonsei Medical Journal</i> , 2014, 55, 920.	2.2	17
166	Long-Term Outcomes of Complete Versus Incomplete Revascularization for Patients with Multivessel Coronary Artery Disease and Left Ventricular Systolic Dysfunction in Drug-Eluting Stent Era. <i>Journal of Korean Medical Science</i> , 2014, 29, 1501.	2.5	10
167	Noninvasive Evaluation of Coronary Collateral Arterial Flow by Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 482-490.	2.6	27
168	Developing a risk prediction model for survival to discharge in cardiac arrest patients who undergo extracorporeal membrane oxygenation. <i>International Journal of Cardiology</i> , 2014, 177, 1031-1035.	1.7	76
169	Predictors of Outcomes of Contrast-Induced Acute Kidney Injury After Percutaneous Coronary Intervention in Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2014, 114, 1830-1835.	1.6	42
170	Angiotensin receptor blocker in patients with ST segment elevation myocardial infarction with preserved left ventricular systolic function: prospective cohort study. <i>BMJ, The</i> , 2014, 349, g6650-g6650.	6.0	28
171	Response to Letters Regarding Article, "Ischemic Postconditioning During Primary Percutaneous Coronary Intervention: The Effects of Postconditioning on Myocardial Reperfusion in Patients With ST-Segment Elevation Myocardial Infarction (POST) Randomized Trial". <i>Circulation</i> , 2014, 130, e54-5.	1.6	1
172	Differential Prognostic Impact of Treatment Strategy Among Patients With Left Main Versus Non-Left Main Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 255-263.	2.9	64
173	Association of Beta-Blocker Therapy at Discharge With Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 592-601.	2.9	68
174	Impact of overweight on myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>Atherosclerosis</i> , 2014, 235, 570-575.	0.8	14
175	The Impact of Side Branch Predilatation on Procedural and Long-term Clinical Outcomes in Coronary Bifurcation Lesions Treated by the Provisional Approach. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq1 1 0784314 rgBT /Ove		
176	Clinical impact of intra-aortic balloon pump during extracorporeal life support in patients with acute myocardial infarction complicated by cardiogenic shock. <i>BMC Anesthesiology</i> , 2014, 14, 27.	1.8	62
177	Spironolactone lowers the rate of repeat revascularization in acute myocardial infarction patients treated with percutaneous coronary intervention. <i>American Heart Journal</i> , 2014, 168, 346-353.e3.	2.7	5
178	Predictors and Outcomes of Side Branch Occlusion After Main Vessel Stenting in Coronary Bifurcation Lesions. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1654-1659.	2.8	188
179	Comparison of magnetic resonance imaging findings in non-ST-segment elevation versus ST-segment elevation myocardial infarction patients undergoing early invasive intervention. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1487-1497.	1.5	21
180	A high loading dose of clopidogrel reduces myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>American Heart Journal</i> , 2012, 163, 500-507.	2.7	26

#	ARTICLE	IF	CITATIONS
181	Randomized Comparison of Conservative Versus Aggressive Strategy for Provisional Side Branch Intervention in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1133-1140.	2.9	48
182	Complete versus incomplete revascularization for treatment of multivessel coronary artery disease in the drug-eluting stent era. <i>Heart and Vessels</i> , 2012, 27, 433-442.	1.2	32
183	Effects of atorvastatin pretreatment on infarct size in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2011, 162, 1026-1033.	2.7	46
184	Comparison of Angiographic and Other Findings and Mortality in Non-ST-Segment Elevation versus ST-Segment Elevation Myocardial Infarction in Patients Undergoing Early Invasive Intervention. <i>American Journal of Cardiology</i> , 2010, 106, 1397-1403.	1.6	35
185	Sirolimus- Versus Paclitaxel-Eluting Stents for the Treatment of Coronary Bifurcations. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1743-1750.	2.8	58
186	Upstream High-Dose Tirofiban Does Not Reduce Myocardial Infarct Size in Patients Undergoing Primary Percutaneous Coronary Intervention: A Magnetic Resonance Imaging Pilot Study. <i>Clinical Cardiology</i> , 2009, 32, 321-326.	1.8	15
187	The effects of atorvastatin on the occurrence of postoperative atrial fibrillation after off-pump coronary artery bypass grafting surgery. <i>American Heart Journal</i> , 2008, 156, 373.e9-373.e16.	2.7	101
188	Outcomes of Pregnancy in Women with Congenital Heart Disease: A Single Center Experience in Korea. <i>Journal of Korean Medical Science</i> , 2008, 23, 808.	2.5	33
189	The Impact of Initial Treatment Delay Using Primary Angioplasty on Mortality among Patients with Acute Myocardial Infarction: from the Korea Acute Myocardial Infarction Registry. <i>Journal of Korean Medical Science</i> , 2008, 23, 357.	2.5	26