

Ian G Stiell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3632804/ian-g-stiell-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

393
papers

27,148
citations

84
h-index

155
g-index

412
ext. papers

31,183
ext. citations

5.3
avg. IF

6.45
L-index

#	Paper	IF	Citations
393	Diagnosis and management of wide complex tachycardia in the emergency department.. <i>Canadian Journal of Emergency Medicine</i> , 2022 , 24, 174	0.6	0
392	Advanced Life Support for out-of-hospital Chest Pain: The Opals Study.. <i>Prehospital Emergency Care</i> , 2022 , 1-13	2.8	0
391	Quality and transparency of reporting derivation and validation prognostic studies of recurrent stroke in patients with TIA and minor stroke: a systematic review.. <i>Diagnostic and Prognostic Research</i> , 2022 , 6, 9	5.5	0
390	S100B protein level for the detection of clinically significant intracranial haemorrhage in patients with mild traumatic brain injury: a subanalysis of a prospective cohort study. <i>Emergency Medicine Journal</i> , 2021 , 38, 285-289	1.5	1
389	Just the facts: Atrial fibrillation or flutter in patients who are candidates for rate control. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 437-440	0.6	1
388	Just the facts: atrial fibrillation or flutter in patients who are candidates for rhythm control. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 441-444	0.6	1
387	Adverse Events Among Emergency Department Patients With Cardiovascular Conditions: A Multicenter Study. <i>Annals of Emergency Medicine</i> , 2021 , 77, 561-574	2.1	1
386	RAFF-3 Trial: A Stepped-Wedge Cluster Randomised Trial to Improve Care of Acute Atrial Fibrillation and Flutter in the Emergency Department. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1569-1577	3.8	1
385	The impact of an outpatient parenteral antibiotic therapy (OPAT) clinic for adults with cellulitis: an interrupted time series study. <i>Internal and Emergency Medicine</i> , 2021 , 16, 1935-1944	3.7	0
384	A randomized, controlled comparison of electrical versus pharmacological cardioversion for emergency department patients with acute atrial flutter. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 314-324	0.6	1
383	Interdepartmental program to improve outcomes for acute heart failure patients seen in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 169-179	0.6	
382	Optimizing collaborative relationships in emergency medicine research. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 291-296	0.6	0
381	Prospective validation of Canadian TIA Score and comparison with ABCD2 and ABCD2i for subsequent stroke risk after transient ischaemic attack: multicentre prospective cohort study. <i>BMJ, The</i> , 2021 , 372, n49	5.9	5
380	Emergency physician risk assessment practices prior to prescribing opioids. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 351-355	0.6	0
379	Evaluating the paramedic application of the prehospital Canadian C-Spine Rule in sport-related injuries. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 356-364	0.6	
378	Thromboembolic events following cardioversion of acute atrial fibrillation and flutter: a systematic review and meta-analysis. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 500-511	0.6	0
377	Which older emergency patients are at risk of intracranial bleeding after a fall? A protocol to derive a clinical decision rule for the emergency department. <i>BMJ Open</i> , 2021 , 11, e044800	3	

376	2021 CAEP Acute Atrial Fibrillation/Flutter Best Practices Checklist. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 604-610	0.6	7
375	Optimal management strategies for primary headache in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 802-811	0.6	1
374	Diagnostic Accuracy of Lung Point-Of-Care Ultrasonography for Acute Heart Failure Compared With Chest X-Ray Study Among Dyspneic Older Patients in the Emergency Department. <i>Journal of Emergency Medicine</i> , 2021 , 61, 161-168	1.5	1
373	Adverse Events Associated With Electrical Cardioversion in Patients With Acute Atrial Fibrillation and Atrial Flutter. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1775-1782	3.8	0
372	Predictors of neurologists confirming or overturning emergency physicians' diagnosis of TIA or stroke. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 812-819	0.6	0
371	An environmental scan of emergency medicine research support, training, and infrastructure across Canada. <i>Canadian Journal of Emergency Medicine</i> , 2020 , 22, 477-485	0.6	
370	Opioid prescription practices for patients discharged from the emergency department with acute musculoskeletal fractures. <i>Canadian Journal of Emergency Medicine</i> , 2020 , 22, 486-493	0.6	0
369	Multicenter Emergency Department Validation of the Canadian Syncope Risk Score. <i>JAMA Internal Medicine</i> , 2020 , 180, 737-744	11.5	19
368	Solid organ donation from the emergency department - missed donor opportunities. <i>Canadian Journal of Emergency Medicine</i> , 2020 , 22, 701-707	0.6	2
367	Intravenous Cetirizine Versus Intravenous Diphenhydramine for the Treatment of Acute Urticaria: A Phase III Randomized Controlled Noninferiority Trial. <i>Annals of Emergency Medicine</i> , 2020 , 76, 489-500	2.1	4
366	The impact of increased chest compression fraction on survival for out-of-hospital cardiac arrest patients with a non-shockable initial rhythm. <i>Resuscitation</i> , 2020 , 154, 93-100	4	7
365	Evaluating the impact of point-of-care ultrasonography on patients with suspected acute heart failure or chronic obstructive pulmonary disease exacerbation in the emergency department: A prospective observational study. <i>Canadian Journal of Emergency Medicine</i> , 2020 , 22, 342-349	0.6	5
364	Electrical versus pharmacological cardioversion for emergency department patients with acute atrial fibrillation (RAFF2): a partial factorial randomised trial. <i>Lancet, The</i> , 2020 , 395, 339-349	4.0	23
363	Mobile Clinical Decision Tools Among Emergency Department Clinicians: Web-Based Survey and Analytic Data for Evaluation of The Ottawa Rules App. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e15503	5.5	5
362	Pragmatic Strategy Empowering Paramedics to Assess Low-Risk Trauma Patients With the Canadian C-Spine Rule and Selectively Transport Them Without Immobilization: Protocol for a Stepped-Wedge Cluster Randomized Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16966	2	1
361	Evaluation of the Ottawa 3DY as a screening tool for cognitive impairment in older emergency department patients. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 2545-2551	2.9	2
360	Use of conventional cardiac troponin assay for diagnosis of non-ST-elevation myocardial infarction: 'The Ottawa Troponin Pathway'. <i>PLoS ONE</i> , 2020 , 15, e0226892	3.7	2
359	Decision fatigue in the Emergency Department: How does emergency physician decision making change over an eight-hour shift?. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 2506-2510	2.9	1

358	Prospective Implementation of the Ottawa Subarachnoid Hemorrhage Rule and 6-Hour Computed Tomography Rule. <i>Stroke</i> , 2020 , 51, 424-430	6.7	20
357	Does -Terminal Pro-B-Type Natriuretic Peptide Improve the Risk Stratification of Emergency Department Patients With Syncope?. <i>Annals of Internal Medicine</i> , 2020 , 172, 648-655	8	3
356	Emergency department cardioversion of acute atrial fibrillation - Authors' reply. <i>Lancet, The</i> , 2020 , 396, 886	40	
355	Rate Control Management of Atrial Fibrillation With Rapid Ventricular Response in the Emergency Department. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 509-517	3.8	2
354	Barriers and enablers that influence guideline-based care of geriatric fall patients presenting to the emergency department. <i>Emergency Medicine Journal</i> , 2019 , 36, 741-747	1.5	2
353	The Canadian Cardiovascular Society 2018 guideline update for atrial fibrillation - A different perspective. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 572-575	0.6	7
352	International variation in survival after out-of-hospital cardiac arrest: A validation study of the Utstein template. <i>Resuscitation</i> , 2019 , 138, 168-181	4	38
351	Evaluation of an emergency department to outpatient parenteral antibiotic therapy program for cellulitis. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 2008-2014	2.9	3
350	Development of a clinical decision support tool for diagnostic imaging use in patients with low back pain: a study protocol. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 1	5.5	10
349	An author responds to "Most important risk factor missing from COPD score". <i>Cmaj</i> , 2019 , 191, E371	3.5	
348	Predictors of Oral Antibiotic Treatment Failure for Nonpurulent Skin and Soft Tissue Infections in the Emergency Department. <i>Academic Emergency Medicine</i> , 2019 , 26, 51-59	3.4	7
347	Adherence of older emergency department patients to community-based specialized geriatric services. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 659-666	0.6	0
346	Solid organ donation from the emergency department - A systematic review. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 626-637	0.6	6
345	Safe Cardioversion for Patients With Acute-Onset Atrial Fibrillation and Flutter: Practical Concerns and Considerations. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1296-1300	3.8	9
344	Outcomes and emergency medical services resource utilization among patients with syncope arriving to the emergency department by ambulance. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 499-504	0.6	
343	Reasons and outcomes for patients receiving ICS/LABA agents prior to, and one month after, emergency department presentations for acute asthma. <i>Journal of Asthma</i> , 2019 , 56, 985-994	1.9	
342	CAEP Acute Atrial Fibrillation/Flutter Best Practices Checklist. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 334-342	0.6	22
341	Engaging emergency clinicians in emergency department clinical research. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 443-447	0.6	4

340	How to conduct implementation trials and multicentre studies in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 448-452	0.6	1
339	Management of direct oral anticoagulant associated bleeding: Results of a multinational survey. <i>Thrombosis Research</i> , 2018 , 163, 19-21	8.2	5
338	In reply. <i>Annals of Emergency Medicine</i> , 2018 , 71, 153	2.1	
337	A Multicenter Program to Implement the Canadian 'C-Spine Rule by Emergency Department Triage Nurses. <i>Annals of Emergency Medicine</i> , 2018 , 72, 333-341	2.1	10
336	Characteristics and outcomes of older emergency department patients assigned a low acuity triage score. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 762-769	0.6	8
335	Creation and Implementation of an Outpatient Pathway for Atrial Fibrillation in the Emergency Department Setting: Results of an Expert Panel. <i>Academic Emergency Medicine</i> , 2018 , 25, 1065-1075	3.4	14
334	Impact of emergency department surge and end of shift on patient workup and treatment prior to referral to internal medicine: a health records review. <i>Emergency Medicine Journal</i> , 2018 , 35, 309-315	1.5	
333	Factors influencing the intentions of nurses and respiratory therapists to use automated external defibrillators during in-hospital cardiac arrest: a qualitative interview study. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 68-79	0.6	3
332	Rates and predictive factors of return to the emergency department following an initial release by the emergency department for acute heart failure. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 222-229	0.6	3
331	Between- and within-site variation in medication choices and adverse events during procedural sedation for electrical cardioversion of atrial fibrillation and flutter. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 370-376	0.6	0
330	Evaluating physician awareness of common health care costs in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 539-549	0.6	6
329	Sentinel visits in emergency department patients with diabetes mellitus as a warning sign for hyperglycemic emergencies. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 230-237	0.6	6
328	Emergency Department Management of Diabetic Ketoacidosis and Hyperosmolar Hyperglycemic State in Adults: National Survey of Attitudes and Practice. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 229-236	2.1	2
327	Emergency physicians' attitudes and perceived barriers to the implementation of take-home naloxone programs in Canadian emergency departments. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 46-52	0.6	16
326	Chronic Pain in the Emergency Department: A Pilot Interdisciplinary Program Demonstrates Improvements in Disability, Psychosocial Function, and Healthcare Utilization. <i>Pain Research and Management</i> , 2018 , 2018, 1875967	2.6	14
325	Position Statement on Emergency Medicine Definitions from the Canadian Association of Emergency Physicians. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 501-506	0.6	4
324	Heart failure and palliative care in the emergency department. <i>Emergency Medicine Journal</i> , 2018 , 35, 726-729	1.5	3
323	Validation and refinement of a clinical decision rule for the use of computed tomography in children with minor head injury in the emergency department. <i>Cmaj</i> , 2018 , 190, E816-E822	3.5	14

322	FLUID trial: a protocol for a hospital-wide open-label cluster crossover pragmatic comparative effectiveness randomised pilot trial. <i>BMJ Open</i> , 2018 , 8, e022780	3	3
321	Acceptability of a Mobile Clinical Decision Tool Among Emergency Department Clinicians: Development and Evaluation of The Ottawa Rules App. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e10263	5.5	6
320	The feasibility of an interactive voice response system (IVRS) for monitoring patient safety after discharge from the ED. <i>Emergency Medicine Journal</i> , 2018 , 35, 180-185	1.5	1
319	Utility of prehospital electrocardiogram characteristics as prognostic markers in out-of-hospital pulseless electrical activity arrests. <i>Emergency Medicine Journal</i> , 2018 , 35, 89-95	1.5	4
318	Hyperglycemia in Young Adults With Types 1 and 2 Diabetes Seen in the Emergency Department: A Health Records Review. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 296-301.e5	2.1	4
317	An environmental scan of academic pediatric emergency medicine at Canadian medical schools: Identifying variability across Canada. <i>Canadian Journal of Emergency Medicine</i> , 2018 , 20, 693-701	0.6	1
316	Clinical validation of a risk scale for serious outcomes among patients with chronic obstructive pulmonary disease managed in the emergency department. <i>Cmaj</i> , 2018 , 190, E1406-E1413	3.5	7
315	Analysis of bystander CPR quality during out-of-hospital cardiac arrest using data derived from automated external defibrillators. <i>Resuscitation</i> , 2018 , 128, 138-143	4	17
314	Outcomes for Emergency Department Patients With Recent-Onset Atrial Fibrillation and Flutter Treated in Canadian Hospitals. <i>Annals of Emergency Medicine</i> , 2017 , 69, 562-571.e2	2.1	41
313	The association of maximum Troponin values post out-of-hospital cardiac arrest with electrocardiographic findings, cardiac reperfusion procedures and survival to discharge: A sub-study of ROC PRIMED. <i>Resuscitation</i> , 2017 , 111, 82-89	4	1
312	Impact of Expanding the Prehospital Stroke Bypass Time Window in a Large Geographic Region. <i>Stroke</i> , 2017 , 48, 624-630	6.7	6
311	Antimicrobial treatment decision for non-purulent skin and soft tissue infections in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2017 , 19, 175-180	0.6	7
310	Factors influencing time to computed tomography in emergency department patients with suspected subarachnoid haemorrhage. <i>Emergency Medicine Journal</i> , 2017 , 34, 20-26	1.5	2
309	Implementation of an Emergency Department Sepsis Bundle and System Redesign: A Process Improvement Initiative. <i>Canadian Journal of Emergency Medicine</i> , 2017 , 19, 112-121	0.6	17
308	Prospective and Explicit Clinical Validation of the Ottawa Heart Failure Risk Scale, With and Without Use of Quantitative NT-proBNP. <i>Academic Emergency Medicine</i> , 2017 , 24, 316-327	3.4	22
307	Antiarrhythmic Drugs for Nonshockable-Turned-Shockable Out-of-Hospital Cardiac Arrest: The ALPS Study (Amiodarone, Lidocaine, or Placebo). <i>Circulation</i> , 2017 , 136, 2119-2131	16.7	17
306	Two, three, and four-drug regimens for HIV post-exposure prophylaxis in a North American sexual assault victim population. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 1798-1803	2.9	6
305	An Environmental Scan of Academic Emergency Medicine at the 17 Canadian Medical Schools: Why Does this Matter to Emergency Physicians?. <i>Canadian Journal of Emergency Medicine</i> , 2017 , 19, 39-46	0.6	10

304	Predicting Short-term Risk of Arrhythmia among Patients With Syncope: The Canadian Syncope Arrhythmia Risk Score. <i>Academic Emergency Medicine</i> , 2017 , 24, 1315-1326	3.4	13
303	Validation of the Ottawa Subarachnoid Hemorrhage Rule in patients with acute headache. <i>Cmaj</i> , 2017 , 189, E1379-E1385	3.5	35
302	Risk factors for recurrent emergency department visits for hyperglycemia in patients with diabetes mellitus. <i>International Journal of Emergency Medicine</i> , 2017 , 10, 23	3.9	13
301	Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department. <i>European Heart Journal</i> , 2016 , 37, 1493-8	9.5	67
300	Hemodynamic, management, and outcomes of patients admitted to emergency department with heart failure. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 132	3.6	2
299	A clinical prediction tool for hospital mortality in critically ill elderly patients. <i>Journal of Critical Care</i> , 2016 , 35, 206-12	4	21
298	Efficiency and safety of coronary CT angiography compared to standard care in the evaluation of patients with acute chest pain: a Canadian study. <i>Emergency Radiology</i> , 2016 , 23, 345-52	3	1
297	Prospective Validation of the Ottawa 3DY Scale by Geriatric Emergency Management Nurses to Identify Impaired Cognition in Older Emergency Department Patients. <i>Annals of Emergency Medicine</i> , 2016 , 67, 157-63	2.1	23
296	Chronic Pain in the Emergency Department: A Pilot Mixed-Methods Cross-Sectional Study Examining Patient Characteristics and Reasons for Presentations. <i>Pain Research and Management</i> , 2016 , 2016, 3092391	2.6	42
295	Development of the Canadian Syncope Risk Score to predict serious adverse events after emergency department assessment of syncope. <i>Cmaj</i> , 2016 , 188, E289-E298	3.5	69
294	A Geospatial Analysis of Severe Firearm Injuries Compared to Other Injury Mechanisms: Event Characteristics, Location, Timing, and Outcomes. <i>Academic Emergency Medicine</i> , 2016 , 23, 554-65	3.4	14
293	Emergency Department Management of Heart Failure and COPD: A National Survey of Attitudes and Practice. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 18, 429-436	0.6	5
292	Multicountry survey of emergency and critical care medicine physicians' fluid resuscitation practices for adult patients with early septic shock. <i>BMJ Open</i> , 2016 , 6, e010041	3	9
291	Amiodarone, Lidocaine, or Placebo in Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2016 , 374, 1711-22	59.2	225
290	Facilitators and barriers to application of the Canadian C-spine rule by emergency department triage nurses. <i>International Emergency Nursing</i> , 2016 , 27, 24-30	2.4	7
289	National survey of emergency physicians for transient ischemic attack (TIA) risk stratification consensus and appropriate treatment for a given level of risk. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 18, 10-8	0.6	7
288	Paramedics assessing Elders at Risk for Independence Loss (PERIL): Derivation, Reliability and Comparative Effectiveness of a Clinical Prediction Rule. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 18, 121-32	0.6	9
287	CAEP 2015 Academic Symposium: Recommendations for University Governance and Administration for Emergency Medicine. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 1-8	0.6	4

286	CAEP 2015 Academic Symposium: Leadership within the emergency medicine academic community and beyond. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 18 Suppl 1, S1-9	0.6	6
285	Comparison of management and outcomes of ED patients with acute decompensated heart failure between the Canadian and United States' settings. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 18, 81-9	0.6	2
284	CAEP 2015 Academic Symposium: Current State and Recommendations to Achieve Adequate and Sustainable Funding for Emergency Medicine Academic Units. <i>Canadian Journal of Emergency Medicine</i> , 2016 , 18 Suppl 1, S10-7	0.6	3
283	Characteristics and outcomes for acute heart failure in elderly patients presenting to the ED. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 2159-2166	2.9	5
282	Ambulatory vital signs in the workup of pulmonary embolism using a standardized 3-minute walk test. <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 270-8	0.6	0
281	Epidemiology and clinical predictors of biphasic reactions in children with anaphylaxis. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 115, 217-223.e2	3.2	63
280	Computed tomography identifies patients at high risk for stroke after transient ischemic attack/nondisabling stroke: prospective, multicenter cohort study. <i>Stroke</i> , 2015 , 46, 114-9	6.7	13
279	Cardiac arrest diagnostic accuracy of 9-1-1 dispatchers: a prospective multi-center study. <i>Resuscitation</i> , 2015 , 90, 116-20	4	31
278	Short-term risk of arrhythmias among emergency department syncope patients with non-sinus rhythm. <i>International Journal of Cardiology</i> , 2015 , 189, 12-4	3.2	3
277	Chest compression rates and survival following out-of-hospital cardiac arrest. <i>Critical Care Medicine</i> , 2015 , 43, 840-8	1.4	210
276	National Survey of Neurologists for Transient Ischemic Attack Risk Stratification Consensus and Appropriate Treatment for a Given Level of Risks. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 2514-20	2.8	1
275	Post-discharge outcomes after resuscitation from out-of-hospital cardiac arrest: A ROC PRIMED substudy. <i>Resuscitation</i> , 2015 , 93, 74-81	4	36
274	Chest compression fraction: A time dependent variable of survival in shockable out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2015 , 97, 129-35	4	35
273	Trial of Continuous or Interrupted Chest Compressions during CPR. <i>New England Journal of Medicine</i> , 2015 , 373, 2203-14	59.2	173
272	Acute management and outcomes of patients with diabetes mellitus presenting to Canadian emergency departments with hypoglycemia. <i>Canadian Journal of Diabetes</i> , 2015 , 39, 55-64	2.1	16
271	Effectiveness and safety of a prehospital program of continuous positive airway pressure (CPAP) in an urban setting. <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 609-16	0.6	10
270	Isolated transient aphasia at emergency presentation is associated with a high rate of cardioembolic embolism. <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 624-30	0.6	2
269	CAEP 2014 Academic symposium: "How to make research succeed in your department: How to fund your research program". <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 453-61	0.6	9

268	Time trends in intracranial bleeding associated with direct oral anticoagulants: a 5-year cohort study. <i>CMAJ Open</i> , 2015 , 3, E432-7	2.5	6
267	Differentiation between traumatic tap and aneurysmal subarachnoid hemorrhage: prospective cohort study. <i>BMJ, The</i> , 2015 , 350, h568	5.9	44
266	Emergency department management of syncope: need for standardization and improved risk stratification. <i>Internal and Emergency Medicine</i> , 2015 , 10, 619-27	3.7	24
265	Rates and correlates of relapse following ED discharge for acute asthma: a Canadian 20-site prospective cohort study. <i>Chest</i> , 2015 , 147, 140-149	5.3	16
264	Prevalence and predictors of initial oral antibiotic treatment failure in adult emergency department patients with cellulitis: a pilot study. <i>BMJ Open</i> , 2015 , 5, e008150	3	2
263	Acute management and outcomes of patients with diabetes mellitus presenting to Canadian emergency departments with hypoglycemia. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 4, 9-18	2.1	5
262	Outcomes in presyncope patients: a prospective cohort study. <i>Annals of Emergency Medicine</i> , 2015 , 65, 268-276.e6	2.1	13
261	Prehospital use of furosemide for the treatment of heart failure. <i>Emergency Medicine Journal</i> , 2015 , 32, 36-43	1.5	3
260	How do emergency physicians make discharge decisions?. <i>Emergency Medicine Journal</i> , 2015 , 32, 9-14	1.5	14
259	The yield of CT pulmonary angiograms to exclude acute pulmonary embolism. <i>Emergency Radiology</i> , 2014 , 21, 133-41	3	32
258	What is the optimal chest compression depth during out-of-hospital cardiac arrest resuscitation of adult patients?. <i>Circulation</i> , 2014 , 130, 1962-70	16.7	216
257	Theory of planned behaviour can help understand processes underlying the use of two emergency medicine diagnostic imaging rules. <i>Implementation Science</i> , 2014 , 9, 88	8.4	11
256	Patient safety analysis of the ED care of patients with heart failure and COPD exacerbations: a multicenter prospective cohort study. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 29-35	2.9	11
255	Priorities for emergency department syncope research. <i>Annals of Emergency Medicine</i> , 2014 , 64, 649-55.e21	2.1	56
254	Derivation of a risk scale and quantification of risk factors for serious adverse events in adult emergency department syncope patients. <i>Canadian Journal of Emergency Medicine</i> , 2014 , 16, 120-30	0.6	7
253	Radiation doses to emergency department patients undergoing computed tomography. <i>Canadian Journal of Emergency Medicine</i> , 2014 , 16, 477-84	0.6	9
252	Acute isolated dysarthria is associated with a high risk of stroke. <i>Cerebrovascular Diseases Extra</i> , 2014 , 4, 182-5	2.1	6
251	Differential survival for men and women from out-of-hospital cardiac arrest varies by age: results from the OPALS study. <i>Academic Emergency Medicine</i> , 2014 , 21, 1503-11	3.4	55

250	Assessment of the impact on time to complete medical record using an electronic medical record versus a paper record on emergency department patients: a study. <i>Emergency Medicine Journal</i> , 2014 , 31, 980-5	1.5	22
249	2014 focused update of the Canadian Cardiovascular Society Guidelines for the management of atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1114-30	3.8	305
248	Barriers and facilitators to CPR knowledge transfer in an older population most likely to witness cardiac arrest: a theory-informed interview approach. <i>Emergency Medicine Journal</i> , 2014 , 31, 700-5	1.5	16
247	Response to letter regarding article, "A prospective cohort study of patients with transient ischemic attack to identify high-risk clinical characteristics". <i>Stroke</i> , 2014 , 45, e88	6.7	
246	A prospective cohort study of patients with transient ischemic attack to identify high-risk clinical characteristics. <i>Stroke</i> , 2014 , 45, 92-100	6.7	36
245	Traumatic intracranial injury in intoxicated patients with minor head trauma. <i>Academic Emergency Medicine</i> , 2014 , 21, 221	3.4	1
244	Apples to apples or apples to oranges? International variation in reporting of process and outcome of care for out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014 , 85, 1599-609	4	48
243	The efficacy of pad placement for electrical cardioversion of atrial fibrillation/flutter: a systematic review. <i>Academic Emergency Medicine</i> , 2014 , 21, 717-26	3.4	23
242	Clinical characteristics associated with adverse events in patients with exacerbation of chronic obstructive pulmonary disease: a prospective cohort study. <i>Cmaj</i> , 2014 , 186, E193-204	3.5	32
241	Risk stratification of adult emergency department syncope patients to predict short-term serious outcomes after discharge (RiSEDS) study. <i>BMC Emergency Medicine</i> , 2014 , 14, 8	2.4	15
240	Subarachnoid hemorrhage diagnosis--reply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 201-2	27.4	
239	Risk factors for serious underlying pathology in adult emergency department nontraumatic low back pain patients. <i>Journal of Emergency Medicine</i> , 2014 , 47, 1-11	1.5	24
238	Association between survival and early versus later rhythm analysis in out-of-hospital cardiac arrest: do agency-level factors influence outcomes?. <i>Annals of Emergency Medicine</i> , 2014 , 64, 1-8	2.1	15
237	Early coronary angiography and induced hypothermia are associated with survival and functional recovery after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014 , 85, 657-63	4	128
236	Understanding the Canadian adult CT head rule trial: use of the theoretical domains framework for process evaluation. <i>Implementation Science</i> , 2013 , 8, 25	8.4	68
235	Outcomes in Canadian emergency department syncope patients--are we doing a good job?. <i>Journal of Emergency Medicine</i> , 2013 , 44, 321-8	1.5	37
234	Triple rule-out computed tomographic angiography for chest pain: a diagnostic systematic review and meta-analysis. <i>Academic Emergency Medicine</i> , 2013 , 20, 861-71	3.4	40
233	Barriers and facilitators to CPR training and performing CPR in an older population most likely to witness cardiac arrest: a national survey. <i>Resuscitation</i> , 2013 , 84, 1747-52	4	29

232	A risk scoring system to identify emergency department patients with heart failure at high risk for serious adverse events. <i>Academic Emergency Medicine</i> , 2013 , 20, 17-26	3.4	74
231	The Canadian Safe Driving Study-Phase I pilot: Examining potential logistical barriers to the full cohort study. <i>Accident Analysis and Prevention</i> , 2013 , 61, 236-44	6.1	21
230	Pragmatic interpretation of the study of nontraumatic subarachnoid hemorrhage in the setting of negative cranial computed tomography results: external validation of a clinical and imaging prediction rule. <i>Annals of Emergency Medicine</i> , 2013 , 62, 435-6	2.1	6
229	Clinical decision rules to rule out subarachnoid hemorrhage for acute headache. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1248-55	27.4	135
228	Prehospital non-drug assisted intubation for adult trauma patients with a Glasgow Coma Score less than 9. <i>Emergency Medicine Journal</i> , 2013 , 30, 935-41	1.5	7
227	Fluid Resuscitation with 5% albumin versus Normal Saline in Early Septic Shock: a pilot randomized, controlled trial. <i>Journal of Critical Care</i> , 2012 , 27, 317.e1-6	4	10
226	Failure of prospective validation and derivation of a refined clinical decision rule for chest radiography in emergency department patients with chest pain and possible acute coronary syndrome. <i>Academic Emergency Medicine</i> , 2012 , 19, E1004-10	3.4	5
225	Experiential and rational decision making: a survey to determine how emergency physicians make clinical decisions. <i>Emergency Medicine Journal</i> , 2012 , 29, 811-6	1.5	22
224	Epidemiology of out-of hospital pediatric cardiac arrest due to trauma. <i>Prehospital Emergency Care</i> , 2012 , 16, 230-6	2.8	25
223	Factors associated with the successful recognition of abnormal breathing and cardiac arrest by ambulance communications officers: a qualitative iterative survey. <i>Prehospital Emergency Care</i> , 2012 , 16, 443-50	2.8	5
222	External validation of the Glasgow-Blatchford Bleeding Score and the Rockall Score in the US setting. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 673-9	2.9	37
221	An international view of how recent-onset atrial fibrillation is treated in the emergency department. <i>Academic Emergency Medicine</i> , 2012 , 19, 1255-60	3.4	50
220	Mapping out the emergency department disposition decision for high-acuity patients. <i>Annals of Emergency Medicine</i> , 2012 , 60, 567-576.e4	2.1	51
219	The PRECISE RCT: evolution of an early septic shock fluid resuscitation trial. <i>Transfusion Medicine Reviews</i> , 2012 , 26, 333-41	7.4	14
218	Relationship between chest compression rates and outcomes from cardiac arrest. <i>Circulation</i> , 2012 , 125, 3004-12	16.7	266
217	Performance of the Canadian CT Head Rule and the New Orleans Criteria for predicting any traumatic intracranial injury on computed tomography in a United States Level I trauma center. <i>Academic Emergency Medicine</i> , 2012 , 19, 2-10	3.4	87
216	Development of a clinical prediction rule for 30-day cardiac events in emergency department patients with chest pain and possible acute coronary syndrome. <i>Annals of Emergency Medicine</i> , 2012 , 59, 115-25.e1	2.1	114
215	Survey of emergency physicians' requirements for a clinical decision rule for acute respiratory illnesses in three countries. <i>Canadian Journal of Emergency Medicine</i> , 2012 , 14, 83-9	0.6	9

214	The chest pain choice decision aid: a randomized trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012 , 5, 251-9	5.8	183
213	A simple three-step dispatch rule may reduce lights and sirens responses to motor vehicle crashes. <i>Emergency Medicine Journal</i> , 2012 , 29, 592-5	1.5	10
212	Temporal compliance trends in a cluster randomization with crossover trial of out-of-hospital cardiac arrest. <i>Clinical Trials</i> , 2012 , 9, 314-21	2.2	
211	Use of rate control medication before cardioversion of recent-onset atrial fibrillation or flutter in the emergency department is associated with reduced success rates. <i>Canadian Journal of Emergency Medicine</i> , 2012 , 14, 169-77	0.6	7
210	What is the role of chest compression depth during out-of-hospital cardiac arrest resuscitation?. <i>Critical Care Medicine</i> , 2012 , 40, 1192-8	1.4	288
209	Is this subarachnoid hemorrhage significant? A National Survey of Neurosurgeons. <i>Canadian Journal of Neurological Sciences</i> , 2012 , 39, 638-43	1	9
208	Defining abnormal electrocardiography in adult emergency department syncope patients: the Ottawa Electrocardiographic Criteria. <i>Canadian Journal of Emergency Medicine</i> , 2012 , 14, 248-58	0.6	16
207	Perceived facilitators and barriers to clinical clearance of the cervical spine by emergency department nurses: A major step towards changing practice in the emergency department. <i>International Emergency Nursing</i> , 2011 , 19, 44-52	2.4	8
206	Early versus later rhythm analysis in patients with out-of-hospital cardiac arrest. <i>New England Journal of Medicine</i> , 2011 , 365, 787-97	59.2	185
205	Canadian Cardiovascular Society atrial fibrillation guidelines 2010: management of recent-onset atrial fibrillation and flutter in the emergency department. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 38-46	3.8	88
204	The impact of increased chest compression fraction on return of spontaneous circulation for out-of-hospital cardiac arrest patients not in ventricular fibrillation. <i>Resuscitation</i> , 2011 , 82, 1501-7	4	176
203	UK Survey of emergency physicians' priorities for clinical decision rules. <i>Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals</i> , 2011 , 3, 78-82	0.3	
202	Out-of-hospital hypertonic resuscitation after traumatic hypovolemic shock: a randomized, placebo controlled trial. <i>Annals of Surgery</i> , 2011 , 253, 431-41	7.8	216
201	Evaluation of the safety of C-spine clearance by paramedics: design and methodology. <i>BMC Emergency Medicine</i> , 2011 , 11, 1	2.4	31
200	Managing recent-onset atrial fibrillation in the emergency department. <i>Annals of Emergency Medicine</i> , 2011 , 57, 31-2	2.1	24
199	Variation in management of recent-onset atrial fibrillation and flutter among academic hospital emergency departments. <i>Annals of Emergency Medicine</i> , 2011 , 57, 13-21	2.1	93
198	Variation in out-of-hospital cardiac arrest resuscitation and transport practices in the Resuscitation Outcomes Consortium: ROC Epistry-Cardiac Arrest. <i>Resuscitation</i> , 2011 , 82, 277-84	4	86
197	A trial of an impedance threshold device in out-of-hospital cardiac arrest. <i>New England Journal of Medicine</i> , 2011 , 365, 798-806	59.2	148

196	Effect of real-time feedback during cardiopulmonary resuscitation outside hospital: prospective, cluster-randomised trial. <i>BMJ, The</i> , 2011 , 342, d512	5.9	157
195	The relationship between out-of-hospital airway management and outcome among trauma patients with Glasgow Coma Scale Scores of 8 or less. <i>Prehospital Emergency Care</i> , 2011 , 15, 184-92	2.8	52
194	Validation of the Canadian c-spine rule in the UK emergency department setting. <i>Emergency Medicine Journal</i> , 2011 , 28, 873-6	1.5	24
193	Prospective validation of the ABCD2 score for patients in the emergency department with transient ischemic attack. <i>Cmaj</i> , 2011 , 183, 1137-45	3.5	66
192	CAEP position statement on bystander cardiopulmonary resuscitation. <i>Canadian Journal of Emergency Medicine</i> , 2011 , 13, 339-342	0.6	2
191	Emergency physicians' management of transient ischemic attack and desired sensitivity of a clinical decision rule for stroke in three countries. <i>Canadian Journal of Emergency Medicine</i> , 2011 , 13, 19-27	0.6	12
190	Perishock pause: an independent predictor of survival from out-of-hospital shockable cardiac arrest. <i>Circulation</i> , 2011 , 124, 58-66	16.7	261
189	Sensitivity of computed tomography performed within six hours of onset of headache for diagnosis of subarachnoid haemorrhage: prospective cohort study. <i>BMJ, The</i> , 2011 , 343, d4277	5.9	209
188	Prospective validation of a modified thrombolysis in myocardial infarction risk score in emergency department patients with chest pain and possible acute coronary syndrome. <i>Academic Emergency Medicine</i> , 2010 , 17, 368-75	3.4	42
187	Vernakalant hydrochloride: A novel atrial-selective agent for the cardioversion of recent-onset atrial fibrillation in the emergency department. <i>Academic Emergency Medicine</i> , 2010 , 17, 1175-82	3.4	15
186	Out-of-hospital cardiac arrest surveillance in Canada: a survey of national resources. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 119-27	0.6	2
185	Mentoring in emergency medicine: the art and the evidence. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 143-9	0.6	36
184	Diagnostic accuracy of the TIMI risk score in patients with chest pain in the emergency department: a meta-analysis. <i>Cmaj</i> , 2010 , 182, 1039-44	3.5	94
183	A prospective cluster-randomized trial to implement the Canadian CT Head Rule in emergency departments. <i>Cmaj</i> , 2010 , 182, 1527-32	3.5	93
182	Measuring acceptability of clinical decision rules: validation of the Ottawa acceptability of decision rules instrument (OADRI) in four countries. <i>Medical Decision Making</i> , 2010 , 30, 398-408	2.5	44
181	CATCH: a clinical decision rule for the use of computed tomography in children with minor head injury. <i>Cmaj</i> , 2010 , 182, 341-8	3.5	333
180	National survey of Canadian neurologists' current practice for transient ischemic attack and the need for a clinical decision rule. <i>Stroke</i> , 2010 , 41, 987-91	6.7	9
179	Multicentre prospective validation of use of the Canadian C-Spine Rule by triage nurses in the emergency department. <i>Cmaj</i> , 2010 , 182, 1173-9	3.5	37

178	High risk clinical characteristics for subarachnoid haemorrhage in patients with acute headache: prospective cohort study. <i>BMJ, The</i> , 2010 , 341, c5204	5.9	102
177	Derivation and validation of an index to predict early death or unplanned readmission after discharge from hospital to the community. <i>Cmaj</i> , 2010 , 182, 551-7	3.5	557
176	A prospective cohort study found that provider and information continuity was low after patient discharge from hospital. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1000-10	5.7	36
175	In-hospital mortality in 13,263 survivors of out-of-hospital cardiac arrest in Canada. <i>American Heart Journal</i> , 2010 , 159, 577-583.e1	4.9	12
174	A multicenter, open-label study of vernakalant for the conversion of atrial fibrillation to sinus rhythm. <i>American Heart Journal</i> , 2010 , 159, 1095-101	4.9	68
173	Stratified, urgent care for transient ischemic attack results in low stroke rates. <i>Stroke</i> , 2010 , 41, 2601-5	6.7	55
172	Severe traumatic injury: regional variation in incidence and outcome. <i>Annals of Surgery</i> , 2010 , 252, 149-57	7.8	39
171	A critical assessment of the out-of-hospital trauma triage guidelines for physiologic abnormality. <i>Journal of Trauma</i> , 2010 , 68, 452-62		35
170	Comparison of CT head interpretation between emergency physicians and neuroradiologists. <i>European Journal of Emergency Medicine</i> , 2010 , 17, 280-2	2.3	12
169	Adverse events among patients registered in high-acuity areas of the emergency department: a prospective cohort study. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 421-30	0.6	56
168	Association of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 181-91	0.6	92
167	Derivation of a clinical decision rule for chest radiography in emergency department patients with chest pain and possible acute coronary syndrome. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 128-34	0.6	12
166	The independent association of provider and information continuity on outcomes after hospital discharge: implications for hospitalists. <i>Journal of Hospital Medicine</i> , 2010 , 5, 398-405	2.7	48
165	Survival increases with CPR by Emergency Medical Services before defibrillation of out-of-hospital ventricular fibrillation or ventricular tachycardia: observations from the Resuscitation Outcomes Consortium. <i>Resuscitation</i> , 2010 , 81, 155-62	4	35
164	Increased survival after EMS witnessed cardiac arrest. Observations from the Resuscitation Outcomes Consortium (ROC) Epistry-Cardiac arrest. <i>Resuscitation</i> , 2010 , 81, 826-30	4	63
163	Predicting survival after out-of-hospital cardiac arrest: role of the Utstein data elements. <i>Annals of Emergency Medicine</i> , 2010 , 55, 249-57	2.1	159
162	External validation of the San Francisco Syncope Rule in the Canadian setting. <i>Annals of Emergency Medicine</i> , 2010 , 55, 464-72	2.1	58
161	The Chest Pain Choice trial: a pilot randomized trial of a decision aid for patients with chest pain in the emergency department. <i>Trials</i> , 2010 , 11, 57	2.8	22

160	Implementation of the Canadian C-Spine Rule: prospective 12 centre cluster randomised trial. <i>BMJ, The</i> , 2009 , 339, b4146	5.9	97
159	Chest compression fraction determines survival in patients with out-of-hospital ventricular fibrillation. <i>Circulation</i> , 2009 , 120, 1241-7	16.7	547
158	A survey of factors associated with the successful recognition of agonal breathing and cardiac arrest by 9-1-1 call takers: design and methodology. <i>BMC Emergency Medicine</i> , 2009 , 9, 14	2.4	3
157	Predictors of hospital admission for chronic obstructive pulmonary disease exacerbations in Canadian emergency departments. <i>Academic Emergency Medicine</i> , 2009 , 16, 316-24	3.4	24
156	Structure and function of emergency care research networks: strengths, weaknesses, and challenges. <i>Academic Emergency Medicine</i> , 2009 , 16, 995-1004	3.4	7
155	Comparison of the Cerebral Performance Category score and the Health Utilities Index for survivors of cardiac arrest. <i>Annals of Emergency Medicine</i> , 2009 , 53, 241-248	2.1	93
154	Effect of transport interval on out-of-hospital cardiac arrest survival in the OPALS study: implications for triaging patients to specialized cardiac arrest centers. <i>Annals of Emergency Medicine</i> , 2009 , 54, 248-55	2.1	80
153	The out-of-hospital validation of the Canadian C-Spine Rule by paramedics. <i>Annals of Emergency Medicine</i> , 2009 , 54, 663-671.e1	2.1	70
152	Comparison of the 20-hour intravenous and 72-hour oral acetylcysteine protocols for the treatment of acute acetaminophen poisoning. <i>Annals of Emergency Medicine</i> , 2009 , 54, 606-14	2.1	85
151	An international study of emergency physicians' practice for acute headache management and the need for a clinical decision rule. <i>Canadian Journal of Emergency Medicine</i> , 2009 , 11, 516-22	0.6	32
150	Association of injury mechanism with the risk of cervical spine fractures. <i>Canadian Journal of Emergency Medicine</i> , 2009 , 11, 14-22	0.6	47
149	Regional variation in out-of-hospital cardiac arrest incidence and outcome. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1423-31	27.4	1371
148	A clinical decision rule for cranial computed tomography in minor pediatric head trauma. <i>JAMA Pediatrics</i> , 2008 , 162, 439-45		70
147	The OPALS Major Trauma Study: impact of advanced life-support on survival and morbidity. <i>Cmaj</i> , 2008 , 178, 1141-52	3.5	180
146	Vernakalant hydrochloride for rapid conversion of atrial fibrillation: a phase 3, randomized, placebo-controlled trial. <i>Circulation</i> , 2008 , 117, 1518-25	16.7	257
145	Information exchange among physicians caring for the same patient in the community. <i>Cmaj</i> , 2008 , 179, 1013-8	3.5	46
144	Understanding and improving low bystander CPR rates: a systematic review of the literature. <i>Canadian Journal of Emergency Medicine</i> , 2008 , 10, 51-65	0.6	124
143	Diagnostic accuracy of clinical prediction rules to exclude acute coronary syndrome in the emergency department setting: a systematic review. <i>Canadian Journal of Emergency Medicine</i> , 2008 , 10, 373-82	0.6	55

142	Fluid resuscitation in the management of early septic shock (FINESS): a randomized controlled feasibility trial. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 819-26	3	42
141	An evaluation of 9-1-1 calls to assess the effectiveness of dispatch-assisted cardiopulmonary resuscitation (CPR) instructions: design and methodology. <i>BMC Emergency Medicine</i> , 2008 , 8, 12	2.4	11
140	A survey of attitudes and factors associated with successful cardiopulmonary resuscitation (CPR) knowledge transfer in an older population most likely to witness cardiac arrest: design and methodology. <i>BMC Emergency Medicine</i> , 2008 , 8, 13	2.4	22
139	A study to derive a clinical decision rule for triage of emergency department patients with chest pain: design and methodology. <i>BMC Emergency Medicine</i> , 2008 , 8, 3	2.4	22
138	Resuscitation Outcomes Consortium (ROC) PRIMED cardiac arrest trial methods part 2: rationale and methodology for "Analyze Later vs. Analyze Early" protocol. <i>Resuscitation</i> , 2008 , 78, 186-95	4	36
137	Resuscitation Outcomes Consortium (ROC) PRIMED cardiac arrest trial methods part 1: rationale and methodology for the impedance threshold device (ITD) protocol. <i>Resuscitation</i> , 2008 , 78, 179-85	4	38
136	The Resuscitation Outcomes Consortium Epistry-Trauma: design, development, and implementation of a North American epidemiologic prehospital trauma registry. <i>Resuscitation</i> , 2008 , 78, 170-8	4	34
135	Is the combination of vasopressin and epinephrine superior to repeated doses of epinephrine alone in the treatment of cardiac arrest-a systematic review. <i>Resuscitation</i> , 2008 , 79, 380-6	4	15
134	Death after emergency department visits for syncope: how common and can it be predicted?. <i>Annals of Emergency Medicine</i> , 2008 , 51, 585-90	2.1	47
133	Is the combination of negative computed tomography result and negative lumbar puncture result sufficient to rule out subarachnoid hemorrhage?. <i>Annals of Emergency Medicine</i> , 2008 , 51, 707-13	2.1	73
132	International survey of emergency physicians' priorities for clinical decision rules. <i>Academic Emergency Medicine</i> , 2008 , 15, 177-82	3.4	74
131	International survey of emergency physicians' awareness and use of the Canadian Cervical-Spine Rule and the Canadian Computed Tomography Head Rule. <i>Academic Emergency Medicine</i> , 2008 , 15, 1256-61	3.4	47
130	Measurement of driving patterns of older adults using data logging devices with and without global positioning system capability. <i>Traffic Injury Prevention</i> , 2007 , 8, 260-6	1.8	30
129	A clinical decision rule to identify which chest pain patients can safely be removed from cardiac monitoring in the emergency department. <i>Annals of Emergency Medicine</i> , 2007 , 50, 136-43	2.1	17
128	Comparing pre-hospital clinical diagnosis of pediatric out-of-hospital cardiac arrest with etiology by coroner's diagnosis. <i>Resuscitation</i> , 2007 , 72, 26-34	4	16
127	Derivation and evaluation of a termination of resuscitation clinical prediction rule for advanced life support providers. <i>Resuscitation</i> , 2007 , 74, 266-75	4	106
126	A matched-pair cluster design study protocol to evaluate implementation of the Canadian C-spine rule in hospital emergency departments: Phase III. <i>Implementation Science</i> , 2007 , 2, 4	8.4	14
125	Implementation of Clinical Decision Rules in the Emergency Department. <i>Academic Emergency Medicine</i> , 2007 , 14, 955-959	3.4	82

124	Evaluating the effectiveness of dispatch-assisted cardiopulmonary resuscitation instructions. <i>Academic Emergency Medicine</i> , 2007 , 14, 877-83	3.4	132
123	Emergency department use of intravenous procainamide for patients with acute atrial fibrillation or flutter. <i>Academic Emergency Medicine</i> , 2007 , 14, 1158-64	3.4	53
122	Acceptability and concurrent validity of measures to predict older driver involvement in motor vehicle crashes: an Emergency Department pilot case-control study. <i>Accident Analysis and Prevention</i> , 2007 , 39, 1056-63	6.1	44
121	Advanced life support for out-of-hospital respiratory distress. <i>New England Journal of Medicine</i> , 2007 , 356, 2156-64	59.2	94
120	Impact of the privacy rule on the study of out-of-hospital pediatric cardiac arrest. <i>Prehospital Emergency Care</i> , 2007 , 11, 272-7	2.8	4
119	Computed tomographic pulmonary angiography vs ventilation-perfusion lung scanning in patients with suspected pulmonary embolism: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2743-53	27.4	392
118	BIPHASIC Trial: a randomized comparison of fixed lower versus escalating higher energy levels for defibrillation in out-of-hospital cardiac arrest. <i>Circulation</i> , 2007 , 115, 1511-7	16.7	73
117	Adverse events following an emergency department visit. <i>Quality and Safety in Health Care</i> , 2007 , 16, 17-22		67
116	Implementation of clinical decision rules in the emergency department. <i>Academic Emergency Medicine</i> , 2007 , 14, 955-9	3.4	63
115	Impact of clinical decision rules on clinical care of traumatic injuries to the foot and ankle, knee, cervical spine, and head. <i>Injury</i> , 2006 , 37, 1157-65	2.5	45
114	Comparison of early mortality of paramedic-diagnosed ST-segment elevation myocardial infarction with immediate transport to a designated primary percutaneous coronary intervention center to that of similar patients transported to the nearest hospital. <i>American Journal of Cardiology</i> , 2006 , 98, 1329-33	3	84
113	Should spectrophotometry be used to identify xanthochromia in the cerebrospinal fluid of alert patients suspected of having subarachnoid hemorrhage?. <i>Stroke</i> , 2006 , 37, 2467-72	6.7	65
112	What are the characteristics and outcomes of nontransported pediatric patients?. <i>Prehospital Emergency Care</i> , 2006 , 10, 28-34	2.8	22
111	CT scanning for minor head injury. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 498	27.4	3
110	Print format and sender recognition were related to survey completion rate. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 635-41	5.7	13
109	Diagnostic performance and potential clinical impact of advanced care paramedic interpretation of ST-segment elevation myocardial infarction in the field. <i>Canadian Journal of Emergency Medicine</i> , 2006 , 8, 401-7	0.6	47
108	Clinical sensibility and barriers to knowledge translation. <i>Annals of Internal Medicine</i> , 2006 , 145, 77-8	8	2
107	Management and outcomes of pediatric patients transported by emergency medical services in a Canadian prehospital system. <i>Canadian Journal of Emergency Medicine</i> , 2006 , 8, 6-12	0.6	38

106	The bedside investigation of pulmonary embolism diagnosis study: a double-blind randomized controlled trial comparing combinations of 3 bedside tests vs ventilation-perfusion scan for the initial investigation of suspected pulmonary embolism. <i>Archives of Internal Medicine</i> , 2006 , 166, 181-7		31
105	Comparison of termination-of-resuscitation guidelines for basic life support: defibrillator providers in out-of-hospital cardiac arrest. <i>Annals of Emergency Medicine</i> , 2006 , 47, 337-43	2.1	56
104	Prospective validation of the San Francisco Syncope Rule to predict patients with serious outcomes. <i>Annals of Emergency Medicine</i> , 2006 , 47, 448-54	2.1	190
103	Clinical features of head injury patients presenting with a Glasgow Coma Scale score of 15 and who require neurosurgical intervention. <i>Annals of Emergency Medicine</i> , 2006 , 48, 245-51	2.1	25
102	Etiology of pediatric out-of-hospital cardiac arrest by coroner's diagnosis. <i>Resuscitation</i> , 2006 , 68, 335-42		41
101	Will a new clinical decision rule be widely used? The case of the Canadian C-spine rule. <i>Academic Emergency Medicine</i> , 2006 , 13, 413-20	3.4	35
100	What are the etiology and epidemiology of out-of-hospital pediatric cardiopulmonary arrest in Ontario, Canada?. <i>Academic Emergency Medicine</i> , 2006 , 13, 653-8	3.4	79
99	Use of spiral computed tomography contrast angiography and ultrasonography to exclude the diagnosis of pulmonary embolism in the emergency department. <i>Journal of Emergency Medicine</i> , 2005 , 29, 399-404	1.5	69
98	The interobserver reliability of pretest probability assessment in patients with suspected pulmonary embolism. <i>Thrombosis Research</i> , 2005 , 116, 101-7	8.2	63
97	The San Francisco Syncope Rule vs physician judgment and decision making. <i>American Journal of Emergency Medicine</i> , 2005 , 23, 782-6	2.9	52
96	Predicting intervention in renal colic patients after emergency department evaluation. <i>Canadian Journal of Emergency Medicine</i> , 2005 , 7, 78-86	0.6	44
95	A randomized controlled trial of an educational intervention to prevent the chronic pain of whiplash associated disorders following rear-end motor vehicle collisions. <i>Spine</i> , 2005 , 30, 1799-807	3.3	51
94	Treatment failure in emergency department patients with cellulitis. <i>Canadian Journal of Emergency Medicine</i> , 2005 , 7, 228-34	0.6	35
93	Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations. <i>Annals of Emergency Medicine</i> , 2005 , 46, 237-42	2.1	15
92	Out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge. <i>Annals of Emergency Medicine</i> , 2005 , 46, 512-22	2.1	352
91	Clinical decision rules "in the real world": how a widely disseminated rule is used in everyday practice. <i>Academic Emergency Medicine</i> , 2005 , 12, 948-56	3.4	42
90	Diagnostic Performance of Venous Lactate on Arrival at the Emergency Department for Myocardial Infarction. <i>Academic Emergency Medicine</i> , 2005 , 12, 106-113	3.4	7
89	Attitudes and Judgment of Emergency Physicians in the Management of Patients with Acute Headache. <i>Academic Emergency Medicine</i> , 2005 , 12, 33-37	3.4	27

88	Maintaining continuity of care: a look at the quality of communication between Ontario emergency departments and community physicians. <i>Canadian Journal of Emergency Medicine</i> , 2005 , 7, 155-61	0.6	17
87	Comparison of the Canadian CT Head Rule and the New Orleans Criteria in patients with minor head injury. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 1511-8	27.4	331
86	Diagnostic performance of venous lactate on arrival at the emergency department for myocardial infarction. <i>Academic Emergency Medicine</i> , 2005 , 12, 106-13	3.4	9
85	Attitudes and judgment of emergency physicians in the management of patients with acute headache. <i>Academic Emergency Medicine</i> , 2005 , 12, 33-7	3.4	11
84	Use of implantable cardioverter defibrillators after out-of-hospital cardiac arrest: a prospective follow-up study. <i>Cmaj</i> , 2004 , 171, 1053-6	3.5	10
83	Initial Emergency Department Trauma Scores from the OPALS Study: The Case for the Motor Score in Blunt Trauma. <i>Academic Emergency Medicine</i> , 2004 , 11, 834-842	3.4	13
82	Risk adjustment and outcome measures for out-of-hospital respiratory distress. <i>Academic Emergency Medicine</i> , 2004 , 11, 1074-81	3.4	6
81	Establishing the scope and methodological approach to out-of-hospital outcomes and effectiveness research. <i>Academic Emergency Medicine</i> , 2004 , 11, 1067-73	3.4	5
80	Derivation of the San Francisco Syncope Rule to predict patients with short-term serious outcomes. <i>Annals of Emergency Medicine</i> , 2004 , 43, 224-32	2.1	286
79	Nontraumatic out-of-hospital hypotension predicts inhospital mortality. <i>Annals of Emergency Medicine</i> , 2004 , 43, 106-13	2.1	164
78	Retrospective application of the NEXUS low-risk criteria for cervical spine radiography in Canadian emergency departments. <i>Annals of Emergency Medicine</i> , 2004 , 43, 507-14	2.1	52
77	A randomized, controlled trial of RSD1235, a novel anti-arrhythmic agent, in the treatment of recent onset atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 2355-61	15.1	184
76	Advanced cardiac life support in out-of-hospital cardiac arrest. <i>New England Journal of Medicine</i> , 2004 , 351, 647-56	59.2	671
75	Lack of consensus on corneal abrasion management: results of a national survey. <i>Canadian Journal of Emergency Medicine</i> , 2004 , 6, 402-7	0.6	18
74	Cardiac arrest care and emergency medical services in Canada. <i>Canadian Journal of Cardiology</i> , 2004 , 20, 1081-90	3.8	124
73	The Canadian C-spine rule versus the NEXUS low-risk criteria in patients with trauma. <i>New England Journal of Medicine</i> , 2003 , 349, 2510-8	59.2	468
72	Health-related quality of life is better for cardiac arrest survivors who received citizen cardiopulmonary resuscitation. <i>Circulation</i> , 2003 , 108, 1939-44	16.7	180
71	Outpatient oral prednisone after emergency treatment of chronic obstructive pulmonary disease. <i>New England Journal of Medicine</i> , 2003 , 348, 2618-25	59.2	231

70	Clinically Important Change in the Visual Analog Scale after Adequate Pain Control. <i>Academic Emergency Medicine</i> , 2003 , 10, 1128-1130	3.4	161
69	Optimal defibrillation response intervals for maximum out-of-hospital cardiac arrest survival rates. <i>Annals of Emergency Medicine</i> , 2003 , 42, 242-50	2.1	147
68	The Canadian C-spine rule performs better than unstructured physician judgment. <i>Annals of Emergency Medicine</i> , 2003 , 42, 395-402	2.1	84
67	The Effect of Hospital Occupancy on Emergency Department Length of Stay and Patient Disposition. <i>Academic Emergency Medicine</i> , 2003 , 10, 127-133	3.4	122
66	The effect of hospital occupancy on emergency department length of stay and patient disposition. <i>Academic Emergency Medicine</i> , 2003 , 10, 127-33	3.4	178
65	Prevalence of information gaps in the emergency department and the effect on patient outcomes. <i>Cmaj</i> , 2003 , 169, 1023-8	3.5	64
64	Effect of arthroscopic debridement for osteoarthritis of the knee on health-related quality of life. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003 , 85, 10-9	5.6	97
63	Canadian C-Spine Rule study for alert and stable trauma patients: II. Study objectives and methodology. <i>Canadian Journal of Emergency Medicine</i> , 2002 , 4, 185-193	0.6	31
62	Emergency Medical Services Outcomes Project (EMSOP) IV: pain measurement in out-of-hospital outcomes research. <i>Annals of Emergency Medicine</i> , 2002 , 40, 172-9	2.1	57
61	Emergency Medical Services Outcomes Project III (EMSOP III): the role of risk adjustment in out-of-hospital outcomes research. <i>Annals of Emergency Medicine</i> , 2002 , 40, 79-88	2.1	29
60	Canadian C-Spine Rule study for alert and stable trauma patients: I. Background and rationale. <i>Canadian Journal of Emergency Medicine</i> , 2002 , 4, 84-90	0.6	38
59	Diagnostic test utilization in the emergency department for alert headache patients with possible subarachnoid hemorrhage. <i>Canadian Journal of Emergency Medicine</i> , 2002 , 4, 333-7	0.6	30
58	Excluding pulmonary embolism at the bedside without diagnostic imaging: management of patients with suspected pulmonary embolism presenting to the emergency department by using a simple clinical model and d-dimer. <i>Annals of Internal Medicine</i> , 2001 , 135, 98-107	8	851
57	Awareness and use of the Ottawa ankle and knee rules in 5 countries: can publication alone be enough to change practice?. <i>Annals of Emergency Medicine</i> , 2001 , 37, 259-66	2.1	91
56	Use of pressors in the treatment of cardiac arrest. <i>Annals of Emergency Medicine</i> , 2001 , 37, S152-62	2.1	25
55	CPR-only survivors of out-of-hospital cardiac arrest: implications for out-of-hospital care and cardiac arrest research methodology. <i>Annals of Emergency Medicine</i> , 2001 , 37, 602-8	2.1	31
54	Emergency Medical Services Outcomes Project (EMSOP) II: developing the foundation and conceptual models for out-of-hospital outcomes research. <i>Annals of Emergency Medicine</i> , 2001 , 37, 657-63 ¹	2.1	56
53	Out-of-hospital defibrillation with automated external defibrillators: postshock analysis should be delayed. <i>Annals of Emergency Medicine</i> , 2001 , 38, 256-61	2.1	10

52	Canadian CT head rule study for patients with minor head injury: methodology for phase II (validation and economic analysis). <i>Annals of Emergency Medicine</i> , 2001 , 38, 317-22	2.1	67
51	The Canadian CT Head Rule Study for patients with minor head injury: rationale, objectives, and methodology for phase I (derivation). <i>Annals of Emergency Medicine</i> , 2001 , 38, 160-9	2.1	88
50	The Canadian C-spine rule for radiography in alert and stable trauma patients. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 1841-8	27.4	820
49	The Canadian CT Head Rule for patients with minor head injury. <i>Lancet, The</i> , 2001 , 357, 1391-6	40	1016
48	Vasopressin versus epinephrine for in-hospital cardiac arrest: a randomised controlled trial. <i>Lancet, The</i> , 2001 , 358, 105-9	40	265
47	Factors affecting survival after prehospital asystolic cardiac arrest in a Basic Life Support-Defibrillation system. <i>Canadian Journal of Emergency Medicine</i> , 2001 , 3, 186-92	0.6	29
46	Cardiac arrest witnessed by emergency medical services personnel: descriptive epidemiology, prodromal symptoms, and predictors of survival. <i>Annals of Emergency Medicine</i> , 2000 , 35, 138-146	2.1	60
45	Adverse outcomes and opioid analgesic administration in acute abdominal pain. <i>Academic Emergency Medicine</i> , 2000 , 7, 980-7	3.4	30
44	Variation in utilization of computed tomography scanning for the investigation of minor head trauma in children: a Canadian experience. <i>Academic Emergency Medicine</i> , 2000 , 7, 739-44	3.4	114
43	Management of patients with suspected deep vein thrombosis in the emergency department: combining use of a clinical diagnosis model with D-dimer testing. <i>Journal of Emergency Medicine</i> , 2000 , 19, 225-30	1.5	60
42	Users' guides to the medical literature: XXII: how to use articles about clinical decision rules. Evidence-Based Medicine Working Group. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 79-84	27.4	663
41	Effect of active compression-decompression resuscitation (ACD-CPR) on survival: a combined analysis using individual patient data. <i>Resuscitation</i> , 1999 , 41, 249-56	4	49
40	The Ontario Prehospital Advanced Life Support (OPALS) study Part II: Rationale and methodology for trauma and respiratory distress patients. OPALS Study Group. <i>Annals of Emergency Medicine</i> , 1999 , 34, 256-62	2.1	39
39	Validating the "real" Ottawa Knee Rule. <i>Annals of Emergency Medicine</i> , 1999 , 33, 241-3	2.1	5
38	Modifiable factors associated with improved cardiac arrest survival in a multicenter basic life support/defibrillation system: OPALS Study Phase I results. Ontario Prehospital Advanced Life Support. <i>Annals of Emergency Medicine</i> , 1999 , 33, 44-50	2.1	254
37	A cumulative meta-analysis of the effectiveness of defibrillator-capable emergency medical services for victims of out-of-hospital cardiac arrest. <i>Annals of Emergency Medicine</i> , 1999 , 34, 517-525	2.1	273
36	What is the quality of life for survivors of cardiac arrest? A prospective study. <i>Academic Emergency Medicine</i> , 1999 , 6, 95-102	3.4	138
35	Validation of the Ottawa Ankle Rules in children with ankle injuries. <i>Academic Emergency Medicine</i> , 1999 , 6, 1005-9	3.4	90

34	Derivation of a clinical decision rule for the discontinuation of in-hospital cardiac arrest resuscitations. <i>Archives of Internal Medicine</i> , 1999 , 159, 129-34		64
33	Thrombosis in the emergency department: use of a clinical diagnosis model to safely avoid the need for urgent radiological investigation. <i>Archives of Internal Medicine</i> , 1999 , 159, 477-82		68
32	Improved out-of-hospital cardiac arrest survival through the inexpensive optimization of an existing defibrillation program: OPALS study phase II. Ontario Prehospital Advanced Life Support. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1175-81	27.4	265
31	A cumulative meta-analysis of the effectiveness of defibrillator-capable emergency medical services for victims of out-of-hospital cardiac arrest. <i>Annals of Emergency Medicine</i> , 1999 , 34, 517-525	2.1	1
30	Emergency physicians' attitudes toward and use of clinical decision rules for radiography. <i>Academic Emergency Medicine</i> , 1998 , 5, 134-40	3.4	94
29	Do advanced cardiac life support drugs increase resuscitation rates from in-hospital cardiac arrest? The OTAC Study Group. <i>Annals of Emergency Medicine</i> , 1998 , 32, 544-53	2.1	129
28	The Ontario Prehospital Advanced Life Support (OPALS) Study: rationale and methodology for cardiac arrest patients. <i>Annals of Emergency Medicine</i> , 1998 , 32, 180-90	2.1	61
27	Potential cost-effectiveness of public access defibrillation in the United States. <i>Circulation</i> , 1998 , 97, 1315-20	16.7	127
26	Implementation of the Ottawa Knee Rule for the Use of Radiography in Acute Knee Injuries. <i>JAMA - Journal of the American Medical Association</i> , 1997 , 278, 2075	27.4	111
25	Ankle radiograph utilization after learning a decision rule: a 12-month follow-up. <i>Academic Emergency Medicine</i> , 1997 , 4, 776-9	3.4	12
24	Variation in ED use of computed tomography for patients with minor head injury. <i>Annals of Emergency Medicine</i> , 1997 , 30, 14-22	2.1	105
23	Effectiveness of emergency medical services for victims of out-of-hospital cardiac arrest: a metaanalysis. <i>Annals of Emergency Medicine</i> , 1996 , 27, 700-10	2.1	126
22	Cost-effectiveness analysis of potential improvements to emergency medical services for victims of out-of-hospital cardiac arrest. <i>Annals of Emergency Medicine</i> , 1996 , 27, 711-20	2.1	81
21	The Ontario Trial of Active Compression-Decompression Cardiopulmonary Resuscitation for In-Hospital and Prehospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 1996 , 275, 1417	27.4	70
20	Prospective Validation of a Decision Rule for the Use of Radiography in Acute Knee Injuries. <i>JAMA - Journal of the American Medical Association</i> , 1996 , 275, 611	27.4	133
19	Randomized double-blind controlled trial comparing room-temperature and heated lidocaine for digital nerve block. <i>Annals of Emergency Medicine</i> , 1995 , 26, 677-81	2.1	30
18	Derivation of a decision rule for the use of radiography in acute knee injuries. <i>Annals of Emergency Medicine</i> , 1995 , 26, 405-13	2.1	175
17	Cost-effectiveness analysis of the Ottawa Ankle Rules. <i>Annals of Emergency Medicine</i> , 1995 , 26, 422-8	2.1	86

16	Use of radiography in acute knee injuries: need for clinical decision rules. <i>Academic Emergency Medicine</i> , 1995 , 2, 966-73	3.4	67
15	Association of drug therapy with survival in cardiac arrest: limited role of advanced cardiac life support drugs. <i>Academic Emergency Medicine</i> , 1995 , 2, 264-73	3.4	80
14	Multicentre trial to introduce the Ottawa ankle rules for use of radiography in acute ankle injuries. Multicentre Ankle Rule Study Group. <i>BMJ: British Medical Journal</i> , 1995 , 311, 594-7		180
13	Need for sedation in a patient undergoing active compression--decompression cardiopulmonary resuscitation. <i>Academic Emergency Medicine</i> , 1994 , 1, 463-6, discussion 466-7	3.4	11
12	Emergency decision making. <i>Academic Emergency Medicine</i> , 1994 , 1, 146-9	3.4	3
11	The Impact of First-Responder Defibrillation. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 271, 504	27.4	4
10	Implementation of the Ottawa Ankle Rules. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 271, 827	27.4	283
9	Radiography for Ankle Injuries-Reply. <i>JAMA - Journal of the American Medical Association</i> , 1993 , 270, 454	27.4	
8	Radiographic ordering agreement. <i>Journal of Emergency Medicine</i> , 1992 , 10, 203-6	1.5	2
7	High-dose epinephrine in adult cardiac arrest. <i>New England Journal of Medicine</i> , 1992 , 327, 1045-50	59.2	308
6	Interobserver agreement in the examination of acute ankle injury patients. <i>American Journal of Emergency Medicine</i> , 1992 , 10, 14-7	2.9	63
5	A study to develop clinical decision rules for the use of radiography in acute ankle injuries. <i>Annals of Emergency Medicine</i> , 1992 , 21, 384-90	2.1	466
4	Methotrimeprazine versus meperidine and dimenhydrinate in the treatment of severe migraine: a randomized, controlled trial. <i>Annals of Emergency Medicine</i> , 1991 , 20, 1201-5	2.1	50
3	Epinephrine in cardiopulmonary resuscitation. <i>Journal of Emergency Medicine</i> , 1991 , 9, 487-95	1.5	10
2	Activated charcoal alone versus activated charcoal & ipecac. <i>Annals of Emergency Medicine</i> , 1990 , 19, 1202-4	2.1	0
1	Adrenergic agents in acute asthma: valuable new alternatives. <i>Annals of Emergency Medicine</i> , 1983 , 12, 493-500	2.1	11