

Zhanguo Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3636159/zhanguo-li-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

4,723
citations

22
h-index

67
g-index

154
ext. papers

6,514
ext. citations

6
avg, IF

4.89
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 128 | EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 960-977 | 27.4 | 1649 |
| 127 | EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 685-699 | 27.4 | 851 |
| 126 | Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. <i>Immunity</i> , 2013 , 39, 770-81 | 32.3 | 449 |
| 125 | Low-dose interleukin-2 treatment selectively modulates CD4(+) T cell subsets in patients with systemic lupus erythematosus. <i>Nature Medicine</i> , 2016 , 22, 991-3 | 50.5 | 317 |
| 124 | Efficacy and safety of low-dose IL-2 in the treatment of systemic lupus erythematosus: a randomised, double-blind, placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 141-149 | 2.4 | 106 |
| 123 | APLAR rheumatoid arthritis treatment recommendations. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 685-713 | 2.3 | 93 |
| 122 | A missense variant in NCF1 is associated with susceptibility to multiple autoimmune diseases. <i>Nature Genetics</i> , 2017 , 49, 433-437 | 36.3 | 90 |
| 121 | Myeloid-derived suppressor cells have a proinflammatory role in the pathogenesis of autoimmune arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 278-85 | 2.4 | 88 |
| 120 | 2018 update of the APLAR recommendations for treatment of rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 357-375 | 2.3 | 60 |
| 119 | Toll-like receptors expressed by synovial fibroblasts perpetuate Th1 and th17 cell responses in rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e100266 | 3.7 | 46 |
| 118 | Hypoxia-inducible factor-1 β perpetuates synovial fibroblast interactions with T cells and B cells in rheumatoid arthritis. <i>European Journal of Immunology</i> , 2016 , 46, 742-51 | 6.1 | 46 |
| 117 | The aryl hydrocarbon receptor suppresses osteoblast proliferation and differentiation through the activation of the ERK signaling pathway. <i>Toxicology and Applied Pharmacology</i> , 2014 , 280, 502-10 | 4.6 | 39 |
| 116 | CD4 T-cell transcriptome analysis reveals aberrant regulation of STAT3 and Wnt signaling pathways in rheumatoid arthritis: evidence from a case-control study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 76 | 5.7 | 37 |
| 115 | Dose reduction of baricitinib in patients with rheumatoid arthritis achieving sustained disease control: results of a prospective study. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 171-178 | 2.4 | 36 |
| 114 | Ash1l and lnc-Smad3 coordinate Smad3 locus accessibility to modulate iTreg polarization and T cell autoimmunity. <i>Nature Communications</i> , 2017 , 8, 15818 | 17.4 | 34 |
| 113 | Profiling the origin, dynamics, and function of traction force in B cell activation. <i>Science Signaling</i> , 2018 , 11, | 8.8 | 33 |
| 112 | The inhibitory effect of IFN- γ protease HTRA1 expression in rheumatoid arthritis. <i>Journal of Immunology</i> , 2014 , 193, 130-8 | 5.3 | 31 |

| | | | |
|-----|---|------|----|
| 111 | Exome-wide association study identifies four novel loci for systemic lupus erythematosus in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 417 | 2.4 | 31 |
| 110 | Substrate stiffness governs the initiation of B cell activation by the concerted signaling of PKC δ and focal adhesion kinase. <i>ELife</i> , 2017 , 6, | 8.9 | 29 |
| 109 | The usage of biological DMARDs and clinical remission of rheumatoid arthritis in China: a real-world large scale study. <i>Clinical Rheumatology</i> , 2017 , 36, 35-43 | 3.9 | 25 |
| 108 | The expression and clinical significance of different forms of Mer receptor tyrosine kinase in systemic lupus erythematosus. <i>Journal of Immunology Research</i> , 2014 , 2014, 431896 | 4.5 | 24 |
| 107 | Prevalence and risk factors of hyperuricemia: results of the Kailuan cohort study. <i>Modern Rheumatology</i> , 2017 , 27, 1066-1071 | 3.3 | 22 |
| 106 | Impact of the leucocyte immunoglobulin-like receptor A3 (LILRA3) on susceptibility and subphenotypes of systemic lupus erythematosus and Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2070-5 | 2.4 | 21 |
| 105 | Pathogenic conversion of regulatory B10 cells into osteoclast-priming cells in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2017 , 76, 53-62 | 15.5 | 20 |
| 104 | Impairment on the lateral mobility induced by structural changes underlies the functional deficiency of the lupus-associated polymorphism Fc γ RIIB-T232. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2707-2727 | 16.6 | 19 |
| 103 | Sequencing of the MHC region defines as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 773-780 | 2.4 | 16 |
| 102 | Remission assessment of rheumatoid arthritis in daily practice in China: a cross-sectional observational study. <i>Clinical Rheumatology</i> , 2018 , 37, 597-605 | 3.9 | 16 |
| 101 | Clinical and serologic features of primary Sjögren's syndrome concomitant with autoimmune hemolytic anemia: a large-scale cross-sectional study. <i>Clinical Rheumatology</i> , 2015 , 34, 1877-84 | 3.9 | 15 |
| 100 | The impact of rheumatoid arthritis on work capacity in Chinese patients: a cross-sectional study. <i>Rheumatology</i> , 2015 , 54, 1478-87 | 3.9 | 15 |
| 99 | Monoclonal gammopathy in rheumatic diseases. <i>Clinical Rheumatology</i> , 2018 , 37, 1751-1762 | 3.9 | 15 |
| 98 | Growth of B Cell Receptor Microclusters Is Regulated by PIP and PIP Equilibrium and Dock2 Recruitment and Activation. <i>Cell Reports</i> , 2017 , 21, 2541-2557 | 10.6 | 15 |
| 97 | Development of the Asia Pacific Lupus Collaboration cohort. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 425-433 | 2.3 | 14 |
| 96 | An autoimmune disease variant of IgG1 modulates B cell activation and differentiation. <i>Science</i> , 2018 , 362, 700-705 | 33.3 | 14 |
| 95 | Increased Interleukin-17F is Associated with Elevated Autoantibody Levels and More Clinically Relevant Than Interleukin-17A in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2017 , 2017, 4768408 | 4.5 | 13 |
| 94 | Impaired CD27IgD B Cells With Altered Gene Signature in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018 , 9, 626 | 8.4 | 12 |

| | | | |
|----|---|------|----|
| 93 | How COVID-19 is changing rheumatology clinical practice. <i>Nature Reviews Rheumatology</i> , 2021 , 17, 11-15 | 5.1 | 12 |
| 92 | Scavenger receptor-A is a biomarker and effector of rheumatoid arthritis: A large-scale multicenter study. <i>Nature Communications</i> , 2020 , 11, 1911 | 17.4 | 11 |
| 91 | The Clinical Relevance of IL-17-Producing CD4+CD161+ Cell and Its Subpopulations in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2015 , 2015, 307453 | 4.5 | 11 |
| 90 | Interleukin-2 Deficiency Associated with Renal Impairment in Systemic Lupus Erythematosus. <i>Journal of Interferon and Cytokine Research</i> , 2019 , 39, 117-124 | 3.5 | 10 |
| 89 | LAG3 (CD223) and autoimmunity: Emerging evidence. <i>Journal of Autoimmunity</i> , 2020 , 112, 102504 | 15.5 | 10 |
| 88 | Double Negative B Cell Is Associated With Renal Impairment in Systemic Lupus Erythematosus and Acts as a Marker for Nephritis Remission. <i>Frontiers in Medicine</i> , 2020 , 7, 85 | 4.9 | 10 |
| 87 | Lipopolysaccharide-binding protein is a sensitive disease activity biomarker for rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 233-240 | 2.2 | 10 |
| 86 | Tofacitinib with conventional synthetic disease-modifying antirheumatic drugs in Chinese patients with rheumatoid arthritis: Patient-reported outcomes from a Phase 3 randomized controlled trial. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 402-414 | 2.3 | 9 |
| 85 | Contribution of dendritic cell immunoreceptor (DCIR) polymorphisms in susceptibility of systemic lupus erythematosus and primary Sjogren's syndrome. <i>Human Immunology</i> , 2015 , 76, 808-11 | 2.3 | 9 |
| 84 | Human umbilical cord mesenchymal stem cells confer potent immunosuppressive effects in Sjögren's syndrome by inducing regulatory T cells. <i>Modern Rheumatology</i> , 2021 , 31, 186-196 | 3.3 | 9 |
| 83 | Disability and health-related quality of life in Chinese patients with rheumatoid arthritis: A cross-sectional study. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1709-1715 | 2.3 | 9 |
| 82 | Characteristics of germinal center-like structures in patients with Sjögren's syndrome. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 245-251 | 2.3 | 8 |
| 81 | Genetic predictors of efficacy and toxicity of iguratimod in patients with rheumatoid arthritis. <i>Pharmacogenomics</i> , 2018 , 19, 383-392 | 2.6 | 8 |
| 80 | Updated APLAR consensus statements on care for patients with rheumatic diseases during the COVID-19 pandemic. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 733-745 | 2.3 | 8 |
| 79 | SHIP-1 Deficiency in AID B Cells Leads to the Impaired Function of B10 Cells with Spontaneous Autoimmunity. <i>Journal of Immunology</i> , 2017 , 199, 3063-3073 | 5.3 | 7 |
| 78 | Efficacy and safety results from a Phase 3, randomized, placebo-controlled trial of subcutaneous golimumab in Chinese patients with active rheumatoid arthritis despite methotrexate therapy. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 1143-1156 | 2.3 | 7 |
| 77 | The synaptic recruitment of lipid rafts is dependent on CD19-PI3K module and cytoskeleton remodeling molecules. <i>Journal of Leukocyte Biology</i> , 2015 , 98, 223-34 | 6.5 | 7 |
| 76 | A monoclonal antibody ameliorates local inflammation and osteoporosis by targeting TNF- α and RANKL. <i>International Immunopharmacology</i> , 2014 , 20, 370-6 | 5.8 | 7 |

| | | | |
|----|---|------|---|
| 75 | FcγIIb-1232T polymorphic change allosterically suppresses ligand binding. <i>ELife</i> , 2019 , 8, | 8.9 | 7 |
| 74 | A Truncated IL-17RC Peptide Ameliorates Synovitis and Bone Destruction of Arthritic Mice. <i>Advanced Healthcare Materials</i> , 2016 , 5, 2911-2921 | 10.1 | 7 |
| 73 | Prevalence, outcome and prognostic factors of neuropsychiatric systemic lupus erythematosus: A real world single center study. <i>Modern Rheumatology</i> , 2020 , 30, 321-326 | 3.3 | 7 |
| 72 | The clinical significance of ubiquitin carboxyl hydrolase L1 and its autoantibody in neuropsychiatric systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 474-480 | 2.2 | 7 |
| 71 | Tea Consumption Is Associated with Decreased Disease Activity of Rheumatoid Arthritis in a Real-World, Large-Scale Study. <i>Annals of Nutrition and Metabolism</i> , 2020 , 76, 54-61 | 4.5 | 6 |
| 70 | Circulating immune complexome analysis identified anti-tubulin-β1c as an inflammation associated autoantibody with promising diagnostic value for Behcet's Disease. <i>PLoS ONE</i> , 2018 , 13, e0199047 | 3.7 | 6 |
| 69 | MYSM1/miR-150/FLT3 inhibits B1a cell proliferation. <i>Oncotarget</i> , 2016 , 7, 68086-68096 | 3.3 | 6 |
| 68 | The metabolic hormone leptin promotes the function of T cells and supports vaccine responses. <i>Nature Communications</i> , 2021 , 12, 3073 | 17.4 | 6 |
| 67 | Double-negative (DN) B cells: an under-recognized effector memory B cell subset in autoimmunity. <i>Clinical and Experimental Immunology</i> , 2021 , 205, 119-127 | 6.2 | 6 |
| 66 | Combined immunosuppressive treatment (CIST) in lupus nephritis: a multicenter, randomized controlled study. <i>Clinical Rheumatology</i> , 2019 , 38, 1047-1054 | 3.9 | 6 |
| 65 | Efficacy and Safety of Loxoprofen Hydrogel Transdermal Patch Versus Loxoprofen Tablet in Chinese Patients with Myalgia: A Double-Blind, Double-Dummy, Parallel-Group, Randomized, Controlled, Non-Inferiority Trial. <i>Clinical Drug Investigation</i> , 2019 , 39, 369-377 | 3.2 | 5 |
| 64 | GITRL is associated with increased autoantibody production in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2016 , 35, 2195-202 | 3.9 | 5 |
| 63 | A Novel BlyS Peptibody Down-Regulates B Cell and T Helper Cell Subsets In Vivo and Ameliorates Collagen-Induced Arthritis. <i>Inflammation</i> , 2016 , 39, 839-48 | 5.1 | 5 |
| 62 | Intestinal butyrate-metabolizing species contribute to autoantibody production and bone erosion in rheumatoid arthritis.. <i>Science Advances</i> , 2022 , 8, eabm1511 | 14.3 | 5 |
| 61 | Investigation of C1-complex regions reveals new C1Q variants associated with protection from systemic lupus erythematosus, and affect its transcript abundance. <i>Scientific Reports</i> , 2018 , 8, 8048 | 4.9 | 5 |
| 60 | Increased Mer and Axl receptor tyrosine kinase expression on glomeruli in lupus nephritis. <i>Clinical Rheumatology</i> , 2017 , 36, 1063-1070 | 3.9 | 4 |
| 59 | Tissue-Specific Autoantibodies Improve Diagnosis of Primary Sjögren's Syndrome in the Early Stage and Indicate Localized Salivary Injury. <i>Journal of Immunology Research</i> , 2019 , 2019, 3642937 | 4.5 | 4 |
| 58 | Evaluation of 12 different assays for detecting ANCA in Chinese patients with GPA and MPA: a multicenter study in China. <i>Clinical Rheumatology</i> , 2019 , 38, 3477-3483 | 3.9 | 4 |

| | | | |
|----|---|-----|---|
| 57 | Efficacy and safety of iguratimod on patients with relapsed or refractory IgG4-related disease. <i>Clinical Rheumatology</i> , 2020 , 39, 491-497 | 3.9 | 4 |
| 56 | A Novel Autoantibody Induced by Bacterial Biofilm Conserved Components Aggravates Lupus Nephritis. <i>Frontiers in Immunology</i> , 2021 , 12, 656090 | 8.4 | 4 |
| 55 | Lycium barbarum Polysaccharide Ameliorates Sjögren's Syndrome in a Murine Model. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001118 | 5.9 | 4 |
| 54 | Baricitinib in patients with rheumatoid arthritis with inadequate response to methotrexate: results from a phase 3 study. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 732-741 | 2.2 | 4 |
| 53 | Evaluation of soluble CD25 as a clinical and autoimmune biomarker in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 126, 142-149 | 2.2 | 4 |
| 52 | A randomized controlled dose-escalation study of SSS07, a humanized rabbit anti-human TNF alpha antibody, in healthy Chinese adults. <i>International Immunopharmacology</i> , 2019 , 75, 105807 | 5.8 | 3 |
| 51 | CD70-mediated CD27 expression downregulation contributed to the regulatory B10 cell impairment in rheumatoid arthritis. <i>Molecular Immunology</i> , 2020 , 119, 92-100 | 4.3 | 3 |
| 50 | Frequencies of the 6.7-kb Deletion Are Highly Differentiated Among Han Chinese Subpopulations and Involved in Ankylosing Spondylitis Predisposition. <i>Frontiers in Genetics</i> , 2019 , 10, 869 | 4.5 | 3 |
| 49 | Autoimmune diseases in China. <i>Advances in Immunology</i> , 2019 , 144, 173-216 | 5.6 | 3 |
| 48 | Establishment of a decision tree model for diagnosis of early rheumatoid arthritis by proteomic fingerprinting. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 835-41 | 2.3 | 3 |
| 47 | Low-dose IL-2 therapy invigorates CD8+ T cells for viral control in systemic lupus erythematosus. <i>PLoS Pathogens</i> , 2021 , 17, e1009858 | 7.6 | 3 |
| 46 | Effectiveness and safety of iguratimod treatment in patients with active rheumatoid arthritis in Chinese: A nationwide, prospective real-world study. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 10, 100128 | 5 | 3 |
| 45 | Comparison of three classification criteria of rheumatoid arthritis in an inception early arthritis cohort. <i>Clinical Rheumatology</i> , 2016 , 35, 2397-401 | 3.9 | 3 |
| 44 | Serum IgG N-glycans act as novel serum biomarkers of ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 705-707 | 2.4 | 3 |
| 43 | Clinical features of IgG4-related retroperitoneal fibrosis among 407 patients with IgG4-related disease: a retrospective study. <i>Rheumatology</i> , 2021 , 60, 767-772 | 3.9 | 3 |
| 42 | IL-10 served as an indicator in severe COVID-19 patients. <i>Journal of Medical Virology</i> , 2021 , 93, 1233-1235 | 9.7 | 3 |
| 41 | Efficacy and safety of certolizumab pegol in combination with methotrexate in methotrexate-inadequate responder Chinese patients with active rheumatoid arthritis: 24-week results from a randomised, double-blind, placebo-controlled phase 3 study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 227-234 | 2.2 | 3 |
| 40 | Interleukin 17E associates with haematologic involvement and autoantibody production in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 378-384 | 2.2 | 3 |

| | | | |
|----|--|-----|---|
| 39 | The rise of IL-2 therapy - a picture beyond T cells. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 386 | 8.1 | 2 |
| 38 | An integrated proteomic and glycoproteomic study for differences on glycosylation occupancy in rheumatoid arthritis. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 1331-1338 | 4.4 | 2 |
| 37 | Hypomyopathic Dermatomyositis with Refractory Dermatitis Treated by Low-dose IL-2. <i>Dermatology and Therapy</i> , 2020 , 10, 1181-1184 | 4 | 2 |
| 36 | A randomized multicenter clinical trial of Tc-methylene diphosphonate in treatment of rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 161-169 | 2.3 | 2 |
| 35 | Engineering and characterization of a humanized antibody targeting TNF- α and RANKL. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 450, 717-22 | 3.4 | 2 |
| 34 | Designation of a novel DKK1 multiepitope DNA vaccine and inhibition of bone loss in collagen-induced arthritic mice. <i>BioMed Research International</i> , 2015 , 2015, 765490 | 3 | 2 |
| 33 | Casein Kinase II exacerbates rheumatoid arthritis via promoting Th1 and Th17 cell inflammatory responses. <i>Expert Opinion on Therapeutic Targets</i> , 2021 , | 6.4 | 2 |
| 32 | Can low-dose methotrexate reduce effusion-synovitis and symptoms in patients with mid- to late-stage knee osteoarthritis? Study protocol for a randomised, double-blind, and placebo-controlled trial. <i>Trials</i> , 2020 , 21, 795 | 2.8 | 2 |
| 31 | Red meat intake is associated with early onset of rheumatoid arthritis: a cross-sectional study. <i>Scientific Reports</i> , 2021 , 11, 5681 | 4.9 | 2 |
| 30 | Dickkopf-1 perpetuated synovial fibroblast activation and synovial angiogenesis in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021 , 40, 4279-4288 | 3.9 | 2 |
| 29 | Nanocage-Based Capture-Detection System for the Clinical Diagnosis of Autoimmune Disease. <i>Small</i> , 2021 , 17, e2101655 | 11 | 2 |
| 28 | Therapeutic potential of targeting Tfr/Tfh cell balance by low-dose-IL-2 in active SLE: a post hoc analysis from a double-blind RCT study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 167 | 5.7 | 2 |
| 27 | Pulse corticosteroids in treatment of rheumatic disease concomitant with cytomegalovirus infection. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 583-591 | 2.3 | 2 |
| 26 | Clinical remission of rheumatoid arthritis in a multicenter real-world study in Asia-Pacific region. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 15, 100240 | 5 | 2 |
| 25 | Elevating the role of carers in rheumatoid arthritis management in the Asia-Pacific region. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 898-910 | 2.3 | 1 |
| 24 | Pharmacokinetics and immunogenicity of T0001, a newly developed anti-TNF fusion protein, in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1095-1101 | 2.8 | 1 |
| 23 | Comparison of the deep immune profiling of B cell subsets between healthy adults and Sjögren's syndrome.. <i>Annals of Medicine</i> , 2022 , 54, 472-483 | 1.5 | 1 |
| 22 | Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective Cohort Pilot Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 835-847 | 4.4 | 1 |

| | | | |
|----|---|-----|---|
| 21 | Efficacy of Long-Term Treatment with Once-Daily Baricitinib 2mg in Patients with Active Rheumatoid Arthritis: Post Hoc Analysis of Two 24-Week, Phase III, Randomized, Controlled Studies and One Long-Term Extension Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 987-1001 | 4.4 | 1 |
| 20 | Malignancy Risk of Immunoglobulin G4-Related Disease: Evidence from a Large Cohort Multicenter Retrospective Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 1207-1221 | 4.4 | 1 |
| 19 | Barriers to Reconstructive Hand Surgery for Rheumatoid Arthritis in China: A Multicenter Survey of Patients and Physicians. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016 , 4, e1126 | 1.2 | 1 |
| 18 | Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 553-555 | 2.4 | 1 |
| 17 | Immune responses after influenza vaccination in patients of primary Sjögren's syndrome. <i>Rheumatology</i> , 2021 , 60, 224-230 | 3.9 | 1 |
| 16 | Monocytic MDSCs skew Th17 cells toward a pro-osteoclastogenic phenotype and potentiate bone erosion in rheumatoid arthritis. <i>Rheumatology</i> , 2021 , 60, 2409-2420 | 3.9 | 1 |
| 15 | Independent associations of lymphopenia and neutropenia in patients with systemic lupus erythematosus: a longitudinal, multinational study. <i>Rheumatology</i> , 2021 , 60, 5185-5193 | 3.9 | 1 |
| 14 | Modification of Intestinal Microbiota Dysbiosis by Low-Dose Interleukin-2 in Dermatomyositis: A Analysis From a Clinical Trial Study.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 757099 | 5.9 | 1 |
| 13 | Not at target prevalence and consequences of inadequate disease control in systemic lupus erythematosus-a multinational observational cohort study.. <i>Arthritis Research and Therapy</i> , 2022 , 24, 70 | 5.7 | 1 |
| 12 | Salivary gland ultrasonography in primary Sjögren's syndrome from diagnosis to clinical stratification: a multicentre study.. <i>Arthritis Research and Therapy</i> , 2021 , 23, 305 | 5.7 | 1 |
| 11 | Fine Comparison of the Efficacy and Safety Between GB242 and Infliximab in Patients with Rheumatoid Arthritis: A Phase III Study. <i>Rheumatology and Therapy</i> , 2021 , 1 | 4.4 | 0 |
| 10 | Diagnosis of Autoimmune Diseases: Nanocage-Based Capture-Detection System for the Clinical Diagnosis of Autoimmune Disease (Small 25/2021). <i>Small</i> , 2021 , 17, 2170126 | 11 | 0 |
| 9 | Patient-reported outcomes from a randomized, double-blind, placebo controlled, phase III study of baricitinib placebo in patients with moderately to severely active rheumatoid arthritis and an inadequate response to methotrexate therapy: results from the RA-BALANCE study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211006964 | 3.8 | 0 |
| 8 | Needle biopsy compared with surgical biopsy: pitfalls of small biopsy in histological diagnosis of IgG4-related disease. <i>Arthritis Research and Therapy</i> , 2021 , 23, 54 | 5.7 | 0 |
| 7 | Antibody to peptidoglycan recognition protein (PGLYRP)-2 as a novel biomarker in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 988-994 | 2.2 | 0 |
| 6 | Efficacy and safety of low-dose interleukin-2 in combination with methotrexate in patients with active rheumatoid arthritis: a randomized, double-blind, placebo-controlled phase 2 trial.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 67 | 21 | 0 |
| 5 | Status of rheumatology practice and professional training courses in rural areas of China-an ILAR project. <i>Clinical Rheumatology</i> , 2017 , 36, 213-216 | 3.9 | |
| 4 | Response to: Questions on Sequencing of the MHC region defines 1 as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population Sby Guo Sby Ragueiro and Gonzalez. <i>Annals of the Rheumatic Diseases</i> , 2020 , | 2.4 | |

- 3 SR-A neutralizing antibody: potential drug candidate for ameliorating osteoclastogenesis in rheumatoid arthritis.. *Clinical and Experimental Immunology*, **2022**, 207, 297-306 6.2
- 2 Endoplasmic reticulum stress perpetuated toll-like receptor signalling-mediated inflammation in rheumatoid arthritis via X-box-binding protein-1. *Clinical and Experimental Rheumatology*, **2021**, 39, 859-867 8.2
- 1 Serum Antigenome Profiling Reveals Diagnostic Models for Rheumatoid Arthritis.. *Frontiers in Immunology*, **2022**, 13, 884462 8.4