

Zhanguo Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3636159/zhanguo-li-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

4,723
citations

22
h-index

67
g-index

154
ext. papers

6,514
ext. citations

6
avg, IF

4.89
L-index

#	Paper	IF	Citations
128	Comparison of the deep immune profiling of B cell subsets between healthy adults and Sjögren's syndrome.. <i>Annals of Medicine</i> , 2022 , 54, 472-483	1.5	1
127	SR-A neutralizing antibody: potential drug candidate for ameliorating osteoclastogenesis in rheumatoid arthritis.. <i>Clinical and Experimental Immunology</i> , 2022 , 207, 297-306	6.2	
126	Intestinal butyrate-metabolizing species contribute to autoantibody production and bone erosion in rheumatoid arthritis.. <i>Science Advances</i> , 2022 , 8, eabm1511	14.3	5
125	Modification of Intestinal Microbiota Dysbiosis by Low-Dose Interleukin-2 in Dermatomyositis: A Analysis From a Clinical Trial Study.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 757099	5.9	1
124	Efficacy and safety of low-dose interleukin-2 in combination with methotrexate in patients with active rheumatoid arthritis: a randomized, double-blind, placebo-controlled phase 2 trial.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 67	21	0
123	Not at target's prevalence and consequences of inadequate disease control in systemic lupus erythematosus-a multinational observational cohort study.. <i>Arthritis Research and Therapy</i> , 2022 , 24, 70	5.7	1
122	Serum Antigenome Profiling Reveals Diagnostic Models for Rheumatoid Arthritis.. <i>Frontiers in Immunology</i> , 2022 , 13, 884462	8.4	
121	Casein Kinase II exacerbates rheumatoid arthritis via promoting Th1 and Th17 cell inflammatory responses. <i>Expert Opinion on Therapeutic Targets</i> , 2021 ,	6.4	2
120	Fine Comparison of the Efficacy and Safety Between GB242 and Infliximab in Patients with Rheumatoid Arthritis: A Phase III Study. <i>Rheumatology and Therapy</i> , 2021 , 1	4.4	0
119	Low-dose IL-2 therapy invigorates CD8+ T cells for viral control in systemic lupus erythematosus. <i>PLoS Pathogens</i> , 2021 , 17, e1009858	7.6	3
118	Red meat intake is associated with early onset of rheumatoid arthritis: a cross-sectional study. <i>Scientific Reports</i> , 2021 , 11, 5681	4.9	2
117	A Novel Autoantibody Induced by Bacterial Biofilm Conserved Components Aggravates Lupus Nephritis. <i>Frontiers in Immunology</i> , 2021 , 12, 656090	8.4	4
116	Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective Cohort Pilot Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 835-847	4.4	1
115	The metabolic hormone leptin promotes the function of T cells and supports vaccine responses. <i>Nature Communications</i> , 2021 , 12, 3073	17.4	6
114	Lycium barbarum Polysaccharide Ameliorates Sjögren's Syndrome in a Murine Model. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001118	5.9	4
113	Dickkopf-1 perpetuated synovial fibroblast activation and synovial angiogenesis in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021 , 40, 4279-4288	3.9	2
112	Nanocage-Based Capture-Detection System for the Clinical Diagnosis of Autoimmune Disease. <i>Small</i> , 2021 , 17, e2101655	11	2

111	Efficacy of Long-Term Treatment with Once-Daily Baricitinib 2mg in Patients with Active Rheumatoid Arthritis: Post Hoc Analysis of Two 24-Week, Phase III, Randomized, Controlled Studies and One Long-Term Extension Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 987-1001	4.4	1
110	Effectiveness and safety of iguratimod treatment in patients with active rheumatoid arthritis in Chinese: A nationwide, prospective real-world study. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 10, 100128	5	3
109	Updated APLAR consensus statements on care for patients with rheumatic diseases during the COVID-19 pandemic. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 733-745	2.3	8
108	Therapeutic potential of targeting Tfr/Tfh cell balance by low-dose-IL-2 in active SLE: a post hoc analysis from a double-blind RCT study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 167	5.7	2
107	Double-negative (DN) B cells: an under-recognized effector memory B cell subset in autoimmunity. <i>Clinical and Experimental Immunology</i> , 2021 , 205, 119-127	6.2	6
106	Malignancy Risk of Immunoglobulin G4-Related Disease: Evidence from a Large Cohort Multicenter Retrospective Study. <i>Rheumatology and Therapy</i> , 2021 , 8, 1207-1221	4.4	1
105	Diagnosis of Autoimmune Diseases: Nanocage-Based Capture-Detection System for the Clinical Diagnosis of Autoimmune Disease (Small 25/2021). <i>Small</i> , 2021 , 17, 2170126	11	0
104	Clinical features of IgG4-related retroperitoneal fibrosis among 407 patients with IgG4-related disease: a retrospective study. <i>Rheumatology</i> , 2021 , 60, 767-772	3.9	3
103	Immune responses after influenza vaccination in patients of primary Sjögren's syndrome. <i>Rheumatology</i> , 2021 , 60, 224-230	3.9	1
102	IL-10 served as an indicator in severe COVID-19 patients. <i>Journal of Medical Virology</i> , 2021 , 93, 1233-1235	9.7	3
101	Monocytic MDSCs skew Th17 cells toward a pro-osteoclastogenic phenotype and potentiate bone erosion in rheumatoid arthritis. <i>Rheumatology</i> , 2021 , 60, 2409-2420	3.9	1
100	How COVID-19 is changing rheumatology clinical practice. <i>Nature Reviews Rheumatology</i> , 2021 , 17, 11-15	5.1	12
99	Human umbilical cord mesenchymal stem cells confer potent immunosuppressive effects in Sjögren's syndrome by inducing regulatory T cells. <i>Modern Rheumatology</i> , 2021 , 31, 186-196	3.3	9
98	Patient-reported outcomes from a randomized, double-blind, placebo controlled, phase III study of baricitinib placebo in patients with moderately to severely active rheumatoid arthritis and an inadequate response to methotrexate therapy: results from the RA-BALANCE study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1756726X211006964	3.8	0
97	Needle biopsy compared with surgical biopsy: pitfalls of small biopsy in histological diagnosis of IgG4-related disease. <i>Arthritis Research and Therapy</i> , 2021 , 23, 54	5.7	0
96	Independent associations of lymphopenia and neutropenia in patients with systemic lupus erythematosus: a longitudinal, multinational study. <i>Rheumatology</i> , 2021 , 60, 5185-5193	3.9	1
95	Clinical remission of rheumatoid arthritis in a multicenter real-world study in Asia-Pacific region. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 15, 100240	5	2
94	Interleukin 17E associates with haematologic involvement and autoantibody production in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 378-384	2.2	3

93	Endoplasmic reticulum stress perpetuated toll-like receptor signalling-mediated inflammation in rheumatoid arthritis via X-box-binding protein-1. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 859-867	2.2	0
92	Antibody to peptidoglycan recognition protein (PGLYRP)-2 as a novel biomarker in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 988-994	2.2	0
91	Salivary gland ultrasonography in primary Sjögren's syndrome from diagnosis to clinical stratification: a multicentre study.. <i>Arthritis Research and Therapy</i> , 2021 , 23, 305	5.7	1
90	Response to: Questions on Sequencing of the MHC region defines 1 as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population Sby Guo Sby Regueiro and Gonzalez. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	
89	LAG3 (CD223) and autoimmunity: Emerging evidence. <i>Journal of Autoimmunity</i> , 2020 , 112, 102504	15.5	10
88	Tea Consumption Is Associated with Decreased Disease Activity of Rheumatoid Arthritis in a Real-World, Large-Scale Study. <i>Annals of Nutrition and Metabolism</i> , 2020 , 76, 54-61	4.5	6
87	Hypomyopathic Dermatomyositis with Refractory Dermatitis Treated by Low-dose IL-2. <i>Dermatology and Therapy</i> , 2020 , 10, 1181-1184	4	2
86	Elevating the role of carers in rheumatoid arthritis management in the Asia-Pacific region. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 898-910	2.3	1
85	CD70-mediated CD27 expression downregulation contributed to the regulatory B10 cell impairment in rheumatoid arthritis. <i>Molecular Immunology</i> , 2020 , 119, 92-100	4.3	3
84	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 685-699	2.4	851
83	Double Negative B Cell Is Associated With Renal Impairment in Systemic Lupus Erythematosus and Acts as a Marker for Nephritis Remission. <i>Frontiers in Medicine</i> , 2020 , 7, 85	4.9	10
82	Scavenger receptor-A is a biomarker and effector of rheumatoid arthritis: A large-scale multicenter study. <i>Nature Communications</i> , 2020 , 11, 1911	17.4	11
81	Efficacy and safety of iguratimod on patients with relapsed or refractory IgG4-related disease. <i>Clinical Rheumatology</i> , 2020 , 39, 491-497	3.9	4
80	Can low-dose methotrexate reduce effusion-synovitis and symptoms in patients with mid- to late-stage knee osteoarthritis? Study protocol for a randomised, double-blind, and placebo-controlled trial. <i>Trials</i> , 2020 , 21, 795	2.8	2
79	Prevalence, outcome and prognostic factors of neuropsychiatric systemic lupus erythematosus: A real world single center study. <i>Modern Rheumatology</i> , 2020 , 30, 321-326	3.3	7
78	Efficacy and safety of low-dose IL-2 in the treatment of systemic lupus erythematosus: a randomised, double-blind, placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 141-149	2.4	106
77	Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 553-555	2.4	1
76	Baricitinib in patients with rheumatoid arthritis with inadequate response to methotrexate: results from a phase 3 study. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 732-741	2.2	4

75	Evaluation of soluble CD25 as a clinical and autoimmune biomarker in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 126, 142-149	2.2	4
74	A randomized controlled dose-escalation study of SSS07, a humanized rabbit anti-human TNF alpha antibody, in healthy Chinese adults. <i>International Immunopharmacology</i> , 2019 , 75, 105807	5.8	3
73	Tissue-Specific Autoantibodies Improve Diagnosis of Primary Sjögren's Syndrome in the Early Stage and Indicate Localized Salivary Injury. <i>Journal of Immunology Research</i> , 2019 , 2019, 3642937	4.5	4
72	Sequencing of the MHC region defines as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 773-780	2.4	16
71	Interleukin-2 Deficiency Associated with Renal Impairment in Systemic Lupus Erythematosus. <i>Journal of Interferon and Cytokine Research</i> , 2019 , 39, 117-124	3.5	10
70	An integrated proteomic and glycoproteomic study for differences on glycosylation occupancy in rheumatoid arthritis. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 1331-1338	4.4	2
69	Efficacy and Safety of Loxoprofen Hydrogel Transdermal Patch Versus Loxoprofen Tablet in Chinese Patients with Myalgia: A Double-Blind, Double-Dummy, Parallel-Group, Randomized, Controlled, Non-Inferiority Trial. <i>Clinical Drug Investigation</i> , 2019 , 39, 369-377	3.2	5
68	Evaluation of 12 different assays for detecting ANCA in Chinese patients with GPA and MPA: a multicenter study in China. <i>Clinical Rheumatology</i> , 2019 , 38, 3477-3483	3.9	4
67	Frequencies of the 6.7-kb Deletion Are Highly Differentiated Among Han Chinese Subpopulations and Involved in Ankylosing Spondylitis Predisposition. <i>Frontiers in Genetics</i> , 2019 , 10, 869	4.5	3
66	Autoimmune diseases in China. <i>Advances in Immunology</i> , 2019 , 144, 173-216	5.6	3
65	FcRIIB-I232T polymorphic change allosterically suppresses ligand binding. <i>ELife</i> , 2019 , 8,	8.9	7
64	2018 update of the APLAR recommendations for treatment of rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 357-375	2.3	60
63	Pulse corticosteroids in treatment of rheumatic disease concomitant with cytomegalovirus infection. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 583-591	2.3	2
62	Dose reduction of baricitinib in patients with rheumatoid arthritis achieving sustained disease control: results of a prospective study. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 171-178	2.4	36
61	Development of the Asia Pacific Lupus Collaboration cohort. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 425-433	2.3	14
60	Serum IgG N-glycans act as novel serum biomarkers of ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 705-707	2.4	3
59	Combined immunosuppressive treatment (CIST) in lupus nephritis: a multicenter, randomized controlled study. <i>Clinical Rheumatology</i> , 2019 , 38, 1047-1054	3.9	6
58	Efficacy and safety of certolizumab pegol in combination with methotrexate in methotrexate-inadequate responder Chinese patients with active rheumatoid arthritis: 24-week results from a randomised, double-blind, placebo-controlled phase 3 study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 227-234	2.2	3

57	The clinical significance of ubiquitin carboxyl hydrolase L1 and its autoantibody in neuropsychiatric systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 474-480	2.2	7
56	Genetic predictors of efficacy and toxicity of iguratimod in patients with rheumatoid arthritis. <i>Pharmacogenomics</i> , 2018 , 19, 383-392	2.6	8
55	Tofacitinib with conventional synthetic disease-modifying antirheumatic drugs in Chinese patients with rheumatoid arthritis: Patient-reported outcomes from a Phase 3 randomized controlled trial. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 402-414	2.3	9
54	Monoclonal gammopathy in rheumatic diseases. <i>Clinical Rheumatology</i> , 2018 , 37, 1751-1762	3.9	15
53	A randomized multicenter clinical trial of Tc-methylene diphosphonate in treatment of rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 161-169	2.3	2
52	Profiling the origin, dynamics, and function of traction force in B cell activation. <i>Science Signaling</i> , 2018 , 11,	8.8	33
51	Impaired CD27IgD B Cells With Altered Gene Signature in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018 , 9, 626	8.4	12
50	Circulating immune complexome analysis identified anti-tubulin- β 1c as an inflammation associated autoantibody with promising diagnostic value for Behcet's Disease. <i>PLoS ONE</i> , 2018 , 13, e0199047	3.7	6
49	Exome-wide association study identifies four novel loci for systemic lupus erythematosus in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 417	2.4	31
48	Remission assessment of rheumatoid arthritis in daily practice in China: a cross-sectional observational study. <i>Clinical Rheumatology</i> , 2018 , 37, 597-605	3.9	16
47	An autoimmune disease variant of IgG1 modulates B cell activation and differentiation. <i>Science</i> , 2018 , 362, 700-705	33.3	14
46	Disability and health-related quality of life in Chinese patients with rheumatoid arthritis: A cross-sectional study. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1709-1715	2.3	9
45	Investigation of C1-complex regions reveals new C1Q variants associated with protection from systemic lupus erythematosus, and affect its transcript abundance. <i>Scientific Reports</i> , 2018 , 8, 8048	4.9	5
44	Lipopolysaccharide-binding protein is a sensitive disease activity biomarker for rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 233-240	2.2	10
43	A missense variant in NCF1 is associated with susceptibility to multiple autoimmune diseases. <i>Nature Genetics</i> , 2017 , 49, 433-437	36.3	90
42	Increased Mer and Axl receptor tyrosine kinase expression on glomeruli in lupus nephritis. <i>Clinical Rheumatology</i> , 2017 , 36, 1063-1070	3.9	4
41	Status of rheumatology practice and professional training courses in rural areas of China-an ILAR project. <i>Clinical Rheumatology</i> , 2017 , 36, 213-216	3.9	
40	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 960-977	2.4	1649

39	Prevalence and risk factors of hyperuricemia: results of the Kailuan cohort study. <i>Modern Rheumatology</i> , 2017 , 27, 1066-1071	3.3	22
38	The rise of IL-2 therapy - a picture beyond T cells. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 386	8.1	2
37	Ash1l and Inc-Smad3 coordinate Smad3 locus accessibility to modulate iTreg polarization and T cell autoimmunity. <i>Nature Communications</i> , 2017 , 8, 15818	17.4	34
36	Pathogenic conversion of regulatory B10 cells into osteoclast-priming cells in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2017 , 76, 53-62	15.5	20
35	Characteristics of germinal center-like structures in patients with Sjögren's syndrome. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 245-251	2.3	8
34	SHIP-1 Deficiency in AID B Cells Leads to the Impaired Function of B10 Cells with Spontaneous Autoimmunity. <i>Journal of Immunology</i> , 2017 , 199, 3063-3073	5.3	7
33	Growth of B Cell Receptor Microclusters Is Regulated by PIP and PIP Equilibrium and Dock2 Recruitment and Activation. <i>Cell Reports</i> , 2017 , 21, 2541-2557	10.6	15
32	Pharmacokinetics and immunogenicity of T0001, a newly developed anti-TNF fusion protein, in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1095-1101	2.8	1
31	The usage of biological DMARDs and clinical remission of rheumatoid arthritis in China: a real-world large scale study. <i>Clinical Rheumatology</i> , 2017 , 36, 35-43	3.9	25
30	Substrate stiffness governs the initiation of B cell activation by the concerted signaling of PKC δ and focal adhesion kinase. <i>ELife</i> , 2017 , 6,	8.9	29
29	Increased Interleukin-17F is Associated with Elevated Autoantibody Levels and More Clinically Relevant Than Interleukin-17A in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2017 , 2017, 4768408	4.5	13
28	Impairment on the lateral mobility induced by structural changes underlies the functional deficiency of the lupus-associated polymorphism FcRIIB-T232. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2707-2727	16.6	19
27	Efficacy and safety results from a Phase 3, randomized, placebo-controlled trial of subcutaneous golimumab in Chinese patients with active rheumatoid arthritis despite methotrexate therapy. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 1143-1156	2.3	7
26	GITRL is associated with increased autoantibody production in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2016 , 35, 2195-202	3.9	5
25	A Novel BLYS Peptibody Down-Regulates B Cell and T Helper Cell Subsets In Vivo and Ameliorates Collagen-Induced Arthritis. <i>Inflammation</i> , 2016 , 39, 839-48	5.1	5
24	Myeloid-derived suppressor cells have a proinflammatory role in the pathogenesis of autoimmune arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 278-85	2.4	88
23	MYSM1/miR-150/FLT3 inhibits B1a cell proliferation. <i>Oncotarget</i> , 2016 , 7, 68086-68096	3.3	6
22	Hypoxia-inducible factor-1 β perpetuates synovial fibroblast interactions with T cells and B cells in rheumatoid arthritis. <i>European Journal of Immunology</i> , 2016 , 46, 742-51	6.1	46

21	Barriers to Reconstructive Hand Surgery for Rheumatoid Arthritis in China: A Multicenter Survey of Patients and Physicians. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016 , 4, e1126	1.2	1
20	Comparison of three classification criteria of rheumatoid arthritis in an inception early arthritis cohort. <i>Clinical Rheumatology</i> , 2016 , 35, 2397-401	3.9	3
19	A Truncated IL-17RC Peptide Ameliorates Synovitis and Bone Destruction of Arthritic Mice. <i>Advanced Healthcare Materials</i> , 2016 , 5, 2911-2921	10.1	7
18	Low-dose interleukin-2 treatment selectively modulates CD4(+) T cell subsets in patients with systemic lupus erythematosus. <i>Nature Medicine</i> , 2016 , 22, 991-3	50.5	317
17	CD4 T-cell transcriptome analysis reveals aberrant regulation of STAT3 and Wnt signaling pathways in rheumatoid arthritis: evidence from a case-control study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 76	5.7	37
16	APLAR rheumatoid arthritis treatment recommendations. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 685-713	2.3	93
15	Clinical and serologic features of primary Sjögren's syndrome concomitant with autoimmune hemolytic anemia: a large-scale cross-sectional study. <i>Clinical Rheumatology</i> , 2015 , 34, 1877-84	3.9	15
14	The impact of rheumatoid arthritis on work capacity in Chinese patients: a cross-sectional study. <i>Rheumatology</i> , 2015 , 54, 1478-87	3.9	15
13	Contribution of dendritic cell immunoreceptor (DCIR) polymorphisms in susceptibility of systemic lupus erythematosus and primary Sjogren's syndrome. <i>Human Immunology</i> , 2015 , 76, 808-11	2.3	9
12	Establishment of a decision tree model for diagnosis of early rheumatoid arthritis by proteomic fingerprinting. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 835-41	2.3	3
11	Designation of a novel DKK1 multiepitope DNA vaccine and inhibition of bone loss in collagen-induced arthritic mice. <i>BioMed Research International</i> , 2015 , 2015, 765490	3	2
10	The Clinical Relevance of IL-17-Producing CD4+CD161+ Cell and Its Subpopulations in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2015 , 2015, 307453	4.5	11
9	The synaptic recruitment of lipid rafts is dependent on CD19-PI3K module and cytoskeleton remodeling molecules. <i>Journal of Leukocyte Biology</i> , 2015 , 98, 223-34	6.5	7
8	Impact of the leucocyte immunoglobulin-like receptor A3 (LILRA3) on susceptibility and subphenotypes of systemic lupus erythematosus and Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2070-5	2.4	21
7	Engineering and characterization of a humanized antibody targeting TNF- α and RANKL. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 450, 717-22	3.4	2
6	The inhibitory effect of IFN- γ protease HTRA1 expression in rheumatoid arthritis. <i>Journal of Immunology</i> , 2014 , 193, 130-8	5.3	31
5	The aryl hydrocarbon receptor suppresses osteoblast proliferation and differentiation through the activation of the ERK signaling pathway. <i>Toxicology and Applied Pharmacology</i> , 2014 , 280, 502-10	4.6	39
4	The expression and clinical significance of different forms of Mer receptor tyrosine kinase in systemic lupus erythematosus. <i>Journal of Immunology Research</i> , 2014 , 2014, 431896	4.5	24

3	A monoclonal antibody ameliorates local inflammation and osteoporosis by targeting TNF- α and RANKL. <i>International Immunopharmacology</i> , 2014 , 20, 370-6	5.8	7
2	Toll-like receptors expressed by synovial fibroblasts perpetuate Th1 and th17 cell responses in rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e100266	3.7	46
1	Circulating precursor CCR7(lo)PD-1(hi) CXCR5+ CD4+ T cells indicate Tfh cell activity and promote antibody responses upon antigen reexposure. <i>Immunity</i> , 2013 , 39, 770-81	32.3	449