

Sushmee Badhulika

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3636308/sushmee-badhulika-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

3,401
citations

32
h-index

50
g-index

155
ext. papers

4,427
ext. citations

5.1
avg, IF

6.83
L-index

#	Paper	IF	Citations
148	Graphene nanomesh as highly sensitive chemiresistor gas sensor. <i>Analytical Chemistry</i> , 2012 , 84, 8171-8	7.8	196
147	Large-Area, Flexible Broadband Photodetector Based on ZnS/MoS ₂ Hybrid on Paper Substrate. <i>Advanced Functional Materials</i> , 2017 , 27, 1701611	15.6	159
146	Effect of self-doped heteroatoms on the performance of biomass-derived carbon for supercapacitor applications. <i>Journal of Power Sources</i> , 2020 , 480, 228830	8.9	121
145	MoS ₂ based ultra-low-cost, flexible, non-enzymatic and non-invasive electrochemical sensor for highly selective detection of Uric acid in human urine samples. <i>Sensors and Actuators B: Chemical</i> , 2019 , 279, 53-60	8.5	108
144	Graphene-based wearable temperature sensor and infrared photodetector on a flexible polyimide substrate. <i>Flexible and Printed Electronics</i> , 2016 , 1, 025006	3.1	96
143	Green synthesis of nitrogen, sulfur-co-doped worm-like hierarchical porous carbon derived from ginger for outstanding supercapacitor performance. <i>Carbon</i> , 2020 , 168, 209-219	10.4	94
142	Graphene/Polyaniline composite based ultra-sensitive electrochemical sensor for non-enzymatic detection of urea. <i>Electrochimica Acta</i> , 2017 , 233, 44-51	6.7	89
141	Nonenzymatic Glucose Sensor Based on Platinum Nanoflowers Decorated Multiwalled Carbon Nanotubes-Graphene Hybrid Electrode. <i>Electroanalysis</i> , 2014 , 26, 103-108	3	67
140	2D MoS ₂ /Carbon quantum dot hybrid based large area, flexible UV-Vis-NIR photodetector on paper substrate. <i>Applied Materials Today</i> , 2018 , 10, 106-114	6.6	63
139	Conducting polymer coated single-walled carbon nanotube gas sensors for the detection of volatile organic compounds. <i>Talanta</i> , 2014 , 123, 109-114	6.2	58
138	Flexible, Disposable Cellulose-Paper-Based MoS ₂ /CuS Hybrid for Wireless Environmental Monitoring and Multifunctional Sensing of Chemical Stimuli. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 9048-9059	8.5	57
137	Graphene hybrids: synthesis strategies and applications in sensors and sensitized solar cells. <i>Frontiers in Chemistry</i> , 2015 , 3, 38	5	57
136	Scalable, large-area synthesis of heteroatom-doped few-layer graphene-like microporous carbon nanosheets from biomass for high-capacitance supercapacitors. <i>New Journal of Chemistry</i> , 2019 , 43, 1186-1194	3.6	54
135	Few layer MoS ₂ and in situ poled PVDF nanofibers on low cost paper substrate as high performance piezo-triboelectric hybrid nanogenerator: Energy harvesting from handwriting and human touch. <i>Applied Materials Today</i> , 2018 , 13, 91-99	6.6	54
134	Facile green synthesis of reduced graphene oxide/tin oxide composite for highly selective and ultra-sensitive detection of ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 816, 30-37	4.1	52
133	One step, high yield synthesis of amphiphilic carbon quantum dots derived from chia seeds: a solvatochromic study. <i>New Journal of Chemistry</i> , 2017 , 41, 13130-13139	3.6	50
132	Ultrathin graphene-like 2D porous carbon nanosheets and its excellent capacitance retention for supercapacitor. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 68, 257-266	6.3	49

131	Direct, One-Step Growth of NiSe ₂ on Cellulose Paper: A Low-Cost, Flexible, and Wearable with Smartphone Enabled Multifunctional Sensing Platform for Customized Noninvasive Personal Healthcare Monitoring. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 558-568	4	48
130	Low cost, flexible and biodegradable touch sensor fabricated by solvent-free processing of graphite on cellulose paper. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 857-864	8.5	47
129	Ultra-sensitive phenol sensor based on overcoming surface fouling of reduced graphene oxide-zinc oxide composite electrode. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 785, 26-32	4.1	45
128	Sulfonated porous carbon nanosheets derived from oak nutshell based high-performance supercapacitor for powering electronic devices. <i>Renewable Energy</i> , 2020 , 161, 173-183	8.1	44
127	Solvent-free fabrication of a biodegradable all-carbon paper based field effect transistor for human motion detection through strain sensing. <i>Green Chemistry</i> , 2016 , 18, 3640-3646	10	40
126	Fabrication of a flexible UV photodetector and disposable photoresponsive uric acid sensor by direct writing of ZnO pencil on paper. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 10231-10240	7.1	38
125	V ₂ O ₅ Nanosheets for Flexible Memristors and Broadband Photodetectors. <i>ACS Applied Nano Materials</i> , 2019 , 2, 937-947	5.6	37
124	Discretely distributed 1D V ₂ O ₅ nanowires over 2D MoS ₂ nanoflakes for an enhanced broadband flexible photodetector covering the ultraviolet to near infrared region. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 12728-12736	7.1	35
123	Single-walled carbon nanotubes chemiresistor aptasensors for small molecules: picomolar level detection of adenosine triphosphate. <i>Chemical Communications</i> , 2011 , 47, 3793-5	5.8	35
122	Eraser-based eco-friendly fabrication of a skin-like large-area matrix of flexible carbon nanotube strain and pressure sensors. <i>Nanotechnology</i> , 2017 , 28, 095501	3.4	33
121	Label-free chemiresistive biosensor for mercury (II) based on single-walled carbon nanotubes and structure-switching DNA. <i>Applied Physics Letters</i> , 2013 , 102, 13701	3.4	33
120	The production of oxygenated polycrystalline graphene by one-step ethanol-chemical vapor deposition. <i>Carbon</i> , 2011 , 49, 3789-3795	10.4	33
119	Flexible substrate based 2D ZnO (n)/graphene (p) rectifying junction as enhanced broadband photodetector using strain modulation. <i>2D Materials</i> , 2017 , 4, 025053	5.9	32
118	Low cost, flexible and disposable SnSe ₂ based photoresponsive ammonia sensor for detection of ammonia in urine samples. <i>Sensors and Actuators B: Chemical</i> , 2019 , 297, 126725	8.5	32
117	Poly(3-aminophenylboronic acid)-functionalized carbon nanotubes-based chemiresistive sensors for detection of sugars. <i>Analyst, The</i> , 2014 , 139, 3077-82	5	32
116	Flexible, eco-friendly and highly sensitive paper antenna based electromechanical sensor for wireless human motion detection and structural health monitoring. <i>Extreme Mechanics Letters</i> , 2016 , 9, 324-330	3.9	32
115	One-step in situ synthesis of single aligned graphene/ZnO nanofiber for UV sensing. <i>RSC Advances</i> , 2015 , 5, 82481-82487	3.7	30
114	Bimetallic Pt-Pd nanostructures supported on MoS ₂ as an ultra-high performance electrocatalyst for methanol oxidation and nonenzymatic determination of hydrogen peroxide. <i>Mikrochimica Acta</i> , 2018 , 185, 399	5.8	30

113	A facile, solid-state reaction assisted synthesis of a berry-like NaNbO ₃ perovskite structure for binder-free, highly selective sensing of dopamine in blood samples. <i>New Journal of Chemistry</i> , 2019 , 43, 11994-12003	3.6	30
112	Graphene based biosensors for healthcare. <i>Journal of Materials Research</i> , 2017 , 32, 2905-2929	2.5	28
111	Facile one-pot synthesis of hollow NiCoP nanospheres via thermal decomposition technique and its free-standing carbon composite for supercapacitor application. <i>Journal of Energy Storage</i> , 2019 , 25, 100893	7.8	28
110	Binder free platinum nanoparticles decorated graphene-polyaniline composite film for high performance supercapacitor application. <i>Electrochimica Acta</i> , 2017 , 251, 505-512	6.7	28
109	2D - SnSe ₂ nanoflakes on paper with 1D - NiO gate insulator based MISFET as multifunctional NIR photo switch and flexible temperature sensor. <i>Materials Science in Semiconductor Processing</i> , 2020 , 105, 104738	4.3	28
108	NiO nanofibers interspersed sponge based low cost, multifunctional platform for broadband UV protection, ultrasensitive strain and robust finger-tip skin inspired pressure sensor. <i>Chemical Engineering Journal</i> , 2020 , 389, 124415	14.7	27
107	Direct, large area growth of few-layered MoS ₂ nanostructures on various flexible substrates: growth kinetics and its effect on photodetection studies. <i>Flexible and Printed Electronics</i> , 2018 , 3, 015002	3.1	27
106	One-step solvothermal synthesis of nanoflake-nanorod WS hybrid for non-enzymatic detection of uric acid and quercetin in blood serum. <i>Materials Science and Engineering C</i> , 2020 , 107, 110217	8.3	27
105	Wireless, Smart, Human Motion Monitoring Using Solution Processed Fabrication of Graphene/MoS ₂ Transistors on Paper. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700388	6.4	26
104	Fabrication of a solution-processed, highly flexible few layer MoS ₂ (n)/TiO ₂ (p) piezotronic diode on a paper substrate for an active analog frequency modulator and enhanced broadband photodetector. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 11436-11447	7.1	26
103	Room temperature detection of NO ₂ using InSb nanowire. <i>Applied Physics Letters</i> , 2011 , 99, 033103	3.4	26
102	Facile synthesis of large area pebble-like NaNbO ₃ perovskite for simultaneous sensing of dopamine, uric acid, xanthine and hypoxanthine in human blood. <i>Materials Science and Engineering C</i> , 2020 , 109, 110631	8.3	26
101	Template-Assisted Electrospinning of Bubbled Carbon Nanofibers as Binder-Free Electrodes for High-Performance Supercapacitors. <i>ChemElectroChem</i> , 2018 , 5, 531-539	4.3	25
100	Self-Poled hBN-PVDF Nanofiber Mat-Based Low-Cost, Ultrahigh-Performance Piezoelectric Nanogenerator for Biomechanical Energy Harvesting. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 1970-1980	4	24
99	Single step grown MoS on pencil graphite as an electrochemical sensor for guanine and adenine: A novel and low cost electrode for DNA studies. <i>Biosensors and Bioelectronics</i> , 2019 , 124-125, 122-128	11.8	24
98	Cuprous oxide nanocubes decorated reduced graphene oxide nanosheets embedded in chitosan matrix: A versatile electrode material for stable supercapacitor and sensing applications. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 834, 187-195	4.1	24
97	A Novel Biomass Derived Carbon Quantum Dots for Highly Sensitive and Selective Detection of Hydrazine. <i>Electroanalysis</i> , 2018 , 30, 2228-2232	3	23
96	Amperometric pH Sensor Based on Graphene/Polyaniline Composite. <i>IEEE Sensors Journal</i> , 2017 , 17, 5038-5043	4	23

95	Recent advancements in fabrication of nanomaterial based biosensors for diagnosis of ovarian cancer: a comprehensive review. <i>Mikrochimica Acta</i> , 2020 , 187, 181	5.8	22
94	Polyvinylidene Fluoride/ZnSnO ₃ Nanocube/Co ₃ O ₄ Nanoparticle Thermoplastic Composites for Ultrasound-Assisted Piezo-Catalytic Dye Degradation. <i>ACS Applied Nano Materials</i> , 2020 , 3, 4777-4787	5.6	22
93	Wirelessly destructible MgO-PVP-Graphene composite based flexible transient memristor for security applications. <i>Materials Science in Semiconductor Processing</i> , 2019 , 104, 104673	4.3	22
92	Controlled synthesis of platinum nanoflowers supported on carbon quantum dots as a highly effective catalyst for methanol electro-oxidation. <i>Surface and Coatings Technology</i> , 2019 , 360, 400-408	4.4	22
91	Disposable, efficient and highly selective electrochemical sensor based on Cadmium oxide nanoparticles decorated screen-printed carbon electrode for ascorbic acid determination in fruit juices. <i>Nano Structures Nano Objects</i> , 2018 , 16, 96-103	5.6	22
90	An Fe-doped ZnO/BiVO heterostructure-based large area, flexible, high-performance broadband photodetector with an ultrahigh quantum yield. <i>Nanoscale</i> , 2020 , 12, 9152-9161	7.7	21
89	BiS/PVDF/Ppy-Based Freestanding, Wearable, Transient Nanomembrane for Ultrasensitive Pressure, Strain, and Temperature Sensing.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 14-23	4.1	21
88	Strain engineered biocompatible h-WO nanofibers based highly selective and sensitive chemiresistive platform for detection of Catechol in blood sample. <i>Materials Science and Engineering C</i> , 2020 , 108, 110365	8.3	21
87	Template-cum-catalysis free synthesis of MnO ₂ nanorods-hierarchical MoS ₂ microspheres composite for ultra-sensitive and selective determination of nitrite. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 26-34	5.7	20
86	Tea quality testing using 6B pencil lead as an electrochemical sensor. <i>Analytical Methods</i> , 2018 , 10, 2327-2336	3.2	20
85	Ultra-Sensitive Non-Enzymatic Ethanol Sensor Based on Reduced Graphene Oxide-Zinc Oxide Composite Modified Electrode. <i>IEEE Sensors Journal</i> , 2018 , 18, 1844-1848	4	20
84	Solvent-free fabrication of multi-walled carbon nanotube based flexible pressure sensors for ultra-sensitive touch pad and electronic skin applications. <i>RSC Advances</i> , 2016 , 6, 95836-95845	3.7	20
83	A ruthenium(IV) disulfide based non-enzymatic sensor for selective and sensitive amperometric determination of dopamine. <i>Mikrochimica Acta</i> , 2019 , 186, 480	5.8	19
82	Facile Fabrication of P(Electrodeposition)/N(Solvothermal) 2D-WS ₂ -Homojunction Based High Performance Photo Responsive, Strain Modulated Piezo-Phototronic Diode. <i>ChemNanoMat</i> , 2019 , 5, 1521-1530	3.5	18
81	Strain-modulation-assisted enhanced broadband photodetector based on large-area, flexible, few-layered Gr/MoS on cellulose paper. <i>Nanotechnology</i> , 2017 , 28, 455204	3.4	18
80	Impact of intrinsic iron on electrochemical oxidation of pencil graphite and its application as supercapacitors. <i>Electrochimica Acta</i> , 2018 , 269, 274-281	6.7	17
79	Selective in-situ derivatization of intrinsic nickel to nickel hexacyanoferrate on carbon nanotube and its application for electrochemical sensing of hydrazine. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 837, 60-66	4.1	17
78	Paper-based potentiometric pH sensor using carbon electrode drawn by pencil. <i>Japanese Journal of Applied Physics</i> , 2018 , 57, 04FM08	1.4	16

77	Few layered MoS grown on pencil graphite: a unique single-step approach to fabricate economical, binder-free electrode for supercapacitor applications. <i>Nanotechnology</i> , 2019 , 30, 035402	3.4	16
76	Facile synthesis of three-dimensional platinum nanoflowers decorated reduced graphene oxide: An ultra-high performance electro-catalyst for direct methanol fuel cells. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2018 , 231, 115-120	3.1	16
75	Facile synthesis of three-dimensional platinum nanoflowers on reduced graphene oxide/Tin oxide composite: An ultra-high performance catalyst for methanol electro-oxidation. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 820, 9-17	4.1	15
74	Eco-friendly all-carbon paper electronics fabricated by a solvent-free drawing method. <i>Nanotechnology</i> , 2016 , 27, 095206	3.4	15
73	Ultra-selective, trace level detection of As ³⁺ ions in blood samples using PANI coated BiVO modified SPCE via differential pulse anode stripping voltammetry. <i>Materials Science and Engineering C</i> , 2020 , 111, 110806	8.3	14
72	Surface functionalized Bi ₂ O ₃ nanofibers based flexible, field-effect transistor-biosensor (BioFET) for rapid, label-free detection of serotonin in biological fluids. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128540	8.5	14
71	Hierarchical Architected Dahlia Flower-Like NiCo ₂ O ₄ /NiCoSe ₂ as a Bifunctional Electrode for High-Energy Supercapacitor and Methanol Fuel Cell Application. <i>Energy & Fuels</i> , 2021 , 35, 9646-9659	4.1	14
70	Ultra-low Cost, Large Area Graphene/MoS ₂ -Based Piezotronic Memristor on Paper: A Systematic Study for Both Direct Current and Alternating Current Inputs. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 883-891	4	13
69	Low Cost, Flexible, Perovskite BaTiO ₃ Nanofibers-Based p-n Homojunction for Multifunctional Sensing of Physical and Chemical Stimuli. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000568	4.6	13
68	Record-High Responsivity and Detectivity of a Flexible Deep-Ultraviolet Photodetector Based on Solid State-Assisted Synthesized hBN Nanosheets. <i>ACS Applied Electronic Materials</i> , 2021 , 3, 1162-1169	4	13
67	Three-dimensional nitrogen rich bubbled porous carbon sponge for supercapacitor & pressure sensing applications. <i>International Journal of Energy Research</i> , 2020 , 44, 7242-7253	4.5	12
66	FeS ₂ Grown Pencil Graphite as an In-expensive and Non-enzymatic Sensor for Sensitive Detection of Uric Acid in Non-invasive Samples. <i>Electroanalysis</i> , 2019 , 31, 2397-2403	3	12
65	Facile Synthesis of Highly Porous N-Doped Carbon Nanosheets with Silica Nanoparticles for Ultrahigh Capacitance Supercapacitors. <i>Energy & Fuels</i> , 2020 , 34, 11508-11518	4.1	12
64	From onion skin waste to multi-heteroatom self-doped highly wrinkled porous carbon nanosheets for high-performance supercapacitor device. <i>Journal of Energy Storage</i> , 2021 , 38, 102533	7.8	12
63	A Flexible Self-Powered UV Photodetector and Optical UV Filter Based on Bi ₂ O ₃ /SnO ₂ Quantum Dots Schottky Heterojunction. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100373	4.6	12
62	Low temperature, one-pot green synthesis of tailored carbon nanostructures/reduced graphene oxide composites and its investigation for supercapacitor application. <i>Materials Letters</i> , 2017 , 198, 46-49	3.3	11
61	X (metal: Al, Cu, Sn, Ti)-functionalized tunable 2D-MoS nanostructure assembled biosensor arrays for qualitative and quantitative analysis of vital neurological drugs. <i>Nanoscale</i> , 2020 , 12, 15336-15347	7.7	11
60	AI/ML-Enabled 2-D - RuS ₂ Nanomaterial-Based Multifunctional, Low Cost, Wearable Sensor Platform for Non-Invasive Point of Care Diagnostics. <i>IEEE Sensors Journal</i> , 2020 , 20, 8437-8444	4	11

59	Direct growth of FeS ₂ on paper: A flexible, multifunctional platform for ultra-low cost, low power memristor and wearable non-contact breath sensor for activity detection. <i>Materials Science in Semiconductor Processing</i> , 2020 , 108, 104910	4.3	11
58	Solvent-free fabrication of paper based all-carbon disposable multifunctional sensors and passive electronic circuits. <i>RSC Advances</i> , 2016 , 6, 95574-95583	3.7	11
57	Molecular imprinted polymer functionalized carbon nanotube sensors for detection of saccharides. <i>Applied Physics Letters</i> , 2015 , 107, 093107	3.4	10
56	Facile sonochemical assisted synthesis of a hybrid red-black phosphorus/sulfonated porous carbon composite for high-performance supercapacitors. <i>Chemical Communications</i> , 2020 , 56, 7096-7099	5.8	10
55	Simultaneous sensing of copper, lead, cadmium and mercury traces in human blood serum using orthorhombic phase aluminium ferrite. <i>Materials Science and Engineering C</i> , 2020 , 112, 110865	8.3	10
54	Large area, one step synthesis of NiSe films on cellulose paper for glucose monitoring in bio-mimicking samples for clinical diagnostics. <i>Nanotechnology</i> , 2019 , 30, 355502	3.4	9
53	Wireless smartphone-assisted personal healthcare monitoring system using a MoS ₂ -based flexible, wearable and ultra-low-cost functional sensor. <i>Flexible and Printed Electronics</i> , 2019 , 4, 025003	3.1	9
52	Reusable, few-layered-MoS ₂ nanosheets/graphene hybrid on cellulose paper for superior adsorption of methylene blue dye. <i>New Journal of Chemistry</i> , 2020 , 44, 5489-5500	3.6	9
51	Flexible Substrate Based Few Layer MoS ₂ Electrode for Passive Electronic Devices and Interactive Frequency Modulation Based on Human Motion. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 338-344	2.6	9
50	Polyaniline Sheathed Black Phosphorous: A Novel, Advanced Platform for Electrochemical Sensing Applications. <i>Electroanalysis</i> , 2020 , 32, 238-247	3	9
49	Pyro-phototronic nanogenerator based on flexible 2D ZnO/graphene heterojunction and its application in self-powered near infrared photodetector and active analog frequency modulation. <i>Nanotechnology</i> , 2018 , 29, 325205	3.4	9
48	Direct Growth of Black Phosphorus (p-Type) on a Flexible Substrate with Dual Role of Two-Dimensional ZnO (n-Type) as Effective Passivation and Enabling Highly Stable Broadband Photodetection. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 1076-1083	4	8
47	Highly selective trace level detection of Atrazine in human blood samples using lead-free double perovskite Al ₂ NiCoO ₅ modified electrode via differential pulse voltammetry. <i>Sensors and Actuators B: Chemical</i> , 2020 , 325, 128792	8.5	8
46	UV/ozone assisted local graphene (p)/ZnO(n) heterojunctions as a nanodiode rectifier. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 265101	3	7
45	. <i>ACS Applied Energy Materials</i> , 2021 , 4, 12593-12603	6.1	7
44	Functionalized water soluble nanomaterials and their applications in wirelessly destructible programmed flexible transient photodetectors. <i>Materials Science in Semiconductor Processing</i> , 2019 , 93, 324-330	4.3	6
43	Monitoring of physiological body signals and human activity based on ultra-sensitive tactile sensor and artificial electronic skin by direct growth of ZnSnO ₃ on silica cloth. <i>Materials Science in Semiconductor Processing</i> , 2019 , 99, 125-133	4.3	6
42	Thermal decomposition assisted one-step synthesis of high surface area NiCoP nanospheres for simultaneous sensing of Lead, Mercury and Cadmium ions in groundwater samples. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 861, 113937	4.1	6

41	Single Step Synthesis of MoSe ₂ /MoO ₃ Heterostructure for Highly Sensitive Amperometric Detection of Nitrite in Water Samples of Industrial Areas. <i>Electroanalysis</i> , 2019 , 31, 2410-2416	3	6
40	An ultra high performance, lead-free BiWO ₃ :P(VDF-TrFE)-based triboelectric nanogenerator for self-powered sensors and smart electronic applications.. <i>Materials Horizons</i> , 2021 ,	14.4	6
39	Reusable, Free-Standing MoS ₂ /rGO/Cu ₂ O Ternary Composite Films for Fast and Highly Efficient Sunlight Driven Photocatalytic Degradation. <i>ChemistrySelect</i> , 2020 , 5, 1997-2007	1.8	5
38	One-step solid-state reaction synthesis of NaFeO ₂ nanoparticle as high capacity cathode material for sodium ion batteries. <i>Materials Letters</i> , 2020 , 270, 127739	3.3	5
37	Affinity chemiresistor sensor for sugars. <i>Talanta</i> , 2014 , 128, 473-9	6.2	5
36	Papertronics: Hand-Written MoS ₂ /n Paper Based Highly Sensitive and Recoverable Pressure and Strain Sensors. <i>IEEE Sensors Journal</i> , 2021 , 21, 8943-8949	4	5
35	Vertically Aligned Few-Layer Crumpled MoS ₂ Hybrid Nanostructure on Porous Ni Foam toward Promising Binder-Free Methanol Electro-Oxidation Application. <i>Energy & Fuels</i> , 2021 , 35, 10169-10180	4.1	5
34	Facile synthesis of biomass-derived sulfonated carbon microspheres and nanosheets for the electrochemical detection of glutathione in biological samples. <i>Materials Letters</i> , 2021 , 282, 128683	3.3	5
33	Measurements and correlation of diffusion coefficients of ibuprofen in both liquid and supercritical fluids. <i>Journal of Supercritical Fluids</i> , 2020 , 159, 104776	4.2	4
32	Biconcave Bi ₂ WO ₆ Nanoparticles for UV Light-Activated Detection of Nicotine in Human Sweat and Cigarette Samples. <i>ACS Applied Nano Materials</i> , 2020 , 3, 12250-12259	5.6	4
31	Ultra-low cost, smart sensor based on pyrite FeS ₂ on cellulose paper for the determination of vital plant hormone methyl jasmonate. <i>Engineering Research Express</i> , 2020 , 2, 025020	0.9	3
30	Two-Dimensional Metallic NiSe Nanoclusters-Based Low-Cost, Flexible, Amperometric Sensor for Detection of Neurological Drug Carbamazepine in Human Sweat Samples. <i>Frontiers in Chemistry</i> , 2020 , 8, 337	5	3
29	Highly Stable NiCoZn Ternary Mixed-Metal-Oxide Nanorods as a Low-Cost, Non-Noble Electrocatalyst for Methanol Electro-Oxidation in Alkaline Medium. <i>Energy & Fuels</i> , 2021 , 35, 12507-12515	4.1	3
28	N-Doped carbon as the anode and ZnCo ₂ O ₄ /N-doped carbon nanocomposite as the cathode for high-performance asymmetric supercapacitor application. <i>New Journal of Chemistry</i> , 2021 , 45, 9550-9560	2.6	3
27	Facile in-situ preparation of few-layered reduced graphene oxide /niobium pentoxide composite for non-enzymatic glucose monitoring 2018 ,		3
26	Multilayered Piezoelectric Nanogenerator Based on Lead-Free Poly(vinylidene fluoride)-(0.67BiFeO ₃ -0.33BaTiO ₃) Electrospun Nanofiber Mats for Fast Charging of Supercapacitors. <i>ACS Applied Energy Materials</i> , 2022 , 5, 2993-3003	6.1	3
25	One Pot Hydrothermal Synthesis of Large Area Nano Cube Like ZnSnO ₃ Perovskite for Simultaneous Sensing of Uric Acid and Dopamine Using Differential Pulse Voltammetry. <i>IEEE Sensors Journal</i> , 2020 , 20, 13212-13219	4	2
24	Paper based large area Graphene/MoS ₂ visible light photodetector 2017 ,		2

23	A low-cost and facile electrochemical sensor for the trace-level recognition of flutamide in biofluids using large-area bimetallic NiCo ₂ O ₄ micro flowers. <i>New Journal of Chemistry</i> ,	3.6	2
22	Low-density, stretchable, adhesive PVDF-polypyrrole reinforced gelatin based organohydrogel for UV photodetection, tactile and strain sensing applications. <i>Materials Research Bulletin</i> , 2022 , 150, 111779	5.1	2
21	A non-noble, low cost, multicomponent electrocatalyst based on nickel oxide decorated AC nanosheets and PPy nanowires for the direct methanol oxidation reaction. <i>International Journal of Hydrogen Energy</i> , 2021 , 47, 3099-3099	6.7	2
20	3D, large-area NiCoO microflowers as a highly stable substrate for rapid and trace level detection of flutamide in biofluids via surface-enhanced Raman scattering (SERS). <i>Mikrochimica Acta</i> , 2021 , 188, 371	5.8	2
19	Highly Sensitive Electrochemical Impedance- Based Biosensor for Label-Free and Wide Range Detection of Fibrinogen Using Hydrothermally Grown AlFeO ₃ Nanospheres Modified Electrode. <i>IEEE Sensors Journal</i> , 2021 , 21, 4160-4166	4	2
18	One-pot hydrothermal synthesis of NiCoZn a ternary mixed metal oxide nanorod based electrochemical sensor for trace level recognition of dopamine in biofluids. <i>Materials Letters</i> , 2021 , 298, 130044	3.3	2
17	Divulging the electrochemical hydrogen storage of ternary BNP-doped carbon derived from biomass scaled to a pouch cell supercapacitor. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 35149-35160	6.7	2
16	ZnO nano-structured based devices for chemical and optical sensing applications. <i>Sensors and Actuators Reports</i> , 2022 , 100098	4.7	2
15	Flexible substrate based 2D graphene (p)/ZnO (n) heterojunction architecture as nanodiode rectifier 2016 ,		1
14	One-step synthesis of carbon-doped PPy nanoparticles interspersed in 3D porous melamine foam as a high-performance piezoresistive pressure, strain, and breath sensor. <i>Materials Chemistry Frontiers</i> ,	7.8	1
13	Effect of pH and activation on macroporous carbon derived from cocoa-pods for high performance aqueous supercapacitor application. <i>Materials Chemistry and Physics</i> , 2022 , 276, 125399	4.4	1
12	Label-free wide range electrochemical detection of β-carotene using solid state assisted synthesis of hexagonal boron nitride nanosheets. <i>New Journal of Chemistry</i> , 2020 , 44, 15919-15927	3.6	1
11	Silica embedded carbon nanosheets derived from biomass acorn cupule for non-enzymatic, label-free, and wide range detection of β-acid glycoprotein in biofluids. <i>Analytica Chimica Acta</i> , 2021 , 1169, 338598	6.6	1
10	One-Pot Synthesis of rGO Supported Nb ₂ O ₅ Nanospheres for Ultra-Selective Sensing of Bisphenol a and Hydrazine in Water Samples. <i>IEEE Sensors Journal</i> , 2021 , 21, 4152-4159	4	1
9	Ultra-Selective and Wide Range Detection of D-Mannitol in Human Blood Samples via Differential Pulse Voltammetry Technique Using MgAl ₂ O ₄ Perovskite Modified Electrode. <i>IEEE Sensors Journal</i> , 2021 , 21, 5736-5742	4	1
8	Lead-free PDMS/PPy based low-cost wearable piezoelectric nanogenerator for self-powered pulse pressure sensor application. <i>Materials Research Bulletin</i> , 2022 , 111815	5.1	1
7	A Wearable PVA Film Supported TiO ₂ Nanoparticles Decorated NaNbO ₃ Nanoflakes-Based SERS Sensor for Simultaneous Detection of Metabolites and Biomolecules in Human Sweat Samples. <i>Advanced Materials Interfaces</i> , 2020 , 146	4.6	1
6	The retention factors and partial molar volumes of ibuprofen at infinite dilution in supercritical carbon dioxide at T= (308.15, 313.15, 323.15, 333.15, 343.15 and 353.15) K. <i>Journal of Molecular Liquids</i> , 2019 , 296, 111849	6	0

5	Bio-inspired uniform flow microfluidic sensor platform for multi-analyte sensing: a simulation-based outflow and injection study. <i>Microfluidics and Nanofluidics</i> , 2021 , 25, 1	2.8	○
4	Three-dimensional CoSe ₂ nanoparticles/PANI films composite via co-electrodeposition as a binder-free and a non-noble metal catalyst alternative for methanol oxidation application. <i>Materials Chemistry and Physics</i> , 2021 , 273, 125118	4.4	○
3	Stripping voltammetry and chemometrics assisted ultra-selective, simultaneous detection of trace amounts of heavy metal ions in aqua and blood serum samples. <i>Sensors and Actuators Reports</i> , 2022 , 100097	4.7	○
2	Sponge and graphene/PVDF /ZnO composite based 3D stacked flexible multi-sensor platform. <i>MRS Advances</i> , 2017 , 2, 341-347	0.7	
1	Graphene Hybrid Architectures for Chemical Sensors. <i>Carbon Nanostructures</i> , 2016 , 259-285	0.6	