

Laryssa Howe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3637869/publications.pdf>

Version: 2024-02-01

72
papers

1,465
citations

279487

23
h-index

377514

34
g-index

72
all docs

72
docs citations

72
times ranked

1387
citing authors

#	ARTICLE	IF	CITATIONS
1	Malaria parasites (<i>Plasmodium</i> spp.) infecting introduced, native and endemic New Zealand birds. <i>Parasitology Research</i> , 2012, 110, 913-923.	0.6	82
2	Detection of papillomaviral sequences in feline Bowenoid in situ carcinoma using consensus primers. <i>Veterinary Dermatology</i> , 2007, 18, 241-245.	0.4	78
3	An atypical genotype of <i>Toxoplasma gondii</i> as a cause of mortality in Hector's dolphins (<i>Cephalorhynchus hectori</i>). <i>Veterinary Parasitology</i> , 2013, 192, 67-74.	0.7	70
4	Amplification of papillomaviral DNA sequences from a high proportion of feline cutaneous in situ and invasive squamous cell carcinomas using a nested polymerase chain reaction. <i>Veterinary Dermatology</i> , 2008, 19, 259-263.	0.4	68
5	An outbreak of avian malaria in captive yellowheads/mohua (<i>Mohoua ochrocephala</i>). <i>New Zealand Veterinary Journal</i> , 2008, 56, 247-251.	0.4	51
6	Concurrent avian malaria and avipox virus infection in translocated South Island saddlebacks (<i>Philesturnus carunculatus carunculatus</i>). <i>New Zealand Veterinary Journal</i> , 2010, 58, 218-223.	0.4	51
7	Avian malaria in New Zealand. <i>New Zealand Veterinary Journal</i> , 2014, 62, 189-198.	0.4	51
8	A Live Attenuated Equine Infectious Anemia Virus Proviral Vaccine with a Modified S2 Gene Provides Protection from Detectable Infection by Intravenous Virulent Virus Challenge of Experimentally Inoculated Horses. <i>Journal of Virology</i> , 2003, 77, 7244-7253.	1.5	50
9	Equine Infectious Anemia Virus Envelope Evolution In Vivo during Persistent Infection Progressively Increases Resistance to In Vitro Serum Antibody Neutralization as a Dominant Phenotype. <i>Journal of Virology</i> , 2002, 76, 10588-10597.	1.5	44
10	The role of <i>Neospora caninum</i> in three cases of unexplained ewe abortions in the southern North Island of New Zealand. <i>Small Ruminant Research</i> , 2008, 75, 115-122.	0.6	42
11	Detection of papillomaviral DNA sequences in a feline oral squamous cell carcinoma. <i>Research in Veterinary Science</i> , 2009, 86, 359-361.	0.9	40
12	First report of <i>Toxoplasma gondii</i> sporulated oocysts and <i>Giardia duodenalis</i> in commercial green-lipped mussels (<i>Perna canaliculus</i>) in New Zealand. <i>Parasitology Research</i> , 2018, 117, 1453-1463.	0.6	37
13	Transient immune suppression of inapparent carriers infected with a principal neutralizing domain-deficient equine infectious anaemia virus induces neutralizing antibodies and lowers steady-state virus replication. <i>Journal of General Virology</i> , 2002, 83, 1353-1359.	1.3	37
14	Feline Cutaneous Viral Papilloma Associated with Human Papillomavirus Type 9. <i>Veterinary Pathology</i> , 2007, 44, 924-927.	0.8	35
15	PRESENCE AND SEASONAL PREVALENCE OF PLASMODIUM SPP. IN A RARE ENDEMIC NEW ZEALAND PASSERINE (TIEKE OR SADDLEBACK, PHILESTURNUS CARUNCULATUS). <i>Journal of Wildlife Diseases</i> , 2011, 47, 860-867.	0.3	34
16	Kinetics of Equid herpesvirus type 2 infections in a group of Thoroughbred foals. <i>Veterinary Microbiology</i> , 2011, 152, 176-180.	0.8	33
17	Potential involvement of <i>Neospora caninum</i> in naturally occurring ovine abortions in New Zealand. <i>Veterinary Parasitology</i> , 2012, 185, 64-71.	0.7	32
18	Discerning an Effective Balance between Equine Infectious Anemia Virus Attenuation and Vaccine Efficacy. <i>Journal of Virology</i> , 2005, 79, 2666-2677.	1.5	29

#	ARTICLE	IF	CITATIONS
19	The Same Papillomavirus is Present in Feline Sarcoids from North America and New Zealand but Not in Any Non-Sarcoid Feline Samples. <i>Journal of Veterinary Diagnostic Investigation</i> , 2010, 22, 97-100.	0.5	27
20	The phylogenetic analysis of avipoxvirus in New Zealand. <i>Veterinary Microbiology</i> , 2011, 150, 80-87.	0.8	27
21	Dose-titration challenge of young pregnant sheep with <i>Neospora caninum</i> tachyzoites. <i>Veterinary Parasitology</i> , 2009, 164, 183-191.	0.7	25
22	High prevalence of <i>Leucocytozoon</i> spp. in the endangered yellow-eyed penguin (<i>Megadyptes</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.7	25
23	Prevalence of <i>Leucocytozoon</i> spp. in the endangered yellow-eyed penguin <i>Megadyptes</i> <i>antipodes</i> . <i>Parasitology</i> , 2010, 137, 1477-1485.	0.7	23
24	Evaluation of the pathogenicity of avipoxvirus strains isolated from wild birds in New Zealand and the efficacy of a fowlpox vaccine in passerines. <i>Veterinary Microbiology</i> , 2013, 165, 268-274.	0.8	23
25	Four Cases of Fatal Toxoplasmosis in Three Species of Endemic New Zealand Birds. <i>Avian Diseases</i> , 2014, 58, 171-175.	0.4	22
26	Cases of mortality in little penguins (<i>Eudyptula minor</i>) in New Zealand associated with avian malaria. <i>New Zealand Veterinary Journal</i> , 2017, 65, 332-337.	0.4	19
27	A cluster of avian malaria cases in a kiwi management programme. <i>New Zealand Veterinary Journal</i> , 2013, 61, 121-126.	0.4	18
28	Coat-colour dilution and hypotrichosis in Hereford crossbred calves. <i>New Zealand Veterinary Journal</i> , 2008, 56, 74-77.	0.4	17
29	<i>Coccidia</i> species in endemic and native New Zealand passerines. <i>Parasitology Research</i> , 2013, 112, 2027-2036.	0.6	16
30	Investigation of a mortality cluster in wild adult yellow-eyed penguins (<i>Megadyptes antipodes</i>) at Otago Peninsula, New Zealand. <i>Avian Pathology</i> , 2017, 46, 278-288.	0.8	16
31	Disease Screening of Three Breeding Populations of Adult Exhibition Budgerigars (<i>Melopsittacus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock Infection. <i>Avian Diseases</i> , 2014, 58, 111-117.	0.4	14
32	First report of systemic toxoplasmosis in a New Zealand sea lion (<i>Phocarcos hookeri</i>). <i>New Zealand Veterinary Journal</i> , 2017, 65, 46-50.	0.4	14
33	The prevalence of human papillomavirus in oropharyngeal cancer in a New Zealand population. <i>PLoS ONE</i> , 2017, 12, e0186424.	1.1	14
34	Use of polymerase chain reaction for the differentiation of Group A bovine rotavirus G6, G8, and G10 genotypes in the North Island of New Zealand. <i>New Zealand Veterinary Journal</i> , 2008, 56, 218-221.	0.4	13
35	The prevalence of psittacine beak and feather disease virus infection in native parrots in New Zealand. <i>New Zealand Veterinary Journal</i> , 2009, 57, 50-52.	0.4	13
36	Brucellosis in Endangered Hector's Dolphins (<i>Cephalorhynchus hectori</i>). <i>Veterinary Pathology</i> , 2017, 54, 838-845.	0.8	13

#	ARTICLE	IF	CITATIONS
37	Avian malaria in introduced, native and endemic New Zealand bird species in a mixed ecosystem. , 2016, 40, 72-79.		13
38	Detection of Neospora caninum DNA in semen of experimental infected rams with no evidence of horizontal transmission in ewes. Veterinary Parasitology, 2013, 197, 534-542.	0.7	12
39	Specificity of serum neutralizing antibodies induced by transient immune suppression of inapparent carrier ponies infected with a neutralization-resistant equine infectious anemia virus envelope strain. Journal of General Virology, 2005, 86, 139-149.	1.3	11
40	Avian polyomavirus identified in a nestling Gouldian finch (<i>Erythrura gouldiae</i>) in New Zealand. New Zealand Veterinary Journal, 2013, 61, 359-361.	0.4	11
41	Enteric coccidiosis in the brown kiwi (<i>Apteryx mantelli</i>). Parasitology Research, 2012, 111, 1689-1699.	0.6	10
42	Vertical transmission in experimentally infected sheep despite previous inoculation with Neospora caninum NcNZ1 isolate. Veterinary Parasitology, 2015, 208, 150-158.	0.7	10
43	Seroprevalence of <i>Toxoplasma gondii</i> in mainland and sub-Antarctic New Zealand sea lion (<i>Phocarctos hookeri</i>) populations. New Zealand Veterinary Journal, 2016, 64, 293-297.	0.4	10
44	Comparison of PCR assays to detect <i>Toxoplasma gondii</i> oocysts in green-lipped mussels (<i>Perna</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4	0.6	10
45	Investigation of <i>Toxoplasma gondii</i> and association with early pregnancy and abortion rates in New Zealand farmed red deer (<i>Cervus elaphus</i>). Parasitology Research, 2019, 118, 2065-2077.	0.6	10
46	The Seroprevalence of Avipoxvirus and Its Association with Avian Malaria (<i>Plasmodium</i> spp.) Infection in Introduced Passerine Birds in the Southern Regions of the North Island of New Zealand. Avian Diseases, 2013, 57, 109-115.	0.4	9
47	Extra-intestinal coccidiosis in the kiwi (<i>Apteryx</i> spp.). Avian Pathology, 2013, 42, 137-146.	0.8	9
48	First detection of <i>Chlamydia psittaci</i> from a wild native passerine bird in New Zealand. New Zealand Veterinary Journal, 2013, 61, 174-176.	0.4	9
49	A retrospective survey into the presence of <i>Plasmodium</i> spp. and <i>Toxoplasma gondii</i> in archived tissue samples from New Zealand raptors: New Zealand falcons (<i>Falco novaeseelandiae</i>), Australasian harriers (<i>Circus approximans</i>) and moreporks (<i>Ninox novaeseelandiae</i>). Parasitology Research, 2017, 116, 2283-2289.	0.6	9
50	Avipoxvirus infections in brown kiwi (<i>Apteryx mantelli</i>). New Zealand Veterinary Journal, 2013, 61, 49-52.	0.4	8
51	Prevalence of and risk factors for coccidiosis in kiwi between 1977 and 2011. New Zealand Veterinary Journal, 2014, 62, 315-320.	0.4	8
52	Using a common commensal bacterium in endangered Takahē as a model to explore pathogen dynamics in isolated wildlife populations. Conservation Biology, 2015, 29, 1327-1336.	2.4	8
53	Ventral dermatitis in rowi (<i>Apteryx rowi</i>) due to cutaneous larval migrans. International Journal for Parasitology: Parasites and Wildlife, 2015, 4, 1-10.	0.6	8
54	Identification of novel <i>Theileria</i> genotypes from Grant's gazelle. International Journal for Parasitology: Parasites and Wildlife, 2015, 4, 239-243.	0.6	8

#	ARTICLE	IF	CITATIONS
55	Description of four new species of coccidia (Apicomplexa: Eimeriidae) from brown kiwi, <i>Apteryx mantelli</i> , in New Zealand. <i>Parasitology Research</i> , 2017, 116, 1433-1441.	0.6	8
56	Evaluation of Western blot, ELISA and latex agglutination tests to detect <i>Toxoplasma gondii</i> serum antibodies in farmed red deer. <i>Veterinary Parasitology</i> , 2017, 244, 154-159.	0.7	8
57	Cloacal papillomatosis in the absence of herpesvirus and papillomavirus in a sulphur-crested cockatoo (<i>Cacatua galerita</i>). <i>New Zealand Veterinary Journal</i> , 2009, 57, 241-243.	0.4	7
58	Helminths in endemic, native and introduced passerines in New Zealand. <i>New Zealand Journal of Zoology</i> , 2012, 39, 245-256.	0.6	7
59	Presence and diversity of mixed avian <i>Plasmodium</i> spp. infections in introduced birds whose distribution overlapped with threatened New Zealand endemic birds. <i>New Zealand Veterinary Journal</i> , 2020, 68, 101-106.	0.4	7
60	Normal vitamin D receptor function with increased expression of 25-hydroxyvitamin D3-24-hydroxylase in Corriedale sheep with inherited rickets. <i>Research in Veterinary Science</i> , 2011, 91, 362-369.	0.9	6
61	Adaptation of a commercial ELISA to determine the IgG avidity in sheep experimentally and naturally infected with <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2014, 203, 21-28.	0.7	6
62	Widespread Mismatch Repair Expression in Feline Small Intestinal Lymphomas. <i>Journal of Comparative Pathology</i> , 2012, 147, 24-30.	0.1	5
63	Use of a real-time PCR to explore the intensity of <i>Plasmodium</i> spp. infections in native, endemic and introduced New Zealand birds. <i>Parasitology</i> , 2017, 144, 1743-1751.	0.7	5
64	Pregnancy and mid-term abortion rates in farmed red deer in New Zealand. <i>Animal Reproduction Science</i> , 2018, 193, 140-152.	0.5	5
65	<i>Felis catus</i> papillomavirus type 2 virus-like particle vaccine is safe and immunogenic but does not reduce FcaPV-2 viral loads in adult cats. <i>Veterinary Immunology and Immunopathology</i> , 2019, 213, 109888.	0.5	5
66	Comparing the Mini-FLOTAC and centrifugal faecal flotation for the detection of coccidia (<i>Eimeria</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.6	5
67	Development of a rapid HRM qPCR for the diagnosis of the four most prevalent <i>Plasmodium</i> lineages in New Zealand. <i>Parasitology Research</i> , 2017, 116, 1831-1841.	0.6	4
68	Investigation of association between bovine viral diarrhoea virus and cervid herpesvirus type-1, and abortion in New Zealand farmed deer. <i>Veterinary Microbiology</i> , 2019, 228, 1-6.	0.8	4
69	Coccidiosis in hihi/stitchbirds (<i>Notiomystis cincta</i>) due to coccidia of the Eimeriidae. <i>New Zealand Veterinary Journal</i> , 2013, 61, 68-76.	0.4	3
70	Comparison of an alcohol-based hand sanitation product with a traditional chlorhexidine hand scrub technique for hand hygiene preparation in an equine hospital. <i>New Zealand Veterinary Journal</i> , 2017, 65, 242-247.	0.4	3
71	Lack of association between <i>Leptospira</i> spp. serovars Hardjobovis and Pomona and pregnancy and mid-term abortion in New Zealand farmed red deer. <i>Veterinary Microbiology</i> , 2018, 215, 83-89.	0.8	1
72	Re: Re: Use of Polymerase chain reaction for the differentiation of Group A bovine rotavirus G6, G8, and G10 genotypes in the North Island of New Zealand. <i>New Zealand Veterinary Journal</i> , 2009, 57, 121-121.	0.4	0