

Laryssa Howe

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3637869/laryssa-howe-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,161
citations

21
h-index

30
g-index

72
ext. papers

1,321
ext. citations

2.4
avg, IF

4.1
L-index

#	Paper	IF	Citations
72	Detection of papillomaviral sequences in feline Bowenoid in situ carcinoma using consensus primers. <i>Veterinary Dermatology</i> , 2007 , 18, 241-5	1.8	72
71	Malaria parasites (<i>Plasmodium</i> spp.) infecting introduced, native and endemic New Zealand birds. <i>Parasitology Research</i> , 2012 , 110, 913-23	2.4	69
70	Amplification of papillomaviral DNA sequences from a high proportion of feline cutaneous in situ and invasive squamous cell carcinomas using a nested polymerase chain reaction. <i>Veterinary Dermatology</i> , 2008 , 19, 259-63	1.8	55
69	An atypical genotype of <i>Toxoplasma gondii</i> as a cause of mortality in Hector's dolphins (<i>Cephalorhynchus hectori</i>). <i>Veterinary Parasitology</i> , 2013 , 192, 67-74	2.8	51
68	A live attenuated equine infectious anemia virus proviral vaccine with a modified S2 gene provides protection from detectable infection by intravenous virulent virus challenge of experimentally inoculated horses. <i>Journal of Virology</i> , 2003 , 77, 7244-53	6.6	48
67	Equine infectious anemia virus envelope evolution in vivo during persistent infection progressively increases resistance to in vitro serum antibody neutralization as a dominant phenotype. <i>Journal of Virology</i> , 2002 , 76, 10588-97	6.6	41
66	Concurrent avian malaria and avipox virus infection in translocated South Island saddlebacks (<i>Philesturnus carunculatus carunculatus</i>). <i>New Zealand Veterinary Journal</i> , 2010 , 58, 218-23	1.7	38
65	An outbreak of avian malaria in captive yellowheads/mohua (<i>Mohoua ochrocephala</i>). <i>New Zealand Veterinary Journal</i> , 2008 , 56, 247-51	1.7	38
64	Avian malaria in New Zealand. <i>New Zealand Veterinary Journal</i> , 2014 , 62, 189-98	1.7	37
63	Detection of papillomaviral DNA sequences in a feline oral squamous cell carcinoma. <i>Research in Veterinary Science</i> , 2009 , 86, 359-61	2.5	36
62	The role of <i>Neospora caninum</i> in three cases of unexplained ewe abortions in the southern North Island of New Zealand. <i>Small Ruminant Research</i> , 2008 , 75, 115-122	1.7	33
61	Transient immune suppression of inapparent carriers infected with a principal neutralizing domain-deficient equine infectious anaemia virus induces neutralizing antibodies and lowers steady-state virus replication. <i>Journal of General Virology</i> , 2002 , 83, 1353-1359	4.9	33
60	Feline cutaneous viral papilloma associated with human papillomavirus type 9. <i>Veterinary Pathology</i> , 2007 , 44, 924-7	2.8	29
59	First report of <i>Toxoplasma gondii</i> sporulated oocysts and <i>Giardia duodenalis</i> in commercial green-lipped mussels (<i>Perna canaliculus</i>) in New Zealand. <i>Parasitology Research</i> , 2018 , 117, 1453-1463	2.4	28
58	Potential involvement of <i>Neospora caninum</i> in naturally occurring ovine abortions in New Zealand. <i>Veterinary Parasitology</i> , 2012 , 185, 64-71	2.8	28
57	Discerning an effective balance between equine infectious anemia virus attenuation and vaccine efficacy. <i>Journal of Virology</i> , 2005 , 79, 2666-77	6.6	28
56	Presence and seasonal prevalence of <i>Plasmodium</i> spp. in a rare endemic New Zealand passerine (tieke or Saddleback, <i>Philesturnus carunculatus</i>). <i>Journal of Wildlife Diseases</i> , 2011 , 47, 860-7	1.3	26

55	Kinetics of Equid herpesvirus type 2 infections in a group of Thoroughbred foals. <i>Veterinary Microbiology</i> , 2011 , 152, 176-80	3.3	23
54	The same papillomavirus is present in feline sarcoids from North America and New Zealand but not in any non-sarcoid feline samples. <i>Journal of Veterinary Diagnostic Investigation</i> , 2010 , 22, 97-100	1.5	22
53	Dose-titration challenge of young pregnant sheep with <i>Neospora caninum</i> tachyzoites. <i>Veterinary Parasitology</i> , 2009 , 164, 183-91	2.8	22
52	Prevalence of <i>Leucocytozoon</i> spp, in the endangered yellow-eyed penguin <i>Megadyptes antipodes</i> . <i>Parasitology</i> , 2010 , 137, 1477-85	2.7	21
51	High prevalence of <i>Leucocytozoon</i> spp. in the endangered yellow-eyed penguin (<i>Megadyptes antipodes</i>) in the sub-Antarctic regions of New Zealand. <i>Parasitology</i> , 2013 , 140, 672-82	2.7	19
50	The phylogenetic analysis of avipoxvirus in New Zealand. <i>Veterinary Microbiology</i> , 2011 , 150, 80-7	3.3	18
49	Four cases of fatal toxoplasmosis in three species of endemic New Zealand birds. <i>Avian Diseases</i> , 2014 , 58, 171-5	1.6	17
48	Evaluation of the pathogenicity of avipoxvirus strains isolated from wild birds in New Zealand and the efficacy of a fowlpox vaccine in passerines. <i>Veterinary Microbiology</i> , 2013 , 165, 268-74	3.3	16
47	Coat-colour dilution and hypotrichosis in Hereford crossbred calves. <i>New Zealand Veterinary Journal</i> , 2008 , 56, 74-7	1.7	13
46	Investigation of a mortality cluster in wild adult yellow-eyed penguins (<i>Megadyptes antipodes</i>) at Otago Peninsula, New Zealand. <i>Avian Pathology</i> , 2017 , 46, 278-288	2.4	12
45	Disease screening of three breeding populations of adult exhibition budgerigars (<i>Melopsittacus undulatus</i>) in New Zealand reveals a high prevalence of a novel polyomavirus and avian malaria infection. <i>Avian Diseases</i> , 2014 , 58, 111-7	1.6	12
44	<i>Coccidia</i> species in endemic and native New Zealand passerines. <i>Parasitology Research</i> , 2013 , 112, 2027-364	3.6	12
43	The prevalence of psittacine beak and feather disease virus infection in native parrots in New Zealand. <i>New Zealand Veterinary Journal</i> , 2009 , 57, 50-2	1.7	12
42	Use of polymerase chain reaction for the differentiation of Group A bovine rotavirus G6, G8, and G10 genotypes in the North Island of New Zealand. <i>New Zealand Veterinary Journal</i> , 2008 , 56, 218-21	1.7	12
41	Detection of <i>Neospora caninum</i> DNA in semen of experimental infected rams with no evidence of horizontal transmission in ewes. <i>Veterinary Parasitology</i> , 2013 , 197, 534-42	2.8	11
40	Avian malaria in introduced, native and endemic New Zealand bird species in a mixed ecosystem 2016 , 40, 72-79		11
39	First report of systemic toxoplasmosis in a New Zealand sea lion (<i>Phocarctos hookeri</i>). <i>New Zealand Veterinary Journal</i> , 2017 , 65, 46-50	1.7	10
38	A cluster of avian malaria cases in a kiwi management programme. <i>New Zealand Veterinary Journal</i> , 2013 , 61, 121-6	1.7	10

37	Cases of mortality in little penguins (<i>Eudyptula minor</i>) in New Zealand associated with avian malaria. <i>New Zealand Veterinary Journal</i> , 2017 , 65, 332-337	1.7	10
36	Enteric coccidiosis in the brown kiwi (<i>Apteryx mantelli</i>). <i>Parasitology Research</i> , 2012 , 111, 1689-99	2.4	9
35	Specificity of serum neutralizing antibodies induced by transient immune suppression of inapparent carrier ponies infected with a neutralization-resistant equine infectious anemia virus envelope strain. <i>Journal of General Virology</i> , 2005 , 86, 139-149	4.9	9
34	The prevalence of human papillomavirus in oropharyngeal cancer in a New Zealand population. <i>PLoS ONE</i> , 2017 , 12, e0186424	3.7	9
33	Brucellosis in Endangered Hector's Dolphins (<i>Cephalorhynchus hectori</i>). <i>Veterinary Pathology</i> , 2017 , 54, 838-845	2.8	8
32	Avian polyomavirus identified in a nestling Gouldian finch (<i>Erythrura gouldiae</i>) in New Zealand. <i>New Zealand Veterinary Journal</i> , 2013 , 61, 359-61	1.7	8
31	Using a common commensal bacterium in endangered Takahe as a model to explore pathogen dynamics in isolated wildlife populations. <i>Conservation Biology</i> , 2015 , 29, 1327-36	6	8
30	Vertical transmission in experimentally infected sheep despite previous inoculation with <i>Neospora caninum</i> NcNZ1 isolate. <i>Veterinary Parasitology</i> , 2015 , 208, 150-8	2.8	8
29	First detection of <i>Chlamydia psittaci</i> from a wild native passerine bird in New Zealand. <i>New Zealand Veterinary Journal</i> , 2013 , 61, 174-6	1.7	8
28	Description of four new species of coccidia (Apicomplexa: Eimeriidae) from brown kiwi, <i>Apteryx mantelli</i> , in New Zealand. <i>Parasitology Research</i> , 2017 , 116, 1433-1441	2.4	7
27	Identification of novel <i>Theileria</i> genotypes from Grant's gazelle. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2015 , 4, 239-43	2.6	7
26	Avipoxvirus infections in brown kiwi (<i>Apteryx mantelli</i>). <i>New Zealand Veterinary Journal</i> , 2013 , 61, 49-52	1.7	7
25	Ventral dermatitis in rowi (<i>Apteryx rowi</i>) due to cutaneous larval migrans. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2015 , 4, 1-10	2.6	7
24	Extra-intestinal coccidiosis in the kiwi (<i>Apteryx</i> spp.). <i>Avian Pathology</i> , 2013 , 42, 137-46	2.4	7
23	Cloacal papillomatosis in the absence of herpesvirus and papillomavirus in a sulphur-crested cockatoo (<i>Cacatua galerita</i>). <i>New Zealand Veterinary Journal</i> , 2009 , 57, 241-3	1.7	7
22	Comparison of PCR assays to detect <i>Toxoplasma gondii</i> oocysts in green-lipped mussels (<i>Perna canaliculus</i>). <i>Parasitology Research</i> , 2019 , 118, 2389-2398	2.4	6
21	Evaluation of Western blot, ELISA and latex agglutination tests to detect <i>Toxoplasma gondii</i> serum antibodies in farmed red deer. <i>Veterinary Parasitology</i> , 2017 , 244, 154-159	2.8	6
20	Prevalence of and risk factors for coccidiosis in kiwi between 1977 and 2011. <i>New Zealand Veterinary Journal</i> , 2014 , 62, 315-20	1.7	6

19	Normal vitamin D receptor function with increased expression of 25-hydroxyvitamin D(3)-24-hydroxylase in Corriedale sheep with inherited rickets. <i>Research in Veterinary Science</i> , 2011 , 91, 362-9	2.5	6
18	Investigation of <i>Toxoplasma gondii</i> and association with early pregnancy and abortion rates in New Zealand farmed red deer (<i>Cervus elaphus</i>). <i>Parasitology Research</i> , 2019 , 118, 2065-2077	2.4	5
17	Seroprevalence of <i>Toxoplasma gondii</i> in mainland and sub-Antarctic New Zealand sea lion (<i>Phocarctos hookeri</i>) populations. <i>New Zealand Veterinary Journal</i> , 2016 , 64, 293-7	1.7	5
16	A retrospective survey into the presence of <i>Plasmodium</i> spp. and <i>Toxoplasma gondii</i> in archived tissue samples from New Zealand raptors: New Zealand falcons (<i>Falco novaeseelandiae</i>), Australasian harriers (<i>Circus approximans</i>) and moreporks (<i>Ninox novaeseelandiae</i>). <i>Parasitology Research</i> , 2017 , 112, 2003-2008	2.4	5
15	The seroprevalence of avipoxvirus and its association with avian malaria (<i>Plasmodium</i> spp.) infection in introduced passerine birds in the southern regions of the North Island of New Zealand. <i>Avian Diseases</i> , 2013 , 57, 109-15	1.6	5
14	Pregnancy and mid-term abortion rates in farmed red deer in New Zealand. <i>Animal Reproduction Science</i> , 2018 , 193, 140-152	2.1	5
13	<i>Felis catus</i> papillomavirus type 2 virus-like particle vaccine is safe and immunogenic but does not reduce FcaPV-2 viral loads in adult cats. <i>Veterinary Immunology and Immunopathology</i> , 2019 , 213, 109888 ²		4
12	Widespread mismatch repair expression in feline small intestinal lymphomas. <i>Journal of Comparative Pathology</i> , 2012 , 147, 24-30	1	4
11	Helminths in endemic, native and introduced passerines in New Zealand. <i>New Zealand Journal of Zoology</i> , 2012 , 39, 245-256	0.8	4
10	Presence and diversity of mixed avian spp. infections in introduced birds whose distribution overlapped with threatened New Zealand endemic birds. <i>New Zealand Veterinary Journal</i> , 2020 , 68, 101-106	1.7	4
9	Adaptation of a commercial ELISA to determine the IgG avidity in sheep experimentally and naturally infected with <i>Neospora caninum</i> . <i>Veterinary Parasitology</i> , 2014 , 203, 21-8	2.8	3
8	Comparing the Mini-FLOTAC and centrifugal faecal flotation for the detection of coccidia (<i>Eimeria</i> spp.) in kiwi (<i>Apteryx mantelli</i>). <i>Parasitology Research</i> , 2020 , 119, 4287-4290	2.4	3
7	Investigation of association between bovine viral diarrhoea virus and cervid herpesvirus type-1, and abortion in New Zealand farmed deer. <i>Veterinary Microbiology</i> , 2019 , 228, 1-6	3.3	3
6	Coccidiosis in hihi/stitchbirds (<i>Notiomystis cincta</i>) due to coccidia of the Eimeriidae. <i>New Zealand Veterinary Journal</i> , 2013 , 61, 68-76	1.7	2
5	Comparison of an alcohol-based hand sanitation product with a traditional chlorhexidine hand scrub technique for hand hygiene preparation in an equine hospital. <i>New Zealand Veterinary Journal</i> , 2017 , 65, 242-247	1.7	1
4	Lack of association between <i>Leptospira</i> spp. serovars Hardjobovis and Pomona and pregnancy and mid-term abortion in New Zealand farmed red deer. <i>Veterinary Microbiology</i> , 2018 , 215, 83-89	3.3	1
3	Use of a real-time PCR to explore the intensity of <i>Plasmodium</i> spp. infections in native, endemic and introduced New Zealand birds. <i>Parasitology</i> , 2017 , 144, 1743-1751	2.7	1
2	Development of a rapid HRM qPCR for the diagnosis of the four most prevalent <i>Plasmodium</i> lineages in New Zealand. <i>Parasitology Research</i> , 2017 , 116, 1831-1841	2.4	0

1

Re: Re: Use of Polymerase chain reaction for the differentiation of Group A bovine rotavirus G6, G8, and G10 genotypes in the North Island of New Zealand. *New Zealand Veterinary Journal*, **2009**, 57, 121-127