

Wei Yan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3639754/wei-yan-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

3,829
citations

38
h-index

55
g-index

151
ext. papers

4,823
ext. citations

8
avg, IF

6.04
L-index

#	Paper	IF	Citations
142	One-dimensional CdS/ZnO core/shell nanofibers via single-spinneret electrospinning: tunable morphology and efficient photocatalytic hydrogen production. <i>Nanoscale</i> , 2013 , 5, 12432-9	7.7	153
141	Recent development in graphitic carbon nitride based photocatalysis for hydrogen generation. <i>Applied Catalysis B: Environmental</i> , 2019 , 257, 117855	21.8	144
140	Preparation of antimicrobial poly(ϵ -caprolactone) electrospun nanofibers containing silver-loaded zirconium phosphate nanoparticles. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 1208-1214	2.9	99
139	Suppressing the Shuttle Effect and Dendrite Growth in Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2020 , 14, 9819-9831	16.7	97
138	Excellent adsorption and desorption characteristics of polypyrrole/TiO ₂ composite for Methylene Blue. <i>Applied Surface Science</i> , 2013 , 279, 400-408	6.7	97
137	Enhancing Performance of Large-Area Organic Solar Cells with Thick Film via Ternary Strategy. <i>Small</i> , 2017 , 13, 1700388	11	93
136	Electrochemical oxidation of lignin by two typical electrodes: Ti/SbSnO ₂ and Ti/PbO ₂ . <i>Chemical Engineering Journal</i> , 2014 , 244, 288-295	14.7	88
135	Fabrication of one-dimensional heterostructured TiO ₂ @SnO ₂ with enhanced photocatalytic activity. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 116-122	13	84
134	Influence of metal oxides on the adsorption characteristics of PPy/metal oxides for Methylene Blue. <i>Journal of Colloid and Interface Science</i> , 2016 , 475, 26-35	9.3	83
133	Adsorption mechanism of phosphate by polyaniline/TiO ₂ composite from wastewater. <i>Chemical Engineering Journal</i> , 2017 , 316, 33-40	14.7	79
132	Flexible and High-Loading Lithium Sulfur Batteries Enabled by Integrated Three-In-One Fibrous Membranes. <i>Advanced Energy Materials</i> , 2019 , 9, 1902001	21.8	71
131	Preparation and characterization of PbO ₂ electrodes from electro-deposition solutions with different copper concentration. <i>RSC Advances</i> , 2014 , 4, 25011	3.7	71
130	Oligomeric Donor Material for High-Efficiency Organic Solar Cells: Breaking Down a Polymer. <i>Advanced Materials</i> , 2015 , 27, 4229-33	24	71
129	Density of Deep Trap States in Oriented TiO ₂ Nanotube Arrays. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 18207-18213	3.8	66
128	Synthesis of one-dimensional NiFe ₂ O ₄ nanostructures: tunable morphology and high-performance anode materials for Li ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8620-8629	13	65
127	Fabrication of a stable Ti/TiO _x H _y /SbSnO ₂ anode for aniline degradation in different electrolytes. <i>Chemical Engineering Journal</i> , 2016 , 285, 1-10	14.7	64
126	Enhanced antimonate (Sb(V)) removal from aqueous solution by La-doped magnetic biochars. <i>Chemical Engineering Journal</i> , 2018 , 354, 623-632	14.7	63

125	A Highly Stable Ti/TiHx/SbSnO2 Anode: Preparation, Characterization and Application. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 3898-3907	3.9	63
124	Synthesis of PPy-modified TiO2 composite in H2SO4 solution and its novel adsorption characteristics for organic dyes. <i>Chemical Engineering Journal</i> , 2013 , 225, 766-775	14.7	63
123	Adsorbent synthesis of polypyrrole/TiO(2) for effective fluoride removal from aqueous solution for drinking water purification: Adsorbent characterization and adsorption mechanism. <i>Journal of Colloid and Interface Science</i> , 2017 , 495, 44-52	9.3	61
122	Fabrication and characterization of PbO2 electrode modified with polyvinylidene fluoride (PVDF). <i>Applied Surface Science</i> , 2016 , 389, 278-286	6.7	59
121	An improved stable Ti/SbSnO2 electrode with high performance in electrochemical oxidation processes. <i>RSC Advances</i> , 2014 , 4, 21230	3.7	59
120	Tunable Surface Area, Porosity, and Function in Conjugated Microporous Polymers. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 11715-11719	16.4	58
119	Development of rare earth element doped magnetic biochars with enhanced phosphate adsorption performance. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 561, 236-243	5.1	58
118	Easy separated 3D hierarchical coral-like magnetic polyaniline adsorbent with enhanced performance in adsorption and reduction of Cr(VI) and immobilization of Cr(III). <i>Chemical Engineering Journal</i> , 2019 , 363, 107-119	14.7	56
117	Fabrication of Cd1-xZnxS/TiO2 heterostructures with enhanced photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2013 , 580, 29-36	5.7	55
116	Fabrication and formation mechanism of Mn2O3 hollow nanofibers by single-spinneret electrospinning. <i>CrystEngComm</i> , 2014 , 16, 6907-6913	3.3	52
115	One-dimensional nanomaterials toward electrochemical sodium-ion storage applications via electrospinning. <i>Energy Storage Materials</i> , 2020 , 25, 443-476	19.4	52
114	Synthesis of polyaniline/TiO2 composite with excellent adsorption performance on acid red G. <i>RSC Advances</i> , 2015 , 5, 21132-21141	3.7	51
113	Tin diselenide a stable co-catalyst coupled with branched TiO2 fiber and g-C3N4 quantum dots for photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2020 , 270, 118900	21.8	51
112	A high-safety and multifunctional MOFs modified aramid nanofiber separator for lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2021 , 411, 128540	14.7	44
111	MgFe2O4-biochar based lanthanum alginate beads for advanced phosphate removal. <i>Chemical Engineering Journal</i> , 2020 , 387, 123305	14.7	42
110	Free-standing ultrathin CoMn2O4 nanosheets anchored on reduced graphene oxide for high-performance supercapacitors. <i>Dalton Transactions</i> , 2015 , 44, 18737-42	4.3	41
109	Construction of sandwich-type hybrid structures by anchoring mesoporous ZnMn2O4 nanofoams on reduced graphene oxide with highly enhanced capability. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10419-10424	13	41
108	Utilizing discarded SiC heating rod to fabricate SiC/Sb-SnO2 anode for electrochemical oxidation of wastewater. <i>Chemical Engineering Journal</i> , 2019 , 361, 862-873	14.7	41

107	High-performance Ti/Sb-SnO(2)/Pb(3)O(4) electrodes for chlorine evolution: preparation and characteristics. <i>Journal of Hazardous Materials</i> , 2014 , 267, 238-44	12.8	40
106	Fabrication and characterization of NiTiO ₃ nanofibers by sol-gel assisted electrospinning. <i>Journal of Sol-Gel Science and Technology</i> , 2014 , 69, 473-479	2.3	38
105	Fabrication and characterization of PbO ₂ /Sb ₂ O ₃ /TiO ₂ nanotube array electrode and its application in electrochemical degradation of Acid Red G. <i>RSC Advances</i> , 2015 , 5, 19284-19293	3.7	38
104	Hydrophilic polythiophene/SiO ₂ composite for adsorption engineering: Green synthesis in aqueous medium and its synergistic and specific adsorption for heavy metals from wastewater. <i>Chemical Engineering Journal</i> , 2019 , 360, 1486-1497	14.7	35
103	Facile synthesis of a polythiophene/TiO ₂ particle composite in aqueous medium and its adsorption performance for Pb(II). <i>RSC Advances</i> , 2015 , 5, 86945-86953	3.7	34
102	Highly crystalline polyaniline nanofibers coating with low-cost biomass for easy separation and high efficient removal of anionic dye ARG from aqueous solution. <i>Applied Surface Science</i> , 2018 , 458, 413-424	6.7	33
101	Insight into the Synergistic Effect on Selective Adsorption for Heavy Metal Ions by a Polypyrrole/TiO Composite. <i>Langmuir</i> , 2018 , 34, 10187-10196	4	32
100	Role of the anions in the hydrothermally formed silver nanowires and their antibacterial property. <i>Journal of Colloid and Interface Science</i> , 2014 , 416, 86-94	9.3	32
99	Synthesis of Ce-doped magnetic biochar for effective Sb(V) removal: Performance and mechanism. <i>Powder Technology</i> , 2019 , 345, 501-508	5.2	31
98	Carbon-Based Alloy-Type Composite Anode Materials toward Sodium-Ion Batteries. <i>Small</i> , 2019 , 15, e1900628	10.628	30
97	Smart formaldehyde detection enabled by metal organic framework-derived doped electrospun hollow nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128819	8.5	30
96	In Situ Fabrication of Branched TiO ₂ /C Nanofibers as Binder-Free and Free-Standing Anodes for High-Performance Sodium-Ion Batteries. <i>Small</i> , 2019 , 15, e1901584	11	28
95	In situ decoration of g-C ₃ N ₄ quantum dots on 1D branched TiO ₂ loaded with plasmonic Au nanoparticles and improved the photocatalytic hydrogen evolution activity. <i>Applied Surface Science</i> , 2020 , 519, 146208	6.7	28
94	Electrocatalytic degradation of aniline by Ti/Sb ₂ O ₃ , Ti/Sb ₂ O ₃ /Pb ₃ O ₄ and Ti/Sb ₂ O ₃ /PbO ₂ anodes in different electrolytes. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 775, 43-51	4.1	28
93	Green and facile fabrication of silver nanoparticles loaded activated carbon fibers with long-lasting antibacterial activity. <i>RSC Advances</i> , 2014 , 4, 523-530	3.7	28
92	Synthesis of polypyrrole micro/nanofibers via a self-assembly process. <i>Mikrochimica Acta</i> , 2009 , 166, 261-267	5.8	27
91	Conjugated Microporous Polymer Network Grafted Carbon Nanotube Fibers with Tunable Redox Activity for Efficient Flexible Wearable Energy Storage. <i>Chemistry of Materials</i> , 2020 , 32, 8276-8285	9.6	27
90	Magnetic Assembled Anode Combining PbO and Sb-SnO Organically as An Effective and Sustainable Electrocatalyst for Wastewater Treatment with Adjustable Attribution and Construction. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 44385-44395	9.5	26

89	Rapid removal of ammonia nitrogen in low-concentration from wastewater by amorphous sodium titanate nano-particles. <i>Science of the Total Environment</i> , 2019 , 668, 815-824	10.2	25
88	Large-area, flexible polymer solar cell based on silver nanowires as transparent electrode by roll-to-roll printing. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017 , 35, 261-268	3.5	24
87	Self-assembly of tetra(aniline) nanowires in acidic aqueous media with ultrasonic irradiation. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11945-11952	7.1	24
86	Facile Modification of a Polythiophene/TiO ₂ Composite Using Surfactants in an Aqueous Medium for an Enhanced Pb(II) Adsorption and Mechanism Investigation. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 2208-2221	2.8	23
85	Adsorption of polythiophene/TiO ₂ composite for Zn (II), Pb (II) and Cu (II): Selectivity and synergistic effect investigation. <i>Applied Surface Science</i> , 2018 , 459, 318-326	6.7	23
84	Fabrication and photocatalytic activities of SrTiO ₃ nanofibers by sol-gel assisted electrospinning. <i>Journal of Sol-Gel Science and Technology</i> , 2014 , 71, 159-167	2.3	23
83	Facile synthesis of coral-like hierarchical polyaniline micro/nanostructures with enhanced supercapacitance and adsorption performance. <i>Polymer</i> , 2019 , 162, 130-138	3.9	23
82	Effect of ethanol on the crystallinity and acid sites of MFI zeolite nanosheets. <i>RSC Advances</i> , 2014 , 4, 56938-56944	3.7	21
81	Poly(3,4-ethylenedioxythiophene)-coated sulfur for flexible and binder-free cathodes of lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 17647-17652	13	21
80	In Situ Fabrication of Hierarchically Branched TiO Nanostructures: Enhanced Performance in Photocatalytic H ₂ Evolution and Li-Ion Batteries. <i>Small</i> , 2017 , 13, 1702357	11	19
79	Fe ₃ O ₄ /Sb ₂ SnO ₂ Granules Loaded on Ti/Sb ₂ SnO ₂ Electrode Shell by Magnetic Force: Good Recyclability and High Electro-oxidation Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 1777-1785	8.3	19
78	Preparation and characterization of PbO ₂ electrodes modified with polyvinyl alcohol (PVA). <i>RSC Advances</i> , 2016 , 6, 82024-82032	3.7	19
77	Small molecules incorporating regioregular oligothiophenes and fluorinated benzothiadiazole groups for solution-processed organic solar cells. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 5842-5849	7.1	18
76	Polyaniline nanoparticles magnetically coated Ti/Sb-SnO electrode as a flexible and efficient electrocatalyst for boosted electrooxidation of biorefractory wastewater. <i>Chemosphere</i> , 2020 , 241, 125103	8.4	18
75	A 2.5D Electrode System Constructed of Magnetic Sb ₂ SnO ₂ Particles and a PbO ₂ Electrode and Its Electrocatalysis Application on Acid Red G Degradation. <i>Catalysts</i> , 2019 , 9, 875	4	17
74	Nanowire Array-Coated Flexible Substrate to Accommodate Lithium Plating for Stable Lithium-Metal Anodes and Flexible Lithium-Organic Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20873-20880	9.5	16
73	Fabrication of 3D compressible polyaniline/cellulose nanofiber aerogel for highly efficient removal of organic pollutants and its environmental-friendly regeneration by peroxydisulfate process. <i>Chemical Engineering Journal</i> , 2021 , 414, 128931	14.7	16
72	An addressable packing parameter approach for reversibly tuning the assembly of oligo(aniline)-based supra-amphiphiles. <i>Chemical Science</i> , 2018 , 9, 4392-4401	9.4	15

71	Electrochemical oxidation of guaiacol to increase its biodegradability or just remove COD in terms of anodes and electrolytes. <i>RSC Advances</i> , 2016 , 6, 4858-4866	3.7	15
70	Preparation of porous (Ni,Co) ₃ (BO ₃) ₂ /Ni(OH) ₂ nanosheet networks as pseudocapacitor materials with superior performance. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 5903-5909	13	15
69	Preparation of Fe ₃ O ₄ /TiO ₂ /Polypyrrole Ternary Magnetic Composite and Using as Adsorbent for the Removal of Acid Red G. <i>Journal of Polymers and the Environment</i> , 2017 , 25, 781-791	4.5	15
68	Fabrication of heterostructured UiO-66-NH ₂ /CNTs with enhanced activity and selectivity over photocatalytic CO ₂ reduction. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 30634-30646	6.7	15
67	Self-Reducible Conjugated Microporous Polyaniline for Long-Term Selective Cr(VI) Detoxication Driven by Tunable Pore Dimension. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 28681-28691	9.5	14
66	A modular functionalized anode for efficient electrochemical oxidation of wastewater: Inseparable synergy between OER anode and its magnetic auxiliary electrodes. <i>Journal of Hazardous Materials</i> , 2020 , 390, 122174	12.8	14
65	Fouling control in ultrafiltration of secondary effluent using polyaniline/TiO ₂ adsorption and subsequent treatment of desorption eluate using electrochemical oxidation. <i>Chemical Engineering Journal</i> , 2020 , 382, 122915	14.7	14
64	Microbial diversity and metaproteomic analysis of activated sludge responses to naphthalene and anthracene exposure. <i>RSC Advances</i> , 2019 , 9, 22841-22852	3.7	13
63	Controllable Design of MoS ₂ Nanosheets Grown on Nitrogen-Doped Branched TiO ₂ /C Nanofibers: Toward Enhanced Sodium Storage Performance Induced by Pseudocapacitance Behavior. <i>Small</i> , 2020 , 16, e1904589	11	13
62	Exploiting Hansen solubility parameters to tune porosity and function in conjugated microporous polymers. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 22657-22665	13	13
61	Fabrication of one-dimensional CdFe ₂ O ₄ yolk/shell flat nanotubes as a high-performance anode for lithium-ion batteries. <i>Journal of Materials Science</i> , 2017 , 52, 4096-4108	4.3	12
60	Cometabolism of methyl tert-butyl ether by a new microbial consortium ERS. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 10196-205	5.1	12
59	One-Dimensional Nanomaterials in Resistive Gas Sensor: From Material Design to Application. <i>Chemosensors</i> , 2021 , 9, 198	4	12
58	Enhanced adsorption capacity of polypyrrole/TiO ₂ composite modified by carboxylic acid with hydroxyl group. <i>RSC Advances</i> , 2016 , 6, 42572-42580	3.7	12
57	Design of magnetically assembled electrode (MAE) with Ti/PbO ₂ and heterogeneous auxiliary electrodes (AEs): The functionality of AEs for efficient electrochemical oxidation. <i>Chemical Engineering Journal</i> , 2020 , 395, 125145	14.7	11
56	Flexible VO _x Nanosphere@SWCNT Hybrid Films with Dual-Confinement Function of Polysulfides for High-Performance Lithium-Sulfur Batteries. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800766	4.6	10
55	Tunable Surface Area, Porosity, and Function in Conjugated Microporous Polymers. <i>Angewandte Chemie</i> , 2019 , 131, 11841-11845	3.6	10
54	Fabrication of hierarchically one-dimensional Zn _x Cd _{1-x} S/NiTiO ₃ nanostructures and their enhanced photocatalytic water splitting activity. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 30974-30985	6.7	10

53	Enhanced capacitance of rectangular-sectioned polypyrrole microtubes as the electrode material for supercapacitors. <i>RSC Advances</i> , 2014 , 4, 40686-40692	3.7	10
52	Electrochemical oxidation of humic acid at the antimony- and nickel-doped tin oxide electrode. <i>Frontiers of Environmental Science and Engineering</i> , 2014 , 8, 337-344	5.8	10
51	Selection of anode materials and optimization of operating parameters for electrochemical water descaling. <i>Separation and Purification Technology</i> , 2021 , 261, 118304	8.3	10
50	Current-Density Regulating Lithium Metal Directional Deposition for Long Cycle-Life Li Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 19306-19313	16.4	10
49	Hybridization of g-C ₃ N ₄ quantum dots with 1D branched TiO ₂ fiber for efficient visible light-driven photocatalytic hydrogen generation. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 13994-14005	6.7	9
48	Application of chemically synthesized polypyrrole with hydro-sponge characteristic as electrode in water desalination. <i>RSC Advances</i> , 2015 , 5, 71593-71600	3.7	8
47	Linear attenuation current input mode: A novel power supply mode for electrochemical oxidation process. <i>Journal of Water Process Engineering</i> , 2020 , 36, 101305	6.7	8
46	Polypyrrole-Grafted Coconut Shell Biological Carbon as a Potential Adsorbent for Methyl Tert-Butyl Ether Removal: Characterization and Adsorption Capability. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	8
45	Fabrication of a well-aligned TiO ₂ nanofibrous membrane by modified parallel electrode configuration with enhanced photocatalytic performance. <i>RSC Advances</i> , 2016 , 6, 31476-31483	3.7	7
44	A multichannel system for rapid determination of the activity for photocatalytic H ₂ production. <i>AIChE Journal</i> , 2012 , 58, 3593-3596	3.6	7
43	In situ enrichment amplification strategy enabling highly sensitive formaldehyde gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2022 , 354, 131206	8.5	7
42	One-dimensional Mg _x Ti _y O _{x+2y} nanostructures: General synthesis and enhanced photocatalytic performance. <i>Applied Catalysis B: Environmental</i> , 2018 , 225, 332-339	21.8	7
41	Electrochemical potential-responsive tetra(aniline) nanocapsules via self-assembly. <i>RSC Advances</i> , 2015 , 5, 27862-27866	3.7	6
40	Combined sulphur cycle based system of hydrogen production and biological treatment of wastewater. <i>Environmental Technology (United Kingdom)</i> , 2009 , 30, 1297-304	2.6	6
39	Biodegradation of Methyl tert-Butyl Ether by Co-Metabolism with a Pseudomonas sp. Strain. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	6
38	Fabrication and characterization of titanium-based lead dioxide electrode by electrochemical deposition with Ti O particles. <i>Water Environment Research</i> , 2021 , 93, 42-50	2.8	6
37	Hollow urchin-like MnO microspheres as an advanced sulfur host for enabling Li-S batteries with high gravimetric energy density. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 1111-1119	9.3	6
36	Conjugated microporous poly(aniline)s for removal of low-concentration formaldehyde. <i>Chemical Engineering Science</i> , 2022 , 248, 117119	4.4	5

35	Fabrication of novel perovskite-type Sr ₂ Ta(Fe _{1-x} Gax)O ₆ nanoparticles with high visible-light photocatalytic activity. <i>RSC Advances</i> , 2015 , 5, 28679-28686	3.7	4
34	New architecture of a variable anode for full-time efficient electrochemical oxidation of organic wastewater with variable Cl ⁻ concentration. <i>Applied Surface Science</i> , 2020 , 515, 146003	6.7	4
33	A COF-like conductive conjugated microporous poly(aniline) serving as a current collector modifier for high-performance Li ⁺ batteries. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 1359-1368	13	4
32	Selective adsorption towards heavy metal ions on the green synthesized polythiophene/MnO ₂ with a synergetic effect. <i>Journal of Cleaner Production</i> , 2022 , 338, 130536	10.3	4
31	High-Yield Synthesis of Pyridyl Conjugated Microporous Polymer Networks with Large Surface Areas: From Molecular Iodine Capture to Metal-Free Heterogeneous Catalysis. <i>Macromolecular Rapid Communications</i> , 2020 , 41, e2000489	4.8	4
30	Treatment of cooling tower blowdown water by using adsorption-electrocatalytic oxidation: Technical performance, toxicity assessment and economic evaluation. <i>Separation and Purification Technology</i> , 2020 , 252, 117484	8.3	4
29	Mathematical Modeling Approaches for Assessing the Joint Toxicity of Chemical Mixtures Based on Luminescent Bacteria: A Systematic Review. <i>Frontiers in Microbiology</i> , 2020 , 11, 1651	5.7	4
28	Insight into the ion exchange in the adsorptive removal of fluoride by doped polypyrrole from water. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 67267-67279	5.1	4
27	Characterization of co-metabolic biodegradation of methyl -butyl ether by a sp. strain.. <i>RSC Advances</i> , 2019 , 9, 38962-38972	3.7	4
26	Poly (triphenylamine)-decorated UiO-66-NH ₂ mesoporous architectures with enhanced photocatalytic activity for CO ₂ reduction and H ₂ evolution. <i>Journal of CO₂ Utilization</i> , 2021 , 51, 101654	7.6	4
25	Magnetically assembled electrodes based on Pt, RuO ₂ -IrO ₂ -TiO ₂ and Sb-SnO ₂ for electrochemical oxidation of wastewater featured by fluctuant Cl ⁻ concentration. <i>Journal of Hazardous Materials</i> , 2022 , 421, 126803	12.8	4
24	Fabrication of polyaniline/poly(vinyl alcohol)/montmorillonite hybrid aerogels toward efficient adsorption of organic dye pollutants.. <i>Journal of Hazardous Materials</i> , 2022 , 435, 129004	12.8	4
23	Higher hydrogen production by photocatalytic water splitting using a hollow tubular graphitic carbon nitride-zinc telluride composite. <i>Environmental Chemistry Letters</i> , 1	13.3	3
22	Conjugative transfer of Megaplasmiids pND6-1 and pND6-2 enhancing naphthalene degradation in aqueous environment: characterization and bioaugmentation prospects. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 861-871	5.7	3
21	Effective removal of ammonium nitrogen using titanate adsorbent: Capacity evaluation focusing on cation exchange. <i>Science of the Total Environment</i> , 2021 , 771, 144800	10.2	3
20	Secondary particle size determining sedimentation and adsorption kinetics of titanate-based materials for ammonia nitrogen and methylene blue removal. <i>Journal of Molecular Liquids</i> , 2021 , 343, 117026	6	3
19	Evaluation of diclofenac degradation effect in "active" and "non-active" anodes: A new consideration about mineralization inclination. <i>Chemosphere</i> , 2022 , 286, 131580	8.4	3
18	Gas Sensing Technology for the Detection and Early Warning of Battery Thermal Runaway: A Review. <i>Energy & Fuels</i> ,	4.1	3

17	LithiumSulfur Batteries: Flexible and High-Loading LithiumSulfur Batteries Enabled by Integrated Three-In-One Fibrous Membranes (Adv. Energy Mater. 38/2019). <i>Advanced Energy Materials</i> , 2019 , 9, 1970147	21.8	2
16	The effect of tuning chemical structure on the open-circuit voltage and photovoltaic performance of narrow band-gap polymers. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 699-706	2.5	2
15	Insight into the effect of surfactant modification on the versatile adsorption of titanate-based materials for cationic and anionic contaminants. <i>Chemosphere</i> , 2021 , 269, 129383	8.4	2
14	Embedding wasted hairs in Ti/PbO ₂ anode for efficient and sustainable electrochemical oxidation of organic wastewater. <i>Chinese Chemical Letters</i> , 2021 ,	8.1	2
13	Advances in the Assembly Model of Bacterial Type IVB Secretion Systems. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 2368	2.6	2
12	Dual-functional sites for synergistic adsorption of Cr(VI) and Sb(V) by polyaniline-TiO ₂ hydrate: Adsorption behaviors, sites and mechanisms. <i>Frontiers of Environmental Science and Engineering</i> , 2022 , 16, 1	5.8	2
11	Enhanced adsorption performance of PPy/TiO ₂ prepared on surface of TiO ₂ without calcination. <i>SN Applied Sciences</i> , 2019 , 1, 1	1.8	1
10	Comparison of the effect of PANI/TiO ₂ , Dow resins and activated carbon in removing model dissolved organic matter (DOM) and phosphorus. <i>Journal of Water Process Engineering</i> , 2021 , 43, 102302	6.7	1
9	Spirobifluorene-Based Conjugated Microporous Polymer-Grafted Carbon Nanotubes for Efficient Supercapacitive Energy Storage. <i>ACS Applied Energy Materials</i> , 2022 , 5, 3706-3714	6.1	1
8	Sodium-Ion Batteries: In Situ Fabrication of Branched TiO ₂ /C Nanofibers as Binder-Free and Free-Standing Anodes for High-Performance Sodium-Ion Batteries (Small 30/2019). <i>Small</i> , 2019 , 15, 1970158	11.58	0
7	Chemotaxis Toward Crude Oil by an Oil-Degrading 6-1B Strain. <i>Polish Journal of Microbiology</i> , 2021 , 70, 69-78	1.8	0
6	Similarities and Differences in Quorum Sensing-Controlled Bioluminescence between <i>Photobacterium phosphoreum</i> T3 and <i>Vibrio qinghaiensis</i> sp.-Q67. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 2066	2.6	0
5	Preparation of Templated Materials and Their Application to Typical Pollutants in Wastewater: A Review.. <i>Frontiers in Chemistry</i> , 2022 , 10, 882876	5	0
4	A general strategy to synthesis Mg-Ti-O nanofibers by sol-gel assisted electrospinning. <i>Journal of Sol-Gel Science and Technology</i> , 2017 , 81, 717-723	2.3	
3	Understanding effects of two different acceptors in one small molecule for solution processable organic solar cells. <i>RSC Advances</i> , 2015 , 5, 61703-61709	3.7	
2	Current-Density Regulating Lithium Metal Directional Deposition for Long Cycle-Life Li Metal Batteries. <i>Angewandte Chemie</i> , 2021 , 133, 19455-19462	3.6	
1	Insight into the effect of surface carboxyl and amino groups on the adsorption of titanium dioxide for acid red G. <i>Frontiers of Chemical Science and Engineering</i> , 2021 , 15, 1147-1157	4.5	