

# Richard L Skolasky

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3639945/publications.pdf>

Version: 2024-02-01

166  
papers

8,064  
citations

53751

45  
h-index

54882

84  
g-index

170  
all docs

170  
docs citations

170  
times ranked

9440  
citing authors

#	ARTICLE	IF	CITATIONS
1	Concurrent Validity of PROMIS With DASH and DVPRS in Transhumeral Amputees. <i>Hand</i> , 2023, 18, 845-848.	0.7	3
2	Transforming challenges into opportunities: conducting health preference research during the COVID-19 pandemic and beyond. <i>Quality of Life Research</i> , 2022, 31, 1191-1198.	1.5	1
3	If itâ€™s information, itâ€™s not â€œbiasâ€: a scoping review and proposed nomenclature for future response-shift research. <i>Quality of Life Research</i> , 2022, 31, 2247-2257.	1.5	8
4	Estimating measurement error of the Oswestry Disability Index with missing data. <i>Spine Journal</i> , 2022, , .	0.6	2
5	Worsening Pain and Quality of Life for Spine Surgery Patients during the COVID-19 Pandemic: Roles of Psychological Distress and Patient Activation. <i>North American Spine Society Journal (NASSJ)</i> , 2022, , 100103.	0.3	0
6	Cognitive Impairment is Associated with Greater Preoperative Symptoms, Worse Health-Related Quality of Life, and Reduced Likelihood of Recovery After Cervical and Lumbar Spine Surgery. <i>North American Spine Society Journal (NASSJ)</i> , 2022, , 100128.	0.3	1
7	Changes in racial and ethnic disparities in lumbar spinal surgery associated with the passage of the Affordable Care Act, 2006â€“2014. <i>Spine Journal</i> , 2021, 21, 64-70.	0.6	12
8	Bouncing back after lumbar spine surgery: early postoperative resilience is associated with 12-month physical function, pain interference, social participation, and disability. <i>Spine Journal</i> , 2021, 21, 55-63.	0.6	23
9	Reassessment of Relative Value in Shoulder and Elbow Surgery: Do Payment and Relative Value Units Reflect Reality?. <i>Clinics in Orthopedic Surgery</i> , 2021, 13, 76.	0.8	4
10	Determining validity, discriminant ability, responsiveness, and minimal clinically important differences for PROMIS in adult spinal deformity. <i>Journal of Neurosurgery: Spine</i> , 2021, 34, 725-733.	0.9	9
11	Appropriate Opioid Use After Spine Surgery: Psychobehavioral Barriers and Patient Knowledge. <i>World Neurosurgery</i> , 2021, 150, e600-e612.	0.7	7
12	The Relationship Between Neighborhood Deprivation and Perceived Changes for Pain-Related Experiences Among US Patients with Chronic Low Back Pain During the COVID-19 Pandemic. <i>Pain Medicine</i> , 2021, 22, 2550-2565.	0.9	10
13	Associations of depression and sociodemographic characteristics with patient activation among those presenting for spine surgery. <i>Journal of Orthopaedics</i> , 2021, 26, 8-13.	0.6	3
14	Persistent sleep disturbance after spine surgery is associated with failure to achieve meaningful improvements in pain and health-related quality of life. <i>Spine Journal</i> , 2021, 21, 1325-1331.	0.6	8
15	How Many Steps Per Day During the Early Postoperative Period are Associated With Patient-Reported Outcomes of Disability, Pain, and Opioid Use After Lumbar Spine Surgery?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1873-1879.	0.5	9
16	How is staging of ALIF following posterior spinal arthrodesis to the pelvis related to functional improvement in patients with adult spinal deformity?. <i>Spine Deformity</i> , 2021, 9, 1085-1091.	0.7	2
17	Recurrence of proximal junctional kyphosis after revision surgery for symptomatic proximal junctional kyphosis in patients with adult spinal deformity: incidence, risk factors, and outcomes. <i>European Spine Journal</i> , 2021, 30, 1199-1207.	1.0	5
18	In Sync Working Group response-shift. <i>Quality of Life Research</i> , 2021, 30, 3363-3364.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Role of psychosocial factors on the effect of physical activity on physical function in patients after lumbar spine surgery. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 883.	0.8	4
20	Perceptions of Telehealth Physical Therapy Among Patients with Chronic Low Back Pain. <i>Telemedicine Reports</i> , 2021, 2, 258-263.	0.5	3
21	The Impact of Low Back Pain and Physical Activity on Mental and Physical Health Outcomes in Older Adults With Arthritis. <i>Innovation in Aging</i> , 2021, 5, 456-456.	0.0	0
22	Pain Among African American Family Caregivers: Association With Health Outcomes. <i>Innovation in Aging</i> , 2021, 5, 516-516.	0.0	2
23	Chronic opioid use following anterior cervical discectomy and fusion surgery for degenerative cervical pathology. <i>Spine Journal</i> , 2020, 20, 78-86.	0.6	29
24	SRS-22r legacy scores can be accurately translated to PROMIS scores in adult spinal deformity patients. <i>Spine Journal</i> , 2020, 20, 234-240.	0.6	6
25	Sensory axons inhibit motor axon regeneration in vitro. <i>Experimental Neurology</i> , 2020, 323, 113073.	2.0	11
26	The OPTIMIZE study: protocol of a pragmatic sequential multiple assessment randomized trial of nonpharmacologic treatment for chronic, nonspecific low back pain. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 293.	0.8	11
27	Opioid prescribing practices after posterior spinal arthrodesis for adolescent idiopathic scoliosis. <i>Spine Deformity</i> , 2020, 8, 965-973.	0.7	5
28	Are preoperative depression and anxiety associated with patient-reported outcomes, health care payments, and opioid use after anterior discectomy and fusion?. <i>Spine Journal</i> , 2020, 20, 1167-1175.	0.6	30
29	Clinical results and functional outcomes after three-column osteotomy at L5 or the sacrum in adult spinal deformity. <i>European Spine Journal</i> , 2020, 29, 821-830.	1.0	7
30	Factors associated with extended length of stay in patients undergoing posterior spinal fusion for adolescent idiopathic scoliosis. <i>Spine Deformity</i> , 2020, 8, 187-193.	0.7	7
31	Beta-amyloid (A $\beta$ ) uptake by PET imaging in older HIV+ and HIV- individuals. <i>Journal of NeuroVirology</i> , 2020, 26, 382-390.	1.0	15
32	The engaged patient: patient activation can predict satisfaction with surgical treatment of lumbar and cervical spine disorders. <i>Journal of Neurosurgery: Spine</i> , 2020, 32, 914-920.	0.9	11
33	Changes in patients' depression and anxiety associated with changes in patient-reported outcomes after spine surgery. <i>Journal of Neurosurgery: Spine</i> , 2020, 32, 871-890.	0.9	24
34	Lupus and Perioperative Complications in Elective Primary Total Hip or Knee Arthroplasty. <i>Clinics in Orthopedic Surgery</i> , 2020, 12, 37.	0.8	10
35	Synthetic Cages Associated With Increased Rates of Revision Surgery and Higher Costs Compared to Allograft in ACDF in the Nonelderly Patient. <i>Neurosurgery</i> , 2020, 17, 896-901.	1.1	10
36	Mental Health Associated With Postoperative Satisfaction in Lumbar Degenerative Surgery Patients. <i>Clinical Spine Surgery</i> , 2020, Publish Ahead of Print, E588-E593.	0.7	2

#	ARTICLE	IF	CITATIONS
37	SpineCloud: image analytics for predictive modeling of spine surgery outcomes. <i>Journal of Medical Imaging</i> , 2020, 7, 1.	0.8	8
38	Physical Performance Tests Provide Distinct Information in Both Predicting and Assessing Patient-Reported Outcomes Following Lumbar Spine Surgery. <i>Spine</i> , 2020, 45, E1556-E1563.	1.0	6
39	Opioid use after adult spinal deformity surgery: patterns of cessation and associations with preoperative use. <i>Journal of Neurosurgery: Spine</i> , 2020, 33, 490-495.	0.9	3
40	Validity and responsiveness of PROMIS in adult spinal deformity: The need for a self-image domain. <i>Spine Journal</i> , 2019, 19, 50-55.	0.6	20
41	Introduction to "Advancing quality of life research by deepening our understanding of response shift". <i>Quality of Life Research</i> , 2019, 28, 2621-2622.	1.5	1
42	Subchondral bone osteoclasts induce sensory innervation and osteoarthritis pain. <i>Journal of Clinical Investigation</i> , 2019, 129, 1076-1093.	3.9	239
43	Release of Soluble Insulin Receptor From Neurons by Cerebrospinal Fluid From Patients With Neurocognitive Dysfunction and HIV Infection. <i>Frontiers in Neurology</i> , 2019, 10, 285.	1.1	9
44	Psychoeducational Interventions for Adults With Level 3 Autism Spectrum Disorder: A 50-Year Systematic Review. <i>Cognitive and Behavioral Neurology</i> , 2019, 32, 139-163.	0.5	10
45	Estimating Health Utility in Patients Presenting for Spine Surgery Using Patient-reported Outcomes Measurement Information System (PROMIS) Health Domains. <i>Spine</i> , 2019, 44, 908-914.	1.0	5
46	Sensory innervation in porous endplates by Netrin-1 from osteoclasts mediates PGE2-induced spinal hypersensitivity in mice. <i>Nature Communications</i> , 2019, 10, 5643.	5.8	72
47	Crossing the Cervicothoracic Junction in Cervical Arthrodesis Results in Lower Rates of Adjacent Segment Disease Without Affecting Operative Risks or Patient-Reported Outcomes. <i>Clinical Spine Surgery</i> , 2019, 32, 377-381.	0.7	14
48	Sigma-1 Receptor Antagonist (BD1047) Decreases Cathepsin B Secretion in HIV-Infected Macrophages Exposed to Cocaine. <i>Journal of NeuroImmune Pharmacology</i> , 2019, 14, 226-240.	2.1	16
49	US regional variations in rates, outcomes, and costs of spinal arthrodesis for lumbar spinal stenosis in working adults aged 40-65 years. <i>Journal of Neurosurgery: Spine</i> , 2019, 30, 83-90.	0.9	13
50	Comparison of PROMIS Anxiety and Depression, PHQ-8, and GAD-7 to screen for anxiety and depression among patients presenting for spine surgery. <i>Journal of Neurosurgery: Spine</i> , 2019, 30, 524-531.	0.9	27
51	7T Brain MRS in HIV Infection: Correlation with Cognitive Impairment and Performance on Neuropsychological Tests. <i>American Journal of Neuroradiology</i> , 2018, 39, 704-712.	1.2	13
52	Discriminant Ability, Concurrent Validity, and Responsiveness of PROMIS Health Domains Among Patients With Lumbar Degenerative Disease Undergoing Decompression With or Without Arthrodesis. <i>Spine</i> , 2018, 43, 1512-1520.	1.0	67
53	Does reduction in sciatica symptoms precede improvement in disability and physical health among those treated surgically for intervertebral disc herniation? Analysis of temporal patterns in data from the Spine Patient Outcomes Research Trial. <i>Spine Journal</i> , 2018, 18, 1318-1324.	0.6	4
54	Telephone-Based Intervention to Improve Rehabilitation Engagement After Spinal Stenosis Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 21-30.	1.4	14

#	ARTICLE	IF	CITATIONS
55	Factors Contributing to the Failure to Replicate Findings of tDCS-Induced Enhancement of Verbal Fluency: A Response to Cattaneo et al (2016). <i>Cognitive and Behavioral Neurology</i> , 2018, 31, 23-25.	0.5	1
56	Paroxetine and fluconazole therapy for HIV-associated neurocognitive impairment: results from a double-blind, placebo-controlled trial. <i>Journal of NeuroVirology</i> , 2018, 24, 16-27.	1.0	34
57	Cost-Effectiveness of Primary and Revision Surgery for Adult Spinal Deformity. <i>Spine</i> , 2018, 43, 791-797.	1.0	31
58	Thursday, September 27, 2018 1:05 PM–2:05 PM Understanding Anxiety and Depression when Performing Spine Surgery. <i>Spine Journal</i> , 2018, 18, S60-S61.	0.6	2
59	Thursday, September 27, 2018 1:05 PM–2:05 PM Understanding Anxiety and Depression when Performing Spine Surgery. <i>Spine Journal</i> , 2018, 18, S60.	0.6	1
60	The Association of Delirium with Perioperative Complications in Primary Elective Total Hip Arthroplasty. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 286.	0.8	27
61	Trends in isolated lumbar spinal stenosis surgery among working US adults aged 40–64 years, 2010–2014. <i>Journal of Neurosurgery: Spine</i> , 2018, 29, 169-175.	0.9	20
62	Post-Discharge Care Duration, Charges, and Outcomes Among Medicare Patients After Primary Total Hip and Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, e55.	1.4	71
63	Concurrent Validity and Responsiveness of PROMIS Health Domains Among Patients Presenting for Anterior Cervical Spine Surgery. <i>Spine</i> , 2017, 42, E1357-E1365.	1.0	69
64	Assessing health-related resiliency in HIV+ Latin women: Preliminary psychometric findings. <i>PLoS ONE</i> , 2017, 12, e0181253.	1.1	2
65	Microwave & magnetic proteomics of macrophages from patients with HIV-associated cognitive impairment. <i>PLoS ONE</i> , 2017, 12, e0181779.	1.1	4
66	Reproducibility of tDCS Results in a Randomized Trial. <i>Cognitive and Behavioral Neurology</i> , 2016, 29, 11-17.	0.5	52
67	Macrophage secretome from women with HIV-associated neurocognitive disorders. <i>Proteomics - Clinical Applications</i> , 2016, 10, 136-143.	0.8	9
68	The evolution of our measurement of patient treatment expectations. <i>Spine Journal</i> , 2016, 16, 1175-1177.	0.6	4
69	Considerations in Writing About Single-Case Experimental Design Studies. <i>Cognitive and Behavioral Neurology</i> , 2016, 29, 169-173.	0.5	3
70	Prevalence of HIV-associated neurocognitive disorders in the Multicenter AIDS Cohort Study. <i>Neurology</i> , 2016, 86, 334-340.	1.5	293
71	Medicare Charges and Payments for Cervical Spine Surgery. <i>Spine</i> , 2015, 40, E936-E942.	1.0	13
72	Soluble insulin receptor as a source of insulin resistance and cognitive impairment in HIV-seropositive women. <i>Journal of NeuroVirology</i> , 2015, 21, 113-119.	1.0	11

#	ARTICLE	IF	CITATIONS
73	Health Care Burden of Anterior Cervical Spine Surgery. <i>Journal of Spinal Disorders and Techniques</i> , 2015, 28, 5-11.	1.8	43
74	Health Behavior Change Counseling in Surgery for Degenerative Lumbar Spinal Stenosis. Part I: Improvement in Rehabilitation Engagement and Functional Outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1200-1207.	0.5	26
75	Inpatient Mortality and Morbidity for Dialysis-Dependent Patients Undergoing Primary Total Hip or Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1326-1332.	1.4	70
76	Health Behavior Change Counseling in Surgery for Degenerative Lumbar Spinal Stenosis. Part II: Patient Activation Mediates the Effects of Health Behavior Change Counseling on Rehabilitation Engagement. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1208-1214.	0.5	10
77	A comparative effectiveness trial of postoperative management for lumbar spine surgery: changing behavior through physical therapy (CBPT) study protocol. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 325.	0.8	23
78	The Impact of Reduction of Pain After Lumbar Spine Surgery. <i>Spine</i> , 2014, 39, 1426-1432.	1.0	36
79	rhBMP Use in Cervical Spine Surgery: Associated Factors and In-Hospital Complications. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 617-623.	1.4	24
80	Thromboembolic Complications in Children After Spinal Fusion Surgery. <i>Spine</i> , 2014, 39, 1325-1329.	1.0	28
81	Complications and Mortality in Cervical Spine Surgery. <i>Spine</i> , 2014, 39, 1506-1512.	1.0	43
82	Assessment of Presurgical Psychological Screening in Patients Undergoing Spine Surgery. <i>Journal of Spinal Disorders and Techniques</i> , 2014, 27, 76-79.	1.8	36
83	HIV subtype is not associated with dementia among individuals with moderate and advanced immunosuppression in Kampala, Uganda. <i>Metabolic Brain Disease</i> , 2014, 29, 261-268.	1.4	21
84	Longitudinal neuropsychological test performance among HIV seropositive individuals in Uganda. <i>Journal of NeuroVirology</i> , 2013, 19, 48-56.	1.0	28
85	A novel computerized functional assessment for human immunodeficiency virus-associated neurocognitive disorder. <i>Journal of NeuroVirology</i> , 2013, 19, 432-441.	1.0	17
86	Preliminary Results of the Effect of Prophylactic Vertebroplasty on the Incidence of Proximal Junctional Complications After Posterior Spinal Fusion to the Low Thoracic Spine. <i>Spine Deformity</i> , 2013, 1, 132-138.	0.7	66
87	Type of Anchor at the Proximal Fusion Level Has a Significant Effect on the Incidence of Proximal Junctional Kyphosis and Outcome in Adults After Long Posterior Spinal Fusion. <i>Spine Deformity</i> , 2013, 1, 299-305.	0.7	98
88	Clinical Results and Functional Outcomes in Adult Patients After Revision Surgery for Spinal Deformity Correction: Patients Younger than 65 Years Versus 65 Years and Older. <i>Spine Deformity</i> , 2013, 1, 371-376.	0.7	5
89	The timing of surgical staging has a significant impact on the complications and functional outcomes of adult spinal deformity surgery. <i>Spine Journal</i> , 2013, 13, 1717-1722.	0.6	24
90	Functional recovery in lumbar spine surgery: A controlled trial of health behavior change counseling to improve outcomes. <i>Contemporary Clinical Trials</i> , 2013, 36, 207-217.	0.8	20

#	ARTICLE	IF	CITATIONS
91	Lateral Mass Screw Fixation in the Cervical Spine. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 2136-2143.	1.4	57
92	United States Hospital Admissions for Lumbar Spinal Stenosis. <i>Spine</i> , 2013, 38, 2272-2278.	1.0	40
93	Impact of Nonoperative Treatment, Vertebroplasty, and Kyphoplasty on Survival and Morbidity After Vertebral Compression Fracture in the Medicare Population. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 1729-1736.	1.4	103
94	Three-Column Osteotomies in the Treatment of Spinal Deformity in Adult Patients 60 Years Old and Older. <i>Spine</i> , 2013, 38, 726-731.	1.0	111
95	Increased fracture risk and low bone mineral density in patients with loeysâ€ dietz syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2013, 161, 1910-1914.	0.7	24
96	Diagnostic Errors in Orthopedic Surgery. <i>American Journal of Medical Quality</i> , 2013, 28, 60-68.	0.2	11
97	Clinical Results and Functional Outcomes of Primary and Revision Spinal Deformity Surgery in Adults. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 1413-1419.	1.4	41
98	Cathepsin B and cystatin B in HIV-seropositive women are associated with infection and HIV-1-associated neurocognitive disorders. <i>Aids</i> , 2013, 27, 347-356.	1.0	28
99	Anterior Cervical Discectomy and Fusion Versus Cervical Disc Arthroplasty. <i>Spine</i> , 2012, 37, 1470-1474.	1.0	38
100	Translational spatial task and its relationship to HIV-associated neurocognitive disorders and apolipoprotein E in HIV-seropositive women. <i>Journal of NeuroVirology</i> , 2012, 18, 488-502.	1.0	12
101	The relationship between pain and depressive symptoms after lumbar spine surgery. <i>Pain</i> , 2012, 153, 2092-2096.	2.0	20
102	Dysregulation of Macrophage-Secreted Cathepsin B Contributes to HIV-1-Linked Neuronal Apoptosis. <i>PLoS ONE</i> , 2012, 7, e36571.	1.1	46
103	Soluble and Cell-Associated Insulin Receptor Dysfunction Correlates with Severity of HAND in HIV-Infected Women. <i>PLoS ONE</i> , 2012, 7, e37358.	1.1	12
104	Total Joint Arthroplasty in Patients With Rheumatoid Arthritis. <i>Journal of Arthroplasty</i> , 2012, 27, 881-888.	1.5	31
105	Scoliosis in Adults Aged Forty Years and Older. <i>Spine</i> , 2011, 36, 731-736.	1.0	164
106	Predicting Health-Utility Scores From the Cervical Spine Outcomes Questionnaire in a Multicenter Nationwide Study of Anterior Cervical Spine Surgery. <i>Spine</i> , 2011, 36, 2211-2216.	1.0	8
107	The Effects of Hospital and Surgeon Volume on Postoperative Complications After Lumbar Spine Surgery. <i>Spine</i> , 2011, 36, 2069-2075.	1.0	77
108	Laminectomy in Patients With Achondroplasia. <i>Spine</i> , 2011, 36, 886-892.	1.0	27

#	ARTICLE	IF	CITATIONS
109	The Effect of Fear of Movement Beliefs on Pain and Disability After Surgery for Lumbar and Cervical Degenerative Conditions. <i>Spine</i> , 2011, 36, 1554-1562.	1.0	73
110	Patient Activation and Functional Recovery in Persons Undergoing Spine Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1665-1671.	1.4	55
111	Psychometric Properties of the Patient Activation Measure among Multimorbid Older Adults. <i>Health Services Research</i> , 2011, 46, 457-478.	1.0	155
112	Immune reconstitution is not a prognostic factor in progressive multifocal leukoencephalopathy. <i>Journal of Neuroimmunology</i> , 2011, 238, 81-86.	1.1	35
113	A comparison of performance-based measures of function in HIV-associated neurocognitive disorders. <i>Journal of NeuroVirology</i> , 2011, 17, 159-165.	1.0	46
114	Minimum Clinically Important Differences in the Cervical Spine Outcomes Questionnaire. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1294-1300.	1.4	9
115	The Presentation, Incidence, Etiology, and Treatment of Surgical Site Infections After Spinal Surgery. <i>Spine</i> , 2010, 35, 1323-1328.	1.0	144
116	Functional Outcomes and Complications After Primary Spinal Surgery for Scoliosis in Adults Aged Forty Years or Older. <i>Spine</i> , 2010, 35, 1861-1866.	1.0	47
117	Progression of low back and lower extremity pain in a cohort of patients with achondroplasia. <i>Journal of Neurosurgery: Spine</i> , 2010, 13, 335-340.	0.9	24
118	Longitudinal psychomotor speed performance in human immunodeficiency virus seropositive individuals: impact of age and serostatus. <i>Journal of NeuroVirology</i> , 2010, 16, 335-341.	1.0	44
119	Brain metabolism and cognitive impairment in HIV infection: a 3-T magnetic resonance spectroscopy study. <i>Magnetic Resonance Imaging</i> , 2010, 28, 1251-1257.	1.0	75
120	Depression symptoms and cognitive function among individuals with advanced HIV infection initiating HAART in Uganda. <i>BMC Psychiatry</i> , 2010, 10, 44.	1.1	129
121	Proteomic analyses of monocytes obtained from Hispanic women with HIV-associated dementia show depressed antioxidants. <i>Proteomics - Clinical Applications</i> , 2010, 4, 706-714.	0.8	22
122	Open muscle biopsy in suspected myopathy: diagnostic yield and clinical utility. <i>European Journal of Neurology</i> , 2010, 17, 136-142.	1.7	29
123	Improving Clinical Recognition of Marfan Syndrome. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1868-1875.	1.4	30
124	Comparison of scales to evaluate the progression of HIV-associated neurocognitive disorder. <i>HIV Therapy</i> , 2010, 4, 371-379.	0.6	33
125	Influence of perioperative resuscitation status on postoperative spine surgery complications. <i>Spine Journal</i> , 2010, 10, 129-135.	0.6	40
126	HIV Subtype D Is Associated with Dementia, Compared with Subtype A, in Immunosuppressed Individuals at Risk of Cognitive Impairment in Kampala, Uganda. <i>Clinical Infectious Diseases</i> , 2009, 49, 780-786.	2.9	129



#	ARTICLE	IF	CITATIONS
127	Antioxidant enzyme dysfunction in monocytes and CSF of Hispanic women with HIV-associated cognitive impairment. <i>Journal of Neuroimmunology</i> , 2009, 206, 106-111.	1.1	37
128	Psychometric properties of the Patient Activation Measure among individuals presenting for elective lumbar spine surgery. <i>Quality of Life Research</i> , 2009, 18, 1357-1366.	1.5	61
129	Reverse Total Shoulder Replacement: Intraoperative and Early Postoperative Complications. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 225-234.	0.7	193
130	Surgical blood loss during femoral rodding in children with osteogenesis imperfecta. <i>Journal of Children's Orthopaedics</i> , 2009, 3, 301-305.	0.4	7
131	Patient satisfaction in the cervical spine research society outcomes study: relationship to improved clinical outcome. <i>Spine Journal</i> , 2009, 9, 232-239.	0.6	47
132	Lumbar Fusion in Achondroplasia. <i>Journal of Pediatric Orthopaedics</i> , 2009, 29, 476-480.	0.6	7
133	Insurance Status, Geography, Race, and Ethnicity as Predictors of Anterior Cervical Spine Surgery Rates and In-Hospital Mortality. <i>Spine</i> , 2009, 34, 1956-1962.	1.0	144
134	Restricted HIV-1 replication in placental macrophages is caused by inefficient viral transcription. <i>Journal of Leukocyte Biology</i> , 2009, 87, 633-636.	1.5	7
135	Patient Activation and Adherence to Physical Therapy in Persons Undergoing Spine Surgery. <i>Spine</i> , 2008, 33, E784-E791.	1.0	104
136	Platelet Decline. <i>Archives of Neurology</i> , 2007, 64, 1264.	4.9	37
137	Psychometric properties of the Cervical Spine Outcomes Questionnaire and its relationship to standard assessment tools used in spine research. <i>Spine Journal</i> , 2007, 7, 174-179.	0.6	19
138	Neuropsychological test profile differences between young and old human immunodeficiency virus seropositive individuals. <i>Journal of NeuroVirology</i> , 2007, 13, 203-209.	1.0	85
139	Characterization of peripheral blood human immunodeficiency virus isolates from Hispanic women with cognitive impairment. <i>Journal of NeuroVirology</i> , 2007, 13, 315-327.	1.0	9
140	Associations of cigarette smoking with viral immune and cognitive function in human immunodeficiency virus seropositive women. <i>Journal of NeuroVirology</i> , 2007, 13, 561-568.	1.0	47
141	Genu Varum in Achondroplasia. <i>Journal of Pediatric Orthopaedics</i> , 2006, 26, 375-379.	0.6	38
142	Prevalence of human immunodeficiency virus-associated cognitive impairment in a group of Hispanic women at risk for neurological impairment. <i>Journal of NeuroVirology</i> , 2006, 12, 356-364.	1.0	80
143	A Randomized Trial of the Impact of a Programmable Medication Reminder Device on Quality of Life in Patients with AIDS. <i>AIDS Patient Care and STDs</i> , 2006, 20, 773-781.	1.1	31
144	Agreement between surgeons and an independent panel with respect to surgical site fusion after single-level anterior cervical spine surgery: a prospective, multicenter study. <i>Spine</i> , 2006, 31, E503-6.	1.0	17

#	ARTICLE	IF	CITATIONS
145	Dysphagia After Anterior Cervical Decompression and Fusion. <i>Spine</i> , 2005, 30, 2564-2569.	1.0	227
146	A multicenter study of two magnetic resonance spectroscopy techniques in individuals with HIV dementia. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 325-333.	1.9	51
147	Modeling risk of gastrointestinal events among Medicaid NSAID users using propensity scores. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2005, 5, 625-632.	0.7	0
148	Survival probability in ataxia telangiectasia. <i>Archives of Disease in Childhood</i> , 2005, 91, 610-611.	1.0	131
149	A Programmable Prompting Device Improves Adherence to Highly Active Antiretroviral Therapy in HIV-Infected Subjects with Memory Impairment. <i>Clinical Infectious Diseases</i> , 2005, 41, 875-882.	2.9	111
150	A $\beta$ deposition is associated with enhanced cortical $\tau$ -synuclein lesions in Lewy body diseases. <i>Neurobiology of Aging</i> , 2005, 26, 1183-1192.	1.5	200
151	Etiology of Perfusion-Diffusion Magnetic Resonance Imaging Mismatch Patterns. , 2005, 15, 254-260.		8
152	The International HIV Dementia Scale: a new rapid screening test for HIV dementia. <i>Aids</i> , 2005, 19, 1367-74.	1.0	282
153	The Pathology of Rasmussen Syndrome: Stages of Cortical Involvement and Neuropathological Studies in 45 Hemispherectomies. <i>Epilepsia</i> , 2004, 45, 516-526.	2.6	188
154	Clinical comparison of muscle-specific tyrosine kinase (MuSK) antibody-positive and -negative myasthenic patients. <i>Muscle and Nerve</i> , 2004, 30, 55-60.	1.0	118
155	Intraocular injection of dibutyl cyclic AMP promotes axon regeneration in rat optic nerve. <i>Experimental Neurology</i> , 2004, 186, 124-133.	2.0	76
156	Surface electromyographic recording of volitional activity: A technique to detect partial motor conduction block. <i>Muscle and Nerve</i> , 2003, 27, 590-594.	1.0	5
157	Effect of a High-Fat Ketogenic Diet on Plasma Levels of Lipids, Lipoproteins, and Apolipoproteins in Children. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 912.	3.8	234
158	Psychosocial Risk Factors of HIV Morbidity and Mortality: Findings from the Multicenter AIDS Cohort Study (MACS). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 654-670.	0.8	155
159	Changes in the Incidence and Predictors of Wasting Syndrome Related to Human Immunodeficiency Virus Infection, 1987-1999. <i>American Journal of Epidemiology</i> , 2002, 156, 211-218.	1.6	50
160	HIV-1, hepatitis B virus, and risk of liver-related mortality in the Multicenter Cohort Study (MACS). <i>Lancet, The</i> , 2002, 360, 1921-1926.	6.3	995
161	The relationship of SMN to amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 2002, 52, 857-858.	2.8	7
162	The relative contributions of HAART and alpha-interferon for therapy of progressive multifocal leukoencephalopathy in AIDS. <i>Journal of NeuroVirology</i> , 2001, 7, 353-357.	1.0	93

#	ARTICLE	IF	CITATIONS
163	Thrush and Fever as Markers of Immune Competence in the Era of Highly Active Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 1311-1316.	0.5	11
164	HIV-associated primary CNS lymphoma and utility of brain biopsy. <i>Journal of the Neurological Sciences</i> , 1999, 163, 32-38.	0.3	74
165	Soluble Insulin Receptor Levels in Plasma, Exosomes, and Urine and Its Association With HIV-Associated Neurocognitive Disorders. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	3
166	Patient-Centered Goals after Lumbar Spine Surgery: a Secondary Analysis of Cognitive-Behavioral-Based Physical Therapy Outcomes from a Randomized Controlled Trial. <i>Physical Therapy</i> , 0, , .	1.1	1