

JÃ©rÃ©me Long

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3641394/publications.pdf>

Version: 2024-02-01

117
papers

4,137
citations

147566

31
h-index

128067

60
g-index

124
all docs

124
docs citations

124
times ranked

3583
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-Molecule Magnet Behavior for an Antiferromagnetically Superexchange-Coupled Dinuclear Dysprosium(III) Complex. <i>Journal of the American Chemical Society</i> , 2011, 133, 5319-5328.	6.6	541
2	The Use of Magnetic Dilution To Elucidate the Slow Magnetic Relaxation Effects of a Dy ₂ Single-Molecule Magnet. <i>Journal of the American Chemical Society</i> , 2011, 133, 8830-8833.	6.6	334
3	Recent advances in luminescent lanthanide based Single-Molecule Magnets. <i>Coordination Chemistry Reviews</i> , 2018, 363, 57-70.	9.5	226
4	A High-Temperature Molecular Ferroelectric Zn/Dy Complex Exhibiting Single-Ion Magnet Behavior and Lanthanide Luminescence. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2236-2240.	7.2	220
5	A bifunctional luminescent single-ion magnet: towards correlation between luminescence studies and magnetic slow relaxation processes. <i>Chemical Communications</i> , 2012, 48, 9974.	2.2	171
6	Supramolecular architectures for controlling slow magnetic relaxation in field-induced single-molecule magnets. <i>Chemical Science</i> , 2012, 3, 2158.	3.7	155
7	Room temperature magnetoelectric coupling in a molecular ferroelectric ytterbium(III) complex. <i>Science</i> , 2020, 367, 671-676.	6.0	114
8	Enhanced Cooperative Interactions at the Nanoscale in Spin-Crossover Materials with a First-Order Phase Transition. <i>Physical Review Letters</i> , 2013, 110, 235701.	2.9	109
9	Photoswitchable Heterotrimetallic Chain Based on Octacyanomolybdate, Copper, and Nickel: Synthesis, Characterization, and Photomagnetic Properties. <i>Inorganic Chemistry</i> , 2009, 48, 22-24.	1.9	66
10	Heterotrimetallic 3d-4d-4f decanuclear metal-capped square showing single-molecule magnet behavior. <i>Dalton Transactions</i> , 2010, 39, 2188.	1.6	62
11	First evidence of light-induced spin transition in molybdenum(<i>iv</i>). <i>Chemical Communications</i> , 2015, 51, 8229-8232.	2.2	60
12	Prussian blue type nanoparticles for biomedical applications. <i>Dalton Transactions</i> , 2016, 45, 17581-17587.	1.6	56
13	A heterometallic (Fe ₆ Na ₈) cage-like silsesquioxane: synthesis, structure, spin glass behavior and high catalytic activity. <i>RSC Advances</i> , 2016, 6, 48165-48180.	1.7	53
14	Luminescent Schiff-Base Lanthanide Single-Molecule Magnets: The Association Between Optical and Magnetic Properties. <i>Frontiers in Chemistry</i> , 2019, 7, 63.	1.8	53
15	Photoinduced Magnetization on Mo Ion in Copper Octacyanomolybdate: An X-ray Magnetic Circular Dichroism Investigation. <i>Journal of Physical Chemistry C</i> , 2010, 114, 593-600.	1.5	52
16	Investigation on NMR Relaxivity of Nano-Sized Cyano-Bridged Coordination Polymers. <i>Inorganic Chemistry</i> , 2013, 52, 13402-13414.	1.9	48
17	Synthesis and study of Prussian blue type nanoparticles in an alginate matrix. <i>Journal of Materials Chemistry</i> , 2012, 22, 20232.	6.7	44
18	Nanosized Heterostructures of Au@Prussian Blue Analogues: Towards Multifunctionality at the Nanoscale. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 3872-3876.	7.2	44

#	ARTICLE	IF	CITATIONS
19	Unusual penta- and hexanuclear Ni(II)-based silsesquioxane polynuclear complexes. Dalton Transactions, 2016, 45, 7320-7327.	1.6	44
20	An organolanthanide(III) single-molecule magnet with an axial crystal-field: influence of the Raman process over the slow relaxation. Chemical Communications, 2017, 53, 4706-4709.	2.2	43
21	Bifunctional Mixed-Lanthanide Cyano-Bridged Coordination Polymers Ln _{0.5} Ln _{0.5} (H ₂ O) ₅ [W(CN) ₈] (Ln/Ln ²⁺). Dalton Transactions, 2017, 46, 10784-10791.	1.9	41
22	First cage-like pentanuclear Co(II)-silsesquioxane. Dalton Transactions, 2016, 45, 13663-13666.	1.6	39
23	Versatile heavy metals removal via magnetic mesoporous nanocontainers. RSC Advances, 2014, 4, 24838-24841.	1.7	38
24	Heterometallic Na ₆ Co ₃ Phenylsilsesquioxane Exhibiting Slow Dynamic Behavior in its Magnetization. Chemistry - A European Journal, 2015, 21, 18563-18565.	1.7	38
25	An unusual mechanism of building up of a high magnetization blocking barrier in an octahedral alkoxide Dy ³⁺ -based single-molecule magnet. Inorganic Chemistry Frontiers, 2021, 8, 1166-1174.	3.0	37
26	Iodine Capture by Hofmann-Type Clathrate Ni ^{II} (pz)[Ni ^{II} (CN) ₄]. Inorganic Chemistry, 2014, 53, 4269-4271.	1.9	36
27	Magneto-Luminescence Correlation in the Textbook Dysprosium(III) Nitrate Single-Ion Magnet. Magnetochemistry, 2016, 2, 41.	1.0	36
28	Cage-like Fe, Na-Germesquioxanes: Structure, Magnetism, and Catalytic Activity. Angewandte Chemie - International Edition, 2016, 55, 15360-15363.	7.2	36
29	Family of Polynuclear Nickel Cage-like Phenylsilsesquioxanes; Features of Periodic Networks and Magnetic Properties. Inorganic Chemistry, 2017, 56, 12751-12763.	1.9	36
30	Tuning linkage isomerism and magnetic properties of bi- and tri-metallic cage silsesquioxanes by cation and solvent effects. Dalton Transactions, 2017, 46, 12935-12949.	1.6	32
31	Spin crossover polysaccharide nanocomposites. New Journal of Chemistry, 2013, 37, 3420.	1.4	31
32	Cinnamic acid derivative rare-earth dinuclear complexes and one-dimensional architectures: synthesis, characterization and magnetic properties. Dalton Transactions, 2017, 46, 3943-3952.	1.6	31
33	A luminescent Schiff-base heterotrinary Zn ₂ Dy single-molecule magnet with an axial crystal field. Dalton Transactions, 2018, 47, 1402-1406.	1.6	30
34	Investigation of cyano-bridged coordination nanoparticles Gd ³⁺ /[Fe(CN) ₆] ³⁻ /d-mannitol as T ₁ -weighted MRI contrast agents. Nanoscale, 2015, 7, 11899-11903.	2.8	29
35	An Organoytterbium(III) Complex Exhibiting Field-Induced Single-Ion-Magnet Behavior. Inorganic Chemistry, 2015, 54, 7667-7669.	1.9	29
36	Fluorescent dialdehyde ligand for the encapsulation of dinuclear luminescent lanthanide complexes. Dalton Transactions, 2010, 39, 5698.	1.6	28

#	ARTICLE	IF	CITATIONS
37	Near-Infrared Luminescent and Magnetic Cyano-Bridged Coordination Polymers Nd(phen) _n (DMF) _m [M(CN) ₈] (M = Mo, W). <i>Inorganic Chemistry</i> , 2011, 50, 9924-9926.	1.9	28
38	Ytterbium(III) Complexes Coordinated by Dianionic 1,4-Diazabutadiene Ligands. <i>Organometallics</i> , 2015, 34, 1177-1185.	1.1	28
39	Prussian Blue Analogues for the Separation of Hydrocarbons in Humid Conditions. <i>Inorganic Chemistry</i> , 2017, 56, 7598-7601.	1.9	28
40	Magnetic cage-like metallasilsesquioxanes. <i>Coordination Chemistry Reviews</i> , 2019, 398, 213015.	9.5	28
41	Molecular iodine adsorption within Hofmann-type structures M(L)[Mâ€²(CN) ₄] (M = Ni, Co; Mâ€²) <i>Tj</i> <i>FIQ</i> 1 1 0,784314	1.6	27
42	Dysprosium Singleâ€Molecule Magnets with Bulky Schiff Base Ligands: Modification of the Slow Relaxation of the Magnetization by Substituent Change. <i>Chemistry - A European Journal</i> , 2019, 25, 474-478.	1.7	27
43	Multifunctional manganese-doped Prussian blue nanoparticles for two-photon photothermal therapy and magnetic resonance imaging. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018, 22, 65-69.	1.3	25
44	Employing three-blade propeller lanthanide complexes as molecular luminescent thermometers: study of temperature sensing through a concerted experimental/theory approach. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7176-7188.	2.7	25
45	Nanocomposites based on Hofmann-type structure Ni ^{II} (pz) ₂ [Ni(CN) ₄] (pz = pyrazine) nanoparticles for reversible iodine capture. <i>Journal of Materials Chemistry A</i> , 2015, 3, 179-188.	5.2	24
46	New Luminescent Tetranuclear Lanthanideâ€Based Silsesquioxane Cageâ€Like Architectures. <i>Chemistry - A European Journal</i> , 2020, 26, 16594-16598.	1.7	24
47	Synchronous Temperature and Magnetic Field Dualâ€Sensing by Luminescence in a Dysprosium Singleâ€Molecule Magnet. <i>Advanced Optical Materials</i> , 2021, 9, 2101495.	3.6	24
48	Synthesis, structure and magnetic properties of tris(pyrazolyl)methane lanthanide complexes: effect of the anion on the slow relaxation of magnetization. <i>Dalton Transactions</i> , 2018, 47, 5153-5156.	1.6	23
49	Base-Free Lanthanoidocenes(II) Coordinated by Bulky Pentabenzylcyclopentadienyl Ligands. <i>Organometallics</i> , 2015, 34, 1991-1999.	1.1	22
50	²⁰¹ Tl ⁺ -labelled Prussian blue nanoparticles as contrast agents for SPECT scintigraphy. <i>Nanoscale</i> , 2014, 6, 13425-13429.	2.8	21
51	Understanding the Host/Guest Interactions in Iodine/Hofmann-Type Clathrate Ni(pz) ₂ [Ni(CN) ₄] System. <i>Journal of Physical Chemistry C</i> , 2015, 119, 9395-9401.	1.5	21
52	Nanoheterostructures based on nanosized Prussian blue and its Analogues: Design, properties and applications. <i>Coordination Chemistry Reviews</i> , 2022, 461, 214497.	9.5	21
53	Study of the influence of magnetic dilution over relaxation processes in a Zn/Dy single-ion magnet by correlation between luminescence and magnetism. <i>RSC Advances</i> , 2016, 6, 108810-108818.	1.7	20
54	Photoinduced magnetism in rubidium cobalt hexacyanoferrate Prussian blue analogue nanoparticles. <i>Polyhedron</i> , 2007, 26, 2273-2275.	1.0	19

#	ARTICLE	IF	CITATIONS
55	Electrochemical Li-Ion Intercalation in Octacyanotungstate-Bridged Coordination Polymer with Evidence of Three Magnetic Regimes. <i>Inorganic Chemistry</i> , 2016, 55, 7637-7646.	1.9	19
56	New Magnetic and Luminescent Dy(III) and Dy(III)/Y(III) Based Tetranuclear Silsesquioxane Cages. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 2696-2701.	1.0	19
57	Experimental Estimates of Dephasing Time in Molecular Magnets. <i>Physical Review Letters</i> , 2007, 98, 257204.	2.9	18
58	Single-molecule magnet behaviour in a Dy(ⁱⁱⁱ) pentagonal bipyramidal complex with a quasi-linear Clâ€“Dyâ€“Cl sequence. <i>Dalton Transactions</i> , 2019, 48, 35-39.	1.6	18
59	Monomeric and dimeric copper (II) complexes based on bidentate N ¹ -(propan-2-ylidene) thiophene carbohydrazide Schiff base ligand: Synthesis, structure, magnetic properties, antioxidant and anti-Alzheimer activities. <i>Inorganica Chimica Acta</i> , 2020, 507, 119519.	1.2	18
60	A Switch in the Hydrophobic/Hydrophilic Gasâ€“Adsorption Character of Prussian Blue Analogues: An Affinity Control for Smart Gas Sorption. <i>Chemistry - A European Journal</i> , 2019, 25, 479-484.	1.7	17
61	Single-molecule magnet behavior in heteroleptic Dy ³⁺ -chloro-diazabutadiene complexes: influence of the nuclearity and ligand redox state. <i>Dalton Transactions</i> , 2020, 49, 11890-11901.	1.6	17
62	High magnetization reversal barriers in luminescent dysprosium octahedral and pentagonal bipyramidal single-molecule magnets based on fluorinated alkoxide ligands. <i>Dalton Transactions</i> , 2021, 50, 8487-8496.	1.6	17
63	Peculiar Field-Dependent Magnetic Behavior of Cyano-Bridged Coordination Polymer Er(H ₂ O) ₄ [W(CN) ₈]. <i>Inorganic Chemistry</i> , 2012, 51, 6425-6427.	1.9	16
64	Single-Molecule Magnet Behavior in Dy ³⁺ Half-Sandwich Complexes Based on Ene-Diamido and Cp* Ligands. <i>Organometallics</i> , 2019, 38, 748-752.	1.1	16
65	Supramolecular Heterotrimetallic Assembly Based on Octacyanomolybdate, Manganese, and Copper. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 4545-4549.	1.0	15
66	Integrative Synthesis of Coordination Polymers, Metal Oxides, and Alloys Magnetic Nanoparticles in MSU Mesoporous Silica. <i>Chemistry of Materials</i> , 2014, 26, 875-885.	3.2	15
67	Synthesis, structure and magnetic properties of a series of Ln(ⁱⁱⁱ) complexes with radical-anionic iminopyridine ligands: effect of lanthanide ions on the slow relaxation of the magnetization. <i>Dalton Transactions</i> , 2019, 48, 12018-12022.	1.6	15
68	Temperature sensing in Tb ³⁺ /Eu ³⁺ -based tetranuclear silsesquioxane cages with tunable emission. <i>RSC Advances</i> , 2021, 11, 34735-34741.	1.7	15
69	Photomagnetic molecular and extended network Langmuirâ€“Blodgett films based on cyanide bridged molybdenumâ€“copper complexes. <i>RSC Advances</i> , 2015, 5, 16696-16701.	1.7	14
70	Rhamnoseâ€“coated superparamagnetic ironâ€“oxide nanoparticles: an evaluation of their <i>in vitro</i> cytotoxicity, genotoxicity and carcinogenicity. <i>Journal of Applied Toxicology</i> , 2016, 36, 510-520.	1.4	14
71	Adsorption of volatile organic compounds by ZIF-8, Cu-BTC and a Prussian blue analogue: A comparative study. <i>Inorganica Chimica Acta</i> , 2020, 501, 119316.	1.2	14
72	Syntheses, Crystal Structures, and Magnetic Properties of Mn(III)(L)phosphinate Complexes (L) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 T 3206-3216.	1.0	13

#	ARTICLE	IF	CITATIONS
73	In situ synthesis of Prussian blue nanoparticles within a biocompatible reverse micellar system for in vivo Cs ⁺ uptake. <i>New Journal of Chemistry</i> , 2017, 41, 2887-2890.	1.4	13
74	Rare-Earth Complexes Coordinated by <i>ansa</i> -Bis(amidinate) Ligands with <i>m</i> -Phenylene, 2,6-Pyridinediyl, and SiMe ₂ Linkers. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 4275-4284.	1.0	13
75	Crossover from Antiferromagnetic to Ferromagnetic Exchange Coupling in a New Family of Bis-(1/4-phenoxido)dicopper(II) Complexes: A Comprehensive Magneto-Structural Correlation by Experimental and Theoretical Study. <i>ACS Omega</i> , 2019, 4, 10558-10570.	1.6	13
76	Gold@Prussian blue analogue core-shell nanoheterostructures: their optical and magnetic properties. <i>Dalton Transactions</i> , 2019, 48, 6205-6216.	1.6	13
77	²⁰¹ Tl-labeled Prussian blue and Au@Prussian blue nanoprobe for SPEC-CT imaging: influence of the size, shape and coating on the biodistribution. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1737-1741.	3.0	12
78	New Ni ₄ Na ₂ -phenylgermsesquioxane architecture: synthesis, structure and slow dynamic behaviour. <i>Dalton Transactions</i> , 2018, 47, 6893-6897.	1.6	12
79	Elasticity of Prussian Blue Analogue Nanoparticles. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 443-448.	1.0	12
80	Fashioning Prussian Blue Nanoparticles by Adsorption of Luminophores: Synthesis, Properties, and in Vitro Imaging. <i>Inorganic Chemistry</i> , 2020, 59, 4567-4575.	1.9	11
81	Single-molecule magnet behavior in luminescent carbazoyl Dy(III) octahedral complexes with a quasi linear N-N-Dy-N angle. <i>Dalton Transactions</i> , 2020, 49, 4039-4043.	1.6	11
82	Synthesis, structure and magnetism of homodinuclear complexes of Co, Ni and Cu supported by a novel bitriazine scaffold. <i>Dalton Transactions</i> , 2011, 40, 5009.	1.6	10
83	In vivo quantitative NMR imaging of fruit tissues during growth using Spoiled Gradient Echo sequence. <i>Magnetic Resonance Imaging</i> , 2014, 32, 1418-1427.	1.0	10
84	Engineered Au Core@Prussian Blue Analogous Shell Nanoheterostructures: Their Magnetic and Optical Properties. <i>Chemistry - A European Journal</i> , 2017, 23, 7483-7496.	1.7	10
85	Synthesis, Structure, Magnetic and Photoluminescent Properties of Dysprosium(III) Schiff Base Single-Molecule Magnets: Investigation of the Relaxation of the Magnetization. <i>Chemistry - an Asian Journal</i> , 2020, 15, 2706-2715.	1.7	10
86	Synergic effect of doxorubicin release and two-photon irradiation of Mn ²⁺ -doped Prussian blue nanoparticles on cancer therapy. <i>RSC Advances</i> , 2020, 10, 2646-2649.	1.7	10
87	Synthesis of poly(diallyldimethylammonium) capped copper hexacyanoferrate (CuHCF) nanoparticles: An efficient stabiliser for Pickering emulsions. <i>Journal of Colloid and Interface Science</i> , 2017, 505, 364-372.	5.0	9
88	Field-Induced Slow Relaxation in a Dinuclear Dysprosium(III) Complex Based on 3-Methoxycinnamic Acid. <i>Inorganics</i> , 2018, 6, 35.	1.2	9
89	Making Prussian blue analogues nanoparticles luminescent: effect of the luminophore confinement over the properties. <i>Nanoscale</i> , 2019, 11, 7097-7101.	2.8	8
90	New Luminescent Tetranuclear Lanthanide-Based Silsesquioxane Cage-Like Architectures. <i>Chemistry - A European Journal</i> , 2020, 26, 16567-16567.	1.7	8

#	ARTICLE	IF	CITATIONS
91	Designing heterostructured core@satellite Prussian Blue Analogue@Au@Ag nanoparticles: Effect on the magnetic properties and catalytic activity. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2248-2260.	3.0	8
92	Synthesis, crystal structures, luminescent and magnetic properties of rare earth dinuclear complexes and one-dimensional coordination polymers supported by two derivatives of cinnamic acid. <i>Polyhedron</i> , 2021, 207, 115366.	1.0	8
93	Hexacyanidometalate molecular chemistry: di-, tri-, tetra-, penta- (cis/trans) and hepta-nuclear chromium@copper and cobalt@copper complexes. <i>New Journal of Chemistry</i> , 2009, 33, 1301.	1.4	7
94	Iron carbide nanoparticles growth in room temperature ionic liquids [C n -MIM][BF4] (n=12, 16). <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	7
95	Enantioselective separation under humid conditions by chiral Hofmann clathrates: new opportunities for vintage materials. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 3245-3254.	3.0	7
96	Investigation of the slow relaxation of the magnetization dynamics in homoleptic ene-diamido organodysprosium(III) complexes with K ⁺ /arene interactions. <i>CrystEngComm</i> , 2020, 22, 4260-4267.	1.3	6
97	Synthesis, Structures and Magnetic Properties of two Heteroleptic Dy ³⁺ Borohydride Complexes. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 3008-3012.	1.0	6
98	A rational study of the influence of Mn ²⁺ -insertion in Prussian blue nanoparticles on their photothermal properties. <i>Journal of Materials Chemistry B</i> , 2021, 9, 9670-9683.	2.9	6
99	Synthesis, structure and magnetic investigations of dinuclear lanthanide complexes based on 2-ethoxycinnamate. <i>Dalton Transactions</i> , 2018, 47, 13647-13656.	1.6	5
100	Synthesis, structure and magnetic properties of a series of dinuclear heteroleptic Zn ²⁺ /Ln ³⁺ Schiff base complexes: effect of lanthanide ions on the slow relaxation of magnetization. <i>Dalton Transactions</i> , 2019, 48, 11637-11641.	1.6	5
101	Solid-state electrochemistry of metal cyanides. <i>Comptes Rendus Chimie</i> , 2019, 22, 483-489.	0.2	5
102	A simple approach for controlled deposition of Prussian blue analogue nanoparticles on a functionalised plasmonic gold surface. <i>New Journal of Chemistry</i> , 2019, 43, 3660-3664.	1.4	5
103	Synthesis, structures and magnetic properties of dysprosium(III) complexes based on amino-bis(benzotriazole phenolate) and nitrophenolates: influence over the slow relaxation of the magnetization. <i>CrystEngComm</i> , 2021, 23, 8343-8350.	1.3	5
104	Using N-Heterocyclic Carbenes as Weak Equatorial Ligands to Design Single-Molecule Magnets: Zero-Field Slow Relaxation in Two Octahedral Dysprosium(III) Complexes. <i>Inorganic Chemistry</i> , 2022, 61, 1264-1269.	1.9	5
105	Post-synthetic modification of Prussian blue type nanoparticles: tailoring the chemical and physical properties. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 3943-3971.	3.0	5
106	A @Carbazoyl Dy(III) Half-Sandwich Complex Showing Single-Molecule-Magnet Behavior. <i>Organometallics</i> , 2020, 39, 2785-2790.	1.1	4
107	Heteroleptic Lanthanide Complexes Coordinated by Tripodal Tetradentate Ligand: Synthesis, Structure, and Magnetic and Photoluminescent Properties. <i>Crystal Growth and Design</i> , 2020, 20, 5184-5192.	1.4	4
108	Heat Release Kinetics upon Water Vapor Sorption Using Cation-Exchanged Zeolites and Prussian Blue Analogues as Adsorbents: Application to Short-Term Low-Temperature Thermochemical Storage of Energy. <i>Energies</i> , 2021, 14, 3505.	1.6	4

#	ARTICLE	IF	CITATIONS
109	2-Imino-2,3-dihydrobenzoxazole a useful platform for designing rare- and alkaline earth complexes with variable di- and trianionic O,N,N, ligands. Dalton Transactions, 2022, 51, 1995-2004.	1.6	4
110	Synthesis, structure and magnetic properties of the dinuclear complex [1,3-C ₆ H ₄ {NC(Ph)N(SiMe ₃)} ₂] ₃ Dy ₂ coordinated by ansa-bis(amidinate) ligands with a m-phenylene linker. Mendeleev Communications, 2018, 28, 521-523.	0.6	2
111	Synthesis, structure, magnetic and luminescence properties of two dysprosium single-molecule magnets based on phenoxide dye ligands. CrystEngComm, 2020, 22, 1909-1913.	1.3	2
112	Temperature dependence of the ferromagnetic resonance (FMR) for Mn _x Co _{1-x} Fe ₂ O ₄ (0 ≤ x ≤ 1) nanoparticles. Journal of Materials Research, 2021, 36, 3329.	1.2	2
113	Tuning the coordination sphere of octahedral Dy(III) complexes with silanolate/stannanolate ligands: synthesis, structures and slow relaxation of the magnetization. CrystEngComm, 0, , .	1.3	2
114	Cage-like Fe, Na Gerssesquioxanes: Structure, Magnetism, and Catalytic Activity. Angewandte Chemie, 2016, 128, 15586-15589.	1.6	1
115	Structural Diversity of Lanthanide Chain Compounds Based on 3-Ethoxycinnamate: Influence on the Magnetic Properties. Crystal Growth and Design, 2021, 21, 5072-5085.	1.4	1
116	Prussian Blue Type Nanoparticles for Biomedical Applications. , 2019, , 279-308.		1
117	Dinuclear dysprosium(III) complex derived from a multidentate bis-hydrazone Schiff base ligand: synthesis, crystal structure and magnetic properties. Polyhedron, 2021, , 115603.	1.0	1