Tipoe George

List of Publications by Citations

Source: https://exaly.com/author-pdf/3642157/tipoe-george-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers3,425
citations32
h-index55
g-index108
ext. papers3,883
ext. citations4.7
avg, IF5.07
L-index

#	Paper	IF	Citations
107	Green tea polyphenols as an anti-oxidant and anti-inflammatory agent for cardiovascular protection. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2007 , 7, 135-44	1.1	223
106	Epigallocatechin-3-gallate (EGCG) reduces liver inflammation, oxidative stress and fibrosis in carbon tetrachloride (CCl4)-induced liver injury in mice. <i>Toxicology</i> , 2010 , 273, 45-52	4.4	195
105	Suppression of microglial activation is neuroprotective in a mouse model of human retinitis pigmentosa. <i>Journal of Neuroscience</i> , 2014 , 34, 8139-50	6.6	152
104	Green tea polyphenols prevent toxin-induced hepatotoxicity in mice by down-regulating inducible nitric oxide-derived prooxidants. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 742-51	7	137
103	Lycium barbarum polysaccharides protect mice liver from carbon tetrachloride-induced oxidative stress and necroinflammation. <i>Journal of Ethnopharmacology</i> , 2012 , 139, 462-70	5	129
102	Epigallocatechin gallate attenuates fibrosis, oxidative stress, and inflammation in non-alcoholic fatty liver disease rat model through TGF/SMAD, PI3 K/Akt/FoxO1, and NF-kappa B pathways. <i>European Journal of Nutrition</i> , 2014 , 53, 187-99	5.2	122
101	Effects of combination of angiotensin-converting enzyme inhibitor and angiotensin receptor antagonist on inflammatory cellular infiltration and myocardial interstitial fibrosis after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 1207-15	15.1	113
100	Bone morphogenic protein-4 impairs endothelial function through oxidative stress-dependent cyclooxygenase-2 upregulation: implications on hypertension. <i>Circulation Research</i> , 2010 , 107, 984-91	15.7	107
99	Hyperinduction of cyclooxygenase-2-mediated proinflammatory cascade: a mechanism for the pathogenesis of avian influenza H5N1 infection. <i>Journal of Infectious Diseases</i> , 2008 , 198, 525-35	7	90
98	Endothelium-dependent contractions occur in the aorta of wild-type and COX2-/- knockout but not COX1-/- knockout mice. <i>Journal of Cardiovascular Pharmacology</i> , 2005 , 46, 761-5	3.1	86
97	Lycium barbarum polysaccharides therapeutically improve hepatic functions in non-alcoholic steatohepatitis rats and cellular steatosis model. <i>Scientific Reports</i> , 2014 , 4, 5587	4.9	82
96	Garlic-derived S-allylmercaptocysteine is a hepato-protective agent in non-alcoholic fatty liver disease in vivo animal model. <i>European Journal of Nutrition</i> , 2013 , 52, 179-91	5.2	78
95	Chronic intermittent hypoxia induces local inflammation of the rat carotid body via functional upregulation of proinflammatory cytokine pathways. <i>Histochemistry and Cell Biology</i> , 2012 , 137, 303-17	, 2.4	76
94	New halogenated disinfection byproducts in swimming pool water and their permeability across skin. <i>Environmental Science & Eamp; Technology</i> , 2012 , 46, 7112-9	10.3	73
93	LncRNA HANR Promotes Tumorigenesis and Increase of Chemoresistance in Hepatocellular Carcinoma. <i>Cellular Physiology and Biochemistry</i> , 2017 , 43, 1926-1938	3.9	72
92	Melatonin ameliorates endothelial dysfunction, vascular inflammation, and systemic hypertension in rats with chronic intermittent hypoxia. <i>Journal of Pineal Research</i> , 2013 , 55, 247-56	10.4	72
91	Chronic hypoxia upregulates the expression and function of proinflammatory cytokines in the rat carotid body. <i>Histochemistry and Cell Biology</i> , 2008 , 130, 549-59	2.4	67

90	Lycium barbarum polysaccharide attenuates alcoholic cellular injury through TXNIP-NLRP3 inflammasome pathway. <i>International Journal of Biological Macromolecules</i> , 2014 , 69, 73-8	7.9	60
89	Recent advances in the herbal treatment of non-alcoholic Fatty liver disease. <i>Journal of Traditional and Complementary Medicine</i> , 2013 , 3, 88-94	4.6	58
88	Inhibition of miR-200c Restores Endothelial Function in Diabetic Mice Through Suppression of COX-2. <i>Diabetes</i> , 2016 , 65, 1196-207	0.9	54
87	Expression of hypoxia-inducible factor-1[In human periodontal tissue. <i>Journal of Periodontology</i> , 2011 , 82, 136-41	4.6	53
86	Garlic-Derived S-Allylmercaptocysteine Ameliorates Nonalcoholic Fatty Liver Disease in a Rat Model through Inhibition of Apoptosis and Enhancing Autophagy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 642920	2.3	50
85	Protective effect of melatonin against hippocampal injury of rats with intermittent hypoxia. <i>Journal of Pineal Research</i> , 2008 , 44, 214-21	10.4	50
84	Preclinical evaluation of pharmacokinetics and safety of melatonin in propylene glycol for intravenous administration. <i>Journal of Pineal Research</i> , 2006 , 41, 337-43	10.4	50
83	Upregulation of a local renin-angiotensin system in the rat carotid body during chronic intermittent hypoxia. <i>Experimental Physiology</i> , 2014 , 99, 220-31	2.4	46
82	Antioxidant treatment enhances human mesenchymal stem cell anti-stress ability and therapeutic efficacy in an acute liver failure model. <i>Scientific Reports</i> , 2015 , 5, 11100	4.9	44
81	Retinal structure and function preservation by polysaccharides of wolfberry in a mouse model of retinal degeneration. <i>Scientific Reports</i> , 2014 , 4, 7601	4.9	41
8o	Chronic hypoxia enhances endothelin-1-induced intracellular calcium elevation in rat carotid body chemoreceptors and up-regulates ETA receptor expression. <i>Pflugers Archiv European Journal of Physiology</i> , 2002 , 443, 565-73	4.6	41
79	Expression of HIF-1alpha, VEGF and VEGF receptors in the carotid body of chronically hypoxic rat. <i>Respiratory Physiology and Neurobiology</i> , 2003 , 138, 143-54	2.8	39
78	Beneficial mechanisms of aerobic exercise on hepatic lipid metabolism in non-alcoholic fatty liver disease. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2015 , 14, 139-44	2.1	36
77	Zeaxanthin dipalmitate therapeutically improves hepatic functions in an alcoholic fatty liver disease model through modulating MAPK pathway. <i>PLoS ONE</i> , 2014 , 9, e95214	3.7	36
76	A voluntary oral ethanol-feeding rat model associated with necroinflammatory liver injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 669-82	3.7	35
<i>75</i>	Alteration in the expression of bone morphogenetic protein-2,3,4,5 mRNA during pathogenesis of cleft palate in BALB/c mice. <i>Archives of Oral Biology</i> , 2000 , 45, 133-40	2.8	31
74	Neuroprotective mechanism of Lycium barbarum polysaccharides against hippocampal-dependent spatial memory deficits in a rat model of obstructive sleep apnea. <i>PLoS ONE</i> , 2015 , 10, e0117990	3.7	30
73	S-allylmercaptocysteine reduces carbon tetrachloride-induced hepatic oxidative stress and necroinflammation via nuclear factor kappa B-dependent pathways in mice. <i>European Journal of Nutrition</i> 2012, 51, 323-33	5.2	30

72	Therapeutic approaches to non-alcoholic fatty liver disease: past achievements and future challenges. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2013 , 12, 125-35	2.1	30
71	Endothelial nitric oxide synthase is a critical factor in experimental liver fibrosis. <i>International Journal of Experimental Pathology</i> , 2008 , 89, 241-50	2.8	30
70	SON is a spliceosome-associated factor required for mitotic progression. <i>Cell Cycle</i> , 2010 , 9, 2679-85	4.7	29
69	Garlic-derived compound -allylmercaptocysteine inhibits hepatocarcinogenesis through targeting LRP6/Wnt pathway. <i>Acta Pharmaceutica Sinica B</i> , 2018 , 8, 575-586	15.5	28
68	Exhaled and sputum nitric oxide in bronchiectasis: correlation with clinical parameters. <i>Chest</i> , 2002 , 121, 88-94	5.3	28
67	Upregulation of ICAM-1 expression in bronchial epithelial cells by airway secretions in bronchiectasis. <i>Respiratory Medicine</i> , 2008 , 102, 287-98	4.6	27
66	Augmentation of hypoxia-induced nitric oxide generation in the rat carotid body adapted to chronic hypoxia: an involvement of constitutive and inducible nitric oxide synthases. <i>Pflugers Archiv European Journal of Physiology</i> , 2002 , 444, 178-85	4.6	27
65	Cyclooxygenase-2-dependent oxidative stress mediates palmitate-induced impairment of endothelium-dependent relaxations in mouse arteries. <i>Biochemical Pharmacology</i> , 2014 , 91, 474-82	6	23
64	Lycium barbarum polysaccharides improve hepatic injury through NFkappa-B and NLRP3/6 pathways in a methionine choline deficient diet steatohepatitis mouse model. <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 1480-1489	7.9	23
63	Melatonin Attenuates Pulmonary Hypertension in Chronically Hypoxic Rats. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	21
62	Antibiotics increase gut metabolism and antioxidant proteins and decrease acute phase response and necrotizing enterocolitis in preterm neonates. <i>PLoS ONE</i> , 2012 , 7, e44929	3.7	21
61	Wolfberry-Derived Zeaxanthin Dipalmitate Attenuates Ethanol-Induced Hepatic Damage. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1801339	5.9	19
60	Differential protective effects of extra virgin olive oil and corn oil in liver injury: a proteomic study. <i>Food and Chemical Toxicology</i> , 2014 , 74, 131-8	4.7	19
59	Monoamine oxidase A upregulated by chronic intermittent hypoxia activates indoleamine 2,3-dioxygenase and neurodegeneration. <i>PLoS ONE</i> , 2017 , 12, e0177940	3.7	19
58	Cyclooxygenase-1 serves a vital hepato-protective function in chemically induced acute liver injury. <i>Toxicological Sciences</i> , 2015 , 143, 430-40	4.4	18
57	Bee's honey attenuates non-alcoholic steatohepatitis-induced hepatic injury through the regulation of thioredoxin-interacting protein-NLRP3 inflammasome pathway. <i>European Journal of Nutrition</i> , 2016 , 55, 1465-77	5.2	17
56	Impaired hepatocyte regeneration in toll-like receptor 4 mutant mice. <i>Digestive Diseases and Sciences</i> , 2004 , 49, 843-9	4	17
55	Expression and functions of vasoactive substances regulated by hypoxia-inducible factor-1 in chronic hypoxemia. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2006 , 4, 199-218	1.9	17

(2020-2012)

54	Cyclooxygenase inhibitors protect D-galactosamine/lipopolysaccharide induced acute hepatic injury in experimental mice model. <i>Food and Chemical Toxicology</i> , 2012 , 50, 861-6	4.7	16
53	Inhibition of pyocyanin-potentiated IL-8 release by steroids in bronchial epithelial cells. <i>Respiratory Medicine</i> , 2006 , 100, 1614-22	4.6	16
52	Melatonin enhances the hypoxic response of rat carotid body chemoreceptor. <i>Journal of Pineal Research</i> , 2005 , 38, 157-63	10.4	15
51	Hypoxia-inducible factor (HIF)-1alpha and endothelin-1 expression in the rat carotid body during intermittent hypoxia. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 580, 21-7; discussion 351-9	3.6	15
50	Cross-sectional area of the median nerve at the wrist: Comparison of sonographic, MRI, and cadaveric measurements. <i>Journal of Clinical Ultrasound</i> , 2019 , 47, 122-127	1	14
49	Inhibition of caspase-9 aggravates acute liver injury through suppression of cytoprotective autophagy. <i>Scientific Reports</i> , 2016 , 6, 32447	4.9	13
48	A novel antioxidant multitarget iron chelator M30 protects hepatocytes against ethanol-induced injury. Oxidative Medicine and Cellular Longevity, 2015, 2015, 607271	6.7	13
47	Age-related changes in adrenomedullin expression and hypoxia-inducible factor-1 activity in the rat lung and their responses to hypoxia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 41-9	6.4	13
46	Inflammasomes in non-alcoholic fatty liver disease. Frontiers in Bioscience - Landmark, 2016, 21, 683-95	2.8	13
45	Melatonin attenuates intermittent hypoxia-induced lipid peroxidation and local inflammation in rat adrenal medulla. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 18437-52	6.3	12
44	A new technique of single portal endoscopic carpal tunnel release. <i>Techniques in Hand and Upper Extremity Surgery</i> , 2012 , 16, 27-9	0.5	12
43	Elevated levels of transforming growth factor-beta(1) in serum of patients with stable bronchiectasis. <i>Respiratory Medicine</i> , 2005 , 99, 1223-8	4.6	12
42	Alteration of apoptosis in cleft palate formation and ectomesenchymal stem cells influenced by retinoic acid. <i>Okajimas Folia Anatomica Japonica</i> , 2001 , 78, 179-86	0.3	12
41	Chronic hypoxia modulates the function and expression of melatonin receptors in the rat carotid body. <i>Journal of Pineal Research</i> , 2006 , 40, 125-34	10.4	11
40	A voluntary oral-feeding rat model for pathological alcoholic liver injury. <i>Methods in Molecular Biology</i> , 2008 , 447, 11-31	1.4	11
39	Thromboxane inhibitors attenuate inflammatory and fibrotic changes in rat liver despite continued ethanol administrations. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 31-9	3.7	10
38	Macrophage migration inhibitory factor expression in male and female ethanol-fed rats. <i>Journal of Interferon and Cytokine Research</i> , 2001 , 21, 1055-62	3.5	10
37	Divergent Roles of Kupffer Cell TLR2/3 Signaling in Alcoholic Liver Disease and the Protective Role of EGCG. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020 , 9, 145-160	7.9	10

36	Lycium barbarum Polysaccharide Supplementation Improves Alcoholic Liver Injury in Female Mice by Inhibiting Stearoyl-CoA Desaturase 1. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800144	5.9	10
35	The policy statement of the American Academy of Pediatrics children as hematopoietic stem cell donors a proposal of modifications for application in the UK. <i>BMC Medical Ethics</i> , 2013 , 14, 43	2.9	9
34	Oblique axial MR imaging of the normal anterior cruciate ligament bundles. <i>Skeletal Radiology</i> , 2011 , 40, 1587-94	2.7	9
33	Ciliary central microtubular orientation is of no clinical significance in bronchiectasis. <i>Respiratory Medicine</i> , 2005 , 99, 290-7	4.6	9
32	Hericium erinaceus potentially rescues behavioural motor deficits through ERK-CREB-PSD95 neuroprotective mechanisms in rat model of 3-acetylpyridine-induced cerebellar ataxia. <i>Scientific Reports</i> , 2020 , 10, 14945	4.9	8
31	p85Iregulates autophagic degradation of AXL to activate oncogenic signaling. <i>Nature Communications</i> , 2020 , 11, 2291	17.4	6
30	Melatonin attenuates rat carotid chemoreceptor response to hypercapnic acidosis. <i>Journal of Pineal Research</i> , 2004 , 36, 49-57	10.4	6
29	Why is Anatomy Difficult to Learn? The Implications for Undergraduate Medical Curricula. <i>Anatomical Sciences Education</i> , 2021 , 14, 752-763	6.8	6
28	Combined acoustic radiation force impulse, aminotransferase to platelet ratio index and Forns index assessment for hepatic fibrosis grading in hepatitis B. <i>World Journal of Hepatology</i> , 2016 , 8, 616-2	23.4	6
27	Comparative proteomic analysis of fibrotic liver of rats fed high fat diet contained lard versus corn oil. <i>Clinical Nutrition</i> , 2017 , 36, 198-208	5.9	5
26	The best interests of persistently vegetative patients: to die rather that to live?. <i>Journal of Medical Ethics</i> , 2014 , 40, 202-4	2.5	5
25	Evaluation of liver fibrosis by investigation of hepatic parenchymal perfusion using contrast-enhanced ultrasound: an animal study. <i>Journal of Clinical Ultrasound</i> , 2012 , 40, 462-70	1	5
24	Chronic aerobic exercise improves insulin sensitivity and modulates Nrf2 and NF- B/IB [pathways in the skeletal muscle of rats fed with a high fat diet. <i>Molecular Medicine Reports</i> , 2019 , 20, 4963-4972	2.9	5
23	M30 Antagonizes Indoleamine 2,3-Dioxygenase Activation and Neurodegeneration Induced by Corticosterone in the Hippocampus. <i>PLoS ONE</i> , 2016 , 11, e0166966	3.7	5
22	Primary care in Asia: a call for compulsory vocational training. <i>British Journal of General Practice</i> , 2014 , 64, e381-3	1.6	4
21	Role of melatonin in Alzheimer's disease: From preclinical studies to novel melatonin-based therapies <i>Frontiers in Neuroendocrinology</i> , 2022 , 65, 100986	8.9	4
20	Autonomous motivation explains interprofessional education outcomes. <i>Medical Education</i> , 2021 , 55, 701-712	3.7	4
19	-Allylmercaptocysteine improves alcoholic liver disease partly through a direct modulation of insulin receptor signaling. <i>Acta Pharmaceutica Sinica B</i> , 2021 , 11, 668-679	15.5	4

18	Adopting RFID for body parts tagging: A local association network approach 2010,		3
17	Therapeutic Potential of Human Stem Cell Implantation in Alzheimer Disease. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
16	Should we continue treatment for M? The benefits of living. <i>Journal of Medical Ethics</i> , 2014 , 40, 131-3	2.5	2
15	A public opinion survey: is presumed consent the answer to kidney shortage in Hong Kong?. <i>BMJ Open</i> , 2013 , 3,	3	2
14	Bone Morphogenetic Protein-2,4,6 and Transforming Growth FactorBETA.1 Are Induced in Rat Facial Nuclei Following Motoneuron Axotomy <i>Acta Histochemica Et Cytochemica</i> , 2003 , 36, 231-237	1.9	2
13	Cathepsin-B dependent autophagy ameliorates steatoheaptitis in chronic exercise rats. <i>Histology and Histopathology</i> , 2020 , 35, 833-847	1.4	2
12	S-allylmercaptocysteine improves nonalcoholic steatohepatitis by enhancing AHR/NRF2-mediated drug metabolising enzymes and reducing NF- B /I B and NLRP3/6-mediated inflammation. <i>European Journal of Nutrition</i> , 2021 , 60, 961-973	5.2	1
11	Validation of the World Health Organization Well-Being Index (WHO-5) among medical educators in Hong Kong: a confirmatory factor analysis <i>Medical Education Online</i> , 2022 , 27, 2044635	4.4	1
10	To IPAS or not to IPAS? Examining the construct validity of the Interprofessional Attitudes Scale in Hong Kong. <i>Journal of Interprofessional Care</i> , 2021 , 1-8	2.7	0
9	Using VR-Enriched Tasks (VRETs) to Promote Active Learning in Pre-Clinical Gross Anatomy Education. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
8	Expression of HIF-2alpha and HIF-3alpha in the rat carotid body in chronic hypoxia. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 580, 29-36; discussion 351-9	3.6	
7	The protective role of melatonin in rat hippocampal injuries induced by intermittent hypoxia <i>FASEB Journal</i> , 2007 , 21, A824	0.9	
6	The Antioxidant, Anti-inflammatory, and Antiapoptotic Effects of Wolfberry in Fatty Liver Disease 2015 , 45-63		
5	The short version of studentsTperceptions of interprofessional clinical education-revised (SPICE-R3): a confirmatory factor analysis. <i>Journal of Interprofessional Care</i> , 2021 , 1-9	2.7	
4	Multifactorial learning challenges in anatomy: What is the niche in current research?. <i>Anatomical Sciences Education</i> , 2021 , 14, 856-858	6.8	
3	Identifying and articulating the student experience in the Intercalated Enrichment Year <i>BMC Medical Education</i> , 2022 , 22, 246	3.3	
2	What characterize high and low achieving teams in Interprofessional education: A self-determination theory perspective <i>Nurse Education Today</i> , 2022 , 112, 105321	3.7	
1	What factors facilitate interprofessional collaboration outcomes in interprofessional education? A multi-level perspective <i>Nurse Education Today</i> , 2022 , 114, 105393	3.7	