

# Naosuke Kamei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/36431/publications.pdf>

Version: 2024-02-01

58  
papers

1,774  
citations

361413

20  
h-index

276875

41  
g-index

59  
all docs

59  
docs citations

59  
times ranked

3006  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantifying Bone Marrow Edema Adjacent to the Lumbar Vertebral Endplate on Magnetic Resonance Imaging: A Cross-Sectional Study of Patients with Degenerative Lumbar Disease. <i>Asian Spine Journal</i> , 2022, 16, 254-260.	2.0	2
2	Surgical outcomes of cervical myelopathy in patients with athetoid cerebral palsy. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 1283-1289.	1.4	2
3	Vertebral osteomyelitis caused by <i>Mycobacteroides abscessus</i> subsp. <i>abscessus</i> resulting in spinal cord injury due to vertebral body fractures. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 290-294.	1.7	6
4	Radiographic Factors for Adjacent Vertebral Fractures and Cement Loosening Following Balloon Kyphoplasty in Patients with Osteoporotic Vertebral Fractures. <i>Spine Surgery and Related Research</i> , 2022, 6, 159-166.	0.7	2
5	Prognostic factors for spontaneous spinal epidural hematoma: a multicenter caseâ€“control study. <i>Acta Neurochirurgica</i> , 2022, 164, 1493-1499.	1.7	5
6	Development of a rat model with lumbar vertebral endplate lesion. <i>European Spine Journal</i> , 2022, 31, 874-881.	2.2	2
7	Primary Spinal Cord Melanoma: A Two-Case Report and Literature Review. <i>Spine Surgery and Related Research</i> , 2022, , .	0.7	0
8	Evaluation of intervertebral disc degeneration using T2 signal ratio on magnetic resonance imaging. <i>European Journal of Radiology</i> , 2022, 152, 110358.	2.6	2
9	Comparison of the electrophysiological characteristics of tight filum terminale and tethered cord syndrome. <i>Acta Neurochirurgica</i> , 2022, 164, 2235-2242.	1.7	3
10	Long-term outcome of targeted therapy for low back pain in elderly degenerative lumbar scoliosis. <i>European Spine Journal</i> , 2021, 30, 2020-2032.	2.2	19
11	Spinous Process Fractures In Osteoporotic Vertebral Fractures: A Cross-Sectional Study. <i>Spine Surgery and Related Research</i> , 2021, 6, 139-144.	0.7	0
12	Quantitative evaluation of abnormal finger movements in myelopathy hand during the grip and release test using gyro sensors. <i>PLoS ONE</i> , 2021, 16, e0258808.	2.5	5
13	Quantitative Assessment of Bone Marrow Edema in Adolescent Athletes with Lumbar Spondylolysis Using Contrast Ratio on Magnetic Resonance Imaging. <i>Asian Spine Journal</i> , 2021, 15, 682-687.	2.0	4
14	Transforaminal percutaneous endoscopic discectomy for lumbar disc herniation in athletes under the local anesthesia. <i>Journal of Orthopaedic Science</i> , 2019, 24, 1015-1019.	1.1	11
15	The correlation between sagittal spinopelvic alignment and degree of lumbar degenerative spondylolisthesis. <i>Journal of Orthopaedic Science</i> , 2019, 24, 969-973.	1.1	11
16	<i>In Vitro</i> Safety and Quality of Magnetically Labeled Human Mesenchymal Stem Cells Preparation for Cartilage Repair. <i>Tissue Engineering - Part C: Methods</i> , 2019, 25, 324-333.	2.1	5
17	Electrophysiological Assessment and Classification of Motor Pathway Function in Patients With Spinal Dural Arteriovenous Fistula. <i>Journal of Clinical Neurophysiology</i> , 2019, 36, 45-51.	1.7	3
18	Endoscopic repair of the urinary bladder with magnetically labeled mesenchymal stem cells: Preliminary report. <i>Regenerative Therapy</i> , 2019, 10, 46-53.	3.0	5

#	ARTICLE	IF	CITATIONS
19	Role of Mesenchymal Stem Cells Densities When Injected as Suspension in Joints with Osteochondral Defects. <i>Cartilage</i> , 2019, 10, 61-69.	2.7	15
20	The safety and efficacy of magnetic targeting using autologous mesenchymal stem cells for cartilage repair. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3626-3635.	4.2	40
21	Monitoring immune response after allogeneic transplantation of mesenchymal stem cells for osteochondral repair. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e275-e286.	2.7	7
22	Local administration of WP9QY (W9) peptide promotes bone formation in a rat femur delayed-union model. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 383-391.	2.7	14
23	Evidence that impaired motor conduction in the bilateral ulnar and tibial nerves underlies cervical spondylotic amyotrophy in patients with unilateral deltoid muscle atrophy. <i>Spine Surgery and Related Research</i> , 2018, 2, 23-29.	0.7	1
24	Magnetic cell delivery for the regeneration of musculoskeletal and neural tissues. <i>Regenerative Therapy</i> , 2018, 9, 116-119.	3.0	10
25	Magnetic Resonance Imaging Evaluation of Cartilage Repair and Iron Particle Kinetics After Magnetic Delivery of Stem Cells. <i>Tissue Engineering - Part C: Methods</i> , 2018, 24, 679-687.	2.1	3
26	Pathology and Treatment of Traumatic Cervical Spine Syndrome: Whiplash Injury. <i>Advances in Orthopedics</i> , 2018, 2018, 1-6.	1.0	23
27	Novel Hybrid Hydroxyapatite Spacers Ensure Sufficient Bone Bonding in Cervical Laminoplasty. <i>Asian Spine Journal</i> , 2018, 12, 1078-1084.	2.0	8
28	Endoplasmic reticulum stress transducer old astrocyte specifically induced substance contributes to astrogliosis after spinal cord injury. <i>Neural Regeneration Research</i> , 2018, 13, 536.	3.0	7
29	Chondrocyte Cell-Sheet Transplantation for Treating Monoiodoacetate-Induced Arthritis in Rats. <i>Tissue Engineering - Part C: Methods</i> , 2017, 23, 346-356.	2.1	6
30	Discrimination of a nerve fiber that is the origin of a cauda equina tumor using acetylcholinesterase staining. <i>Neuropathology</i> , 2017, 37, 415-419.	1.2	0
31	Quality Evaluation of Human Bone Marrow Mesenchymal Stem Cells for Cartilage Repair. <i>Stem Cells International</i> , 2017, 2017, 1-9.	2.5	16
32	Therapeutic Potential of Multilineage-Differentiating Stress-Enduring Cells for Osteochondral Repair in a Rat Model. <i>Stem Cells International</i> , 2017, 2017, 1-8.	2.5	13
33	Magnetic Targeted Delivery of Induced Pluripotent Stem Cells Promotes Articular Cartilage Repair. <i>Stem Cells International</i> , 2017, 2017, 1-7.	2.5	13
34	The Use of Endothelial Progenitor Cells for the Regeneration of Musculoskeletal and Neural Tissues. <i>Stem Cells International</i> , 2017, 2017, 1-7.	2.5	25
35	Cell Magnetic Targeting System for Repair of Severe Chronic Osteochondral Defect in a Rabbit Model. <i>Cell Transplantation</i> , 2016, 25, 1073-1083.	2.5	35
36	Mesenchymal Stem Cell-Derived Exosomes Promote Fracture Healing in a Mouse Model. <i>Stem Cells Translational Medicine</i> , 2016, 5, 1620-1630.	3.3	325

#	ARTICLE	IF	CITATIONS
37	<i>In Vivo</i> Kinetics of Mesenchymal Stem Cells Transplanted into the Knee Joint in a Rat Model Using a Novel Magnetic Method of Localization. <i>Clinical and Translational Science</i> , 2015, 8, 467-474.	3.1	13
38	Mesenchymal Stem Cell-derived exosomes accelerate skeletal muscle regeneration. <i>FEBS Letters</i> , 2015, 589, 1257-1265.	2.8	420
39	Electrophysiological assessments of the motor pathway in diabetic patients with compressive cervical myelopathy. <i>Journal of Neurosurgery: Spine</i> , 2015, 23, 707-714.	1.7	13
40	Promotion of skeletal muscle repair in a rat skeletal muscle injury model by local injection of human adipose tissue-derived regenerative cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, 1150-1160.	2.7	14
41	Magnetic Targeting of Human Peripheral Blood CD133+ Cells for Skeletal Muscle Regeneration. <i>Tissue Engineering - Part C: Methods</i> , 2013, 19, 631-641.	2.1	6
42	Ex-vivo expanded human blood-derived CD133+ cells promote repair of injured spinal cord. <i>Journal of the Neurological Sciences</i> , 2013, 328, 41-50.	0.6	32
43	The therapeutic potential of ex vivo expanded CD133+ cells derived from human peripheral blood for peripheral nerve injuries. <i>Journal of Neurosurgery</i> , 2012, 117, 787-794.	1.6	11
44	Human platelet-rich plasma promotes axon growth in brain-spinal cord coculture. <i>NeuroReport</i> , 2012, 23, 712-716.	1.2	47
45	Endothelial Progenitor Cells Promote Astroglia following Spinal Cord Injury through Jagged1-Dependent Notch Signaling. <i>Journal of Neurotrauma</i> , 2012, 29, 1758-1769.	3.4	31
46	Contribution of bone marrow-derived endothelial progenitor cells to neovascularization and astroglia following spinal cord injury. <i>Journal of Neuroscience Research</i> , 2012, 90, 2281-2292.	2.9	23
47	Lnk Deletion Reinforces the Function of Bone Marrow Progenitors in Promoting Neovascularization and Astroglia Following Spinal Cord Injury. <i>Stem Cells</i> , 2010, 28, 365-375.	3.2	40
48	The effects of combining chondroitinase ABC and NEP1-40 on the corticospinal axon growth in organotypic co-cultures. <i>Neuroscience Letters</i> , 2010, 476, 14-17.	2.1	8
49	CD133 + cells from human umbilical cord blood reduce cortical damage and promote axonal growth in neonatal rat organ co-cultures exposed to hypoxia. <i>International Journal of Developmental Neuroscience</i> , 2010, 28, 581-587.	1.6	21
50	Regeneration of peripheral nerve after transplantation of CD133+ cells derived from human peripheral blood. <i>Journal of Neurosurgery</i> , 2009, 110, 758-767.	1.6	25
51	Acceleration of Skeletal Muscle Regeneration in a Rat Skeletal Muscle Injury Model by Local Injection of Human Peripheral Blood-Derived CD133-Positive Cells. <i>Stem Cells</i> , 2009, 27, 949-960.	3.2	82
52	Administration of Human Peripheral Blood-Derived CD133+ Cells Accelerates Functional Recovery in a Rat Spinal Cord Injury Model. <i>Spine</i> , 2009, 34, 249-254.	2.0	30
53	CD133+ cells from human peripheral blood promote corticospinal axon regeneration. <i>NeuroReport</i> , 2008, 19, 799-803.	1.2	10
54	Bone marrow stromal cells promoting corticospinal axon growth through the release of humoral factors in organotypic cocultures in neonatal rats. <i>Journal of Neurosurgery: Spine</i> , 2007, 6, 412-419.	1.7	36

#	ARTICLE	IF	CITATIONS
55	BDNF, NT-3, and NGF Released From Transplanted Neural Progenitor Cells Promote Corticospinal Axon Growth in Organotypic Cocultures. <i>Spine</i> , 2007, 32, 1272-1278.	2.0	128
56	Magnetically Labeled Neural Progenitor Cells, Which Are Localized by Magnetic Force, Promote Axon Growth in Organotypic Cocultures. <i>Spine</i> , 2007, 32, 2300-2305.	2.0	31
57	Postoperative Segmental C5 Palsy After Cervical Laminoplasty May Occur Without Intraoperative Nerve Injury: A Prospective Study With Transcranial Electric Motor-Evoked Potentials. <i>Spine</i> , 2006, 31, 3013-3017.	2.0	78
58	Neural progenitor cells promote corticospinal axon growth in organotypic co-cultures. <i>NeuroReport</i> , 2004, 15, 2579-2583.	1.2	27