

# Lisbeth Rosholm Comstedt

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3643818/lisbeth-rosholm-comstedt-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4

papers

21

citations

3

h-index

4

g-index

4

ext. papers

31

ext. citations

2

avg, IF

1.31

L-index

#	Paper	IF	Citations
4	Patch testing with aluminium Finn Chambers could give false-positive reactions in patients with contact allergy to aluminium. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 407-414	2.7	2
3	Prevalence of contact allergy to metals: nickel, palladium, and cobalt in Southern Sweden from 1995-2016. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 218-226	2.7	12
2	Variation and covariation in patch test reactivity to palladium and nickel salts. <i>European Journal of Dermatology</i> , <b>2018</b> , 28, 668-676	0.8	4
1	Effects of intense pulsed light in microstomia in patients with systemic sclerosis: A pilot study. <i>Journal of Cosmetic and Laser Therapy</i> , <b>2017</b> , 19, 143-148	1.8	3