Vijay Joshua

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3643937/publications.pdf

Version: 2024-02-01

24 papers	1,564 citations	15 h-index	676716 22 g-index
25	25	25	2287
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	An Image-based Dynamic High-throughput Analysis of Adherent Cell Migration. Bio-protocol, 2021, 11, .	0.2	1
2	A Comprehensive Evaluation of the Relationship Between Different IgG and IgA Anti-Modified Protein Autoantibodies in Rheumatoid Arthritis. Frontiers in Immunology, 2021, 12, 627986.	2.2	23
3	Tocilizumab decreases T cells but not macrophages in the synovium of patients with rheumatoid arthritis while it increases the levels of serum interleukin-6 and RANKL. RMD Open, 2021, 7, e001662.	1.8	6
4	The citrullinated/native index of autoantibodies against hnRNP-DL predicts an individual "window of treatment success―in RA patients. Arthritis Research and Therapy, 2021, 23, 239.	1.6	6
5	Secretory anti-citrullinated protein antibodies in serum associate with lung involvement in early rheumatoid arthritis. Rheumatology, 2020, 59, 852-859.	0.9	12
6	Association between number and type of different ACPA fine specificities with lung abnormalities in early, untreated rheumatoid arthritis. RMD Open, 2020, 6, e001278.	1.8	16
7	Bacterial citrullinated epitopes generated by <i>Porphyromonas gingivalis</i> infectionâ€"a missing link for ACPA production. Annals of the Rheumatic Diseases, 2020, 79, 1194-1202.	0.5	30
8	Citrullination Controls Dendritic Cell Transdifferentiation into Osteoclasts. Journal of Immunology, 2019, 202, 3143-3150.	0.4	41
9	SATOO3Oâ€CITRULLINE-REACTIVE B CELLS ARE PRESENT IN INFLAMED GINGIVAL TISSUE AND DISPLAY CROSS-REACTIVITY BETWEEN BACTERIAL AND HUMAN ANTIGENS. , 2019, , .		O
10	Anticitrullinated protein antibodies facilitate migration of synovial tissue-derived fibroblasts. Annals of the Rheumatic Diseases, 2019, 78, 1621-1631.	0.5	49
11	Role of the lung in individuals at risk of rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 2017, 31, 31-41.	1.4	12
12	Antibody responses to de novo identified citrullinated fibrinogen peptides in rheumatoid arthritis and visualization of the corresponding B cells. Arthritis Research and Therapy, 2016, 18, 284.	1.6	20
13	The lung microbiota in early rheumatoid arthritis and autoimmunity. Microbiome, 2016, 4, 60.	4.9	158
14	Compartmentalized gene expression profiling of receptive endometrium reveals progesterone regulated ENPP3 is differentially expressed and secreted in glycosylated form. Scientific Reports, 2016, 6, 33811.	1.6	20
15	Mechanisms involved in triggering rheumatoid arthritis. Immunological Reviews, 2016, 269, 162-174.	2.8	125
16	Signs of immune activation and local inflammation are present in the bronchial tissue of patients with untreated early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2016, 75, 1722-1727.	0.5	93
17	Identification of a novel chemokine-dependent molecular mechanism underlying rheumatoid arthritis-associated autoantibody-mediated bone loss. Annals of the Rheumatic Diseases, 2016, 75, 721-729.	0.5	289
18	Serum RANKL levels associate with anti- citrullinated protein antibodies in early untreated rheumatoid arthritis and are modulated following methotrexate. Arthritis Research and Therapy, 2015, 17, 239.	1.6	45

#	Article	IF	CITATIONS
19	Shared immunological targets in the lungs and joints of patients with rheumatoid arthritis: identification and validation. Annals of the Rheumatic Diseases, 2015, 74, 1772-1777.	0.5	112
20	Environmental and genetic factors in the development of anticitrullinated protein antibodies (ACPAs) and ACPA-positive rheumatoid arthritis: an epidemiological investigation in twins. Annals of the Rheumatic Diseases, 2015, 74, 375-380.	0.5	132
21	A1.1†Characterisation of lung inflammation and identification of shared citrullinated targets in the lungs and joints of early rheumatoid arthritis. Annals of the Rheumatic Diseases, 2014, 73, A4.2-A5.	0.5	2
22	Structural Changes and Antibody Enrichment in the Lungs Are Early Features of Anti–Citrullinated Protein Antibody–Positive Rheumatoid Arthritis. Arthritis and Rheumatology, 2014, 66, 31-39.	2.9	190
23	Monoclonal IgG antibodies generated from joint-derived B cells of RA patients have a strong bias toward citrullinated autoantigen recognition. Journal of Experimental Medicine, 2013, 210, 445-455.	4.2	181
24	A1.4 Early Signs of Subclinical Inflammation and Local Antibody Production in Early Rheumatoid Lungs. Annals of the Rheumatic Diseases, 2013, 72, A2.1-A2.	0.5	O