

Yoshimi Kishimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3645499/publications.pdf>

Version: 2024-02-01

34
papers

956
citations

566801

15
h-index

454577

30
g-index

35
all docs

35
docs citations

35
times ranked

1471
citing authors

#	ARTICLE	IF	CITATIONS
1	Japanese carotenoid database with β - and β -carotene, β -cryptoxanthin, lutein, zeaxanthin, lycopene, and fucoxanthin and intake in adult women. <i>International Journal for Vitamin and Nutrition Research</i> , 2023, 93, 42-53.	0.6	9
2	A Study of the Atherosclerosis-preventive Effects of Food Components. <i>Nihon Eiyō-Shokuryō-Gakkai Shi = Nippon Eiyō-Shokuryō-Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2021, 74, 121-126.	0.2	0
3	Validation of Food-Frequency Questionnaires for Polyphenol Intake in Japanese Adults. <i>Journal of Nutritional Science and Vitaminology</i> , 2021, 67, 72-75.	0.2	1
4	The Protective Role of Sestrin2 in Atherosclerotic and Cardiac Diseases. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1200.	1.8	15
5	Associations Between Plasma Kinin B1 Receptor Levels and the Presence and Severity of Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 1195-1203.	0.9	0
6	Association between Plasma Follistatin-like Protein 1 Levels and the Presence and Severity of Coronary Artery Disease. <i>International Heart Journal</i> , 2021, 62, 1207-1212.	0.5	0
7	Gallic acid regulates adipocyte hypertrophy and suppresses inflammatory gene expression induced by the paracrine interaction between adipocytes and macrophages in vitro and in vivo. <i>Nutrition Research</i> , 2020, 73, 58-66.	1.3	23
8	Dietary intake of total polyphenols and the risk of all-cause and specific-cause mortality in Japanese adults: the Takayama study. <i>European Journal of Nutrition</i> , 2020, 59, 1263-1271.	1.8	24
9	Blood levels of heme oxygenase-1 versus bilirubin in patients with coronary artery disease. <i>Clinica Chimica Acta</i> , 2020, 504, 30-35.	0.5	7
10	Plasma sestrin2 concentrations and carotid atherosclerosis. <i>Clinica Chimica Acta</i> , 2020, 504, 56-59.	0.5	8
11	Associations between Green Tea Consumption and Coffee Consumption and the Prevalence of Coronary Artery Disease. <i>Journal of Nutritional Science and Vitaminology</i> , 2020, 66, 237-245.	0.2	15
12	<p>Consumption of Polyphenols in Coffee and Green Tea Alleviates Skin Photoaging in Healthy Japanese Women</p>. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2020, Volume 13, 165-172.	0.8	11
13	Gallic Acid Inhibits Lipid Accumulation via AMPK Pathway and Suppresses Apoptosis and Macrophage-Mediated Inflammation in Hepatocytes. <i>Nutrients</i> , 2020, 12, 1479.	1.7	38
14	The Protective Role of Heme Oxygenase-1 in Atherosclerotic Diseases. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3628.	1.8	68
15	Estimated Dietary Polyphenol Intake and Its Seasonal Variations among Japanese University Students. <i>Journal of Nutritional Science and Vitaminology</i> , 2019, 65, 192-195.	0.2	9
16	Serum gamma-glutamyltransferase is inversely associated with dietary total and coffee-derived polyphenol intakes in apparently healthy Japanese men. <i>European Journal of Nutrition</i> , 2018, 57, 2819-2826.	1.8	10
17	<i>Terminalia bellirica</i> (Gaertn.) Roxb. Extract and Gallic Acid Attenuate LPS-Induced Inflammation and Oxidative Stress via MAPK/NF- κ B and Akt/AMPK/Nrf2 Pathways. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-15.	1.9	93
18	Plasma Heme Oxygenase-1 Levels and Carotid Atherosclerosis. <i>Stroke</i> , 2018, 49, 2230-2232.	1.0	15

#	ARTICLE	IF	CITATIONS
19	Plasma Heme Oxygenase-1 Levels in Patients with Coronary and Peripheral Artery Diseases. <i>Disease Markers</i> , 2018, 2018, 1-8.	0.6	16
20	Regular egg consumption at breakfast by Japanese woman university students improves daily nutrient intakes: open-labeled observations. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 359-365.	0.3	6
21	Additional consumption of one egg per day increases serum lutein plus zeaxanthin concentration and lowers oxidized low-density lipoprotein in moderately hypercholesterolemic males. <i>Food Research International</i> , 2017, 99, 944-949.	2.9	24
22	Dietary Polyphenol Intake Estimated by 7-Day Dietary Records among Japanese Male Workers: Evaluation of the Within- and Between-Individual Variation. <i>Journal of Nutritional Science and Vitaminology</i> , 2017, 63, 180-185.	0.2	11
23	Seasonal Variations of Polyphenol Intake from Vegetables and Fruits. <i>Nihon EiyÅ•ShokuryÅ•Gakkai Shi = Nippon EiyÅ•ShokuryÅ•Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2017, 70, 17-22.	0.2	4
24	<i>Terminalia bellirica</i> Extract Inhibits Low-Density Lipoprotein Oxidation and Macrophage Inflammatory Response in Vitro. <i>Antioxidants</i> , 2016, 5, 20.	2.2	19
25	Potential Anti-Atherosclerotic Properties of Astaxanthin. <i>Marine Drugs</i> , 2016, 14, 35.	2.2	157
26	The Effect of the Consumption of Egg on Serum Lipids and Antioxidant Status in Healthy Subjects. <i>Journal of Nutritional Science and Vitaminology</i> , 2016, 62, 361-365.	0.2	19
27	Green tea catechins prevent low-density lipoprotein oxidation via their accumulation in low-density lipoprotein particles in humans. <i>Nutrition Research</i> , 2016, 36, 16-23.	1.3	65
28	Polyphenol Intake from Beverages in Japan over an 18-Year Period (1996–2013): Trends by Year, Age, Gender and Season. <i>Journal of Nutritional Science and Vitaminology</i> , 2015, 61, 338-344.	0.2	14
29	Estimated Dietary Polyphenol Intake and Major Food and Beverage Sources among Elderly Japanese. <i>Nutrients</i> , 2015, 7, 10269-10281.	1.7	84
30	Pine bark extract prevents low-density lipoprotein oxidation and regulates monocytic expression of antioxidant enzymes. <i>Nutrition Research</i> , 2015, 35, 56-64.	1.3	8
31	Skin photoprotection and consumption of coffee and polyphenols in healthy middle-aged Japanese females. <i>International Journal of Dermatology</i> , 2015, 54, 410-418.	0.5	21
32	Coffee and beverages are the major contributors to polyphenol consumption from food and beverages in Japanese middle-aged women. <i>Journal of Nutritional Science</i> , 2014, 3, e48.	0.7	33
33	Astaxanthin Enhances ATP-Binding Cassette Transporter A1/G1 Expressions and Cholesterol Efflux from Macrophages. <i>Journal of Nutritional Science and Vitaminology</i> , 2012, 58, 96-104.	0.2	43
34	Astaxanthin suppresses scavenger receptor expression and matrix metalloproteinase activity in macrophages. <i>European Journal of Nutrition</i> , 2010, 49, 119-126.	1.8	86