

Kyung-ah Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3646090/publications.pdf>

Version: 2024-02-01

28
papers

1,667
citations

623734

14
h-index

501196

28
g-index

28
all docs

28
docs citations

28
times ranked

3304
citing authors

#	ARTICLE	IF	CITATIONS
1	Protective Effect of Diet-Supplemented and Endogenously Produced Omega-3 Fatty Acids against HFD-Induced Colon Inflammation in Mice. <i>Foods</i> , 2022, 11, 2124.	4.3	3
2	Inhibitory effect of ethanolic extract of <i>Abeliophyllum distichum</i> leaf on 3T3L1 adipocyte differentiation. <i>Nutrition Research and Practice</i> , 2021, 15, 555.	1.9	1
3	Protective Effect of Gochujang on Inflammation in a DSS-Induced Colitis Rat Model. <i>Foods</i> , 2021, 10, 1072.	4.3	7
4	Anti-Obesity Effects of <i>Morus alba</i> L. and <i>Aronia melanocarpa</i> in a High-Fat Diet-Induced Obese C57BL/6J Mouse Model. <i>Foods</i> , 2021, 10, 1914.	4.3	6
5	<i>Abeliophyllum distichum</i> Ameliorates High-Fat Diet-Induced Obesity in C57BL/6J Mice by Upregulating the AMPK Pathway. <i>Nutrients</i> , 2020, 12, 3320.	4.1	7
6	Perilla Oil Alleviates High-Fat Diet-Induced Inflammation in the Colon of Mice by Suppressing Nuclear Factor-Kappa B Activation. <i>Journal of Medicinal Food</i> , 2020, 23, 818-826.	1.5	15
7	Effect of vegetable oils with different fatty acid composition on high-fat diet-induced obesity and colon inflammation. <i>Nutrition Research and Practice</i> , 2020, 14, 425.	1.9	18
8	Independent Association of Phase Angle with Fasting Blood Glucose and Hemoglobin A1c in Korean Type 2 Diabetes Patients. <i>Clinical Nutrition Research</i> , 2020, 9, 205.	1.2	8
9	Inhibitory effects of <i>Sargassum horneri</i> extract against endoplasmic reticulum stress in HepG2 cells. <i>Journal of Nutrition and Health</i> , 2020, 53, 583.	0.8	2
10	Emodin exerts protective effect against palmitic acid-induced endoplasmic reticulum stress in HepG2 cells. <i>Journal of Nutrition and Health</i> , 2019, 52, 176.	0.8	1
11	Anti-inflammatory effects of fruit and leaf extracts of <i>Lycium barbarum</i> in lipopolysaccharide-stimulated RAW264.7 cells and animal model. <i>Journal of Nutrition and Health</i> , 2019, 52, 129.	0.8	6
12	Splenocyte-mediated immune enhancing activity of <i>Sargassum horneri</i> extracts. <i>Journal of Nutrition and Health</i> , 2019, 52, 515.	0.8	6
13	Immunomodulating activity of <i>Sargassum horneri</i> extracts in RAW264.7 macrophages. <i>Journal of Nutrition and Health</i> , 2018, 51, 507.	0.8	16
14	Black Adzuki Bean (<i>Vigna angularis</i>) Attenuates High-Fat Diet-Induced Colon Inflammation in Mice. <i>Journal of Medicinal Food</i> , 2017, 20, 367-375.	1.5	22
15	The Effect of Onion Peel Extract on Inflammatory Mediators in Korean Overweight and Obese Women. <i>Clinical Nutrition Research</i> , 2016, 5, 261.	1.2	24
16	Gut microbiota lipopolysaccharide accelerates inflamm-aging in mice. <i>BMC Microbiology</i> , 2016, 16, 9.	3.3	148
17	Comparative analysis of gut microbiota in elderly people of urbanized towns and longevity villages. <i>BMC Microbiology</i> , 2015, 15, 49.	3.3	67
18	A prebiotic fiber increases the formation and subsequent absorption of compound K following oral administration of ginseng in rats. <i>Journal of Ginseng Research</i> , 2015, 39, 183-187.	5.7	33

#	ARTICLE	IF	CITATIONS
19	Antioxidative Activity of Onion Peel Extract in Obese Women: A Randomized, Double-blind, Placebo Controlled Study. <i>Journal of Cancer Prevention</i> , 2015, 20, 202-207.	2.0	37
20	Hepatoprotective effects of <i>Rubus coreanus</i> miquel concentrates on liver injuries induced by carbon tetrachloride in rats. <i>Nutrition Research and Practice</i> , 2014, 8, 40.	1.9	12
21	Doenjang, a Korean soybean paste, ameliorates TNBS-induced colitis in mice by suppressing gut microbial lipopolysaccharide production and NF- κ B activation. <i>Journal of Functional Foods</i> , 2014, 11, 417-427.	3.4	18
22	β-Sitosterol attenuates high-fat diet-induced intestinal inflammation in mice by inhibiting the binding of lipopolysaccharide to toll-like receptor 4 in the NF- κ B pathway. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 963-972.	3.3	92
23	<i>Lactobacillus pentosus</i> var. <i>plantarum</i> C29 ameliorates memory impairment and inflammaging in a d-galactose-induced accelerated aging mouse model. <i>Anaerobe</i> , 2014, 27, 22-26.	2.1	115
24	Effect of a soluble prebiotic fiber, NUTRIOSE, on the absorption of ginsenoside Rd in rats orally administered ginseng. <i>Journal of Ginseng Research</i> , 2014, 38, 203-207.	5.7	23
25	Comparative Analysis of the Gut Microbiota in People with Different Levels of Ginsenoside Rb1 Degradation to Compound K. <i>PLoS ONE</i> , 2013, 8, e62409.	2.5	89
26	High Fat Diet-Induced Gut Microbiota Exacerbates Inflammation and Obesity in Mice via the TLR4 Signaling Pathway. <i>PLoS ONE</i> , 2012, 7, e47713.	2.5	883
27	Calorie Restriction and Obesity under the Regulation of SIRT1. <i>The Korean Journal of Obesity</i> , 2011, 20, 170.	0.2	5
28	Menadione-induced cytotoxicity in rat platelets: Absence of the detoxifying enzyme, quinone reductase. <i>Archives of Pharmacal Research</i> , 1995, 18, 256-261.	6.3	3