

# Shu-ichi Ueno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3646406/publications.pdf>

Version: 2024-02-01

54  
papers

1,847  
citations

331670

21  
h-index

265206

42  
g-index

55  
all docs

55  
docs citations

55  
times ranked

2247  
citing authors

#	ARTICLE	IF	CITATIONS
1	The gene encoding a newly discovered protein, chorein, is mutated in chorea-acanthocytosis. <i>Nature Genetics</i> , 2001, 28, 121-122.	21.4	301
2	Localization of a Gene for Benign Adult Familial Myoclonic Epilepsy to Chromosome 8q23.3-q24.1. <i>American Journal of Human Genetics</i> , 1999, 65, 745-751.	6.2	145
3	Positional Candidate Approach for the Gene Responsible for Benign Adult Familial Myoclonic Epilepsy. <i>Epilepsia</i> , 2002, 43, 26-31.	5.1	126
4	Secretion of sphingolipid hydrolase activator precursor, prosaposin. <i>Biochemical and Biophysical Research Communications</i> , 1991, 176, 668-674.	2.1	112
5	Prosaposin Facilitates Sciatic Nerve Regeneration In Vivo. <i>Journal of Neurochemistry</i> , 1996, 66, 2019-2025.	3.9	92
6	A Hydrophilic Peptide Comprising 18 Amino Acid Residues of the Prosaposin Sequence Has Neurotrophic Activity In Vitro and In Vivo. <i>Journal of Neurochemistry</i> , 1996, 66, 2197-2200.	3.9	89
7	Gene expression and association analysis of vascular endothelial growth factor in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 658-663.	4.8	88
8	Altered HDAC5 and CREB mRNA expressions in the peripheral leukocytes of major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 628-632.	4.8	87
9	Sphingolipid hydrolase activator proteins and their precursors. <i>Biochemical and Biophysical Research Communications</i> , 1989, 165, 1191-1197.	2.1	78
10	Somatic mosaicism of CAG repeat in dentatorubral-pallidoluysian atrophy (DRPLA). <i>Human Molecular Genetics</i> , 1995, 4, 663-666.	2.9	77
11	Distribution of Free Methylarginines in Rat Tissues and in the Bovine Brain. <i>Journal of Neurochemistry</i> , 1992, 59, 2012-2016.	3.9	63
12	A gene-targeted mouse model for chorea-acanthocytosis. <i>Journal of Neurochemistry</i> , 2005, 92, 759-766.	3.9	55
13	Serotonin transporter mRNA expression in peripheral leukocytes of patients with major depression before and after treatment with paroxetine. <i>Neuroscience Letters</i> , 2005, 389, 12-16.	2.1	53
14	Gene expression and association analysis of LIM (PDLIM5) in major depression. <i>Neuroscience Letters</i> , 2006, 400, 203-207.	2.1	41
15	Molecular assessment of depression from mRNAs in the peripheral leukocytes. <i>Annals of Medicine</i> , 2008, 40, 336-342.	3.8	33
16	Mitochondrial DNA deletion mutations in patients with neuropsychiatric symptoms. <i>Neuroscience Research</i> , 2011, 69, 331-336.	1.9	33
17	Remapping and mutation analysis of benign adult familial myoclonic epilepsy in a Japanese pedigree. <i>Journal of Human Genetics</i> , 2011, 56, 742-747.	2.3	32
18	Gene Expression and Methylation Analysis of ABCA7 in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 171-181.	2.6	31

#	ARTICLE	IF	CITATIONS
19	Isolation and Identification of Methylarginines from Bovine Brain. <i>Journal of Neurochemistry</i> , 1992, 58, 1127-1130.	3.9	30
20	The Melatonin Receptor Agonist Ramelteon Effectively Treats Insomnia and Behavioral Symptoms in Autistic Disorder. <i>Case Reports in Psychiatry</i> , 2014, 2014, 1-5.	0.5	24
21	Molecular imaging of dementia. <i>Psychogeriatrics</i> , 2012, 12, 106-114.	1.2	22
22	Assessment of human stress and depression by DNA microarray analysis. <i>Journal of Medical Investigation</i> , 2005, 52, 266-271.	0.5	20
23	Excessive and Problematic Internet Use During the Coronavirus Disease 2019 School Closure: Comparison Between Japanese Youth With and Without Autism Spectrum Disorder. <i>Frontiers in Public Health</i> , 2020, 8, 609347.	2.7	20
24	Developmental quotient to estimate intelligence in autism spectrum disorder. <i>Pediatrics International</i> , 2016, 58, 963-966.	0.5	19
25	Suicidal ideation in adolescents and their caregivers: a cross sectional survey in Japan. <i>BMC Psychiatry</i> , 2016, 16, 231.	2.6	19
26	A new phenotype of chorea-acanthocytosis with dilated cardiomyopathy and myopathy. <i>Movement Disorders</i> , 2007, 22, 1669-1670.	3.9	14
27	Making a brochure about coronavirus disease (COVID-19) for children with autism spectrum disorder and their family members. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 498-499.	1.8	12
28	Prevalence of Internet addiction in Japan: Comparison of two cross-sectional surveys. <i>Pediatrics International</i> , 2020, 62, 970-975.	0.5	10
29	Comprehensive analysis of the genes responsible for neuroacanthocytosis in mood disorder and schizophrenia. <i>Neuroscience Research</i> , 2011, 69, 196-202.	1.9	9
30	Cytochrome P-450 2D6 gene polymorphism is not associated with neuroleptic malignant syndrome. <i>Biological Psychiatry</i> , 1996, 40, 72-74.	1.3	8
31	Parent-Adolescent Agreement on Adolescents' Emotional and Behavioral Problems Assessed by the Strengths and Difficulties Questionnaire. <i>Global Pediatric Health</i> , 2021, 8, 2333794X2110012.	0.7	8
32	The Association between Autistic Traits and Sleep Habits/Problems in Toddlers. <i>Developmental Neuropsychology</i> , 2020, 45, 485-495.	1.4	8
33	Isolation and identification of L-(2-alanyl)hypusine from bovine brain. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1991, 1073, 233-235.	2.4	7
34	Common coding variant in the TCF7L2 gene and study of the association with type 2 diabetes in Japanese subjects. <i>Journal of Human Genetics</i> , 2008, 53, 972-982.	2.3	7
35	A case study: neuroleptic malignant syndrome with risperidone and CYP2D6 gene variation. <i>General Hospital Psychiatry</i> , 2011, 33, 640.e1-640.e2.	2.4	7
36	Mental health and sleep habits/problems in children aged 3-4 years: a population study. <i>BioPsychoSocial Medicine</i> , 2021, 15, 10.	2.1	7

#	ARTICLE	IF	CITATIONS
37	Missense variants of the alanine:glyoxylate aminotransferase 2 gene are not associated with Japanese schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 53, 137-141.	4.8	6
38	Metabolic status and resistin in chronic schizophrenia over a 2-year period with continuous atypical antipsychotics. <i>Therapeutic Advances in Psychopharmacology</i> , 2015, 5, 271-277.	2.7	6
39	Behavioral Affect in Children with Autism Spectrum Disorder during School Closures Due to the COVID-19 Pandemic in Japan: A Case-Controlled Study. <i>Developmental Neuropsychology</i> , 2021, , 1-10.	1.4	6
40	FK506 attenuates thymic output in patients with myasthenia gravis. <i>Archives of Medical Science</i> , 2013, 6, 1090-1096.	0.9	5
41	Efficacy of Asenapine in Schizophrenia Resistant to Clozapine Combined with Electroconvulsive Therapy: A Case Report. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 559-563.	2.0	5
42	Electroencephalograph Estimation Method of Measuring "Empathic Understanding". , 2007, , .		4
43	Heteroplasmic m.1624C>T mutation of the mitochondrial tRNA <sup>Val</sup> gene in a proband and his mother with repeated consciousness disturbances. <i>Mitochondrion</i> , 2012, 12, 617-622.	3.4	4
44	Phenotypical difference of Amyloid Precursor Protein (APP) V717L mutation in Japanese family. <i>BMC Neurology</i> , 2012, 12, 38.	1.8	3
45	Distribution of D-3-aminoisobutyrate-pyruvate aminotransferase in the rat brain. <i>BMC Neuroscience</i> , 2014, 15, 53.	1.9	3
46	<p>ABCA7 Gene Expression and Genetic Association Study in Schizophrenia</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 441-446.	2.2	3
47	Differences in Psychological and Behavioral Changes between Children following School Closure due to COVID-19. <i>Psychiatry Journal</i> , 2021, 2021, 1-6.	1.5	3
48	The effect of milnacipran (serotonin noradrenaline reuptake inhibitor) on memory in Korsakoff's syndrome after encephalitis. <i>General Hospital Psychiatry</i> , 2005, 27, 224-226.	2.4	2
49	Neurocognitive assessment of children with neurodevelopmental disorders: Preliminary findings. <i>Pediatrics International</i> , 2018, 60, 820-827.	0.5	2
50	Dose-Dependent Efficacy of Tansospirone for an Oldest-Old Patient With Behavioral and Psychological Symptoms of Dementia. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 176-178.	1.4	2
51	Clinical Assessment for Attention Test in adult with Attention-Deficit/Hyperactivity Disorder for Evaluation of symptoms and medication effects. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2020, 11, 35-42.	0.3	2
52	5-HT1A Partial Agonist Tansospirone for Behavioral and Psychological Symptoms in Oldest-old Patients with Dementia at a Special Elderly Nursing Home. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 514-520.	2.0	2
53	Influence of an Esports Program on Problematic Gaming in Children with Autistic Spectrum Disorder: A Pilot Study. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2022, 12, 172.	2.1	2
54	Expression of overadaptation in children through drawing a man as a projective measure: a community sample study. <i>Pediatrics International</i> , 2022, 64, .	0.5	0