

Jodie L Lutkenhaus

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3647187/jodie-l-lutkenhaus-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

4,278
citations

37
h-index

60
g-index

269
ext. papers

5,439
ext. citations

7.5
avg, IF

6.25
L-index

#	Paper	IF	Citations
140	Antioxidants Unlock Shelf-Stable Ti3C2T (MXene) Nanosheet Dispersions. <i>Matter</i> , 2019 , 1, 513-526	12.7	210
139	Elastomeric flexible free-standing hydrogen-bonded nanoscale assemblies. <i>Journal of the American Chemical Society</i> , 2005 , 127, 17228-34	16.4	203
138	Oxidation stability of Ti3C2Tx MXene nanosheets in solvents and composite films. <i>Npj 2D Materials and Applications</i> , 2019 , 3,	8.8	162
137	Surface-agnostic highly stretchable and bendable conductive MXene multilayers. <i>Science Advances</i> , 2018 , 4, eaaq0118	14.3	157
136	Recent advances in conjugated polymer energy storage. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013 , 51, 468-480	2.6	139
135	Confinement Effects on Crystallization and Curie Transitions of Poly(vinylidene fluoride-co-trifluoroethylene). <i>Macromolecules</i> , 2010 , 43, 3844-3850	5.5	135
134	Mechanically Strong Graphene/Aramid Nanofiber Composite Electrodes for Structural Energy and Power. <i>ACS Nano</i> , 2017 , 11, 6682-6690	16.7	130
133	Water Sorption in MXene/Polyelectrolyte Multilayers for Ultrafast Humidity Sensing. <i>ACS Applied Nano Materials</i> , 2019 , 2, 948-955	5.6	99
132	Polyaniline/Vanadium Pentoxide Layer-by-Layer Electrodes for Energy Storage. <i>Chemistry of Materials</i> , 2012 , 24, 181-189	9.6	94
131	Real-time insight into the doping mechanism of redox-active organic radical polymers. <i>Nature Materials</i> , 2019 , 18, 69-75	27	88
130	Effect of the layer-by-layer (LbL) deposition method on the surface morphology and wetting behavior of hydrophobically modified PEO and PAA LbL films. <i>Langmuir</i> , 2008 , 24, 7995-8000	4	80
129	Diffusion-Cooperative Model for Charge Transport by Redox-Active Nonconjugated Polymers. <i>Journal of the American Chemical Society</i> , 2018 , 140, 1049-1056	16.4	77
128	Molecular Origin of the Glass Transition in Polyelectrolyte Assemblies. <i>ACS Central Science</i> , 2018 , 4, 638-648	16.4	74
127	Effect of confinement on the bubble points of hydrocarbons in nanoporous media. <i>AIChE Journal</i> , 2016 , 62, 1772-1780	3.6	74
126	Electrochemically Active Polymers for Electrochemical Energy Storage: Opportunities and Challenges. <i>ACS Macro Letters</i> , 2013 , 2, 839-844	6.6	74
125	Oxidatively stable polyaniline:polyacid electrodes for electrochemical energy storage. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 9654-62	3.6	72
124	Thermal transitions in dry and hydrated layer-by-layer assemblies exhibiting linear and exponential growth. <i>ACS Nano</i> , 2012 , 6, 6174-84	16.7	70

123	Robust and Flexible Aramid Nanofiber/Graphene Layer-by-Layer Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17125-17135	9.5	67
122	Polyaniline nanofiber/electrochemically reduced graphene oxide layer-by-layer electrodes for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 3757-3767	13	65
121	Thermochemical properties of free-standing electrostatic layer-by-layer assemblies containing poly(allylamine hydrochloride) and poly(acrylic acid). <i>Soft Matter</i> , 2010 , 6, 3363	3.6	65
120	Confinement-Induced Supercriticality and Phase Equilibria of Hydrocarbons in Nanopores. <i>Langmuir</i> , 2016 , 32, 11506-11513	4	63
119	Anisotropic structure and transport in self-assembled layered polymer-clay nanocomposites. <i>Langmuir</i> , 2007 , 23, 8515-21	4	62
118	Harnessing the Power of Plastics: Nanostructured Polymer Systems in Lithium-Ion Batteries. <i>ACS Energy Letters</i> , 2017 , 2, 1919-1936	20.1	60
117	The influence of ionic strength and mixing ratio on the colloidal stability of PDAC/PSS polyelectrolyte complexes. <i>Soft Matter</i> , 2015 , 11, 7392-401	3.6	59
116	Role of Salt and Water in the Plasticization of PDAC/PSS Polyelectrolyte Assemblies. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 322-333	3.4	56
115	Charge storage in polymer acid-doped polyaniline-based layer-by-layer electrodes. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 10127-36	9.5	56
114	Effect of Water on the Thermal Transition Observed in Poly(allylamine hydrochloride)Poly(acrylic acid) Complexes. <i>Macromolecules</i> , 2016 , 49, 7563-7570	5.5	54
113	Polypeptide organic radical batteries. <i>Nature</i> , 2021 , 593, 61-66	50.4	53
112	High-Performance and Multifunctional Colorimetric Humidity Sensors Based on Mesoporous Photonic Crystals and Nanogels. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41645-41654	9.5	47
111	Use of differential scanning calorimetry to study phase behavior of hydrocarbon mixtures in nano-scale porous media. <i>Journal of Petroleum Science and Engineering</i> , 2018 , 163, 731-738	4.4	45
110	Highly Multifunctional Dopamine-Functionalized Reduced Graphene Oxide Supercapacitors. <i>Matter</i> , 2019 , 1, 1532-1546	12.7	45
109	Porous polyaniline nanofiber/vanadium pentoxide layer-by-layer electrodes for energy storage. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 7648	13	44
108	Process Safety Analysis for Ti3C2Tx MXene Synthesis and Processing. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 1570-1579	3.9	44
107	Thermal Transitions in Polyelectrolyte Assemblies Occur via a Dehydration Mechanism. <i>ACS Macro Letters</i> , 2015 , 4, 1017-1021	6.6	40
106	QCM-D Investigation of Swelling Behavior of Layer-by-Layer Thin Films upon Exposure to Monovalent Ions. <i>Langmuir</i> , 2018 , 34, 999-1009	4	40

105	Time-Temperature and Time-Water Superposition Principles Applied to Poly(allylamine)/Poly(acrylic acid) Complexes. <i>Macromolecules</i> , 2019 , 52, 3066-3074	5.5	39
104	Corrosion behaviour of eco-friendly airbrushed reduced graphene oxide-poly(vinyl alcohol) coatings. <i>Green Chemistry</i> , 2018 , 20, 506-514	10	37
103	Electropolymerized Polythiophenes Bearing Pendant Nitroxide Radicals. <i>ACS Macro Letters</i> , 2016 , 5, 337-341	6.6	37
102	Unusual Internal Electron Transfer in Conjugated Radical Polymers. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 9856-9859	16.4	35
101	pH-Dependent Thermal Transitions in Hydrated Layer-by-Layer Assemblies Containing Weak Polyelectrolytes. <i>Macromolecules</i> , 2012 , 45, 9169-9176	5.5	35
100	High Modulus, Thermally Stable, and Self-Extinguishing Aramid Nanofiber Separators. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 25756-25766	9.5	32
99	pH, Nanosheet Concentration, and Antioxidant Affect the Oxidation of Ti3C2Tx and Ti2CTx MXene Dispersions. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000845	4.6	31
98	Porous organic/inorganic hybrid one-dimensional photonic crystals for rapid visual detection of organic solvents. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2704-2711	7.1	29
97	A radical advance for conducting polymers. <i>Science</i> , 2018 , 359, 1334-1335	33.3	28
96	Polyaniline nanofiber/vanadium pentoxide sprayed layer-by-layer electrodes for energy storage. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 14421-14428	13	28
95	Confinement Effects on Cross-Linking within Electrostatic Layer-by-Layer Assemblies Containing Poly(allylamine hydrochloride) and Poly(acrylic acid). <i>Macromolecules</i> , 2010 , 43, 9473-9479	5.5	28
94	Hydration and Temperature Response of Water Mobility in Poly(diallyldimethylammonium)-Poly(sodium 4-styrenesulfonate) Complexes. <i>Macromolecules</i> , 2018 , 51, 8268-8277	5.5	28
93	Electrochemical Energy Storage in Poly(dithieno[3,2-b:2',3'-d]pyrrole) Bearing Pendant Nitroxide Radicals. <i>Chemistry of Materials</i> , 2018 , 30, 5169-5174	9.6	28
92	Sprayable, paintable layer-by-layer polyaniline nanofiber/graphene electrodes. <i>RSC Advances</i> , 2015 , 5, 14994-15001	3.7	27
91	Aramid nanofiber-reinforced three-dimensional graphene hydrogels for supercapacitor electrodes. <i>Journal of Colloid and Interface Science</i> , 2020 , 560, 581-588	9.3	27
90	Highly Flexible Self-Assembled V2O5 Cathodes Enabled by Conducting Diblock Copolymers. <i>Scientific Reports</i> , 2015 , 5, 14166	4.9	25
89	100th Anniversary of Macromolecular Science Viewpoint: Fundamentals for the Future of Macromolecular Nitroxide Radicals. <i>ACS Macro Letters</i> , 2020 , 9, 358-370	6.6	24
88	Solution-Processable Thermally Crosslinked Organic Radical Polymer Battery Cathodes. <i>ChemSusChem</i> , 2020 , 13, 2371-2378	8.3	24

87	All nanoparticle-based P(MMAAA)/TiO ₂ one-dimensional photonic crystal films with tunable structural colors. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8266-8272	7.1	24
86	Layer-by-layer nanostructured supercapacitor electrodes consisting of ZnO nanoparticles and multi-walled carbon nanotubes. <i>Journal of Materials Science</i> , 2018 , 53, 6719-6728	4.3	23
85	Heating of TiCT MXene/polymer composites in response to Radio Frequency fields. <i>Scientific Reports</i> , 2019 , 9, 16489	4.9	23
84	Charge Storage in Decyl- and 3,6,9-Trioxadecyl-Substituted Poly(dithieno[3,2-b:2,3-d]pyrrole) Electrodes. <i>Macromolecules</i> , 2014 , 47, 79-88	5.5	23
83	Layer-by-Layer Assembly of Reduced Graphene Oxide and MXene Nanosheets for Wire-Shaped Flexible Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 14068-14076	9.5	23
82	Spray-On Polyaniline/Poly(acrylic acid) Electrodes with Enhanced Electrochemical Stability. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 24150-8	9.5	22
81	Interfacial Engineering of Reduced Graphene Oxide for Aramid Nanofiber-Enabled Structural Supercapacitors. <i>Batteries and Supercaps</i> , 2019 , 2, 464-472	5.6	20
80	Swelling and Thermal Transitions of Polyelectrolyte Multilayers in the Presence of Divalent Ions. <i>Macromolecules</i> , 2016 , 49, 5921-5930	5.5	20
79	Layer-by-Layer Assembly of Polyaniline Nanofibers and MXene Thin-Film Electrodes for Electrochemical Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47929-47938	9.5	20
78	pH-Response of polycation/Ti ₃ C ₂ T _x MXene layer-by-layer assemblies for use as resistive sensors. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 366-375	4.6	18
77	Conducting Block Copolymer Binders for Carbon-Free Hybrid Vanadium Pentoxide Cathodes with Enhanced Performance. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 28585-28591	9.5	18
76	Polymer-clay nanocomposite coatings as efficient, environment-friendly surface pretreatments for aluminum alloy 2024-T3. <i>Electrochimica Acta</i> , 2018 , 260, 73-81	6.7	18
75	Comparing water-mediated hydrogen-bonding in different polyelectrolyte complexes. <i>Soft Matter</i> , 2019 , 15, 7823-7831	3.6	17
74	A novel pore-size-dependent equation of state for modeling fluid phase behavior in nanopores. <i>Fluid Phase Equilibria</i> , 2019 , 498, 72-85	2.5	17
73	Poly(fluorene-alt-naphthalene diimide) as n-Type Polymer Electrodes for Energy Storage. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 1155-1164	4.3	16
72	Experimental Study of Confinement Effect on Hydrocarbon Phase Behavior in Nano-Scale Porous Media Using Differential Scanning Calorimetry 2015 ,		16
71	Effect of Nanorod Aspect Ratio on Shear Thickening Electrolytes for Safety-Enhanced Batteries. <i>ACS Applied Nano Materials</i> , 2018 , 1, 2774-2784	5.6	16
70	Tannic Acid as a Small-Molecule Binder for Silicon Anodes. <i>ACS Applied Energy Materials</i> , 2020 , 3, 6985-6994	6.9	15

69	Thermal transitions in hydrated layer-by-layer assemblies observed using electrochemical impedance spectroscopy. <i>Soft Matter</i> , 2014 , 10, 6467-76	3.6	15
68	Branched aramid nanofiber-polyaniline electrodes for structural energy storage. <i>Nanoscale</i> , 2020 , 12, 16840-16850	7.7	15
67	Multiscale Fluid-Phase-Behavior Simulation in Shale Reservoirs Using a Pore-Size-Dependent Equation of State. <i>SPE Reservoir Evaluation and Engineering</i> , 2018 , 21, 806-820	2.3	15
66	A Comprehensive Study of Hydrolyzed Polyacrylamide as a Binder for Silicon Anodes. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44090-44100	9.5	14
65	Hydrogen-bonded polymer nanocomposites containing discrete layers of gold nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2017 , 485, 260-268	9.3	14
64	Fourier transform infrared spectroscopy investigation of water microenvironments in polyelectrolyte multilayers at varying temperatures. <i>Soft Matter</i> , 2020 , 16, 2291-2300	3.6	14
63	Experimental study of pore size distribution effect on phase transitions of hydrocarbons in nanoporous media. <i>Fluid Phase Equilibria</i> , 2019 , 487, 8-15	2.5	14
62	Metal-polymer interface influences apparent electrical properties of nano-structured polyaniline films. <i>Nanoscale</i> , 2018 , 10, 672-682	7.7	14
61	Temperature-triggered shape-transformations in layer-by-layer microtubes. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 2088-2092	7.3	13
60	A comparison of thermal transitions in dip- and spray-assisted layer-by-layer assemblies. <i>Langmuir</i> , 2013 , 29, 8907-13	4	13
59	Molecular design principles for polymeric binders in silicon anodes. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 709-724	4.6	12
58	Unusual Internal Electron Transfer in Conjugated Radical Polymers. <i>Angewandte Chemie</i> , 2017 , 129, 9988-9991	11	11
57	Emerging trends in the dynamics of polyelectrolyte complexes. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 24157-24177	3.6	11
56	Annealed Ti ₃ C ₂ T _z MXene Films for Oxidation-Resistant Functional Coatings. <i>ACS Applied Nano Materials</i> , 2020 , 3, 10578-10585	5.6	11
55	Chemiresistive and Chemicapacitive Devices Formed via Morphology Control of Electroconductive Bio-nanocomposites. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700495	6.4	10
54	Tailored Network Formation in Graphene Oxide Gels. <i>Langmuir</i> , 2018 , 34, 8550-8559	4	10
53	Side-Chain Engineering for High-Performance Conjugated Polymer Batteries. <i>Advanced Functional Materials</i> , 2021 , 31, 2009263	15.6	10
52	Design of multifunctional supercapacitor electrodes using an informatics approach. <i>Molecular Systems Design and Engineering</i> , 2019 , 4, 654-663	4.6	9

51	Reversibly pH-Responsive Nanoporous Layer-by-Layer Microtubes. <i>ACS Macro Letters</i> , 2015 , 4, 353-356	6.6	9
50	Structural reduced graphene oxide supercapacitors mechanically enhanced with tannic acid. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 2301-2308	5.8	9
49	Carbon Nanotube/Reduced Graphene Oxide/Aramid Nanofiber Structural Supercapacitors. <i>ACS Applied Energy Materials</i> , 2020 , 3, 11763-11771	6.1	9
48	One-step hydrothermal synthesis of porous TiCT MXene/rGO gels for supercapacitor applications. <i>Nanoscale</i> , 2021 , 13, 16543-16553	7.7	9
47	Fabrication and Electrochemical Performance of Structured Mesoscale Open Shell VO Networks. <i>Langmuir</i> , 2017 , 33, 5975-5981	4	8
46	Spray-On Polymer/Clay Multilayers as a Superior Anticorrosion Metal Pretreatment. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1600552	3.9	8
45	Comparison of Nanoarchitecture to Porous Media Diffusion Models in Reduced Graphene Oxide/Aramid Nanofiber Electrodes for Supercapacitors. <i>ACS Nano</i> , 2020 , 14, 5314-5323	16.7	8
44	Lightweight Kevlar-Reinforced Graphene Oxide Architectures with High Strength for Energy Storage. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900786	4.6	8
43	Nitroxide Radical Polymer/Solvent Interactions and Solubility Parameter Determination. <i>Macromolecules</i> , 2020 , 53, 7997-8008	5.5	8
42	Minimizing two-dimensional TiCT MXene nanosheet loading in carbon-free silicon anodes. <i>Nanoscale</i> , 2020 , 12, 20699-20709	7.7	8
41	Structural batteries take a load off. <i>Science Robotics</i> , 2020 , 5,	18.6	8
40	Micromechanics modeling of the elastic moduli of rGO/ANF nanocomposites. <i>Acta Mechanica</i> , 2019 , 230, 265-280	2.1	8
39	Unravelling kinetic and mass transport effects on two-electron storage in radical polymer batteries. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13071-13079	13	8
38	The effect of nanoscale architecture on ionic diffusion in rGo/aramid nanofiber structural electrodes. <i>Journal of Applied Physics</i> , 2019 , 125, 185106	2.5	7
37	Quantifying internal charge transfer and mixed ion-electron transfer in conjugated radical polymers. <i>Chemical Science</i> , 2020 , 11, 9962-9970	9.4	7
36	Oxidative Stability of Nbn+1CnTz MXenes. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 13990-13996	3.8	7
35	Flexible, self-standing and patternable P(MMA-BA)/TiO2 photonic crystals with tunable and bright structural colors. <i>Dyes and Pigments</i> , 2019 , 160, 740-746	4.6	7
34	Comparison of KBr and NaCl effects on the glass transition temperature of hydrated layer-by-layer assemblies. <i>Journal of Chemical Physics</i> , 2018 , 149, 163317	3.9	6

33	Fabrication, characterization and micromechanics modeling of the electrical conductivity of reduced graphene oxide/aramid nanofiber nanocomposites. <i>Smart Materials and Structures</i> , 2019 , 28, 094001	3.4	6
32	A practical guide to quartz crystal microbalance with dissipation monitoring of thin polymer films. <i>Journal of Polymer Science</i> ,	2.4	6
31	Electronic and Optical Property Control of Polycation/MXene Layer-by-Layer Assemblies with Chemically Diverse MXenes. <i>Langmuir</i> , 2021 , 37, 11338-11350	4	6
30	Layer-by-Layer Assembly and Electrochemical Study of Alizarin Red S-Based Thin Films. <i>Polymers</i> , 2019 , 11,	4.5	5
29	Self-Doped Conjugated Polymeric Binders Improve the Capacity and Mechanical Properties of V ₂ O ₅ Cathodes. <i>Polymers</i> , 2019 , 11,	4.5	5
28	Mixed electron-ion-water transfer in macromolecular radicals for metal-free aqueous batteries. <i>Cell Reports Physical Science</i> , 2021 , 2, 100414	6.1	5
27	Spray-On Reduced Graphene Oxide-Poly(vinyl alcohol) Supercapacitors for Flexible Energy and Power. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1801237	4.6	5
26	Relaxation Times of Solid-like Polyelectrolyte Complexes of Varying pH and Water Content. <i>Macromolecules</i> , 2021 , 54, 7765-7776	5.5	5
25	A Framework for Incorporating Nanopores in Compositional Simulation to Model the Unusually High GOR Observed in Shale Reservoirs 2019 ,		4
24	Effect of assembly condition on the morphologies and temperature-triggered transformation of layer-by-layer microtubes. <i>Korean Journal of Chemical Engineering</i> , 2018 , 35, 263-271	2.8	4
23	Water-dispersible Ti ₃ C ₂ T _z MXene nanosheets by molten salt etching. <i>IScience</i> , 2021 , 24, 103403	6.1	4
22	Building up nanostructured layer-by-layer films combining reduced graphene oxide-manganese dioxide nanocomposite in supercapacitor electrodes. <i>Thin Solid Films</i> , 2021 , 718, 138483	2.2	4
21	Flocculation of MXenes and Their Use as 2D Particle Surfactants for Capsule Formation. <i>Langmuir</i> , 2021 , 37, 2649-2657	4	4
20	Layer-by-layer assembly of polymers and anisotropic nanomaterials using spray-based approach. <i>Journal of Materials Research</i> , 2020 , 35, 1163-1172	2.5	3
19	A novel and practical framework for incorporating nanopores in existing compositional simulators to model the unusually high GOR observed in shale reservoirs. <i>Journal of Petroleum Science and Engineering</i> , 2020 , 195, 107887	4.4	3
18	Regioregularity and Molecular Weight Effects in Redox-Active Poly(3-hexylthiophene)-block-poly(ethylene oxide) Electrode Binders. <i>ACS Applied Energy Materials</i> , 2018 , 1, 5919-5927	6.1	3
17	Synthesis and Electronic Applications of Particle-Templated TiCT MXene-Polymer Films via Pickering Emulsion Polymerization. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 51556-51566	9.5	2
16	Carbon Additive-Free Crumpled Ti ₃ C ₂ TX MXene-Encapsulated Silicon Nanoparticle Anodes for Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021 , 4, 10762-10773	6.1	2

15	Compositional Simulation of Cyclic Gas Injection in Liquid-Rich Shale Reservoirs Using Existing Simulators with a Framework for Incorporating Nanopores 2020 ,		2
14	Structural Lithium-Ion Battery Cathodes and Anodes Based on Branched Aramid Nanofibers. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 34807-34817	9.5	2
13	High-Throughput Nanomanufacturing via Spray Processes 2017 , 101-131		1
12	Experimental determination of the compressive piezoresistive response of a free-standing film with application to reduced graphene oxide. <i>Journal of Applied Physics</i> , 2022 , 131, 035105	2.5	1
11	Layer-by-Layer Nanoarchitectonics of Electrochemically Active Thin Films Comprised of Radical-Containing Polymers. <i>Journal of the Electrochemical Society</i> , 2022 , 169, 020510	3.9	1
10	Ceramic Electrolytes Get Tough on Lithium Metal Batteries. <i>Matter</i> , 2020 , 3, 14-15	12.7	1
9	Multifunctional efficiency metric for structural supercapacitors. <i>Multifunctional Materials</i> , 2020 , 3, 044002	5.2	1
8	Effect of Ethanol and Urea as Solvent Additives on PSS-PDADMA Polyelectrolyte Complexation.. <i>Macromolecules</i> , 2022 , 55, 3140-3150	5.5	0
7	Anion Identity and Time Scale Affect the Cation Insertion Energy Storage Mechanism in Ti3C2Tx MXene Multilayers. <i>ACS Energy Letters</i> , 2022 , 7, 1828-1834	20.1	0
6	Confronting Racism in Chemistry Journals. <i>ACS Applied Nano Materials</i> , 2020 , 3, 6131-6133	5.6	
5	Confronting Racism in Chemistry Journals. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 2496-2498	4.3	
4	Confronting Racism in Chemistry Journals. <i>Organometallics</i> , 2020 , 39, 2331-2333	3.8	
3	Update to Our Reader, Reviewer, and Author CommunitiesApril 2020. <i>Energy & Fuels</i> , 2020 , 34, 5107-5108	4.1	
2	Update to Our Reader, Reviewer, and Author CommunitiesApril 2020. <i>Organometallics</i> , 2020 , 39, 1665-1666	3.6	
1	Confronting Racism in Chemistry Journals. <i>Journal of Chemical Health and Safety</i> , 2020 , 27, 198-200	1.7	