

Qiangsong Tong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3648156/publications.pdf>

Version: 2024-02-01

70
papers

3,106
citations

136950

32
h-index

168389

53
g-index

72
all docs

72
docs citations

72
times ranked

4075
citing authors

#	ARTICLE	IF	CITATIONS
1	Circular RNA circAGO2 drives cancer progression through facilitating HuR-repressed functions of AGO2-miRNA complexes. <i>Cell Death and Differentiation</i> , 2019, 26, 1346-1364.	11.2	223
2	Circ-HuR suppresses HuR expression and gastric cancer progression by inhibiting CNBP transactivation. <i>Molecular Cancer</i> , 2019, 18, 158.	19.2	157
3	microRNA-9 Targets Matrix Metalloproteinase 14 to Inhibit Invasion, Metastasis, and Angiogenesis of Neuroblastoma Cells. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1454-1466.	4.1	149
4	microRNA-9 Suppresses the Proliferation, Invasion and Metastasis of Gastric Cancer Cells through Targeting Cyclin D1 and Ets1. <i>PLoS ONE</i> , 2013, 8, e55719.	2.5	132
5	<i>circ-Cis</i> -Acting <i>circ-CTNNB1</i> Promotes β -Catenin Signaling and Cancer Progression via DDX3-Mediated Transactivation of YY1. <i>Cancer Research</i> , 2019, 79, 557-571.	0.9	128
6	Laparoscopic Versus Open Pyeloplasty for Ureteropelvic Junction Obstruction in Children: A Systematic Review and Meta-Analysis. <i>Journal of Endourology</i> , 2011, 25, 727-736.	2.1	125
7	Therapeutic targeting of <i>circ-CUX1</i> / <i>EWSR1</i> / <i>MAZ</i> axis inhibits glycolysis and neuroblastoma progression. <i>EMBO Molecular Medicine</i> , 2019, 11, e10835.	6.9	101
8	Poly(ADP-ribose) polymerase 1 accelerates vascular calcification by upregulating Runx2. <i>Nature Communications</i> , 2019, 10, 1203.	12.8	92
9	Downregulation of XIAP expression induces apoptosis and enhances chemotherapeutic sensitivity in human gastric cancer cells. <i>Cancer Gene Therapy</i> , 2005, 12, 509-514.	4.6	91
10	miRNA-558 promotes tumorigenesis and aggressiveness of neuroblastoma cells through activating the transcription of heparanase. <i>Human Molecular Genetics</i> , 2015, 24, 2539-2551.	2.9	83
11	miRNA-145 Targets v-ets Erythroblastosis Virus E26 Oncogene Homolog 1 to Suppress the Invasion, Metastasis, and Angiogenesis of Gastric Cancer Cells. <i>Molecular Cancer Research</i> , 2013, 11, 182-193.	3.4	82
12	Long Noncoding RNA pancEts-1 Promotes Neuroblastoma Progression through hnRNPK-Mediated β -Catenin Stabilization. <i>Cancer Research</i> , 2018, 78, 1169-1183.	0.9	79
13	HPSE enhancer RNA promotes cancer progression through driving chromatin looping and regulating hnRNPU/p300/EGR1/HPSE axis. <i>Oncogene</i> , 2018, 37, 2728-2745.	5.9	76
14	Downregulation of hsa_circ_0074854 Suppresses the Migration and Invasion in Hepatocellular Carcinoma via Interacting with HuR and via Suppressing Exosomes-Mediated Macrophage M2 Polarization. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 2803-2818.	6.7	69
15	FOXO3 is a novel tumor suppressor that affects growth, invasion, metastasis and angiogenesis of neuroblastoma. <i>Oncotarget</i> , 2013, 4, 2021-2044.	1.8	65
16	Small RNA interference-mediated gene silencing of heparanase abolishes the invasion, metastasis and angiogenesis of gastric cancer cells. <i>BMC Cancer</i> , 2010, 10, 33.	2.6	59
17	miRNA-584-3p inhibits gastric cancer progression by repressing Yin Yang 1- facilitated MMP-14 expression. <i>Scientific Reports</i> , 2017, 7, 8967.	3.3	55
18	Small RNAs Targeting Transcription Start Site Induce Heparanase Silencing through Interference with Transcription Initiation in Human Cancer Cells. <i>PLoS ONE</i> , 2012, 7, e31379.	2.5	54

#	ARTICLE	IF	CITATIONS
19	Methyl jasmonate abolishes the migration, invasion and angiogenesis of gastric cancer cells through down-regulation of matrix metalloproteinase 14. <i>BMC Cancer</i> , 2013, 13, 74.	2.6	50
20	miRNA-584-5p exerts tumor suppressive functions in human neuroblastoma through repressing transcription of matrix metalloproteinase 14. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 1743-1754.	3.8	50
21	Intelectin 1 suppresses the growth, invasion and metastasis of neuroblastoma cells through up-regulation of N-myc downstream regulated gene 2. <i>Molecular Cancer</i> , 2015, 14, 47.	19.2	50
22	miRNA-337-3p inhibits gastric cancer progression through repressing myeloid zinc finger 1-facilitated expression of matrix metalloproteinase 14. <i>Oncotarget</i> , 2016, 7, 40314-40328.	1.8	50
23	miRNA-337-3p suppresses neuroblastoma progression by repressing the transcription of matrix metalloproteinase 14. <i>Oncotarget</i> , 2015, 6, 22452-22466.	1.8	48
24	Expression and clinical significance of stem cell marker CD133 in human neuroblastoma. <i>World Journal of Pediatrics</i> , 2008, 4, 58-62.	1.8	46
25	miRNA-558 promotes gastric cancer progression through attenuating Smad4-mediated repression of heparanase expression. <i>Cell Death and Disease</i> , 2016, 7, e2382-e2382.	6.3	46
26	Intelectin 1 suppresses tumor progression and is associated with improved survival in gastric cancer. <i>Oncotarget</i> , 2015, 6, 16168-16182.	1.8	46
27	Renalase is a novel target gene of hypoxia-inducible factor-1 in protection against cardiac ischaemiaâ€“reperfusion injury. <i>Cardiovascular Research</i> , 2015, 105, 182-191.	3.8	45
28	Aberrant expression of intelectin-1 in gastric cancer: its relationship with clinicopathological features and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 163-172.	2.5	40
29	Armadillo repeat containing 12 promotes neuroblastoma progression through interaction with retinoblastoma binding protein 4. <i>Nature Communications</i> , 2018, 9, 2829.	12.8	37
30	Enhanced Expression of Resistin-like Molecule Beta in Human Colon Cancer and Its Clinical Significance. <i>Digestive Diseases and Sciences</i> , 2009, 54, 274-281.	2.3	35
31	Hepatocyte nuclear factor 4 alpha promotes the invasion, metastasis and angiogenesis of neuroblastoma cells via targeting matrix metalloproteinase 14. <i>Cancer Letters</i> , 2015, 359, 187-197.	7.2	34
32	Ets-1 promoter-associated noncoding RNA regulates the NONO/ERG/Ets-1 axis to drive gastric cancer progression. <i>Oncogene</i> , 2018, 37, 4871-4886.	5.9	33
33	microRNA-558 facilitates the expression of hypoxia-inducible factor 2 alpha through binding to 5â€²-untranslated region in neuroblastoma. <i>Oncotarget</i> , 2016, 7, 40657-40673.	1.8	32
34	p113 isoform encoded by CUX1 circular RNA drives tumor progression via facilitating ZRF1/BRD4 transactivation. <i>Molecular Cancer</i> , 2021, 20, 123.	19.2	31
35	Laparoscopic versus open orchiopey for non-palpable undescended testes in children: a systemic review and meta-analysis. <i>Pediatric Surgery International</i> , 2011, 27, 943-952.	1.4	27
36	The roles of microRNAs in neuroblastoma. <i>World Journal of Pediatrics</i> , 2014, 10, 10-16.	1.8	27

#	ARTICLE	IF	CITATIONS
37	Long Noncoding RNA NHEG1 Drives β -Catenin Transactivation and Neuroblastoma Progression through Interacting with DDX5. <i>Molecular Therapy</i> , 2020, 28, 946-962.	8.2	26
38	Identification of Poly(ADP-Ribose) Polymerase-1 as a Cell Cycle Regulator through Modulating Sp1 Mediated Transcription in Human Hepatoma Cells. <i>PLoS ONE</i> , 2013, 8, e82872.	2.5	25
39	Methyl jasmonate downregulates expression of proliferating cell nuclear antigen and induces apoptosis in human neuroblastoma cell lines. <i>Anti-Cancer Drugs</i> , 2008, 19, 573-581.	1.4	24
40	Comparison of Laparoscopic-assisted Versus Open Dismembered Pyeloplasty for Ureteropelvic Junction Obstruction in Infants: Intermediate Results. <i>Urology</i> , 2009, 74, 889-893.	1.0	24
41	Therapeutic Targeting of <i>MZF1</i> /PARP1/E2F1 Axis Inhibits Proline Synthesis and Neuroblastoma Progression. <i>Advanced Science</i> , 2019, 6, 1900581.	11.2	24
42	Therapeutic targeting of <i>SPIB</i> / <i>SPI1</i> facilitated interplay of cancer cells and neutrophils inhibits aerobic glycolysis and cancer progression. <i>Clinical and Translational Medicine</i> , 2021, 11, e588.	4.0	24
43	Abnormal expression of early growth response 1 in gastric cancer: Association with tumor invasion, metastasis and heparanase transcription. <i>Pathology International</i> , 2010, 60, 268-277.	1.3	23
44	Lymphatic sparing laparoscopic Palomo varicocelectomy for varicoceles in children: intermediate results. <i>Journal of Pediatric Surgery</i> , 2009, 44, 1509-1513.	1.6	22
45	Therapeutic targeting of YY1/MZF1 axis by MZF1-uPEP inhibits aerobic glycolysis and neuroblastoma progression. <i>Theranostics</i> , 2020, 10, 1555-1571.	10.0	21
46	Natural jasmonates of different structures suppress the growth of human neuroblastoma cell line SH-SY5Y and its mechanisms. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 861-869.	6.1	20
47	Circular RNA hsa_circ_0003141 promotes tumorigenesis of hepatocellular carcinoma via a miR-1827/UBAP2 axis. <i>Aging</i> , 2020, 12, 9793-9806.	3.1	19
48	Expression and clinical significance of heparanase in neuroblastoma. <i>World Journal of Pediatrics</i> , 2009, 5, 206-210.	1.8	16
49	Smad4 suppresses the tumorigenesis and aggressiveness of neuroblastoma through repressing the expression of heparanase. <i>Scientific Reports</i> , 2016, 6, 32628.	3.3	16
50	Valproic acid suppresses Warburg effect and tumor progression in neuroblastoma. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 9-16.	2.1	16
51	Runt-related transcription factor 1 promotes apoptosis and inhibits neuroblastoma progression in vitro and in vivo. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 52.	8.6	16
52	Therapeutic targeting of the USP2-E2F4 axis inhibits autophagic machinery essential for zinc homeostasis in cancer progression. <i>Autophagy</i> , 2022, 18, 2615-2635.	9.1	16
53	Expression of resistin-like molecule beta in gastric cancer: its relationship with clinicopathological parameters and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 53-63.	2.8	15
54	Noscapine Induced Apoptosis via Downregulation of Survivin in Human Neuroblastoma Cells Having Wild Type or Null p53. <i>PLoS ONE</i> , 2012, 7, e40076.	2.5	14

#	ARTICLE	IF	CITATIONS
55	Laparoscopy-assisted orchiopexy for recurrent undescended testes in children. <i>Journal of Pediatric Surgery</i> , 2009, 44, 806-810.	1.6	13
56	TSEG-1, a novel member of histone H2A variants, participates in spermatogenesis via promoting apoptosis of spermatogenic cells. <i>Genomics</i> , 2010, 95, 278-289.	2.9	12
57	Nuss repair of pectus excavatum after surgery for congenital heart disease: Experience from a single institution. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 657-661.	0.8	12
58	Expression of Resistin-like Molecule Beta in Barrett's Esophagus: A Novel Biomarker for Metaplastic Epithelium. <i>Digestive Diseases and Sciences</i> , 2010, 55, 32-39.	2.3	8
59	HNF4A-AS1-encoded small peptide promotes self-renewal and aggressiveness of neuroblastoma stem cells via eEF1A1-repressed SMAD4 transactivation. <i>Oncogene</i> , 2022, 41, 2505-2519.	5.9	8
60	Neuregulin 1 is involved in enteric nervous system development in zebrafish. <i>Journal of Pediatric Surgery</i> , 2017, 52, 1182-1187.	1.6	7
61	Transumbilical Multiport Laparoscopic Orchiopexy in Children: Comparison With Standard Laparoscopic Orchiopexy. <i>Urology</i> , 2012, 80, 1345-1350.	1.0	6
62	Comparison of transumbilical multiport and standard laparoscopic pyeloplasty in children: Mid-term results at a single center. <i>Journal of Pediatric Surgery</i> , 2017, 52, 473-477.	1.6	4
63	Genetic deletion of β 2 adrenergic receptors exacerbates hepatocellular lipid accumulation in high-fat diet mice. <i>Biochemical and Biophysical Research Communications</i> , 2019, 511, 73-78.	2.1	4
64	Selection of optimal antisense accessible sites of survivin and its application in treatment of gastric cancer. <i>World Journal of Gastroenterology</i> , 2005, 11, 634.	3.3	4
65	Growth inhibiting effects of antisense eukaryotic expression vector of proliferating cell nuclear antigen gene on human bladder cancer cells. <i>Chinese Medical Journal</i> , 2003, 116, 1203-6.	2.3	4
66	Effects of blocking androgen receptor expression with specific hammerhead ribozyme on in vitro growth of prostate cancer cell line. <i>Chinese Medical Journal</i> , 2003, 116, 1515-8.	2.3	3
67	Expression pattern of testis-specific expressed gene 2 in cryptorchidism model and its role in apoptosis of spermatogenic cells. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2010, 30, 193-197.	1.0	2
68	Transumbilical Multiport Laparoscopic Nephroureterectomy for Congenital Renal Dysplasia in Children: Midterm Follow-Up from a Single Institution. <i>Frontiers in Pediatrics</i> , 2013, 1, 46.	1.9	2
69	Effect of Smac on TRAIL-induced apoptosis of prostate cancer cell line PC-3 and the molecular mechanism. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 233-236.	1.0	1
70	Construction of the antisense eukaryotic vector for proliferating cell nuclear antigen gene and its expression in bladder cancer EJ cell line. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2002, 22, 327-330.	1.0	0