

Qiangsong Tong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3648156/publications.pdf>

Version: 2024-02-01

70
papers

3,106
citations

136950

32
h-index

168389

53
g-index

72
all docs

72
docs citations

72
times ranked

4075
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Therapeutic targeting of the USP2-E2F4 axis inhibits autophagic machinery essential for zinc homeostasis in cancer progression. <i>Autophagy</i> , 2022, 18, 2615-2635. | 9.1 | 16 |
| 2 | HNF4A-AS1-encoded small peptide promotes self-renewal and aggressiveness of neuroblastoma stem cells via eEF1A1-repressed SMAD4 transactivation. <i>Oncogene</i> , 2022, 41, 2505-2519. | 5.9 | 8 |
| 3 | Downregulation of hsa_circ_0074854 Suppresses the Migration and Invasion in Hepatocellular Carcinoma via Interacting with HuR and via Suppressing Exosomes-Mediated Macrophage M2 Polarization. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 2803-2818. | 6.7 | 69 |
| 4 | p113 isoform encoded by CUX1 circular RNA drives tumor progression via facilitating ZRF1/BRD4 transactivation. <i>Molecular Cancer</i> , 2021, 20, 123. | 19.2 | 31 |
| 5 | Therapeutic targeting of <i>SPIB</i> / <i>SPI1</i> facilitated interplay of cancer cells and neutrophils inhibits aerobic glycolysis and cancer progression. <i>Clinical and Translational Medicine</i> , 2021, 11, e588. | 4.0 | 24 |
| 6 | Runt-related transcription factor 1 promotes apoptosis and inhibits neuroblastoma progression in vitro and in vivo. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 52. | 8.6 | 16 |
| 7 | Therapeutic targeting of <i>YY1/MZF1</i> axis by <i>MZF1-uPEP</i> inhibits aerobic glycolysis and neuroblastoma progression. <i>Theranostics</i> , 2020, 10, 1555-1571. | 10.0 | 21 |
| 8 | Long Noncoding RNA NHEG1 Drives β -Catenin Transactivation and Neuroblastoma Progression through Interacting with DDX5. <i>Molecular Therapy</i> , 2020, 28, 946-962. | 8.2 | 26 |
| 9 | Circular RNA hsa_circ_0003141 promotes tumorigenesis of hepatocellular carcinoma via a miR-1827/UBAP2 axis. <i>Aging</i> , 2020, 12, 9793-9806. | 3.1 | 19 |
| 10 | Therapeutic Targeting of <i>MZF1-AS1</i> / <i>PARP1/E2F1</i> Axis Inhibits Proline Synthesis and Neuroblastoma Progression. <i>Advanced Science</i> , 2019, 6, 1900581. | 11.2 | 24 |
| 11 | Poly(ADP-ribose) polymerase 1 accelerates vascular calcification by upregulating Runx2. <i>Nature Communications</i> , 2019, 10, 1203. | 12.8 | 92 |
| 12 | Genetic deletion of β 2 adrenergic receptors exacerbates hepatocellular lipid accumulation in high-fat diet mice. <i>Biochemical and Biophysical Research Communications</i> , 2019, 511, 73-78. | 2.1 | 4 |
| 13 | Circ-HuR suppresses HuR expression and gastric cancer progression by inhibiting CNBP transactivation. <i>Molecular Cancer</i> , 2019, 18, 158. | 19.2 | 157 |
| 14 | Therapeutic targeting of <i>circ-CUX1</i> / <i>EWSR1</i> / <i>MAZ</i> axis inhibits glycolysis and neuroblastoma progression. <i>EMBO Molecular Medicine</i> , 2019, 11, e10835. | 6.9 | 101 |
| 15 | <i>Cis</i> -Acting <i>circ-CTNNB1</i> Promotes β -Catenin Signaling and Cancer Progression via DDX3-Mediated Transactivation of YY1. <i>Cancer Research</i> , 2019, 79, 557-571. | 0.9 | 128 |
| 16 | Valproic acid suppresses Warburg effect and tumor progression in neuroblastoma. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 9-16. | 2.1 | 16 |
| 17 | Circular RNA circAGO2 drives cancer progression through facilitating HuR-repressed functions of AGO2-miRNA complexes. <i>Cell Death and Differentiation</i> , 2019, 26, 1346-1364. | 11.2 | 223 |
| 18 | HPSE enhancer RNA promotes cancer progression through driving chromatin looping and regulating hnRNPU/p300/EGR1/HPSE axis. <i>Oncogene</i> , 2018, 37, 2728-2745. | 5.9 | 76 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Long Noncoding RNA pancEts-1 Promotes Neuroblastoma Progression through hnRNPK-Mediated β^2 -Catenin Stabilization. <i>Cancer Research</i> , 2018, 78, 1169-1183. | 0.9 | 79 |
| 20 | Ets-1 promoter-associated noncoding RNA regulates the NONO/ERG/Ets-1 axis to drive gastric cancer progression. <i>Oncogene</i> , 2018, 37, 4871-4886. | 5.9 | 33 |
| 21 | Armadillo repeat containing 12 promotes neuroblastoma progression through interaction with retinoblastoma binding protein 4. <i>Nature Communications</i> , 2018, 9, 2829. | 12.8 | 37 |
| 22 | Neuregulin 1 is involved in enteric nervous system development in zebrafish. <i>Journal of Pediatric Surgery</i> , 2017, 52, 1182-1187. | 1.6 | 7 |
| 23 | Comparison of transumbilical multiport and standard laparoscopic pyeloplasty in children: Mid-term results at a single center. <i>Journal of Pediatric Surgery</i> , 2017, 52, 473-477. | 1.6 | 4 |
| 24 | miRNA-584-3p inhibits gastric cancer progression by repressing Yin Yang 1- facilitated MMP-14 expression. <i>Scientific Reports</i> , 2017, 7, 8967. | 3.3 | 55 |
| 25 | miRNA-558 promotes gastric cancer progression through attenuating Smad4-mediated repression of heparanase expression. <i>Cell Death and Disease</i> , 2016, 7, e2382-e2382. | 6.3 | 46 |
| 26 | Smad4 suppresses the tumorigenesis and aggressiveness of neuroblastoma through repressing the expression of heparanase. <i>Scientific Reports</i> , 2016, 6, 32628. | 3.3 | 16 |
| 27 | miRNA-337-3p inhibits gastric cancer progression through repressing myeloid zinc finger 1-facilitated expression of matrix metalloproteinase 14. <i>Oncotarget</i> , 2016, 7, 40314-40328. | 1.8 | 50 |
| 28 | microRNA-558 facilitates the expression of hypoxia-inducible factor 2 alpha through binding to 5'â€²-untranslated region in neuroblastoma. <i>Oncotarget</i> , 2016, 7, 40657-40673. | 1.8 | 32 |
| 29 | Hepatocyte nuclear factor 4 alpha promotes the invasion, metastasis and angiogenesis of neuroblastoma cells via targeting matrix metalloproteinase 14. <i>Cancer Letters</i> , 2015, 359, 187-197. | 7.2 | 34 |
| 30 | Renalase is a novel target gene of hypoxia-inducible factor-1 in protection against cardiac ischaemiaâ€² reperfusion injury. <i>Cardiovascular Research</i> , 2015, 105, 182-191. | 3.8 | 45 |
| 31 | miRNA-558 promotes tumorigenesis and aggressiveness of neuroblastoma cells through activating the transcription of heparanase. <i>Human Molecular Genetics</i> , 2015, 24, 2539-2551. | 2.9 | 83 |
| 32 | miRNA-584-5p exerts tumor suppressive functions in human neuroblastoma through repressing transcription of matrix metalloproteinase 14. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 1743-1754. | 3.8 | 50 |
| 33 | Intelectin 1 suppresses the growth, invasion and metastasis of neuroblastoma cells through up-regulation of N-myc downstream regulated gene 2. <i>Molecular Cancer</i> , 2015, 14, 47. | 19.2 | 50 |
| 34 | Intelectin 1 suppresses tumor progression and is associated with improved survival in gastric cancer. <i>Oncotarget</i> , 2015, 6, 16168-16182. | 1.8 | 46 |
| 35 | miRNA-337-3p suppresses neuroblastoma progression by repressing the transcription of matrix metalloproteinase 14. <i>Oncotarget</i> , 2015, 6, 22452-22466. | 1.8 | 48 |
| 36 | The roles of microRNAs in neuroblastoma. <i>World Journal of Pediatrics</i> , 2014, 10, 10-16. | 1.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Nuss repair of pectus excavatum after surgery for congenital heart disease: Experience from a single institution. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 657-661. | 0.8 | 12 |
| 38 | Methyl jasmonate abolishes the migration, invasion and angiogenesis of gastric cancer cells through down-regulation of matrix metalloproteinase 14. <i>BMC Cancer</i> , 2013, 13, 74. | 2.6 | 50 |
| 39 | miRNA-145 Targets v-ets Erythroblastosis Virus E26 Oncogene Homolog 1 to Suppress the Invasion, Metastasis, and Angiogenesis of Gastric Cancer Cells. <i>Molecular Cancer Research</i> , 2013, 11, 182-193. | 3.4 | 82 |
| 40 | microRNA-9 Suppresses the Proliferation, Invasion and Metastasis of Gastric Cancer Cells through Targeting Cyclin D1 and Ets1. <i>PLoS ONE</i> , 2013, 8, e55719. | 2.5 | 132 |
| 41 | Transumbilical Multiport Laparoscopic Nephroureterectomy for Congenital Renal Dysplasia in Children: Midterm Follow-Up from a Single Institution. <i>Frontiers in Pediatrics</i> , 2013, 1, 46. | 1.9 | 2 |
| 42 | Identification of Poly(ADP-Ribose) Polymerase-1 as a Cell Cycle Regulator through Modulating Sp1 Mediated Transcription in Human Hepatoma Cells. <i>PLoS ONE</i> , 2013, 8, e82872. | 2.5 | 25 |
| 43 | FOXD3 is a novel tumor suppressor that affects growth, invasion, metastasis and angiogenesis of neuroblastoma. <i>Oncotarget</i> , 2013, 4, 2021-2044. | 1.8 | 65 |
| 44 | microRNA-9 Targets Matrix Metalloproteinase 14 to Inhibit Invasion, Metastasis, and Angiogenesis of Neuroblastoma Cells. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1454-1466. | 4.1 | 149 |
| 45 | Transumbilical Multiport Laparoscopic Orchiopexy in Children: Comparison With Standard Laparoscopic Orchiopexy. <i>Urology</i> , 2012, 80, 1345-1350. | 1.0 | 6 |
| 46 | Small RNAs Targeting Transcription Start Site Induce Heparanase Silencing through Interference with Transcription Initiation in Human Cancer Cells. <i>PLoS ONE</i> , 2012, 7, e31379. | 2.5 | 54 |
| 47 | Noscapine Induced Apoptosis via Downregulation of Survivin in Human Neuroblastoma Cells Having Wild Type or Null p53. <i>PLoS ONE</i> , 2012, 7, e40076. | 2.5 | 14 |
| 48 | Effect of Smac on TRAIL-induced apoptosis of prostate cancer cell line PC-3 and the molecular mechanism. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 233-236. | 1.0 | 1 |
| 49 | Aberrant expression of intelectin-1 in gastric cancer: its relationship with clinicopathological features and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 163-172. | 2.5 | 40 |
| 50 | Laparoscopic Versus Open Pyeloplasty for Ureteropelvic Junction Obstruction in Children: A Systematic Review and Meta-Analysis. <i>Journal of Endourology</i> , 2011, 25, 727-736. | 2.1 | 125 |
| 51 | Laparoscopic versus open orchiopexy for non-palpable undescended testes in children: a systemic review and meta-analysis. <i>Pediatric Surgery International</i> , 2011, 27, 943-952. | 1.4 | 27 |
| 52 | Expression of resistin-like molecule beta in gastric cancer: its relationship with clinicopathological parameters and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 53-63. | 2.8 | 15 |
| 53 | Expression pattern of testis-specific expressed gene 2 in cryptorchidism model and its role in apoptosis of spermatogenic cells. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2010, 30, 193-197. | 1.0 | 2 |
| 54 | Expression of Resistin-like Molecule Beta in Barrett's Esophagus: A Novel Biomarker for Metaplastic Epithelium. <i>Digestive Diseases and Sciences</i> , 2010, 55, 32-39. | 2.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Abnormal expression of early growth response 1 in gastric cancer: Association with tumor invasion, metastasis and heparanase transcription. <i>Pathology International</i> , 2010, 60, 268-277. | 1.3 | 23 |
| 56 | Small RNA interference-mediated gene silencing of heparanase abolishes the invasion, metastasis and angiogenesis of gastric cancer cells. <i>BMC Cancer</i> , 2010, 10, 33. | 2.6 | 59 |
| 57 | TSEG-1, a novel member of histone H2A variants, participates in spermatogenesis via promoting apoptosis of spermatogenic cells. <i>Genomics</i> , 2010, 95, 278-289. | 2.9 | 12 |
| 58 | Enhanced Expression of Resistin-like Molecule Beta in Human Colon Cancer and Its Clinical Significance. <i>Digestive Diseases and Sciences</i> , 2009, 54, 274-281. | 2.3 | 35 |
| 59 | Expression and clinical significance of heparanase in neuroblastoma. <i>World Journal of Pediatrics</i> , 2009, 5, 206-210. | 1.8 | 16 |
| 60 | Comparison of Laparoscopic-assisted Versus Open Dismembered Pyeloplasty for Ureteropelvic Junction Obstruction in Infants: Intermediate Results. <i>Urology</i> , 2009, 74, 889-893. | 1.0 | 24 |
| 61 | Laparoscopy-assisted orchiopexy for recurrent undescended testes in children. <i>Journal of Pediatric Surgery</i> , 2009, 44, 806-810. | 1.6 | 13 |
| 62 | Lymphatic sparing laparoscopic Palomo varicocelectomy for varicoceles in children: intermediate results. <i>Journal of Pediatric Surgery</i> , 2009, 44, 1509-1513. | 1.6 | 22 |
| 63 | Expression and clinical significance of stem cell marker CD133 in human neuroblastoma. <i>World Journal of Pediatrics</i> , 2008, 4, 58-62. | 1.8 | 46 |
| 64 | Natural jasmonates of different structures suppress the growth of human neuroblastoma cell line SH-SY5Y and its mechanisms. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 861-869. | 6.1 | 20 |
| 65 | Methyl jasmonate downregulates expression of proliferating cell nuclear antigen and induces apoptosis in human neuroblastoma cell lines. <i>Anti-Cancer Drugs</i> , 2008, 19, 573-581. | 1.4 | 24 |
| 66 | Downregulation of XIAP expression induces apoptosis and enhances chemotherapeutic sensitivity in human gastric cancer cells. <i>Cancer Gene Therapy</i> , 2005, 12, 509-514. | 4.6 | 91 |
| 67 | Selection of optimal antisense accessible sites of survivin and its application in treatment of gastric cancer. <i>World Journal of Gastroenterology</i> , 2005, 11, 634. | 3.3 | 4 |
| 68 | Growth inhibiting effects of antisense eukaryotic expression vector of proliferating cell nuclear antigen gene on human bladder cancer cells. <i>Chinese Medical Journal</i> , 2003, 116, 1203-6. | 2.3 | 4 |
| 69 | Effects of blocking androgen receptor expression with specific hammerhead ribozyme on in vitro growth of prostate cancer cell line. <i>Chinese Medical Journal</i> , 2003, 116, 1515-8. | 2.3 | 3 |
| 70 | Construction of the antisense eukaryotic vector for proliferating cell nuclear antigen gene and its expression in bladder cancer EJ cell line. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2002, 22, 327-330. | 1.0 | 0 |