Pythia T Nieuwkerk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3648420/publications.pdf

Version: 2024-02-01

147566 118652 4,317 115 31 62 citations g-index h-index papers 120 120 120 6216 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Cross-sectional Comparison of the Prevalence of Age-Associated Comorbidities and Their Risk Factors Between HIV-Infected and Uninfected Individuals: The AGEHIV Cohort Study. Clinical Infectious Diseases, 2014, 59, 1787-1797.	2.9	617
2	Predictors and correlates of adherence to combination antiretroviral therapy (ART) for chronic HIV infection: a meta-analysis. BMC Medicine, 2014, 12, 142.	2.3	350
3	Carotid Intima-Media Thickness Progression as Surrogate Marker for Cardiovascular Risk. Circulation, 2020, 142, 621-642.	1.6	232
4	Self-Reported Adherence to Antiretroviral Therapy for HIV-1 Infection and Virologic Treatment Response. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 38, 445-448.	0.9	216
5	Limited Patient Adherence to Highly Active Antiretroviral Therapy for HIV-1 Infection in an Observational Cohort Study. Archives of Internal Medicine, 2001, 161, 1962.	4.3	215
6	Patientâ€controlled analgesia versus continuous infusion of morphine during vasoâ€occlusive crisis in sickle cell disease, a randomized controlled trial. American Journal of Hematology, 2007, 82, 955-960.	2.0	105
7	Do Inflammatory Bowel Disease patients with anxiety and depressive symptoms receive the care they need?. Journal of Crohn's and Colitis, 2012, 6, 68-76.	0.6	105
8	HIV Stigma and Depressive Symptoms are Related to Adherence and Virological Response to Antiretroviral Treatment Among Immigrant and Indigenous HIV Infected Patients. AIDS and Behavior, 2012, 16, 1681-1689.	1.4	99
9	The Patient Simple Clinical Colitis Activity Index (P-SCCAI) can detect ulcerative colitis (UC) disease activity in remission: A comparison of the P-SCCAI with clinician-based SCCAI and biological markers. Journal of Crohn's and Colitis, 2013, 7, 890-900.	0.6	94
10	Quality of life in asymptomatic- and symptomatic HIV infected patients in a trial of ritonavir/saquinavir therapy. Aids, 2000, 14, 181-187.	1.0	87
11	Effect of Bosentan on Exercise Capacity and Quality of Life in Adults With Pulmonary Arterial Hypertension Associated With Congenital Heart Disease With and Without Down's Syndrome. American Journal of Cardiology, 2009, 103, 1309-1315.	0.7	84
12	Long-term Symptom Recovery and Health-Related Quality of Life in Patients With Mild-to-Moderate-Severe Community-Acquired Pneumonia. Chest, 2006, 130, 1165-1172.	0.4	75
13	Systemic methotrexate therapy versus laparoscopic salpingostomy in patients with tubal pregnancy. Part I. Impact on patients' health-related quality of life. Fertility and Sterility, 1998, 70, 511-517.	0.5	69
14	Bone mineral density and inflammatory and bone biomarkers after darunavir–ritonavir combined with either raltegravir or tenofovir–emtricitabine in antiretroviral-naive adults with HIV-1: a substudy of the NEATOO1/ANRS143 randomised trial. Lancet HIV,the, 2015, 2, e464-e473.	2.1	69
15	Treatment Failure of Nelfinavir-Containing Triple Therapy Can Largely Be Explained by Low Nelfinavir Plasma Concentrations. Therapeutic Drug Monitoring, 2003, 25, 73-80.	1.0	66
16	Development of the Patient Harvey Bradshaw Index and a Comparison With a Clinician-based Harvey Bradshaw Index Assessment of Crohn's Disease Activity. Journal of Clinical Gastroenterology, 2013, 47, 850-856.	1.1	66
17	Systemic methotrexate therapy versus laparoscopic salpingostomy in tubal pregnancy. Part II. Patient preferences for systemic methotrexate. Fertility and Sterility, 1998, 70, 518-522.	0.5	65
18	Impact of comorbidity and ageing on health-related quality of life in HIV-positive and HIV-negative individuals. Aids, 2017, 31, 1471-1481.	1.0	63

#	Article	IF	CITATIONS
19	Healthâ€Related Quality of Life and Posttraumatic Stress Disorder among Survivors of an Outbreak of Legionnaires Disease. Clinical Infectious Diseases, 2002, 35, 11-17.	2.9	62
20	Health-related quality of life of people with HIV. Aids, 2018, 32, 103-112.	1.0	59
21	Prevalence of Lipoatrophy and Mitochondrial DNA Content of Blood and Subcutaneous Fat in HIV-1-Infected Patients Randomly Allocated to Zidovudine- or Stavudine-Based Therapy. Antiviral Therapy, 2004, 9, 385-393.	0.6	59
22	Long-term quality of life outcomes in three antiretroviral treatment strategies for HIV-1 infection. Aids, 2001, 15, 1985-1991.	1.0	57
23	Intervention to Improve Adherence to Lipid-Lowering Medication and Lipid-Levels in Patients With an Increased Cardiovascular Risk. American Journal of Cardiology, 2012, 110, 666-672.	0.7	57
24	Cognitive behavioral therapy or graded exercise therapy compared with usual care for severe fatigue in patients with advanced cancer during treatment: a randomized controlled trial. Annals of Oncology, 2020, 31, 115-122.	0.6	56
25	Supportive care for women with recurrent miscarriage: a survey to quantify women's preferences. Human Reproduction, 2013, 28, 398-405.	0.4	52
26	Relation of Physical Activity, Cardiac Function, Exercise Capacity, and Quality of Life in Patients With a Systemic Right Ventricle. American Journal of Cardiology, 2008, 102, 1258-1262.	0.7	47
27	Effects of Active Treatment Discontinuation in Patients With a CD4+ T-Cell Nadir Greater Than 350 Cells/mm3. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 395-400.	0.9	46
28	Healthâ€Related Quality of Life and Survival among HIVâ€Infected Patients Receiving Highly Active Antiretroviral Therapy: A Study of Patients in the AIDS Therapy Evaluation in the Netherlands (ATHENA) Cohort. Clinical Infectious Diseases, 2010, 50, 255-263.	2.9	45
29	Health-related quality of life of HIV-infected adults receiving combination antiretroviral therapy in Addis Ababa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 934-945.	0.6	44
30	Self-reported adherence is more predictive of virological treatment response among patients with a lower tendency towards socially desirable responding. Antiviral Therapy, 2010, 15, 913-916.	0.6	42
31	Therapeutic Drug Monitoring of HIV-Protease Inhibitors to Assess Noncompliance. Therapeutic Drug Monitoring, 2002, 24, 579-587.	1.0	35
32	Narrative meaning making and integration: Toward a better understanding of the way falling ill influences quality of life. Journal of Health Psychology, 2020, 25, 738-754.	1.3	34
33	Retention in HIV Care and Predictors of Attrition from Care among HIV-Infected Adults Receiving Combination Anti-Retroviral Therapy in Addis Ababa. PLoS ONE, 2015, 10, e0130649.	1.1	33
34	Feasibility of Real Time Medication Monitoring Among HIV Infected and TB Patients in a Resource-Limited Setting. AIDS and Behavior, 2016, 20, 1097-1107.	1.4	33
35	Are Retrospective Measures of Change in Quality of Life More Valid Than Prospective Measures?. Medical Care, 2007, 45, 199-205.	1.1	31
36	The Effect on Treatment Adherence of Administering Drugs as Fixed-Dose Combinations versus as Separate Pills: Systematic Review and Meta-Analysis. AIDS Research and Treatment, 2014, 2014, 1-6.	0.3	31

3

#	Article	IF	CITATIONS
37	Treatment preferences and trade-offs for ovulation induction in clomiphene citrate–resistant patients with polycystic ovary syndrome. Fertility and Sterility, 2005, 84, 420-425.	0.5	30
38	Which adherence measure – selfâ€report, clinician recorded or pharmacy refill – is best able to predict detectable viral load in a public ART programme without routine plasma viral load monitoring?. Tropical Medicine and International Health, 2016, 21, 856-869.	1.0	28
39	Long-Term Effect of Polyalkylimide Gel Injections on Severity of Facial Lipoatrophy and Quality of Life of HIV-Positive Patients. Aesthetic Plastic Surgery, 2008, 32, 873-878.	0.5	27
40	Using Different Calculations of Pharmacy Refill Adherence to Predict Virological Failure Among HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 635-640.	0.9	27
41	Adherence over 48 Weeks in An Antiretroviral Clinical Trial: Variable within Patients, Affected by Toxicities and Independently Predictive of Virological Response. Antiviral Therapy, 2001, 6, 97-103.	0.6	27
42	Impact of genital warts on emotional and sexual well-being differs by gender. International Journal of STD and AIDS, 2014, 25, 949-955.	0.5	25
43	Patient preferences for clean intermittent catheterisation and transurethral indwelling catheterisation for treatment of abnormal post-void residual bladder volume after vaginal prolapse surgery. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 1324-1328.	1.1	23
44	Semipermanent Filler Treatment of HIV-Positive Patients With Facial Lipoatrophy. Aesthetic Surgery Journal, 2014, 34, 118-132.	0.9	22
45	Statistical or Clinical Improvement? Determining the Minimally Important Difference for the Vascular Quality of Life Questionnaire in Patients with Critical Limb Ischemia. European Journal of Vascular and Endovascular Surgery, 2014, 47, 180-186.	0.8	22
46	Antiretroviral resistance at virological failure in the NEAT 001/ANRS 143 trial: raltegravir plus darunavir/ritonavir or tenofovir/emtricitabine plus darunavir/ritonavir as first-line ART. Journal of Antimicrobial Chemotherapy, 2016, 71, 1056-1062.	1.3	22
47	Quality of life after surgical decompression for a space-occupying middle cerebral artery infarct: A cohort study. BMC Neurology, 2015, 15, 156.	0.8	21
48	High Level of Virological Suppression among HIV-Infected Adults Receiving Combination Antiretroviral Therapy in Addis Ababa, Ethiopia. Antiviral Therapy, 2016, 21, 385-396.	0.6	21
49	Objective and subjective outcomes of strabismus surgery in Graves' orbitopathy: a prospective multicentre study. Acta Ophthalmologica, 2017, 95, 386-391.	0.6	19
50	A simplified combination antiretroviral therapy regimen enhances adherence, treatment satisfaction and quality of life: results of a randomized clinical trial. HIV Medicine, 2014, 15, 286-290.	1.0	16
51	Implementation and effectiveness of evriMED with short messages service (SMS) reminders and tailored feedback compared to standard care on adherence to treatment among tuberculosis patients in Kilimanjaro, Tanzania: proposal for a cluster randomized controlled trial. Trials, 2019, 20, 426.	0.7	16
52	A single mRNA vaccine dose in COVID-19 patients boosts neutralizing antibodies against SARS-CoV-2 and variants of concern. Cell Reports Medicine, 2022, 3, 100486.	3.3	16
53	A research agenda for post-COVID-19 fatigue. Journal of Psychosomatic Research, 2022, 154, 110726.	1.2	16
54	Technical and Psychosocial Challenges of mHealth Usage for Antiretroviral Therapy Adherence Among People Living With HIV in a Resource-Limited Setting: Case Series. JMIR Formative Research, 2020, 4, e14649.	0.7	15

#	Article	IF	CITATIONS
55	Which method of adherence measurement is most suitable for daily use to predict virological failure among immigrant and non-immigrant HIV-1 infected patients?. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 842-850.	0.6	14
56	Risk Factors for Non-Adherence to cART in Immigrants with HIV Living in the Netherlands: Results from the ROtterdam ADherence (ROAD) Project. PLoS ONE, 2016, 11, e0162800.	1.1	14
57	Long-term MRA follow-up after coiling of intracranial aneurysms: impact on mood and anxiety. Neuroradiology, 2011, 53, 343-348.	1.1	13
58	"l Wish to Continue Receiving the Reminder Short Messaging Service†A Mixed Methods Study on the Acceptability of Digital Adherence Tools Among Adults Living with HIV on Antiretroviral Treatment in Tanzania. Patient Preference and Adherence, 2021, Volume 15, 559-568.	0.8	13
59	Effect of Digital Adherence Tools on Adherence to Antiretroviral Treatment Among Adults Living With HIV in Kilimanjaro, Tanzania: A Randomized Controlled Trial. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 87, 1136-1144.	0.9	13
60	Does Electronic Monitoring of Adherence Reduce Social Desirability on Patients£½ Self-Reports of Adherence?. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 36, 880.	0.9	12
61	Structure and quality of outpatient care for people living with an HIV infection. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1062-1072.	0.6	12
62	Sub-optimal adherence to combination anti-retroviral therapy and its associated factors according to self-report, clinician-recorded and pharmacy-refill assessment methods among HIV-infected adults in Addis Ababa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 428-435.	0.6	12
63	Testosterone Insufficiency in Human Immunodeficiency Virus–Infected Women: A Cross-Sectional Study. Sexual Medicine, 2019, 7, 72-79.	0.9	12
64	Gender differences in quality of life in coronary artery disease patients with comorbidities undergoing coronary revascularization. PLoS ONE, 2020, 15, e0234543.	1.1	12
65	Self-Reported Symptoms Among HIV-Infected Patients on Highly Active Antiretroviral Therapy in the ATHENA Cohort in The Netherlands. HIV Clinical Trials, 2011, 12, 161-170.	2.0	11
66	Patient Preferences in Screening for Recurrent Disease after Potentially Curative Esophagectomy. Digestive Surgery, 2012, 29, 206-212.	0.6	11
67	The dynamics in health-related quality of life of patients with stable coronary artery disease were revealed: a network analysis. Journal of Clinical Epidemiology, 2019, 107, 116-123.	2.4	11
68	Quality of Life After Starting Highly Active Antiretroviral Therapy for Chronic HIV-1 Infection at Different CD4 Cell Counts. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 600-601.	0.9	10
69	Temporary antiretroviral treatment during primary HIV-1 infection has a positive impact on health-related quality of life: data from the Primo-SHM cohort study. HIV Medicine, 2012, 13, 630-635.	1.0	10
70	Quality of Life in Young Adult Patients with a Cardiogenetic Condition Receiving an ICD for Primary Prevention of Sudden Cardiac Death. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 870-877.	0.5	10
71	Disease understanding in patients with intermittent claudication: A qualitative study. Journal of Vascular Nursing, 2015, 33, 112-118.	0.2	10
72	Impact of HIV care facility characteristics on the cascade of care in HIV-infected patients in the Netherlands. Aids, 2016, 30, 301-310.	1.0	10

#	Article	IF	CITATIONS
73	Patients' Willingness to Take Multiple-Tablet Antiretroviral Therapy Regimens for Treatment of HIV. Drugs - Real World Outcomes, 2016, 3, 223-230.	0.7	10
74	Influence of response shift and disposition on patient-reported outcomes may lead to suboptimal medical decisions: a medical ethics perspective. BMC Medical Ethics, 2019, 20, 61.	1.0	10
75	Patients knowledge and experience with urinary and peripheral intravenous catheters. World Journal of Urology, 2020, 38, 57-62.	1.2	10
76	Lower Perceived Necessity of HAART Predicts Lower Treatment Adherence and Worse Virological Response in the ATHENA Cohort. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 49, 460-462.	0.9	9
77	Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. Diseases of the Colon and Rectum, 2016, 59, 42-47.	0.7	9
78	Quality of life and fear of cancer recurrence after endoscopic treatment for early Barrett's neoplasia: a prospective study. Ecological Management and Restoration, 2016, 30, 1-9.	0.2	9
79	Self-reported adherence and pharmacy refill adherence are both predictive for an undetectable viral load among HIV-infected migrants receiving cART. PLoS ONE, 2017, 12, e0186912.	1.1	9
80	Body location of "New World―cutaneous leishmaniasis lesions and its impact on the quality of life of patients in Suriname. PLoS Neglected Tropical Diseases, 2020, 14, e0008759.	1.3	9
81	Response shift after coronary revascularization. Quality of Life Research, 2022, 31, 437-450.	1.5	8
82	Condition or cognition? Mechanism of change in fatigue in a randomized controlled trial of graded exercise therapy or cognitive behavior therapy for severe fatigue in patients with advanced cancer Journal of Consulting and Clinical Psychology, 2021, 89, 731-741.	1.6	8
83	Each measure of patientâ€reported change provides useful information and is susceptible to bias: The need to combine methods to assess their relative validity. Arthritis and Rheumatism, 2009, 61, 1623-1625.	6.7	7
84	Personalized Stigma and Disclosure Concerns Among HIV-Infected Immigrant and Indigenous HIV-Infected Persons in the Netherlands. Journal of HIV/AIDS and Social Services, 2012, 11, 42-56.	0.7	7
85	Host and disease factors are associated with cognitive function in European <scp>HIV</scp> â€infected adults prior to initiation of antiretroviral therapy. HIV Medicine, 2016, 17, 471-478.	1.0	7
86	Quality of Life in Maintenance vs Prolonged Induction Therapy for HIV. JAMA - Journal of the American Medical Association, 2000, 284, 178-179.	3.8	7
87	An assessment of factorial structure and health-related quality of life in problem drug users using the Short Form 36 Health Survey. Quality of Life Research, 2008, 17, 1021-1029.	1.5	6
88	HIV couples' anxiety and risk taking during ART. Fertility and Sterility, 2008, 90, 456-458.	0.5	6
89	Patients $\hat{a} \in \mathbb{N}$ willingness to take separate component antiretroviral therapy regimens for HIV in the Netherlands. Journal of the International AIDS Society, 2014, 17, 19536.	1.2	6
90	Mediation analysis shows that a decline in self-efficacy mediates the increase in fatigue severity following an initial positive response to cognitive behavioural therapy in Q fever fatigue syndrome. Journal of Psychosomatic Research, 2019, 127, 109841.	1.2	6

#	Article	IF	CITATIONS
91	Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. Antiviral Therapy, 2006, 11, 335-341.	0.6	6
92	A Survey of Patients' Perspectives on Outpatient HIV Care in the Netherlands. Infectious Diseases and Therapy, 2017, 6, 443-452.	1.8	5
93	Patient-Reported Outcomes in First-Line Antiretroviral Therapy: Results From NEATOO1/ANRS143 Trial Comparing Darunavir/Ritonavir in Combination With Tenofovir/Emtricitabine or Raltegravir. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 519-526.	0.9	5
94	First-degree relatives of axial spondyloarthritis patients of the pre-SpA cohort would consider using medication in a preventive setting. Clinical Rheumatology, 2019, 38, 755-759.	1.0	5
95	Author! Author!. JAMA - Journal of the American Medical Association, 2004, 292, 1815.	3.8	5
96	Ecological momentary assessment versus retrospective assessment for measuring change in health-related quality of life following cardiac intervention. Journal of Patient-Reported Outcomes, 2020, 4, 98.	0.9	5
97	Electronic Medication Monitoring-Informed Counseling to Improve Adherence to Combination Anti-Retroviral Therapy and Virologic Treatment Outcomes: A Meta-Analysis. Frontiers in Public Health, 2015, 3, 139.	1.3	4
98	Medication non-adherence and blood pressure control among hypertensive migrant and non-migrant populations of sub-Saharan African origin: the RODAM study. Journal of Human Hypertension, 2019, 33, 131-148.	1.0	4
99	Short-term outcome of the intuity rapid deployment prosthesis: a systematic review and meta-analysis. Interactive Cardiovascular and Thoracic Surgery, 2020, 31, 427-436.	0.5	4
100	The Prospective Studies of Atherosclerosis (Proof-ATHERO) Consortium: Design and Rationale. Gerontology, 2020, 66, 447-459.	1.4	4
101	Determinants of suboptimal blood pressure control in a multiâ€ethnic population: The Healthy Life in an Urban Setting (HELIUS) study. Journal of Clinical Hypertension, 2021, 23, 1068-1076.	1.0	4
102	Improving disease knowledge of primary sclerosing cholangitis patients and their relatives with a 3-dimensional education video. Patient Education and Counseling, 2020, 103, 960-964.	1.0	3
103	Comparing quality of life and postoperative pain after limited access and conventional aortic valve replacement: Design and rationale of the Limited access aortic valve replacement (LIAR) trial. Contemporary Clinical Trials Communications, 2021, 21, 100700.	0.5	3
104	Feasibility of SMS to remind pregnant and breastfeeding women living with HIV to take antiretroviral treatment in Kilimanjaro region, Tanzania: a pilot study. The East African Health Research Journal, 2020, 4, 140-148.	0.6	3
105	Severe Fatigue in the First Year Following SARS-CoV-2 Infection: A Prospective Cohort Study Open Forum Infectious Diseases, 2022, 9, ofac127.	0.4	3
106	Electronic monitoring of adherence to highly active antiretroviral therapy changes medication-taking behaviour?. Aids, 2003, 17, 1417-1418.	1.0	2
107	Evaluating Patients' Preferences Regarding Treatment Options for Waldenström's Macroglobulinemia, a Discrete-Choice-Experiment. Blood, 2021, 138, 835-835.	0.6	2
108	Perceptions of HIV cure and willingness to participate in HIV cure-related trials among people enrolled in the Netherlands cohort study on acute HIV infection. Journal of Virus Eradication, 2022, 8, 100072.	0.3	2

7

#	Article	IF	CITATIONS
109	Reconstructing Disruptive Life Events Using the RE-LIFE Questionnaire: Further Validation of the †Narrative Meaning Making of Life Events†Model Using Multiple Mediation Analysis. Journal of Empirical Theology, 2019, 32, 251-280.	0.6	1
110	TIRED: A randomised controlled trial evaluating efficacy of cognitive behavior therapy and graded exercise therapy in severely fatigue patients with advanced cancer Journal of Clinical Oncology, 2018, 36, 183-183.	0.8	1
111	Reply to Drs. Walmsley and Casey letter. Journal of Crohn's and Colitis, 2013, 7, 932.	0.6	O
112	Comparing Quality of Life and Postoperative Pain After Limited Access and Conventional Aortic Valve Replacement: A Randomized Clinical Trial. Structural Heart, 2021, 5, 3-3.	0.2	0
113	A Randomized Controlled Trial of Patient Controlled Analgesia Versus Continuous Infusion of Morphine during Vaso-Occlusive Crisis in Sickle Cell Disease Blood, 2005, 106, 3782-3782.	0.6	O
114	A Randomized Controlled Trial of Patient Controlled Analgesia Versus Continuous Infusion of Morphine during Vaso-Occlusive Crisis in Sickle Cell Disease Blood, 2006, 108, 3805-3805.	0.6	0
115	Feasibility of SMS to remind pregnant and breastfeeding women living with HIV to take antiretroviral treatment in Kilimanjaro region, Tanzania: a pilot study. The East African Health Research Journal, 2020, 4, 140-148.	0.6	O