## Maria Da Conceição Freitas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3648644/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	A multidisciplinary approach to characterise the Early-Middle Holocene palaeoenvironmental evolution of the Sado Valley of Portugal: Implications for late Mesolithic human communities. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 598, 111015.	1.0	1
2	Landscape change and vegetation history in the city of Lisbon during Roman times and the Early Medieval Period. Holocene, 2021, 31, 134-144.	0.9	2
3	A statistical interpretation of acoustic backscatter and laser responses to suspended particle variations in the coastal shelf. Marine Geology, 2021, 436, 106474.	0.9	4
4	Megatsunamis Induced by Volcanic Landslides in the Canary Islands: Age of the Tsunami Deposits and Source Landslides. GeoHazards, 2021, 2, 228-256.	0.8	1
5	Hydrodynamic and Sediment Transport Patterns in the Minho and Douro Estuaries (NW Portugal) Based on ADCP Monitoring Data: Part 1-Tidal Sediment Exchanges. Coasts, 2021, 1, 31-55.	0.4	4
6	Hydrodynamic and Sediment Transport Patterns in the Minho and Douro Estuaries (NW Portugal) Based on ADCP Monitoring Data: Part 2—Statistical Interpretation of Bottom Moored Datasets. Coasts, 2021, 1, 56-72.	0.4	5
7	The acoustic properties of in-situ measured suspended sediments and their implications on concurrent ADCP response – Case studies of the Portuguese inner shelf. Marine Geology, 2020, 419, 106079.	0.9	8
8	Morphological controls and statistical modelling of boulder transport by extreme storms. Marine Geology, 2020, 426, 106216.	0.9	8
9	Processes controlling morphodynamics of artificially breached barriers. Estuarine, Coastal and Shelf Science, 2019, 225, 106231.	0.9	3
10	The application of microtextural and heavy mineral analysis to discriminate between storm and tsunami deposits. Geological Society Special Publication, 2018, 456, 167-190.	0.8	17
11	High resolution geochemical and grain-size analysis of the AD 1755 tsunami deposit: Insights into the inland extent and inundation phases. Marine Geology, 2017, 390, 94-105.	0.9	34
12	Bromine soil/sediment enrichment in tidal salt marshes as a potential indicator of climate changes driven by solar activity: New insights from W coast Portuguese estuaries. Science of the Total Environment, 2017, 580, 324-338.	3.9	12
13	<i>Cyprideis torosa</i> (Jones, 1850) in mainland Portugal: what do we know?. Journal of Micropalaeontology, 2017, 36, 94-112.	1.3	11
14	Cryogenic processes and fire activity in a high Atlantic mountain area in NW Iberia (Picos de Europa) during the Mid–Late Holocene. Science of the Total Environment, 2016, 573, 1159-1170.	3.9	9
15	Assessing the extreme overwash regime along an embayed urban beach. Geomorphology, 2016, 274, 64-77.	1.1	9
16	Sediment characteristics and microbiological contamination of beach sand – A case–study in the archipelago of Madeira. Science of the Total Environment, 2016, 573, 627-638.	3.9	19
17	Environmental evolution in the Picos de Europa (Cantabrian Mountains, SW Europe) since the Last Glaciation. Quaternary Science Reviews, 2016, 138, 87-104.	1.4	41
18	How did the AD 1755 tsunami impact on sand barriers across the southern coast of Portugal?. Geomorphology, 2016, 268, 296-311.	1.1	28

#	Article	IF	CITATIONS
19	Coastal geoindicators: Towards the establishment of a common framework for sandy coastal environments. Earth-Science Reviews, 2016, 154, 183-190.	4.0	30
20	The AD 1755 tsunami deposits onshore and offshore of Algarve (south Portugal): Sediment transport interpretations based on the study of Foraminifera assemblages. Quaternary International, 2016, 408, 123-138.	0.7	41
21	Postglacial Landscape Changes and Cryogenic Processes in the Picos de Europa (Northern Spain) Reconstructed from Geomorphological Mapping and Microstructures on Quartz Grains. Permafrost and Periglacial Processes, 2016, 27, 96-108.	1.5	24
22	Onshore tsunami sediment transport mechanisms inferred from heavy mineral assemblages. Holocene, 2015, 25, 795-809.	0.9	36
23	Bromine enrichment in marsh sediments as a marker of environmental changes driven by Grand Solar Minima and anthropogenic activity (Caminha, NW of Portugal). Science of the Total Environment, 2015, 506-507, 554-566.	3.9	17
24	Sedimentological characteristics of ice-wedge polygon terrain in Adventdalen (Svalbard) – environmental and climatic implications for the late Holocene. Solid Earth, 2014, 5, 901-914.	1.2	22
25	Marsh benthic Foraminifera response to estuarine hydrological balance driven by climate variability over the last 2000 yr (Minho estuary, NW Portugal). Quaternary Research, 2014, 82, 318-330.	1.0	16
26	Morphological evolution of an ephemeral tidal inlet from opening to closure: The Albufeira inlet, Portugal. Continental Shelf Research, 2014, 73, 49-63.	0.9	31
27	Geophagy by <scp>A</scp> frican ungulates: the case of the critically endangered giant sable antelope of <scp>A</scp> ngola ( <i><scp>H</scp>ippotragus niger variani</i> ). African Journal of Ecology, 2013, 51, 139-146.	0.4	12
28	Aeolian microtextures in silica spheres induced in a wind tunnel experiment: Comparison with aeolian quartz. Geomorphology, 2013, 180-181, 120-129.	1.1	76
29	A GIS-assisted reconstruction of the Holocene transgressive paleosurface of Pederneira lowland (W) Tj ETQq1 1 (	0.784314	rgBT /Overloo
30	Optimizing beach topographical field surveys: matching the effort with the objectives. Journal of Coastal Research, 2013, 65, 588-593.	0.1	3
31	GüAÃmar and La Orotava Mega-Landslides (Tenerife) and Tsunamis Deposits in Canary Islands. , 2013, , 27-33.		4
32	Factors involved in spatiotemporal dynamics of submerged macrophytes in a Portuguese coastal lagoon under Mediterranean climate. Estuarine, Coastal and Shelf Science, 2012, 110, 93-100.	0.9	17
33	Microtextural characteristics of quartz grains transported and deposited by tsunamis and storms. Sedimentary Geology, 2012, 275-276, 55-69.	1.0	86
34	A tsunami record in the sedimentary archive of the central Algarve coast, Portugal: Characterizing sediment, reconstructing sources and inundation paths. Holocene, 2012, 22, 899-914.	0.9	61
35	Boulder deposition during major tsunami events. Earth Surface Processes and Landforms, 2011, 36, 2054-2068.	1.2	54
36	The Palaeolithic occupation of southern Alentejo: the Sado River Drainage Survey. Trabajos De Prehistoria, 2011, 68, 25-49.	0.2	4

#	Article	IF	CITATIONS
37	Metal fluxes to the sediments of the Moulay Bousselham lagoon, Morocco. Environmental Earth Sciences, 2010, 61, 275-286.	1.3	38
38	Optical dating of clastic deposits generated by an extreme marine coastal flood: The 1755 tsunami deposits in the Algarve (Portugal). Quaternary Geochronology, 2010, 5, 329-335.	0.6	37
39	Sedimentary structure of the Nazaré coastal dunes (Portugal). , 2010, , .		Ο
40	Basis for a national strategy for integrated coastal zone management—in Portugal. Journal of Coastal Conservation, 2008, 12, 3-9.	0.7	16
41	Comparing historic records of storm frequency and the North Atlantic Oscillation (NAO) chronology for the Azores region. Holocene, 2008, 18, 745-754.	0.9	48
42	POSTGLACIAL FORAMINIFERA AND PALEOENVIRONMENTS OF THE MELIDES LAGOON (SW PORTUGAL): TOWARDS A REGIONAL MODEL OF COASTAL EVOLUTION. Journal of Foraminiferal Research, 2007, 37, 125-135.	0.1	28
43	Holocene Changes in the Douro Estuary (Northwestern Iberia). Journal of Coastal Research, 2007, 233, 711-720.	0.1	26
44	Fifty-year sedimentary record of heavy metal pollution in the lagoon of Oualidia (Moroccan Atlantic) Tj ETQq0 0	ე rgBT /O\	verlock 10 Tf 5
45	Present-day and past (last 25000Âyears) marine pollen signal off western Iberia. Marine Micropaleontology, 2007, 62, 91-114.	0.5	221
46	Natural to anthropogenic forcing in the Holocene evolution of three coastal lagoons (Caldas da) Tj ETQq0 0 0 rg	BT /Overlc 0.7	ock 10 Tf 50 3
47	Micropalaeontological record of Holocene estuarine and marine stages in the Corgo do Porto rivulet (Mira River, SW Portugal). Estuarine, Coastal and Shelf Science, 2006, 66, 532-543.	0.9	33
48	Historical tsunami in the Azores archipelago (Portugal). Journal of Volcanology and Geothermal Research, 2006, 156, 172-185.	0.8	40
49	Coastal evolution and Holocene ostracods in Melides lagoon (SW Portugal). Marine Micropaleontology, 2006, 60, 181-204.	0.5	41
50	Stratigraphical evidence of Late Holocene barrier breaching and extreme storms in lagoonal sediments of Ria Formosa, Algarve, Portugal. Marine Geology, 2004, 210, 339-362.	0.9	82
51	Lateglacial and Holocene environmental changes in Portuguese coastal lagoons 1: the sedimentological and geochemical records of the Santo André coastal area. Holocene, 2003, 13, 433-446.	0.9	67
52	The geological record of environmental changes in southwestern Portuguese coastal lagoons since the Lateglacial. Quaternary International, 2002, 93-94, 161-170.	0.7	44
53	Title is missing!. Hydrobiologia, 2002, 475/476, 21-27.	1.0	11
54	Separating eustatic from local environmental effects: a late-Holocene record of coastal change in Albufeira Lagoon, Portugal. Holocene, 1999, 9, 341-352.	0.9	39

#	Article	IF	CITATIONS
55	Tsunami sedimentation associated with the Lisbon earthquake of 1 November AD 1755: Boca do Rio, Algarve, Portugal. Holocene, 1995, 5, 209-215.	0.9	112
56	Evolution of the hydrodynamics of the Tagus estuary (Portugal) in the 21st century. Journal of Integrated Coastal Zone Management, 0, , 65-80.	0.2	28