

# Xiang Yang Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/365011/publications.pdf>

Version: 2024-02-01

259  
papers

8,347  
citations

50170

46  
h-index

76769

74  
g-index

264  
all docs

264  
docs citations

264  
times ranked

8954  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex difference in association between insomnia and cognitive impairment in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2022, 240, 143-149.	1.1	9
2	Serum BDNF levels, glycolipid metabolism in deficit schizophrenia: A case-control study. <i>Asian Journal of Psychiatry</i> , 2022, 69, 103003.	0.9	4
3	The relationship between cognitive impairment and superoxide dismutase activity in untreated first-episode patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 517-524.	1.3	3
4	Prenatal Isoflurane Exposure Induces Developmental Neurotoxicity in Rats: the Role of Gut Microbiota. <i>Neurotoxicity Research</i> , 2022, , 1.	1.3	4
5	Interaction between the BDNF rs11030101 genotype and job stress on cognitive empathy. <i>Journal of Affective Disorders</i> , 2022, , .	2.0	0
6	Low-Dose Ziprasidone in Combination with Sertraline for First-Episode Drug-Naïve Patients with Schizophrenia: a Randomized Controlled Trial. <i>Neurotherapeutics</i> , 2022, 19, 1037-1046.	2.1	1
7	Comparison of Efficacy and Safety Between Low-Dose Ziprasidone in Combination With Sertraline and Ziprasidone Monotherapy for Treatment-Resistant Patients With Acute Exacerbation Schizophrenia: A Randomized Controlled Trial. <i>Frontiers in Pharmacology</i> , 2022, 13, 863588.	1.6	2
8	Interaction between the BDNF gene rs16917237 polymorphism and job stress on job burnout of Chinese university teachers. <i>Journal of Affective Disorders</i> , 2022, 309, 282-288.	2.0	3
9	Sex differences in the association between symptoms and superoxide dismutase in patients with never-treated first-episode schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 325-334.	1.3	12
10	Which Anesthesia Regimen Is Best to Reduce Pulmonary Complications After Head and Neck Surgery?. <i>Laryngoscope</i> , 2021, 131, E108-E115.	1.1	1
11	Shikani Optical Stylet for Awake Nasal Intubation in Patients Undergoing Head and Neck Surgery. <i>Laryngoscope</i> , 2021, 131, 319-325.	1.1	11
12	Diabetes in late-life schizophrenia: Prevalence, factors, and association with clinical symptoms. <i>Journal of Psychiatric Research</i> , 2021, 132, 44-49.	1.5	6
13	Prevalence of obesity and clinical and metabolic correlates in first-episode schizophrenia relative to healthy controls. <i>Psychopharmacology</i> , 2021, 238, 745-753.	1.5	18
14	Mutational analysis in different foci revealing the clonal evolution of blastic plasmacytoid dendritic cell neoplasm. <i>Leukemia and Lymphoma</i> , 2021, 62, 988-991.	0.6	3
15	Sex differences in metabolic disorder patterns of first-episode drug-naïve patients with schizophrenia. <i>Psychoneuroendocrinology</i> , 2021, 124, 105061.	1.3	18
16	<i>DLH1</i> <sup>R132S</sup> mutated acute lymphoblastic leukaemia resembles Burkitt lymphoma/leukaemia via activating MYC. <i>British Journal of Haematology</i> , 2021, 192, e44-e47.	1.2	0
17	Diabetes mellitus, cognitive deficits and serum BDNF levels in chronic patients with schizophrenia: A case-control study. <i>Journal of Psychiatric Research</i> , 2021, 134, 39-47.	1.5	13
18	Sex differences in prevalence, risk factors and clinical correlates of internet addiction among chinese college students. <i>Journal of Affective Disorders</i> , 2021, 279, 680-686.	2.0	39

#	ARTICLE	IF	CITATIONS
19	Cognitive Deficits and Clinical Symptoms with Hippocampal Subfields in First-Episode and Never-Treated Patients with Schizophrenia. <i>Cerebral Cortex</i> , 2021, 31, 89-96.	1.6	12
20	Surgery followed by concurrent radiochemotherapy as treatment for patients with locally recurrent cervical cancer. <i>Translational Cancer Research</i> , 2021, 10, 0-0.	0.4	1
21	Sex-specific Association of Antipsychotic-induced Weight Gain and Treatment Response for Antipsychotic-Naive First Episode Schizophrenia Patients: A Prospective 8-week Longitudinal Study. <i>Pharmacopsychiatry</i> , 2021, 54, 68-74.	1.7	6
22	The association of clinical correlates, metabolic parameters, and thyroid hormones with suicide attempts in first-episode and drug-naïve patients with major depressive disorder comorbid with anxiety: a large-scale cross-sectional study. <i>Translational Psychiatry</i> , 2021, 11, 97.	2.4	40
23	Burnout and Its Relationship With Depressive Symptoms in Medical Staff During the COVID-19 Epidemic in China. <i>Frontiers in Psychology</i> , 2021, 12, 616369.	1.1	51
24	Altered Antioxidant Defenses in Drug-Naive First Episode Patients with Schizophrenia Are Associated with Poor Treatment Response to Risperidone: 12-Week Results from a Prospective Longitudinal Study. <i>Neurotherapeutics</i> , 2021, 18, 1316-1324.	2.1	15
25	The role of only-child status in the psychological impact of COVID-19 on mental health of Chinese adolescents. <i>Journal of Affective Disorders</i> , 2021, 282, 316-321.	2.0	45
26	Catenin $\beta$ 1 mutations cause familial exudative vitreoretinopathy by overactivating Norrin/ $\beta$ 2-catenin signaling. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	37
27	Association of negative symptoms with cognitive impairment in Chinese Han patients with chronic schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 292-298.	1.2	7
28	Association of Stress-Related Factors With Anxiety Among Chinese Pregnant Participants in an Online Crisis Intervention During COVID-19 Epidemic. <i>Frontiers in Psychology</i> , 2021, 12, 633765.	1.1	15
29	Hydroxychloroquine Increased Anxiety-Like Behaviors and Disrupted the Expression of Some Related Genes in the Mouse Brain. <i>Frontiers in Pharmacology</i> , 2021, 12, 633112.	1.6	2
30	Sex differences in association between cognitive impairment and clinical correlates in Chinese patients with first-episode drug-naïve schizophrenia. <i>Annals of General Psychiatry</i> , 2021, 20, 26.	1.2	9
31	Therapeutic Response Is Associated With Antipsychotic-Induced Weight Gain in Drug-Naive First-Episode Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	9
32	Current views on the genetic landscape and management of variant acute promyelocytic leukemia. <i>Biomarker Research</i> , 2021, 9, 33.	2.8	30
33	Not BCL2 mutation but dominant mutation conversation contributed to acquired venetoclax resistance in acute myeloid leukemia. <i>Biomarker Research</i> , 2021, 9, 30.	2.8	11
34	Suicidal behaviors and attention deficit hyperactivity disorder (ADHD): a cross-sectional study among Chinese medical college students. <i>BMC Psychiatry</i> , 2021, 21, 258.	1.1	12
35	A Conditional Process Model to Explain Somatization During Coronavirus Disease 2019 Epidemic: The Interaction Among Resilience, Perceived Stress, and Sex. <i>Frontiers in Psychology</i> , 2021, 12, 633433.	1.1	11
36	Interrelationships Between Oxidative Stress, Cytokines, and Psychotic Symptoms and Executive Functions in Patients With Chronic Schizophrenia. <i>Psychosomatic Medicine</i> , 2021, 83, 485-491.	1.3	16

#	ARTICLE	IF	CITATIONS
37	Sex differences in the association between serum BDNF and cognitive impairment in schizophrenia patients using various antipsychotics. <i>Journal of Psychiatric Research</i> , 2021, 138, 492-499.	1.5	7
38	Decreased Peripheral BDNF Levels and Cognitive Impairment in Late-Life Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 641278.	1.3	5
39	Smoking Affects the Patterns of Metabolic Disorders and Metabolic Syndrome in Patients With First-Episode Drug-Naive Schizophrenia: A Large Sample Study Based on the Chinese Han Population. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 798-807.	1.0	9
40	Association between cognitive impairment and apolipoprotein A1 or apolipoprotein B levels is regulated by apolipoprotein E variant rs429358 in patients with chronic schizophrenia. <i>Aging</i> , 2021, 13, 16353-16366.	1.4	7
41	<i>RBCK1</i> decelerated the progression of acute promyelocytic leukemia. <i>Hematological Oncology</i> , 2021, 39, 567-569.	0.8	1
42	MAP4K1 functions as a tumor promotor and drug mediator for AML via modulation of DNA damage/repair system and MAPK pathway. <i>EBioMedicine</i> , 2021, 69, 103441.	2.7	10
43	Association of depressive symptoms with cognitive impairment in patients with never-treated first-episode schizophrenia: Analysis of the Depression in Schizophrenia in China (DISC) study. <i>General Hospital Psychiatry</i> , 2021, 71, 108-113.	1.2	4
44	Inhibition of GPX4 or mTOR overcomes resistance to Lapatinib via promoting ferroptosis in NSCLC cells. <i>Biochemical and Biophysical Research Communications</i> , 2021, 567, 154-160.	1.0	44
45	Plant-derived exosomal microRNAs inhibit lung inflammation induced by exosomes SARS-CoV-2 Nsp12. <i>Molecular Therapy</i> , 2021, 29, 2424-2440.	3.7	101
46	BSCI-07. Multiomics characterization of brain metastases in multiple histologies identifies enrichment of oxidative phosphorylation as a promising therapeutic target. <i>Neuro-Oncology Advances</i> , 2021, 3, iii2-iii2.	0.4	0
47	A Novel Immunomodulatory 27-Gene Signature to Predict Response to Neoadjuvant Immunochemotherapy for Primary Triple-Negative Breast Cancer. <i>Cancers</i> , 2021, 13, 4839.	1.7	18
48	Self-efficacy and mental health problems during COVID-19 pandemic: A multiple mediation model based on the Health Belief Model. <i>Personality and Individual Differences</i> , 2021, 179, 110893.	1.6	36
49	The relationship between overweight and thyroid function in first-episode, untreated Chinese patients with major depressive disorder with different ages of onset. <i>Journal of Affective Disorders</i> , 2021, 294, 932-938.	2.0	6
50	Association between high BMI and high homocysteine levels in Chinese patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2021, 295, 284-290.	2.0	4
51	Genetic polymorphisms of BDNF on cognitive functions in drug-naive first episode patients with schizophrenia. <i>Scientific Reports</i> , 2021, 11, 20057.	1.6	7
52	Prevalence and clinical correlates of impaired glucose tolerance in first-episode versus chronic patients with schizophrenia. <i>Microbial Biotechnology</i> , 2021, , .	0.9	0
53	Elevated activity of superoxide dismutase in male late-life schizophrenia and its correlation with clinical symptoms and cognitive deficits. <i>BMC Psychiatry</i> , 2021, 21, 606.	1.1	9
54	Association between clinical symptoms and apolipoprotein A1 or apolipoprotein B levels is regulated by apolipoprotein E variant rs429358 in patients with chronic schizophrenia. <i>Annals of General Psychiatry</i> , 2021, 20, 56.	1.2	1

#	ARTICLE	IF	CITATIONS
55	Treatment response prediction and individualized identification of first-episode drug-naïve schizophrenia using brain functional connectivity. <i>Molecular Psychiatry</i> , 2020, 25, 906-913.	4.1	91
56	Prevalence, clinical correlates of suicide attempt and its relationship with empathy in patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109863.	2.5	23
57	Relapsed/refractory early T-cell precursor acute lymphoblastic leukemia was salvaged by venetoclax plus HAG regimen. <i>Annals of Hematology</i> , 2020, 99, 395-397.	0.8	14
58	Prevalence and clinical correlates of subclinical hypothyroidism in first-episode drug-naïve patients with major depressive disorder in a large sample of Chinese. <i>Journal of Affective Disorders</i> , 2020, 263, 507-515.	2.0	39
59	NALP3 orchestrates cellular bioenergetics to facilitate non-small cell lung cancer cell growth. <i>Life Sciences</i> , 2020, 241, 117165.	2.0	8
60	P50 inhibition deficit in patients with chronic schizophrenia: Relationship with cognitive impairment of MATRICS consensus cognitive battery. <i>Schizophrenia Research</i> , 2020, 215, 105-112.	1.1	15
61	MEF2D-rearranged acute lymphoblastic leukemia resembles Burkitt lymphoma/leukemia. <i>Annals of Hematology</i> , 2020, 99, 185-188.	0.8	4
62	Clinical features and prognosis of primary tracheal small cell carcinoma: a population-based analysis. <i>Translational Cancer Research</i> , 2020, 9, 882-890.	0.4	5
63	Prevalence and correlates of somatization in anxious individuals in a Chinese online crisis intervention during COVID-19 epidemic. <i>Journal of Affective Disorders</i> , 2020, 277, 436-442.	2.0	18
64	The specific distribution pattern of IKZF1 mutation in acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2020, 13, 140.	6.9	14
65	BDNF serum levels and cognitive improvement in drug-naïve first episode patients with schizophrenia: A prospective 12-week longitudinal study. <i>Psychoneuroendocrinology</i> , 2020, 122, 104879.	1.3	17
66	Sex-differential associations between cognitive impairments and white matter abnormalities in first episode and drug-naïve schizophrenia. <i>Microbial Biotechnology</i> , 2020, 15, 1179-1187.	0.9	6
67	Sex-specific association between peripheral superoxide dismutase, BDNF and cognitive impairment in drug-naïve first episode patients with schizophrenia. <i>Free Radical Biology and Medicine</i> , 2020, 160, 887-893.	1.3	8
68	Homocysteine level, body mass index and clinical correlates in Chinese Han patients with schizophrenia. <i>Scientific Reports</i> , 2020, 10, 16119.	1.6	16
69	Recurrent SETD2 mutation in NPM1-mutated acute myeloid leukemia. <i>Biomarker Research</i> , 2020, 8, 62.	2.8	1
70	Insomnia in Chinese College Students With Internet Addiction: Prevalence and Associated Clinical Correlates. <i>Frontiers in Psychiatry</i> , 2020, 11, 596683.	1.3	10
71	Association of cigarette smoking with cognitive impairment in male patients with chronic schizophrenia. <i>Psychopharmacology</i> , 2020, 237, 3409-3416.	1.5	10
72	Interaction between job stress, serum BDNF level and the BDNF rs2049046 polymorphism in job burnout. <i>Journal of Affective Disorders</i> , 2020, 266, 671-677.	2.0	15

#	ARTICLE	IF	CITATIONS
73	Sex differences in association between clinical correlates and cognitive impairment in patients with chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2020, 131, 194-202.	1.5	16
74	Differential effects of different antipsychotic drugs on cognitive function in patients with chronic schizophrenia. <i>Human Psychopharmacology</i> , 2020, 35, 1-8.	0.7	5
75	Association between dopamine beta-hydroxylase polymorphism and attention function in suicide attempters with chronic schizophrenia. <i>Human Psychopharmacology</i> , 2020, 35, 1-8.	0.7	2
76	One-day tropisetron treatment improves cognitive deficits and P50 inhibition deficits in schizophrenia. <i>Neuropsychopharmacology</i> , 2020, 45, 1362-1368.	2.8	12
77	Reduction of depression-like behavior in rat model induced by ShRNA targeting norepinephrine transporter in locus coeruleus. <i>Translational Psychiatry</i> , 2020, 10, 130.	2.4	19
78	Psychotic symptoms in first-episode and drug naïve patients with major depressive disorder: Prevalence and related clinical factors. <i>Depression and Anxiety</i> , 2020, 37, 793-800.	2.0	24
79	Interrelationships Between BDNF, Superoxide Dismutase, and Cognitive Impairment in Drug-Naive First-Episode Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1498-1510.	2.3	42
80	Internet addiction among college students in a Chinese population: Prevalence, correlates, and its relationship with suicide attempts. <i>Depression and Anxiety</i> , 2020, 37, 812-821.	2.0	63
81	Survival nomogram for patients with metastatic siewert type II adenocarcinoma of the esophagogastric junction: a population-based study. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020, 14, 757-764.	1.4	10
82	Abivertinib synergistically strengthens the anti-leukemia activity of venetoclax in acute myeloid leukemia in a BTK-dependent manner. <i>Molecular Oncology</i> , 2020, 14, 2560-2573.	2.1	5
83	Sex differences in psychotic and non-psychotic major depressive disorder in a Chinese Han population. <i>Journal of Affective Disorders</i> , 2020, 268, 55-60.	2.0	11
84	MTHFR Ala222Val polymorphism and clinical characteristics confer susceptibility to suicide attempt in chronic patients with schizophrenia. <i>Scientific Reports</i> , 2020, 10, 5008.	1.6	5
85	Cognitive Enhancing Effect of High-Frequency Neuronavigated rTMS in Chronic Schizophrenia Patients With Predominant Negative Symptoms: A Double-Blind Controlled 32-Week Follow-up Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 1219-1230.	2.3	26
86	High-frequency neuronavigated rTMS effect on clinical symptoms and cognitive dysfunction: a pilot double-blind, randomized controlled study in Veterans with schizophrenia. <i>Translational Psychiatry</i> , 2020, 10, 79.	2.4	31
87	Sex differences in the association of body mass index with symptoms and cognitive deficits in Chinese patients with chronic schizophrenia. <i>Translational Psychiatry</i> , 2020, 10, 18.	2.4	26
88	Neuregulin 3 rs10748842 polymorphism contributes to the effect of body mass index on cognitive impairment in patients with schizophrenia. <i>Translational Psychiatry</i> , 2020, 10, 62.	2.4	14
89	IL-23 and PSMA-targeted duo-CAR T cells in Prostate Cancer Eradication in a preclinical model. <i>Journal of Translational Medicine</i> , 2020, 18, 23.	1.8	29
90	Association of cognitive and P50 suppression deficits in chronic patients with schizophrenia. <i>Clinical Neurophysiology</i> , 2020, 131, 725-733.	0.7	17

#	ARTICLE	IF	CITATIONS
91	The prevalence, risk factors and clinical correlates of diabetes mellitus in Chinese patients with schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 262-266.	1.1	8
92	New perspectives in genetics and targeted therapy for blastic plasmacytoid dendritic cell neoplasm. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 149, 102928.	2.0	16
93	Sites of distant metastases and the cancer-specific survival of metastatic Siewert type II esophagogastric junction adenocarcinoma: a population-based study. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020, 14, 491-497.	1.4	7
94	Prevalence and related factors of suicide attempts in first-episode and untreated Chinese Han outpatients with psychotic major depression. <i>Journal of Affective Disorders</i> , 2020, 270, 108-113.	2.0	20
95	Validation of an immunomodulatory gene signature algorithm to predict response to neoadjuvant immunochemotherapy in patients with primary triple-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3117-3117.	0.8	2
96	Association between TNF-alpha polymorphism and the age of first suicide attempt in chronic patients with schizophrenia. <i>Aging</i> , 2020, 12, 1433-1445.	1.4	7
97	The incidence and risk factors of acute radiation-induced dermatitis in gynecologic malignancies treated with intensity- modulated radiation therapy. <i>Translational Cancer Research</i> , 2020, 9, 6062-6069.	0.4	1
98	ASXL2 mutation is recurrent in non-de novo AML1-ETO-negative acute myeloid leukemia. <i>Annals of Hematology</i> , 2019, 98, 2621-2623.	0.8	1
99	Effects of smoking on cognition and BDNF levels in a male Chinese population: relationship with BDNF Val66Met polymorphism. <i>Scientific Reports</i> , 2019, 9, 217.	1.6	20
100	Interaction of BDNF and cytokines in executive dysfunction in patients with chronic schizophrenia. <i>Psychoneuroendocrinology</i> , 2019, 108, 110-117.	1.3	28
101	<p>Gephyrin suppresses lung squamous cell carcinoma development by reducing mTOR pathway activation</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 5333-5341.	0.9	6
102	Excessive daytime sleepiness in medical students of Hunan province: Prevalence, correlates, and its relationship with suicidal behaviors. <i>Journal of Affective Disorders</i> , 2019, 255, 90-95.	2.0	23
103	Targeting the Interplay between Epithelial-to-Mesenchymal-Transition and the Immune System for Effective Immunotherapy. <i>Cancers</i> , 2019, 11, 714.	1.7	79
104	Collagen-rich airway smooth muscle cells are a metastatic niche for tumor colonization in the lung. <i>Nature Communications</i> , 2019, 10, 2131.	5.8	27
105	MLL-rearrangement can resemble acute promyelocytic leukemia. <i>Leukemia and Lymphoma</i> , 2019, 60, 2841-2843.	0.6	7
106	Interactive effects of corticotropin-releasing hormone receptor 1 gene and work stress on burnout in medical professionals in a Chinese Han population. <i>Journal of Affective Disorders</i> , 2019, 252, 1-8.	2.0	13
107	IDDF2019-ABS-0159&œ...Oligofructose ameliorates nonalcoholic fatty liver disease by regulating gut microbiota dysbiosis in mice. , 2019, , .		0
108	An epistasis between dopaminergic and oxytocinergic systems confers risk of post-traumatic stress disorder in a traumatized Chinese cohort. <i>Scientific Reports</i> , 2019, 9, 19252.	1.6	8

#	ARTICLE	IF	CITATIONS
109	1,3,5-Triazine-Cored Maltoside Amphiphiles for Membrane Protein Extraction and Stabilization. <i>Journal of the American Chemical Society</i> , 2019, 141, 19677-19687.	6.6	15
110	Association of Brain-Derived Neurotrophic Factor With Cognitive Function: An Investigation of Sex Differences in Patients With Type 2 Diabetes. <i>Psychosomatic Medicine</i> , 2019, 81, 488-494.	1.3	9
111	Psychological distress in cancer patients in a large Chinese cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 245, 950-956.	2.0	25
112	Sex difference in the association of body mass index and BDNF levels in Chinese patients with chronic schizophrenia. <i>Psychopharmacology</i> , 2019, 236, 753-762.	1.5	27
113	RAR $\beta$ -rearrangements resemble acute promyelocytic leukemia and benefit from 3+1 regimen. <i>Leukemia and Lymphoma</i> , 2019, 60, 1831-1834.	0.6	13
114	The TNF-alpha gene $\alpha$ 1031T/C polymorphism is associated with onset age but not with risk of schizophrenia in a Chinese population. <i>Neuropsychology</i> , 2019, 33, 482-489.	1.0	5
115	FOXP2 contributes to the cognitive impairment in chronic patients with schizophrenia. <i>Aging</i> , 2019, 11, 6440-6448.	1.4	18
116	MiR-760 enhances TRAIL sensitivity in non-small cell lung cancer via targeting the protein FOXA1. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 523-529.	2.5	23
117	Predicting individual responses to the electroconvulsive therapy with hippocampal subfield volumes in major depression disorder. <i>Scientific Reports</i> , 2018, 8, 5434.	1.6	96
118	Tumor necrosis factor $\alpha$ 1031T/C polymorphism is associated with cognitive deficits in chronic schizophrenia patients versus healthy controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 379-387.	1.1	14
119	Cognitive impairments and low BDNF serum levels in first-episode drug-naive patients with schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 1-6.	1.7	55
120	Interaction between job stress and the BDNF Val66Met polymorphism affects depressive symptoms in Chinese healthcare workers. <i>Journal of Affective Disorders</i> , 2018, 236, 157-163.	2.0	20
121	Prevalence, risk factors and clinical characteristics of osteoporosis in Chinese inpatients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 195, 488-494.	1.1	17
122	MiR-125b-1-3p Exerts Antitumor Functions in Lung Carcinoma Cells by Targeting S1PR1. <i>Chinese Medical Journal</i> , 2018, 131, 1909-1916.	0.9	17
123	Sex difference in association of symptoms and white matter deficits in first-episode and drug-naive schizophrenia. <i>Translational Psychiatry</i> , 2018, 8, 281.	2.4	31
124	Obesity, altered oxidative stress, and clinical correlates in chronic schizophrenia patients. <i>Translational Psychiatry</i> , 2018, 8, 258.	2.4	52
125	Cognition, serum BDNF levels, and BDNF Val66Met polymorphism in type 2 diabetes patients and healthy controls. <i>Oncotarget</i> , 2018, 9, 3653-3662.	0.8	21
126	Serotonin transporter gene (5-HTT) rs6354 polymorphism, job-related stress, and their interaction in burnout in healthcare workers in a Chinese hospital. <i>Psychopharmacology</i> , 2018, 235, 3125-3135.	1.5	9



#	ARTICLE	IF	CITATIONS
127	Biocompatible Silver Nanoparticle-Modified Natural Diatomite with Anti-Infective Property. <i>Journal of Nanomaterials</i> , 2018, 2018, 1-8.	1.5	3
128	Estimated prevalence and associated risk factors of attention deficit hyperactivity disorder (ADHD) among medical college students in a Chinese population. <i>Journal of Affective Disorders</i> , 2018, 241, 291-296.	2.0	15
129	Aqueous cytokine levels associated with severity of type 1 retinopathy of prematurity and treatment response to ranibizumab. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 1469-1477.	1.0	12
130	Suicide attempt, clinical correlates, and BDNF Val66Met polymorphism in chronic patients with schizophrenia. <i>Neuropsychology</i> , 2018, 32, 199-205.	1.0	14
131	Prevalence and Clinical Correlates of and Cognitive Function at the Time of Suicide Attempts in First-Episode and Drug-Naive Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	24
132	Anti-NMDAR antibodies as a new piece in schizophrenia's puzzle. <i>Future Science OA</i> , 2017, 3, FSO178.	0.9	5
133	Association between forkhead-box P2 gene polymorphism and clinical symptoms in chronic schizophrenia in a Chinese population. <i>Journal of Neural Transmission</i> , 2017, 124, 891-897.	1.4	14
134	P50 suppression deficits and psychopathology in Han Chinese patients with schizophrenia. <i>Neuroscience Letters</i> , 2017, 653, 346-350.	1.0	16
135	Association of low serum BDNF with depression in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2017, 41, 73-78.	1.1	43
136	The prevalence, risk factors and clinical correlates of obesity in Chinese patients with schizophrenia. <i>Psychiatry Research</i> , 2017, 251, 131-136.	1.7	40
137	Exercise-dependent regulation of the tumour microenvironment. <i>Nature Reviews Cancer</i> , 2017, 17, 620-632.	12.8	190
138	<i>ARID1A</i> mutation in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2017, 102, e470-e472.	1.7	8
139	Association of serum BDNF levels with psychotic symptom in chronic patients with treatment-resistant depression in a Chinese Han population. <i>Psychiatry Research</i> , 2017, 257, 279-283.	1.7	12
140	Association between DBH 19 bp insertion/deletion polymorphism and cognition in schizophrenia with and without tardive dyskinesia. <i>Schizophrenia Research</i> , 2017, 182, 104-109.	1.1	13
141	Abnormal resting-state brain activities in patients with first-episode obsessive-compulsive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 507-513.	1.0	30
142	AIMp1 Potentiates TH1 Polarization and Is Critical for Effective Antitumor and Antiviral Immunity. <i>Frontiers in Immunology</i> , 2017, 8, 1801.	2.2	28
143	Identification of differentially expressed genes in salivary adenoid cystic carcinoma cells associated with metastasis. <i>Archives of Medical Science</i> , 2016, 4, 881-888.	0.4	15
144	Th17 Cytokines and Barrier Functions. <i>Mediators of Inflammation</i> , 2016, 2016, 1-2.	1.4	3

#	ARTICLE	IF	CITATIONS
145	Association of the manganese superoxide dismutase gene Ala <sup>9</sup> Val polymorphism with age of smoking initiation in male schizophrenia smokers. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 243-249.	1.1	7
146	Cognitive impairments in first-episode drug-naive and chronic medicated schizophrenia: MATRICS consensus cognitive battery in a Chinese Han population. <i>Psychiatry Research</i> , 2016, 238, 196-202.	1.7	41
147	Ginkgo biloba leaf extract and alpha-tocopherol attenuate haloperidol-induced orofacial dyskinesia in rats: Possible implication of antiapoptotic mechanisms by preventing Bcl-2 decrease and Bax elevation. <i>Phytomedicine</i> , 2016, 23, 1653-1660.	2.3	10
148	Low BDNF is associated with cognitive impairments in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 29, 66-71.	1.1	95
149	Ginkgo biloba and vitamin E ameliorate haloperidol-induced vacuous chewing movement and brain-derived neurotrophic factor expression in a rat tardive dyskinesia model. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 148, 53-58.	1.3	13
150	Altered serum levels of interleukin-3 in first-episode drug-naive and chronic medicated schizophrenia. <i>Schizophrenia Research</i> , 2016, 176, 196-200.	1.1	7
151	Altered interleukin-18 levels are associated with cognitive impairment in chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2016, 76, 9-15.	1.5	25
152	BDNF polymorphisms are associated with schizophrenia onset and positive symptoms. <i>Schizophrenia Research</i> , 2016, 170, 41-47.	1.1	32
153	Contribution of IL-10 and its -592 A/C polymorphism to cognitive functions in first-episode drug-naive schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2016, 57, 116-124.	2.0	36
154	Serum IL-18 level, clinical symptoms and IL-18-607A/C polymorphism among chronic patients with schizophrenia in a Chinese Han population. <i>Psychoneuroendocrinology</i> , 2016, 68, 140-147.	1.3	12
155	Identifying a clinical signature of suicidality among patients with mood disorders: A pilot study using a machine learning approach. <i>Journal of Affective Disorders</i> , 2016, 193, 109-116.	2.0	152
156	Effects of cigarette smoking and alcohol use on neurocognition and BDNF levels in a Chinese population. <i>Psychopharmacology</i> , 2016, 233, 435-445.	1.5	29
157	The association between serum ferritin levels and post-stroke depression. <i>Journal of Affective Disorders</i> , 2016, 190, 98-102.	2.0	30
158	Interaction of BDNF with cytokines in chronic schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2016, 51, 169-175.	2.0	62
159	Beneficial effects of EGb761 and vitamin E on haloperidol-induced vacuous chewing movements in rats: Possible involvement of S100B mechanisms. <i>Behavioural Brain Research</i> , 2016, 297, 124-130.	1.2	5
160	MicroRNA-31 functions as a tumor suppressor and increases sensitivity to mitomycin-C in urothelial bladder cancer by targeting integrin I $\alpha$ 5. <i>Oncotarget</i> , 2016, 7, 27445-27457.	0.8	44
161	Extensive White Matter Abnormalities and Clinical Symptoms in Drug-Naive Patients With First-Episode Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 205-211.	1.1	28
162	<em></em>BDNF</em>; Polymorphisms Are Associated With Cognitive Performance in Schizophrenia Patients Versus Healthy Controls. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1011-e1018.	1.1	22

#	ARTICLE	IF	CITATIONS
163	Notch-1 knockdown suppresses proliferation, migration and metastasis of salivary adenoid cystic carcinoma cells. <i>Journal of Translational Medicine</i> , 2015, 13, 167.	1.8	25
164	Upregulation of EGFR signaling is correlated with tumor stroma remodeling and tumor recurrence in FGFR1-driven breast cancer. <i>Breast Cancer Research</i> , 2015, 17, 141.	2.2	55
165	Increased interleukin-2 serum levels were associated with psychopathological symptoms and cognitive deficits in treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2015, 169, 16-21.	1.1	22
166	Altered IL-2, IL-6 and IL-8 serum levels in schizophrenia patients with tardive dyskinesia. <i>Schizophrenia Research</i> , 2015, 162, 261-268.	1.1	35
167	Obesity correlates with fewer symptoms in schizophrenia treated with long-term clozapine: Gender difference. <i>Psychiatry Research</i> , 2015, 225, 741-742.	1.7	16
168	Decreased serum TNF-alpha levels in chronic schizophrenia patients on long-term antipsychotics: correlation with psychopathology and cognition. <i>Psychopharmacology</i> , 2015, 232, 165-172.	1.5	52
169	Altered BDNF is correlated to cognition impairment in schizophrenia patients with tardive dyskinesia. <i>Psychopharmacology</i> , 2015, 232, 223-232.	1.5	17
170	Possible association between DBH 19Åbp insertion/deletion polymorphism and clinical symptoms in schizophrenia with tardive dyskinesia. <i>Journal of Neural Transmission</i> , 2015, 122, 907-914.	1.4	7
171	Association of angiotensinâ€œconverting enzyme gene polymorphism with schizophrenia and depressive symptom severity in a Chinese population. <i>Human Psychopharmacology</i> , 2015, 30, 100-107.	0.7	14
172	Mn-superoxide dismutase activity is associated with orofacial involuntary movements in schizophrenia patients with tardive dyskinesia. <i>Human Psychopharmacology</i> , 2015, 30, 57-63.	0.7	7
173	A functional polymorphism in the interleukin-1beta and severity of nicotine dependence in male schizophrenia: A case-control study. <i>Journal of Psychiatric Research</i> , 2015, 64, 51-58.	1.5	6
174	Gender differences in cognitive deficits in schizophrenia with and without diabetes. <i>Comprehensive Psychiatry</i> , 2015, 63, 1-9.	1.5	25
175	Increased IL-3 serum levels in chronic patients with schizophrenia: Associated with psychopathology. <i>Psychiatry Research</i> , 2015, 229, 225-229.	1.7	21
176	TCF4 gene polymorphism is associated with cognition in patients with schizophrenia and healthy controls. <i>Journal of Psychiatric Research</i> , 2015, 69, 95-101.	1.5	25
177	Glucose disturbances in first-episode drug-naÃ³ve schizophrenia: Relationship to psychopathology. <i>Psychoneuroendocrinology</i> , 2015, 62, 376-380.	1.3	54
178	Relationship of impulsivity and depression during early methamphetamine withdrawal in Han Chinese population. <i>Addictive Behaviors</i> , 2015, 43, 7-10.	1.7	25
179	The interplay between BDNF and oxidative stress in chronic schizophrenia. <i>Psychoneuroendocrinology</i> , 2015, 51, 201-208.	1.3	75
180	Smoking and BDNF Val66Met polymorphism in male schizophrenia: A case-control study. <i>Journal of Psychiatric Research</i> , 2015, 60, 49-55.	1.5	21

#	ARTICLE	IF	CITATIONS
181	Characterization of sonic hedgehog inhibition in gastric carcinoma cells. <i>Oncology Letters</i> , 2014, 7, 1381-1384.	0.8	12
182	Association between the angiotensin-converting enzyme gene insertion/deletion polymorphism and first-episode patients with schizophrenia in a Chinese Han population. <i>Human Psychopharmacology</i> , 2014, 29, 274-279.	0.7	11
183	Decreased interleukin-10 serum levels in first-episode drug-naïve schizophrenia: Relationship to psychopathology. <i>Schizophrenia Research</i> , 2014, 156, 9-14.	1.1	65
184	Cognition impairment in schizophrenia patients with tardive dyskinesia: Association with plasma superoxide dismutase activity. <i>Schizophrenia Research</i> , 2014, 152, 210-216.	1.1	40
185	Association of altered CuZn superoxide dismutase and cognitive impairment in schizophrenia patients with tardive dyskinesia. <i>Journal of Psychiatric Research</i> , 2014, 58, 167-174.	1.5	16
186	Smoking, MATRICS consensus cognitive battery and P50 sensory gating in a Han Chinese population. <i>Drug and Alcohol Dependence</i> , 2014, 143, 51-57.	1.6	21
187	Gender difference in association of cognition with BDNF in chronic schizophrenia. <i>Psychoneuroendocrinology</i> , 2014, 48, 136-146.	1.3	49
188	Reduced serum TNF alpha level in chronic schizophrenia patients with or without tardive dyskinesia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 259-264.	2.5	25
189	Prevalence and correlates of depressive symptoms during early methamphetamine withdrawal in Han Chinese population. <i>Drug and Alcohol Dependence</i> , 2014, 142, 191-196.	1.6	15
190	Cognitive function and suicide risk in Han Chinese inpatients with schizophrenia. <i>Psychiatry Research</i> , 2014, 220, 188-192.	1.7	16
191	Prevalence, demographic and clinical correlates of suicide attempts in Chinese medicated chronic inpatients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2013, 47, 1370-1375.	1.5	29
192	Interleukin 18 and cognitive impairment in first episode and drug naïve schizophrenia versus healthy controls. <i>Brain, Behavior, and Immunity</i> , 2013, 32, 105-111.	2.0	42
193	Clinical symptoms and cognitive impairment associated with male schizophrenia relate to plasma manganese superoxide dismutase activity: A case-control study. <i>Journal of Psychiatric Research</i> , 2013, 47, 1049-1053.	1.5	20
194	Tardive dyskinesia is associated with greater cognitive impairment in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 71-77.	2.5	34
195	Free radicals, antioxidant defense systems, and schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 200-206.	2.5	299
196	Oxidative stress and therapeutic implications in psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 197-199.	2.5	67
197	Association between DBH 19 bp insertion/deletion polymorphism and cognition in first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2013, 147, 236-240.	1.1	19
198	Thioredoxin, a novel oxidative stress marker and cognitive performance in chronic and medicated schizophrenia versus healthy controls. <i>Schizophrenia Research</i> , 2013, 143, 301-306.	1.1	39

#	ARTICLE	IF	CITATIONS
199	Association of BDNF gene polymorphisms with schizophrenia and clinical symptoms in a Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 538-545.	1.1	27
200	Association of the dopamine $\beta$ -hydroxylase 19bp insertion/deletion polymorphism with positive symptoms but not tardive dyskinesia in schizophrenia. <i>Human Psychopharmacology</i> , 2013, 28, 230-237.	0.7	14
201	The Interaction of Polymorphisms of IL10 and DBH Was Associated with General Symptoms of PANSS with TD in Chinese Han Schizophrenic Patients. <i>PLoS ONE</i> , 2013, 8, e70963.	1.1	19
202	The Type 2 Diabetes Mellitus Susceptibility Gene <i>IGF2BP2</i> Is Associated With Schizophrenia in a Han Chinese Population. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e287-e292.	1.1	25
203	Short-Term Tropicsetron Treatment and Cognitive and P50 Auditory Gating Deficits in Schizophrenia. <i>American Journal of Psychiatry</i> , 2012, 169, 974-981.	4.0	75
204	Lower serum interleukin-2 levels in schizophrenic patients with tardive dyskinesia. <i>Psychiatry Research</i> , 2012, 198, 329-331.	1.7	21
205	Effects of risperidone and haloperidol on superoxide dismutase and nitric oxide in schizophrenia. <i>Neuropharmacology</i> , 2012, 62, 1928-1934.	2.0	66
206	Elevated plasma superoxide dismutase in first-episode and drug naive patients with schizophrenia: Inverse association with positive symptoms. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 34-38.	2.5	48
207	Association between TNF- $\beta$ promoter $\sim$ 308A/G polymorphism and tardive dyskinesia in Chinese Han patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 106-110.	2.5	15
208	Elevated interleukin-18 serum levels in chronic schizophrenia: Association with psychopathology. <i>Journal of Psychiatric Research</i> , 2012, 46, 1093-1098.	1.5	43
209	Brain-Derived Neurotrophic Factor Levels and Its Val66Met Gene Polymorphism Predict Tardive Dyskinesia Treatment Response to Ginkgo Biloba. <i>Biological Psychiatry</i> , 2012, 72, 700-706.	0.7	49
210	Gender differences in cognitive function of patients with chronic schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 358-363.	2.5	111
211	Plasma total antioxidant status and cognitive impairments in schizophrenia. <i>Schizophrenia Research</i> , 2012, 139, 66-72.	1.1	64
212	Association of functional dopamine-beta-hydroxylase (DBH) 19bp insertion/deletion polymorphism with smoking severity in male schizophrenic smokers. <i>Schizophrenia Research</i> , 2012, 141, 48-53.	1.1	12
213	Cigarette Smoking in Male Patients with Chronic Schizophrenia in a Chinese Population: Prevalence and Relationship to Clinical Phenotypes. <i>PLoS ONE</i> , 2012, 7, e30937.	1.1	45
214	Cigarette Smoking and Cognitive Function in Chinese Male Schizophrenia: A Case-Control study. <i>PLoS ONE</i> , 2012, 7, e36563.	1.1	41
215	Low BDNF is associated with cognitive impairment in chronic patients with schizophrenia. <i>Psychopharmacology</i> , 2012, 222, 277-284.	1.5	134
216	Cognitive and serum BDNF correlates of BDNF Val66Met gene polymorphism in patients with schizophrenia and normal controls. <i>Human Genetics</i> , 2012, 131, 1187-1195.	1.8	103

#	ARTICLE	IF	CITATIONS
217	The dopamine b-hydroxylase 19 bp insertion/deletion polymorphism was associated with first-episode but not medicated chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2012, 46, 733-737.	1.5	12
218	BDNF Val66Met Variant and Smoking in a Chinese Population. <i>PLoS ONE</i> , 2012, 7, e53295.	1.1	18
219	Gender Differences in Never-Medicated First-Episode Schizophrenia and Medicated Chronic Schizophrenia Patients. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1025-1033.	1.1	98
220	Decreased serum brain-derived neurotrophic factor levels in schizophrenic patients with tardive dyskinesia. <i>Neuroscience Letters</i> , 2011, 502, 37-40.	1.0	21
221	Reduced plasma total antioxidant status in first-episode drug-naïve patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1064-1067.	2.5	48
222	Smoking and tardive dyskinesia in male patients with chronic schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1765-1769.	2.5	23
223	Performance-based assessment of functional skills in severe mental illness: Results of a large-scale study in China. <i>Journal of Psychiatric Research</i> , 2011, 45, 1089-1094.	1.5	48
224	Nicotine dependence and serum BDNF levels in male patients with schizophrenia. <i>Psychopharmacology</i> , 2010, 212, 301-307.	1.5	44
225	Increased S100B serum levels in schizophrenic patients with tardive dyskinesia: Association with dyskinesic movements. <i>Journal of Psychiatric Research</i> , 2010, 44, 429-433.	1.5	17
226	Sex difference in the prevalence of smoking in Chinese schizophrenia. <i>Journal of Psychiatric Research</i> , 2010, 44, 986-988.	1.5	40
227	Reduced status of plasma total antioxidant capacity in schizophrenia with tardive dyskinesia. <i>Journal of Psychiatric Research</i> , 2010, 44, 1111-1112.	1.5	6
228	Increased serum S100B in never-medicated and medicated schizophrenic patients. <i>Journal of Psychiatric Research</i> , 2010, 44, 1236-1240.	1.5	41
229	Smoking initiation and schizophrenia: A replication study in a Chinese Han population. <i>Schizophrenia Research</i> , 2010, 119, 110-114.	1.1	16
230	The study of BDNF Val66Met polymorphism in Chinese schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 930-933.	2.5	31
231	A family-based study of the IL3RA gene on susceptibility to schizophrenia in a Chinese Han population. <i>Brain Research</i> , 2009, 1268, 13-16.	1.1	17
232	Superoxide dismutase and cytokines in chronic patients with schizophrenia: association with psychopathology and response to antipsychotics. <i>Psychopharmacology</i> , 2009, 204, 177-184.	1.5	77
233	Gender differences in the prevalence, risk and clinical correlates of tardive dyskinesia in Chinese schizophrenia. <i>Psychopharmacology</i> , 2009, 205, 647-654.	1.5	30
234	Decreased levels of serum brain-derived neurotrophic factor in drug-naïve first-episode schizophrenia: relationship to clinical phenotypes. <i>Psychopharmacology</i> , 2009, 207, 375-380.	1.5	134

#	ARTICLE	IF	CITATIONS
235	Decreased serum BDNF levels in chronic institutionalized schizophrenia on long-term treatment with typical and atypical antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1508-1512.	2.5	146
236	The novel oxidative stress marker thioredoxin is increased in first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2009, 113, 151-157.	1.1	73
237	Lower serum cytokine levels in smokers than nonsmokers with chronic schizophrenia on long-term treatment with antipsychotics. <i>Psychopharmacology</i> , 2008, 201, 383-389.	1.5	30
238	Altered interleukin-3 serum levels in drug-naïve and neuroleptic-treated schizophrenic patients. <i>Schizophrenia Research</i> , 2008, 106, 369-370.	1.1	10
239	Association between interleukin-3 receptor alpha polymorphism and schizophrenia in the Chinese population. <i>Neuroscience Letters</i> , 2008, 440, 35-37.	1.0	22
240	BDNF Levels and Genotype are Associated with Antipsychotic-Induced Weight Gain in Patients with Chronic Schizophrenia. <i>Neuropsychopharmacology</i> , 2008, 33, 2200-2205.	2.8	94
241	Nicotine Dependence, Symptoms and Oxidative Stress in Male Patients with Schizophrenia. <i>Neuropsychopharmacology</i> , 2007, 32, 2020-2024.	2.8	46
242	Serum BDNF levels and weight gain in schizophrenic patients on long-term treatment with antipsychotics. <i>Journal of Psychiatric Research</i> , 2007, 41, 997-1004.	1.5	81
243	Association of functional catechol O-methyl transferase (COMT) Val108Met polymorphism with smoking severity and age of smoking initiation in Chinese male smokers. <i>Psychopharmacology</i> , 2007, 190, 449-456.	1.5	43
244	Disrupted Antioxidant Enzyme Activity and Elevated Lipid Peroxidation Products in Schizophrenic Patients With Tardive Dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 754-760.	1.1	59
245	Antioxidant enzymes and lipid peroxidation in different forms of schizophrenia treated with typical and atypical antipsychotics. <i>Schizophrenia Research</i> , 2006, 81, 291-300.	1.1	244
246	Cortisol and Cytokines in Chronic and Treatment-Resistant Patients with Schizophrenia: Association with Psychopathology and Response to Antipsychotics. <i>Neuropsychopharmacology</i> , 2005, 30, 1532-1538.	2.8	178
247	Decreased BDNF in serum of patients with chronic schizophrenia on long-term treatment with antipsychotics. <i>Neuroscience Letters</i> , 2005, 382, 27-32.	1.0	134
248	Decreased plasma brain-derived neurotrophic factor levels in schizophrenic patients with tardive dyskinesia: association with dyskinetic movements. <i>Schizophrenia Research</i> , 2005, 74, 263-270.	1.1	84
249	The Effect of Vitamin E Treatment on Tardive Dyskinesia and Blood Superoxide Dismutase. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 83-86.	0.7	48
250	Changes in Serum Interleukin-2, -6, and -8 Levels Before and During Treatment With Risperidone and Haloperidol. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 940-947.	1.1	167
251	Blood superoxide dismutase level in schizophrenic patients with tardive dyskinesia: association with dyskinetic movements. <i>Schizophrenia Research</i> , 2003, 62, 245-250.	1.1	32
252	Elevated blood superoxide dismutase in neuroleptic-free schizophrenia: association with positive symptoms. <i>Psychiatry Research</i> , 2003, 117, 85-88.	1.7	66

#	ARTICLE	IF	CITATIONS
253	Molecular and cellular biology of new bone formation: insights into the ankylosis of ankylosing spondylitis. <i>Current Opinion in Rheumatology</i> , 2003, 15, 387-393.	2.0	51
254	The Effect of Risperidone Treatment on Superoxide Dismutase in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 128-131.	0.7	50
255	Elevated interleukin-2, interleukin-6 and interleukin-8 serum levels in neuroleptic-free schizophrenia: association with psychopathology. <i>Schizophrenia Research</i> , 2002, 57, 247-258.	1.1	185
256	Risperidone-induced increase in serum prolactin is correlated with positive symptom improvement in chronic schizophrenia. <i>Psychiatry Research</i> , 2002, 109, 297-302.	1.7	40
257	Decreased production of interleukin-2 (IL-2), IL-2 secreting cells and CD4+ cells in medication-free patients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2002, 36, 331-336.	1.5	34
258	The Effect of Extract of Ginkgo Biloba Added to Haloperidol on Superoxide Dismutase in Inpatients With Chronic Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 85-88.	0.7	63
259	A Double-Blind, Placebo-Controlled Trial of Extract of Ginkgo biloba Added to Haloperidol in Treatment-Resistant Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 878-883.	1.1	81