

Rekha S Singhal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3651012/publications.pdf>

Version: 2024-02-01

324
papers

14,614
citations

26567

56
h-index

30010

103
g-index

329
all docs

329
docs citations

329
times ranked

15531
citing authors

#	ARTICLE	IF	CITATIONS
1	Resistant Starch?A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2006, 5, 1-17.	5.9	1,188
2	Glucose oxidase â€” An overview. <i>Biotechnology Advances</i> , 2009, 27, 489-501.	6.0	978
3	Comparison of artificial neural network (ANN) and response surface methodology (RSM) in fermentation media optimization: Case study of fermentative production of scleroglucan. <i>Biochemical Engineering Journal</i> , 2008, 41, 266-273.	1.8	476
4	Biosynthesis of silver nanoparticles using aqueous extract from the compactin producing fungal strain. <i>Process Biochemistry</i> , 2009, 44, 939-943.	1.8	314
5	Poly (glutamic acid) â€” An emerging biopolymer of commercial interest. <i>Bioresource Technology</i> , 2011, 102, 5551-5561.	4.8	307
6	Microencapsulation of cardamom oleoresin: Evaluation of blends of gum arabic, maltodextrin and a modified starch as wall materials. <i>Carbohydrate Polymers</i> , 2005, 61, 95-102.	5.1	234
7	Is there a common water-activity limit for the three domains of life?. <i>ISME Journal</i> , 2015, 9, 1333-1351.	4.4	229
8	The Carotenoid Pigment Zeaxanthinâ€”A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2008, 7, 29-49.	5.9	215
9	Process optimization for the synthesis of octenyl succinyl derivative of waxy corn and amaranth starches. <i>Carbohydrate Polymers</i> , 2006, 66, 521-527.	5.1	199
10	The use of gum arabic and modified starch in the microencapsulation of a food flavoring agent. <i>Carbohydrate Polymers</i> , 2005, 62, 309-315.	5.1	184
11	Stability of cumin oleoresin microencapsulated in different combination of gum arabic, maltodextrin and modified starch. <i>Carbohydrate Polymers</i> , 2007, 67, 536-541.	5.1	172
12	A universal measure of chaotropicity and kosmotropicity. <i>Environmental Microbiology</i> , 2013, 15, 287-296.	1.8	172
13	Basmati rice: a review. <i>International Journal of Food Science and Technology</i> , 2002, 37, 1-12.	1.3	171
14	Chaotropicity: a key factor in product tolerance of biofuel-producing microorganisms. <i>Current Opinion in Biotechnology</i> , 2015, 33, 228-259.	3.3	160
15	Microencapsulation of black pepper oleoresin. <i>Food Chemistry</i> , 2006, 94, 105-110.	4.2	156
16	Effect of octenylsuccinylation on physicochemical and functional properties of waxy maize and amaranth starches. <i>Carbohydrate Polymers</i> , 2007, 68, 447-456.	5.1	147
17	<i>Gymnema sylvestre</i>: A Memoir. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2007, 41, 77-81.	0.6	134
18	Industrial production, processing, and utilization of sago palm-derived products. <i>Carbohydrate Polymers</i> , 2008, 72, 1-20.	5.1	132

#	ARTICLE	IF	CITATIONS
19	Optimisation of conditions of synthesis of oxidised starch from corn and amaranth for use in film-forming applications. <i>Carbohydrate Polymers</i> , 1997, 34, 203-212.	5.1	131
20	Scalping of Flavors in Packaged Foods. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2007, 6, 17-35.	5.9	121
21	Tea Polyphenols as Nutraceuticals. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2008, 7, 229-254.	5.9	114
22	Continuous two stage acetone-butanol-ethanol fermentation with integrated solvent removal using <i>Clostridium acetobutylicum</i> B 5313. <i>Bioresource Technology</i> , 2012, 106, 110-116.	4.8	113
23	Physicochemical properties of hydroxypropyl derivative from corn and amaranth starch. <i>Carbohydrate Polymers</i> , 2002, 48, 49-53.	5.1	111
24	Cyclosporin A – A review on fermentative production, downstream processing and pharmacological applications. <i>Biotechnology Advances</i> , 2011, 29, 418-435.	6.0	109
25	Starch-galactomannan interactions: functionality and rheological aspects. <i>Food Chemistry</i> , 1996, 55, 259-264.	4.2	102
26	Supercritical carbon dioxide extraction of cottonseed oil. <i>Journal of Food Engineering</i> , 2007, 79, 892-898.	2.7	102
27	Clavulanic acid: A review. <i>Biotechnology Advances</i> , 2008, 26, 335-351.	6.0	102
28	Use of metabolic stimulators and inhibitors for enhanced production of β -carotene and lycopene by <i>Blakeslea trispora</i> NRRL 2895 and 2896. <i>Bioresource Technology</i> , 2008, 99, 3166-3173.	4.8	100
29	Specialty starches for snack foods. <i>Carbohydrate Polymers</i> , 2005, 59, 131-151.	5.1	97
30	Extension of postharvest shelf life of strawberries (<i>Fragaria ananassa</i>) using a coating of chitosan-whey protein isolate conjugate. <i>Food Chemistry</i> , 2020, 329, 127213.	4.2	94
31	A comparative account of conditions for synthesis of sodium carboxymethyl starch from corn and amaranth starch. <i>Carbohydrate Polymers</i> , 1995, 27, 247-253.	5.1	88
32	Production of schizophyllan using <i>Schizophyllum commune</i> NRCM. <i>Bioresource Technology</i> , 2008, 99, 1036-1043.	4.8	87
33	Microencapsulation of Cinnamon Oleoresin by Spray Drying Using Different Wall Materials. <i>Drying Technology</i> , 2006, 24, 983-992.	1.7	84
34	Effect of succinylation on the corn and amaranth starch pastes. <i>Carbohydrate Polymers</i> , 2002, 48, 233-240.	5.1	83
35	Effect of succinylation on the rheological profile of starch pastes. <i>Carbohydrate Polymers</i> , 2002, 47, 365-371.	5.1	82
36	Fractionation of lipids and purification of α -linolenic acid (GLA) from <i>Spirulina platensis</i> . <i>Food Chemistry</i> , 2008, 109, 580-586.	4.2	82

#	ARTICLE	IF	CITATIONS
37	Ultrasound-assisted extraction (UAE) of bioactives from arecanut (<i>Areca catechu</i> L.) and optimization study using response surface methodology. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 17, 106-113.	2.7	80
38	Chitosan coated calcium alginate beads for covalent immobilization of acrylamidase: Process parameters and removal of acrylamide from coffee. <i>Food Chemistry</i> , 2019, 275, 95-104.	4.2	75
39	Supercritical CO ₂ extraction of $\hat{1}^3$ -linolenic acid (GLA) from <i>Spirulina platensis</i> ARM 740 using response surface methodology. <i>Journal of Food Engineering</i> , 2008, 84, 321-326.	2.7	74
40	Physicochemical and functional properties of <i>Chenopodium quinoa</i> starch. <i>Carbohydrate Polymers</i> , 1996, 31, 99-103.	5.1	68
41	Media optimization for the production of $\hat{1}^2$ -carotene by <i>Blakeslea trispora</i> : A statistical approach. <i>Bioresource Technology</i> , 2008, 99, 722-730.	4.8	67
42	A Lesser-Known Grain, <i>Chenopodium Quinoa</i> : Review of the Chemical Composition of its Edible Parts. <i>Food and Nutrition Bulletin</i> , 1998, 19, 61-70.	0.5	66
43	Studies on interactions of corn starch with casein and casein hydrolysates. <i>Food Chemistry</i> , 1999, 64, 383-389.	4.2	66
44	A study on the degradation kinetics of visual green colour in spinach (<i>Spinacea oleracea</i> L.) and the effect of salt therein. <i>Journal of Food Engineering</i> , 2004, 64, 135-142.	2.7	64
45	Microencapsulation of ubiquinone-10 in carbohydrate matrices for improved stability. <i>Carbohydrate Polymers</i> , 2010, 82, 1290-1296.	5.1	64
46	Esterification of guar gum hydrolysate and gum Arabic with n-octenyl succinic anhydride and oleic acid and its evaluation as wall material in microencapsulation. <i>Carbohydrate Polymers</i> , 2011, 86, 1723-1731.	5.1	63
47	Hydrophobic derivatives of guar gum hydrolyzate and gum Arabic as matrices for microencapsulation of mint oil. <i>Carbohydrate Polymers</i> , 2013, 95, 177-182.	5.1	63
48	Degradation of colour in beetroot (<i>Beta vulgaris</i> L.): a kinetics study. <i>Journal of Food Science and Technology</i> , 2014, 51, 2678-2684.	1.4	63
49	Separation of bioactives from seabuckthorn seeds by supercritical carbon dioxide extraction methodology through solubility parameter approach. <i>Separation and Purification Technology</i> , 2011, 80, 533-540.	3.9	62
50	Enhanced Production of Poly ($\hat{1}^3$ -glutamic acid) from <i>Bacillus licheniformis</i> NCIM 2324 by Using Metabolic Precursors. <i>Applied Biochemistry and Biotechnology</i> , 2009, 159, 133-141.	1.4	60
51	Use of an artificial neural network in modeling yeast biomass and yield of $\hat{1}^2$ -glucan. <i>Process Biochemistry</i> , 2005, 40, 1617-1626.	1.8	59
52	Statistical approach to optimization of fermentative production of gellan gum from <i>Sphingomonas paucimobilis</i> ATCC 31461. <i>Journal of Bioscience and Bioengineering</i> , 2006, 102, 150-156.	1.1	59
53	Regeneration of thermally polymerized frying oils with adsorbents. <i>Food Chemistry</i> , 2008, 110, 562-570.	4.2	59
54	Kinetic Modelling of Colour Degradation in Tomato Puree (<i>Lycopersicon esculentum</i> L.). <i>Food and Bioprocess Technology</i> , 2011, 4, 781-787.	2.6	59

#	ARTICLE	IF	CITATIONS
55	Immobilization of inulinase from <i>Aspergillus niger</i> NCIM 945 on chitosan and its application in continuous inulin hydrolysis. <i>Biocatalysis and Agricultural Biotechnology</i> , 2013, 2, 96-101.	1.5	59
56	Enhanced extraction of oleoresin from ginger (<i>Zingiber officinale</i>) rhizome powder using enzyme-assisted three phase partitioning. <i>Food Chemistry</i> , 2017, 216, 27-36.	4.2	59
57	Promiscuous <i>Candida antarctica</i> lipase B-catalyzed synthesis of β -amino esters via aza-Michael addition of amines to acrylates. <i>Tetrahedron Letters</i> , 2010, 51, 4455-4458.	0.7	58
58	A tri-enzyme co-immobilized magnetic complex: Process details, kinetics, thermodynamics and applications. <i>International Journal of Biological Macromolecules</i> , 2018, 118, 1781-1795.	3.6	58
59	Improved activity and stability of <i>Rhizopus oryzae</i> lipase via immobilization for citronellol ester synthesis in supercritical carbon dioxide. <i>Journal of Biotechnology</i> , 2011, 156, 46-51.	1.9	57
60	Extraction and characterization of chitosan from prawn shell waste and its conjugation with cutinase for enhanced thermo-stability. <i>International Journal of Biological Macromolecules</i> , 2018, 111, 1047-1058.	3.6	57
61	Improvements in the extraction of bioactive compounds by enzymes. <i>Current Opinion in Food Science</i> , 2019, 25, 62-72.	4.1	57
62	Studies on the optimisation of preparation of succinate derivatives from corn and amaranth starches. <i>Carbohydrate Polymers</i> , 2002, 47, 277-283.	5.1	56
63	Studies on fermentative production of squalene. <i>World Journal of Microbiology and Biotechnology</i> , 2001, 17, 811-816.	1.7	54
64	Gellan gum for reducing oil uptake in sev, a legume based product during deep-fat frying. <i>Food Chemistry</i> , 2007, 104, 1472-1477.	4.2	54
65	HPMC-PVA Film Immobilized <i>Rhizopus oryzae</i> Lipase as a Biocatalyst for Transesterification Reaction. <i>ACS Catalysis</i> , 2011, 1, 316-322.	5.5	54
66	Starch-based spherical aggregates: screening of small granule sized starches for entrapment of a model flavouring compound, vanillin. <i>Carbohydrate Polymers</i> , 2003, 53, 45-51.	5.1	53
67	Optimization of nutritional requirements and feeding strategies for clavulanic acid production by <i>Streptomyces clavuligerus</i> . <i>Bioresource Technology</i> , 2007, 98, 2010-2017.	4.8	53
68	Optimization of <i>Aspergillus niger</i> Fermentation for the Production of Glucose Oxidase. <i>Food and Bioprocess Technology</i> , 2009, 2, 344-352.	2.6	53
69	Efficacy of pullulan in emulsification of turmeric oleoresin and its subsequent microencapsulation. <i>Food Chemistry</i> , 2009, 113, 1139-1145.	4.2	53
70	Enzyme-assisted three phase partitioning: A novel approach for extraction of turmeric oleoresin. <i>Process Biochemistry</i> , 2011, 46, 423-426.	1.8	53
71	n-Octenyl succinylation of pullulan: Effect on its physico-mechanical and thermal properties and application as an edible coating on fruits. <i>Food Hydrocolloids</i> , 2016, 55, 179-188.	5.6	53
72	Extraction of cocoa butter alternative from kokum (<i>Garcinia indica</i>) kernel by three phase partitioning. <i>Journal of Food Engineering</i> , 2013, 117, 464-466.	2.7	52

#	ARTICLE	IF	CITATIONS
73	Extraction of forskolin from <i>Coleus forskohlii</i> roots using three phase partitioning. Separation and Purification Technology, 2012, 96, 20-25.	3.9	51
74	Use of complex media for the production of scleroglucan by <i>Sclerotium rolfsii</i> MTCC 2156. Bioresource Technology, 2007, 98, 1509-1512.	4.8	50
75	Extraction of Lipids from <i>Chlorella saccharophila</i> Using High-Pressure Homogenization Followed by Three Phase Partitioning. Applied Biochemistry and Biotechnology, 2015, 176, 1613-1626.	1.4	50
76	Some Properties of <i>Amaranthus paniculatas</i> (Rajgeera) Starch Pastes. Starch/Staerke, 1990, 42, 5-7.	1.1	49
77	<i>Candida antarctica</i> lipase B-catalyzed synthesis of acetamides using [BMIm(PF6)] as a reaction medium. Tetrahedron Letters, 2009, 50, 2811-2814.	0.7	48
78	Screening of hydrocolloids for reduction in oil uptake of a model deep fat fried product. Lipid - Fett, 1999, 101, 217-221.	0.6	47
79	Immobilization of <i>Streptomyces clavuligerus</i> on loofah sponge for the production of clavulanic acid. Bioresource Technology, 2008, 99, 2250-2253.	4.8	46
80	Irradiation depolymerized guar gum as partial replacement of gum Arabic for microencapsulation of mint oil. Carbohydrate Polymers, 2012, 90, 1685-1694.	5.1	46
81	Panorama of poly- $\hat{\mu}$ -lysine. RSC Advances, 2013, 3, 8586.	1.7	46
82	Hydrophobically modified pea proteins: Synthesis, characterization and evaluation as emulsifiers in eggless cake. Journal of Food Engineering, 2019, 255, 15-23.	2.7	46
83	Production of glutaminase (E.C.3.2.1.5) from <i>Zygosaccharomyces rouxii</i> : Statistical optimization using response surface methodology. Bioresource Technology, 2008, 99, 4300-4307.	4.8	45
84	The degradation kinetics of flavor in black pepper (<i>Piper nigrum</i> L.). Journal of Food Engineering, 2009, 92, 44-49.	2.7	45
85	Supercritical carbon dioxide extraction of 2-acetyl-1-pyrroline from <i>Pandanus amaryllifolius</i> Roxb. Food Chemistry, 2005, 91, 255-259.	4.2	44
86	Carboxymethylcellulose and hydroxypropylmethylcellulose as additives in reduction of oil content in batter based deep-fat fried boondis. Carbohydrate Polymers, 1996, 29, 333-335.	5.1	43
87	Chemically modified papain for applications in detergent formulations. Bioresource Technology, 2001, 78, 1-4.	4.8	43
88	Debittering of bitter gourd juice using \hat{I}^2 -cyclodextrin: Mechanism and effect on antidiabetic potential. Food Chemistry, 2018, 262, 78-85.	4.2	43
89	Magnetic cross-linked enzyme aggregates of acrylamidase from <i>Cupriavidus oxalaticus</i> ICTDB921 for biodegradation of acrylamide from industrial waste water. Bioresource Technology, 2019, 272, 137-145.	4.8	43
90	Studies on <i>Chenopodium quinoa</i> and <i>Amaranthus paniculatas</i> starch as biodegradable fillers in LDPE films. Carbohydrate Polymers, 1996, 31, 157-160.	5.1	42

#	ARTICLE	IF	CITATIONS
91	Production of scleroglucan from <i>Sclerotium rolfsii</i> MTCC 2156. <i>Bioresource Technology</i> , 2006, 97, 989-993.	4.8	42
92	Flocculation Properties of Poly(\hat{I}^3 -Glutamic Acid) Produced from <i>Bacillus subtilis</i> Isolate. <i>Food and Bioprocess Technology</i> , 2011, 4, 745-752.	2.6	41
93	Co-encapsulation of vitamins B12 and D3 using spray drying: Wall material optimization, product characterization, and release kinetics. <i>Food Chemistry</i> , 2021, 335, 127642.	4.2	41
94	Effect of aeration and agitation on synthesis of poly (\hat{I}^3 -glutamic acid) in batch cultures of <i>Bacillus licheniformis</i> NCIM 2324. <i>Biotechnology and Bioprocess Engineering</i> , 2010, 15, 635-640.	1.4	40
95	Furan formation during UV-treatment of fruit juices. <i>Food Chemistry</i> , 2010, 122, 937-942.	4.2	40
96	Enzyme-assisted extraction for enhanced yields of turmeric oleoresin and its constituents. <i>Food Bioscience</i> , 2013, 3, 36-41.	2.0	40
97	Genetic variation in bitter taste receptor gene TAS2R38 , PROP taster status and their association with body mass index and food preferences in Indian population. <i>Gene</i> , 2017, 627, 363-368.	1.0	40
98	Food polysaccharides: A review on emerging microbial sources, bioactivities, nanoformulations and safety considerations. <i>Carbohydrate Polymers</i> , 2022, 287, 119355.	5.1	40
99	Composition of the seeds of some <i>Amaranthus</i> species. <i>Journal of the Science of Food and Agriculture</i> , 1988, 42, 325-331.	1.7	39
100	Approaches to the detection of meat adulteration. <i>Trends in Food Science and Technology</i> , 1992, 3, 69-72.	7.8	39
101	Kinetic modelling of texture development in potato cubes (<i>Solanum tuberosum</i> L.), green gram whole (<i>Vigna radiate</i> L.) and red gram splits (<i>Cajanus cajan</i> L.). <i>Journal of Food Engineering</i> , 2006, 76, 524-530.	2.7	39
102	Natural Existence of 2-Alkylcyclobutanones. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11817-11823.	2.4	39
103	Optimization of poly- \hat{I}^3 -lysine production by <i>Streptomyces noursei</i> NRRL 5126. <i>Bioresource Technology</i> , 2010, 101, 8370-8375.	4.8	39
104	An efficient, catalyst- and solvent-free <i>N</i> -formylation of aromatic and aliphatic amines. <i>Green Chemistry Letters and Reviews</i> , 2011, 4, 151-157.	2.1	39
105	Characterization of co-crystallized sucrose entrapped with cardamom oleoresin. <i>Journal of Food Engineering</i> , 2013, 117, 521-529.	2.7	39
106	Enzymatic extraction and characterization of polysaccharide from <i>Tuber aestivum</i> . <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2017, 10, 1-9.	1.5	39
107	Supercritical fluid extraction of <i>Curcuma longa</i> and <i>Curcuma amada</i> oleoresin: Optimization of extraction conditions, extract profiling, and comparison of bioactivities. <i>Industrial Crops and Products</i> , 2019, 134, 134-145.	2.5	39
108	Ultrasound assisted vis- \hat{A} -vis classical heating for the conjugation of whey protein isolate-gellan gum: Process optimization, structural characterization and physico-functional evaluation. <i>Innovative Food Science and Emerging Technologies</i> , 2021, 72, 102724.	2.7	39

#	ARTICLE	IF	CITATIONS
109	Studies on downstream processing of pullulan. <i>Carbohydrate Polymers</i> , 2003, 52, 25-28.	5.1	38
110	Kinetics of degradation of saponins in soybean flour (<i>Glycine max.</i>) during food processing. <i>Journal of Food Engineering</i> , 2006, 76, 440-445.	2.7	37
111	Pullulan-complexed α -amylase and glucosidase in alginate beads: Enhanced entrapment and stability. <i>Carbohydrate Polymers</i> , 2014, 105, 49-56.	5.1	37
112	Antimicrobial properties of cumin. <i>World Journal of Microbiology and Biotechnology</i> , 1994, 10, 232-233.	1.7	36
113	Cutin from watermelon peels: A novel inducer for cutinase production and its physicochemical characterization. <i>International Journal of Biological Macromolecules</i> , 2015, 79, 398-404.	3.6	36
114	Optimization of starch oleate derivatives from native corn and hydrolyzed corn starch by response surface methodology. <i>Carbohydrate Polymers</i> , 2007, 69, 455-461.	5.1	35
115	Development of efficient supercritical carbon dioxide extraction methodology for zeaxanthin from dried biomass of <i>Paracoccus zeaxanthinifaciens</i> . <i>Separation and Purification Technology</i> , 2010, 71, 173-177.	3.9	35
116	Biodegradation of acrylamide by a novel isolate, <i>Cupriavidus oxalaticus</i> ICTDB921: Identification and characterization of the acrylamidase produced. <i>Bioresource Technology</i> , 2018, 261, 122-132.	4.8	35
117	Effect of sucrose on starch-hydrocolloid interactions. <i>Food Chemistry</i> , 1995, 52, 281-284.	4.2	34
118	A study on degradation kinetics of ascorbic acid in amla (<i>Phyllanthus emblica</i> L.) during cooking. <i>International Journal of Food Sciences and Nutrition</i> , 2004, 55, 415-422.	1.3	34
119	Effect of formulation and processing parameters on acrylamide formation: A case study on extrusion of blends of potato flour and semolina. <i>LWT - Food Science and Technology</i> , 2011, 44, 1643-1648.	2.5	34
120	Conjugation of α -amylase with dextran for enhanced stability: Process details, kinetics and structural analysis. <i>Carbohydrate Polymers</i> , 2012, 90, 1811-1817.	5.1	34
121	Antioxidant-Rich Extract from Dehydrated Seabuckthorn Berries by Supercritical Carbon Dioxide Extraction. <i>Food and Bioprocess Technology</i> , 2012, 5, 2768-2776.	2.6	34
122	Modification of proteins and polysaccharides using dodecyl succinic anhydride: Synthesis, properties and applications—A review. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 2224-2233.	3.6	34
123	Recent advances in the application of molecularly imprinted polymers (MIPs) in food analysis. <i>Food Control</i> , 2022, 139, 109074.	2.8	34
124	A comparative account of conditions of synthesis of hydroxypropyl derivative from corn and amaranth starch. <i>Carbohydrate Polymers</i> , 2000, 43, 155-162.	5.1	33
125	Gelling behaviour of polyose from tamarind kernel polysaccharide. <i>Food Hydrocolloids</i> , 2002, 16, 423-426.	5.6	33
126	Biotransformation of Polyphenols for Improved Bioavailability and Processing Stability. <i>Advances in Food and Nutrition Research</i> , 2013, 69, 183-217.	1.5	33

#	ARTICLE	IF	CITATIONS
127	Enzymic debittering of Indian grapefruit (<i>Citrus paradisi</i>) juice. <i>Journal of the Science of Food and Agriculture</i> , 2002, 82, 394-397.	1.7	32
128	Hydrocarbons as marker compounds for irradiated cashew nuts. <i>Food Chemistry</i> , 2003, 80, 151-157.	4.2	32
129	Laccase-gum Arabic conjugate for preparation of water-soluble oligomer of catechin with enhanced antioxidant activity. <i>Food Chemistry</i> , 2014, 150, 9-16.	4.2	32
130	A study on degradation kinetics of riboflavin in green gram whole (<i>Vigna radiata</i> L.). <i>Food Chemistry</i> , 2005, 89, 577-582.	4.2	31
131	Enhanced production of scleroglucan by <i>Sclerotium rolfsii</i> MTCC 2156 by use of metabolic precursors. <i>Bioresource Technology</i> , 2007, 98, 410-415.	4.8	31
132	Application of germinated maize starch in textile printing. <i>Carbohydrate Polymers</i> , 2009, 75, 599-603.	5.1	31
133	Meningococcal polysaccharide vaccines: A review. <i>Carbohydrate Polymers</i> , 2009, 75, 553-565.	5.1	31
134	Characterization and in vitro probiotic evaluation of lactic acid bacteria isolated from idli batter. <i>Journal of Food Science and Technology</i> , 2013, 50, 1114-1121.	1.4	31
135	Effect of stabilizers on stabilization of idli (traditional south Indian food) batter during storage. <i>Food Hydrocolloids</i> , 2005, 19, 179-186.	5.6	30
136	Studies on starch-hydrocolloid interactions: effect of salts. <i>Food Chemistry</i> , 1995, 53, 405-408.	4.2	29
137	Extraction of squalene from yeast by supercritical carbon dioxide. <i>World Journal of Microbiology and Biotechnology</i> , 2003, 19, 605-608.	1.7	29
138	Effect of damaged starch on acrylamide formation in whole wheat flour based Indian traditional staples, chapattis and pooris. <i>Food Chemistry</i> , 2010, 120, 805-809.	4.2	29
139	Synergism of microwave irradiation and enzyme catalysis in kinetic resolution of (R,S)-1-phenylethanol by cutinase from novel isolate <i>Fusarium ICT SAC1</i> . <i>Biochemical Engineering Journal</i> , 2017, 117, 121-128.	1.8	29
140	Supercritical Carbon Dioxide Extraction of Squalene from <i>Amaranthus paniculatus</i> : Experiments and Process Characterization. <i>Food and Bioprocess Technology</i> , 2012, 5, 2506-2521.	2.6	28
141	Polysaccharide conjugated laccase for the dye decolorization and reusability of effluent in textile industry. <i>International Biodeterioration and Biodegradation</i> , 2013, 85, 271-277.	1.9	28
142	Separation of polyphenols and arecoline from areca nut (<i>Areca catechu</i> L.) by solvent extraction, its antioxidant activity, and identification of polyphenols. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 2580-2589.	1.7	28
143	Complexation of curcumin using proteins to enhance aqueous solubility and bioaccessibility: Pea protein vis-à-vis whey protein. <i>Journal of Food Engineering</i> , 2021, 292, 110258.	2.7	28
144	A new TLC method to detect the presence of ground papaya seed in ground black pepper. <i>Journal of the Science of Food and Agriculture</i> , 2001, 81, 1322-1325.	1.7	27

#	ARTICLE	IF	CITATIONS
145	Enhanced production of poly (γ -glutamic acid) from <i>Bacillus licheniformis</i> NCIM 2324 in solid state fermentation. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2008, 35, 1581-1586.	1.4	27
146	Stability of anthocyanins as pre-extrusion colouring of rice extrudates. <i>Food Research International</i> , 2013, 50, 641-646.	2.9	27
147	Enhanced stability of alcohol dehydrogenase by non-covalent interaction with polysaccharides. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 6307-6316.	1.7	27
148	Effect of extrusion processing and hydrocolloids on the stability of added vitamin B12 and physico-functional properties of the fortified puffed extrudates. <i>LWT - Food Science and Technology</i> , 2019, 101, 32-39.	2.5	27
149	Immobilization of Proteins in Alginate: Functional Properties and Applications. <i>Current Organic Chemistry</i> , 2015, 19, 1732-1754.	0.9	27
150	<i>Ocimum basilicum</i> : A new non-conventional source of fibre. <i>Food Chemistry</i> , 1993, 47, 399-401.	4.2	26
151	Screening and Selection of Marine Isolate for L-Glutaminase Production and Media Optimization Using Response Surface Methodology. <i>Applied Biochemistry and Biotechnology</i> , 2009, 159, 233-250.	1.4	26
152	Extraction of Flaxseed Oil: A Comparative Study of Three-Phase Partitioning and Supercritical Carbon Dioxide Using Response Surface Methodology. <i>Food and Bioprocess Technology</i> , 2017, 10, 940-948.	2.6	26
153	Screening of different hydrocolloids for improving the quality of fried papad. <i>European Journal of Lipid Science and Technology</i> , 2001, 103, 722-728.	1.0	25
154	Stability of active components of cardamom oleoresin in co-crystallized sugar cube during storage. <i>Journal of Food Engineering</i> , 2013, 117, 530-537.	2.7	25
155	A strategic approach for direct recovery and stabilization of <i>Fusarium</i> sp. ICT SAC1 cutinase from solid state fermented broth by carrier free cross-linked enzyme aggregates. <i>International Journal of Biological Macromolecules</i> , 2017, 98, 610-621.	3.6	25
156	Fortification of puffed rice extrudates and rice noodles with different calcium salts: Physicochemical properties and calcium bioaccessibility. <i>LWT - Food Science and Technology</i> , 2018, 97, 67-75.	2.5	25
157	Immobilization of enzymes on iron oxide magnetic nanoparticles: Synthesis, characterization, kinetics and thermodynamics. <i>Methods in Enzymology</i> , 2020, 630, 39-79.	0.4	25
158	Compactin production in solid-state fermentation using orthogonal array method by <i>P. brevicompactum</i> . <i>Biochemical Engineering Journal</i> , 2008, 41, 295-300.	1.8	24
159	Enzyme-polysaccharide interaction: A method for improved stability of horseradish peroxidase. <i>International Journal of Biological Macromolecules</i> , 2014, 69, 329-335.	3.6	24
160	Non-covalent conjugation of cutinase from <i>Fusarium</i> sp. ICT SAC1 with pectin for enhanced stability: Process minutiae, kinetics, thermodynamics and structural study. <i>International Journal of Biological Macromolecules</i> , 2017, 102, 729-740.	3.6	24
161	Enhanced extraction of oleoresin from <i>Piper nigrum</i> by supercritical carbon dioxide using ethanol as a co-solvent and its bioactivity profile. <i>Journal of Food Process Engineering</i> , 2018, 41, e12670.	1.5	24
162	Improved Poly- γ -Lysine Biosynthesis Using <i>Streptomyces noursei</i> NRRL 5126 by Controlling Dissolved Oxygen During Fermentation. <i>Journal of Microbiology and Biotechnology</i> , 2011, 21, 652-658.	0.9	24

#	ARTICLE	IF	CITATIONS
163	Succinylation of food proteins- a concise review. <i>LWT - Food Science and Technology</i> , 2022, 154, 112866.	2.5	24
164	Physicochemical properties of carboxymethyl starch prepared from corn and waxy amaranth starch. <i>Carbohydrate Polymers</i> , 1995, 27, 167-169.	5.1	23
165	Deep fat-fried snacks from blends of soya flour and corn, amaranth and chenopodium starches. <i>Food Chemistry</i> , 1997, 58, 313-317.	4.2	23
166	Supercritical carbon dioxide extraction for identification of adulteration of black pepper with papaya seeds. <i>Journal of the Science of Food and Agriculture</i> , 2003, 83, 783-786.	1.7	23
167	Comparative aroma profiles using supercritical carbon dioxide and Likens-Nickerson extraction from a commercial brand of Basmati rice. <i>Journal of the Science of Food and Agriculture</i> , 2003, 83, 880-883.	1.7	23
168	5-Phosphodiesterase (5-PDE) from germinated barley for hydrolysis of RNA to produce flavour nucleotides. <i>Bioresource Technology</i> , 2003, 88, 245-250.	4.8	23
169	A statistical approach using L25 orthogonal array method to study fermentative production of clavulanic acid by <i>Streptomyces clavuligerus</i> MTCC 1142. <i>Applied Biochemistry and Biotechnology</i> , 2007, 136, 345-359.	1.4	23
170	Supercritical carbon dioxide extraction of lycopene from mated cultures of <i>Blakeslea trispora</i> NRRL 2895 and 2896. <i>Journal of Food Engineering</i> , 2008, 89, 349-354.	2.7	23
171	Production of cephamycin C by <i>Streptomyces clavuligerus</i> NT4 using solid-state fermentation. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2008, 35, 49-58.	1.4	23
172	Investigation of steapsin lipase for kinetic resolution of secondary alcohols and synthesis of valuable acetates in non-aqueous reaction medium. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2012, 77, 15-23.	1.8	23
173	Wheat flour based propionic acid fermentation: An economic approach. <i>Bioresource Technology</i> , 2013, 129, 694-699.	4.8	23
174	Fermentative production of glycine betaine and trehalose from acid whey using <i>Actinopolyspora halophila</i> (MTCC 263). <i>Environmental Technology and Innovation</i> , 2015, 3, 68-76.	3.0	23
175	Evaluation of debittered and germinated fenugreek (<i>Trigonella foenum graecum</i>) seed flour on the chemical characteristics, biological activities, and sensory profile of fortified bread. <i>Journal of Food Processing and Preservation</i> , 2018, 42, e13395.	0.9	23
176	Starch-based spherical aggregates: stability of a model flavouring compound, vanillin entrapped therein. <i>Carbohydrate Polymers</i> , 2002, 50, 417-421.	5.1	22
177	Compositional profiles of γ -irradiated cashew nuts. <i>Food Chemistry</i> , 2003, 80, 159-163.	4.2	22
178	Preparation of hydroxypropyl corn and amaranth starch hydrolyzate and its evaluation as wall material in microencapsulation. <i>Food Chemistry</i> , 2008, 108, 958-964.	4.2	22
179	Use of carrot juice and tomato juice as natural precursors for enhanced production of ubiquinone-10 by <i>Pseudomonas diminuta</i> NCIM 2865. <i>Food Chemistry</i> , 2009, 116, 302-305.	4.2	22
180	Curdlan as a support matrix for immobilization of enzyme. <i>Carbohydrate Polymers</i> , 2004, 56, 483-488.	5.1	21

#	ARTICLE	IF	CITATIONS
181	A study on degradation kinetics of riboflavin in spinach (<i>Spinacea oleracea</i> L.). <i>Journal of Food Engineering</i> , 2005, 67, 407-412.	2.7	21
182	Screening of polysaccharides for preparation of α -amylase conjugate to enhance stability and storage life. <i>Carbohydrate Polymers</i> , 2013, 92, 1724-1729.	5.1	21
183	Enzyme-Assisted Extraction of Bioactives. , 2017, , 171-201.		21
184	Metabolic precursors enhance the production of poly- ϵ -lysine by <i>Streptomyces noursei</i> NRRL 5126. <i>Engineering in Life Sciences</i> , 2011, 11, 253-258.	2.0	20
185	Development of Efficient Designs of Cooking Systems. II. Computational Fluid Dynamics and Optimization. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 1897-1922.	1.8	20
186	Acetone-butanol-ethanol (ABE) fermentation using the root hydrolysate after extraction of forskolin from <i>Coleus forskohlii</i> . <i>Renewable Energy</i> , 2016, 86, 594-601.	4.3	20
187	Effect of puffing on oil characteristics of Amaranth (<i>Rajgeera</i>) seeds. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 1990, 67, 952-954.	0.8	19
188	Low-calorie fat substitutes. <i>Trends in Food Science and Technology</i> , 1991, 2, 241-244.	7.8	19
189	Solid-state fermentation for production of griseofulvin on rice bran using <i>Penicillium griseofulvum</i> . <i>Biotechnology Progress</i> , 2004, 20, 1280-1284.	1.3	19
190	Use of insoluble yeast β -glucan as a support for immobilization of <i>Candida rugosa</i> lipase. <i>Colloids and Surfaces B: Biointerfaces</i> , 2008, 61, 101-105.	2.5	19
191	Lipid profile of foods fried in thermally polymerized palm oil. <i>Food Chemistry</i> , 2008, 109, 808-812.	4.2	19
192	Gellan Gum as an Immobilization Matrix for the Production of Cyclosporin A. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 1086-1091.	0.9	19
193	Ionic liquid based ultrasonic-assisted extraction of forskolin from <i>Coleus forskohlii</i> roots. <i>Industrial Crops and Products</i> , 2014, 61, 258-264.	2.5	19
194	Enzymic peeling of Indian grapefruit (<i>Citrus paradisi</i>). <i>Journal of the Science of Food and Agriculture</i> , 2001, 81, 1440-1442.	1.7	18
195	Recovery of Astaxanthin from <i>Paracoccus</i> NBRC 101723 using Ultrasound-Assisted Three Phase Partitioning (UA-TPP). <i>Separation Science and Technology</i> , 2014, 49, 811-818.	1.3	18
196	Evaluation and application of prebiotic and probiotic ingredients for development of ready to drink tea beverage. <i>Journal of Food Science and Technology</i> , 2018, 55, 1525-1534.	1.4	18
197	Influence of food commodities on hangover based on alcohol dehydrogenase and aldehyde dehydrogenase activities. <i>Current Research in Food Science</i> , 2019, 1, 8-16.	2.7	18
198	Cross-linked enzyme aggregates of arylamidase from <i>Cupriavidus oxalaticus</i> ICTDB921: process optimization, characterization, and application for mitigation of acrylamide in industrial wastewater. <i>Bioprocess and Biosystems Engineering</i> , 2020, 43, 457-471.	1.7	18

#	ARTICLE	IF	CITATIONS
199	Esterification of anthocyanins isolated from floral waste: Characterization of the esters and their application in various food systems. <i>Food Bioscience</i> , 2021, 40, 100852.	2.0	18
200	Advances in fermentative production, purification, characterization and applications of gellan gum. <i>Bioresource Technology</i> , 2022, 359, 127498.	4.8	18
201	Interaction of polyphenol oxidase of <i>Solanum tuberosum</i> with β -cyclodextrin: Process details and applications. <i>International Journal of Biological Macromolecules</i> , 2015, 80, 469-474.	3.6	17
202	Development of shrikhand premix using microencapsulated rice bran oil as fat alternative and hydrocolloids as texture modifier. <i>Food Hydrocolloids</i> , 2015, 48, 220-227.	5.6	17
203	Ultrasound assisted extraction of the polysaccharide from <i>Tuber aestivum</i> and its in vitro anti-hyperglycemic activity. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2019, 20, 100198.	1.5	17
204	Degradation kinetics of vitamin B12 in model systems of different pH and extrapolation to carrot and lime juices. <i>Journal of Food Engineering</i> , 2020, 272, 109800.	2.7	17
205	An investigation on changes in composition and antioxidant potential of mature and immature summer truffle (<i>Tuber aestivum</i>). <i>European Food Research and Technology</i> , 2020, 246, 723-731.	1.6	17
206	Immobilization of L-asparaginase on magnetic nanoparticles: Kinetics and functional characterization and applications. <i>Bioresource Technology</i> , 2021, 339, 125599.	4.8	17
207	Evolutionary Operation (EVOP) to Optimize Whey-Independent Serratiopeptidase Production from <i>Serratia marcescens</i> NRRL B-23112. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 950-957.	0.9	17
208	Starch based spherical aggregates: reconfirmation of the role of amylose on the stability of a model flavouring compound, vanillin. <i>Carbohydrate Polymers</i> , 2002, 50, 279-282.	5.1	16
209	Immobilization of steapsin lipase on macroporous imobead-350 for biodiesel production in solvent free system. <i>Biotechnology and Bioprocess Engineering</i> , 2012, 17, 959-965.	1.4	16
210	Nano-eco toxicity study of gold nanoparticles on aquatic organism <i>Moina macrocopa</i> : As new versatile ecotoxicity testing model. <i>Environmental Toxicology and Pharmacology</i> , 2019, 68, 4-12.	2.0	16
211	<i>Moina macrocopa</i> as a non-target aquatic organism for assessment of ecotoxicity of silver nanoparticles: Effect of size. <i>Chemosphere</i> , 2019, 219, 713-723.	4.2	16
212	A study on degradation kinetics of ascorbic acid in drumstick (<i>Moringa olifera</i>) leaves during cooking. <i>Journal of the Science of Food and Agriculture</i> , 2005, 85, 1953-1958.	1.7	15
213	Effect of an alkaline salt (papad khar) and its substitute (2:1 sodium carbonate:sodium bicarbonate) on acrylamide formation in papads. <i>Food Chemistry</i> , 2009, 113, 1165-1168.	4.2	15
214	Acrylamide content in fried chips prepared from irradiated and non-irradiated stored potatoes. <i>Food Chemistry</i> , 2011, 127, 1668-1672.	4.2	15
215	Continuous lignocellulosic ethanol production using <i>Coleus forskohlii</i> root hydrolysate. <i>Fuel</i> , 2014, 126, 77-84.	3.4	15
216	Investigations on ideal mode of cell disruption in extremely halophilic <i>Actinopolyspora halophila</i> (MTCC 263) for efficient release of glycine betaine and trehalose. <i>Biotechnology Reports (Amsterdam)</i> , Tj ETQq0 0 21rgBT /Overlock 10		

#	ARTICLE	IF	CITATIONS
217	Modelling and optimization of zeaxanthin production by <i>Paracoccus zeaxanthinifaciens</i> ATCC 21588 using hybrid genetic algorithm techniques. <i>Biocatalysis and Agricultural Biotechnology</i> , 2016, 8, 228-235.	1.5	15
218	Biochemical Characterization of Extracellular Cellulase from <i>Tuber maculatum</i> Mycelium Produced Under Submerged Fermentation. <i>Applied Biochemistry and Biotechnology</i> , 2017, 181, 772-783.	1.4	15
219	Fortification of wheat flour and oil with vitamins B12 and D3: Effect of processing and storage. <i>Journal of Food Composition and Analysis</i> , 2021, 96, 103703.	1.9	15
220	A Novel Medium for the Enhanced Production of Cyclosporin A by <i>Tolypocladium inflatum</i> MTCC 557 Using Solid State Fermentation. <i>Journal of Microbiology and Biotechnology</i> , 2009, 19, 462-467.	0.9	15
221	Kinetics of degradation of ODAP in <i>Lathyrus sativus</i> L. flour during food processing. <i>Food Chemistry</i> , 2007, 104, 643-649.	4.2	14
222	Genotype Frequencies of Drug-Metabolizing Enzymes Responsible for Purine and Pyrimidine Antagonists in a Healthy Asian-Indian Population. <i>Biochemical Genetics</i> , 2012, 50, 684-693.	0.8	14
223	Value-added bioethanol from spent ginger obtained after oleoresin extraction. <i>Industrial Crops and Products</i> , 2013, 42, 299-307.	2.5	14
224	Influence of different pasteurization techniques on antidiabetic, antioxidant and sensory quality of debittered bitter melon juice during storage. <i>Food Chemistry</i> , 2019, 285, 156-162.	4.2	14
225	Supercritical carbon dioxide extraction of kokum fat from <i>Garcinia indica</i> kernels and its application as a gelator in oleogels with oils. <i>Industrial Crops and Products</i> , 2019, 138, 111459.	2.5	14
226	Stabilization of cutinase by covalent attachment on magnetic nanoparticles and improvement of its catalytic activity by ultrasonication. <i>Ultrasonics Sonochemistry</i> , 2019, 55, 174-185.	3.8	14
227	Enzymatic synthesis of fatty acid esters of trehalose: Process optimization, characterization of the esters and evaluation of their bioactivities. <i>Bioorganic Chemistry</i> , 2020, 94, 103460.	2.0	14
228	Enhancement of stability of vitamin B12 by co-crystallization: A convenient and palatable form of fortification. <i>Journal of Food Engineering</i> , 2021, 291, 110231.	2.7	14
229	Use of <i>Amaranthus</i> (Rajgeera) starch vis-à-vis wheat starch in printing of vat dyes. <i>Carbohydrate Polymers</i> , 2009, 76, 460-463.	5.1	13
230	Compactin Production Studies Using <i>Penicillium brevicompactum</i> Under Solid-State Fermentation Conditions. <i>Applied Biochemistry and Biotechnology</i> , 2009, 159, 505-520.	1.4	13
231	Development of Efficient Designs of Cooking Systems. III. Kinetics of Cooking and Quality of Cooked Food, Including Nutrients, Anti-Nutrients, Taste, and Flavor. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 1923-1937.	1.8	13
232	Enhancing anti-diabetic potential of bitter melon juice using pectinase: A response surface methodology approach. <i>LWT - Food Science and Technology</i> , 2017, 86, 514-522.	2.5	13
233	An alkali stable cellulase by chemical modification using maleic anhydride. <i>Carbohydrate Polymers</i> , 2002, 47, 137-141.	5.1	12
234	Studies of a 2:1 sodium carbonate:sodium bicarbonate mixture as papadkhar substitute for papads. <i>Food Chemistry</i> , 2005, 91, 51-56.	4.2	12

#	ARTICLE	IF	CITATIONS
235	Identification of Irradiated Cashew Nut by Electron Paramagnetic Resonance Spectroscopy. Journal of Agricultural and Food Chemistry, 2008, 56, 8987-8991.	2.4	12
236	Isolation and Characterization of Acrylamidase from <i>Arthrobacter</i> sp. DBV1 and Its Ability to Biodegrade Acrylamide. Applied Biochemistry and Biotechnology, 2017, 182, 570-585.	1.4	12
237	A two-tier modified starch-oxidation followed by n -octenyl succinylation as gum Arabic substitute: Process details and characterization. Journal of Food Engineering, 2018, 226, 96-104.	2.7	12
238	A comparative account of extraction of oleoresin from <i>Curcuma aromatica</i> Salisb by solvent and supercritical carbon dioxide: Characterization and bioactivities. LWT - Food Science and Technology, 2019, 116, 108564.	2.5	12
239	Effects of Dissolved Oxygen and Agitation on Production of Serratiopeptidase by <i>Serratia Marcescens</i> NRRL B-23112 in Stirred Tank Bioreactor and its Kinetic Modeling. Journal of Microbiology and Biotechnology, 2011, 21, 430-437.	0.9	12
240	Deep-fat fried noodle-like products from model individual blends of corn starch with casein, soy protein or their hydrolysates. Journal of the Science of Food and Agriculture, 1999, 79, 1577-1582.	1.7	11
241	Studies on Viability of <i>Lactobacillus fermentum</i> by Microencapsulation Using Extrusion Spheronization. Food Biotechnology, 2010, 24, 150-164.	0.6	11
242	Chemical pretreatments and partial dehydration of ash gourd (<i>Benincasa hispida</i>) pieces for preservation of its quality attributes. LWT - Food Science and Technology, 2011, 44, 2281-2284.	2.5	11
243	Development of Efficient Designs of Cooking Systems. I. Experimental. Industrial & Engineering Chemistry Research, 2012, 51, 1878-1896.	1.8	11
244	Xylanase as a processing aid for papads, an Indian traditional food based on black gram. LWT - Food Science and Technology, 2015, 62, 1148-1153.	2.5	11
245	Enzymatic response of <i>Moina macrocopa</i> to different sized zinc oxide particles: An aquatic metal toxicology study. Environmental Research, 2021, 194, 110609.	3.7	11
246	<i>Amaranthus paniculatus</i> (Rajgeera) starch as thickener in the printing of textiles. Carbohydrate Polymers, 1996, 31, 119-122.	5.1	10
247	Degradation kinetics of folic acid in cowpea (<i>Vigna catjang</i> L.) during cooking. International Journal of Food Sciences and Nutrition, 2005, 56, 389-397.	1.3	10
248	Rheological properties of <i>Amaranthus paniculatus</i> (Rajgeera) starch vis-à-vis Maize starch. Carbohydrate Polymers, 2007, 69, 116-122.	5.1	10
249	MICROENCAPSULATED LYCOPENE FOR PRE-EXTRUSION COLORING OF FOODS. Journal of Food Process Engineering, 2012, 35, 91-103.	1.5	10
250	Co-conjugation vis-à-vis individual conjugation of α -amylase and glucoamylase for hydrolysis of starch. Carbohydrate Polymers, 2013, 98, 1191-1197.	5.1	10
251	Antioxidant Compounds in Traditional Indian Pickles May Prevent the Process-Induced Formation of Benzene. Journal of Food Protection, 2016, 79, 123-131.	0.8	10
252	A Study on the Kinetics of Acrylamide Formation in Banana Chips. Journal of Food Processing and Preservation, 2017, 41, e12739.	0.9	10

#	ARTICLE	IF	CITATIONS
253	Dodecanyl succinylated guar gum hydrolysate as a wall material for microencapsulation: Synthesis, characterization and evaluation. <i>Journal of Food Engineering</i> , 2019, 242, 133-140.	2.7	10
254	Enhancement of loading and oral bioavailability of curcumin loaded self-microemulsifying lipid carriers using <i>Curcuma</i> oleoresins. <i>Drug Development and Industrial Pharmacy</i> , 2020, 46, 889-898.	0.9	10
255	Puffing Effects on Functional Properties of <i>Amaranthus paniculatas</i> (Rajgeera) Seed Flour. <i>Journal of Food Science</i> , 1991, 56, 1121-1122.	1.5	9
256	Rapid non-microbiological methods for detecting microorganisms in foods. <i>Trends in Food Science and Technology</i> , 1992, 3, 165-169.	7.8	9
257	Carboxymethyl starch: an extrusion aid. <i>Carbohydrate Polymers</i> , 1996, 31, 79-82.	5.1	9
258	Quantification of blends of black gram and rice using pentosan as an indicator. <i>Food Chemistry</i> , 2002, 78, 47-51.	4.2	9
259	Development of a protocol for supercritical carbon dioxide extraction of ubiquinone-10 from dried biomass of <i>Pseudomonas diminuta</i> . <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 809-816.	1.7	9
260	Impact of Extrusion on Red Beetroot Colour Used as Pre-extrusion Colouring of Rice Flour. <i>Food and Bioprocess Technology</i> , 2013, 6, 570-575.	2.6	9
261	Pilot scale production, kinetic modeling, and purification of glycine betaine and trehalose produced from <i>Actinopolyspora halophila</i> (MTCC 263) using acid whey: A dairy industry effluent. <i>Chemical Engineering Science</i> , 2017, 163, 83-91.	1.9	9
262	Fermentative production of extracellular amylase from novel amylase producer, <i>Tuber maculatum</i> mycelium, and its characterization. <i>Preparative Biochemistry and Biotechnology</i> , 2018, 48, 549-555.	1.0	9
263	Cross-linked β -Mannanase Aggregates: Preparation, Characterization, and Application for Producing Partially Hydrolyzed Guar Gum. <i>Applied Biochemistry and Biotechnology</i> , 2022, 194, 1981-2004.	1.4	9
264	Improved poly- β -lysine biosynthesis using <i>Streptomyces noursei</i> NRRL 5126 by controlling dissolved oxygen during fermentation. <i>Journal of Microbiology and Biotechnology</i> , 2011, 21, 652-8.	0.9	9
265	Detection of <i>Lathyrus sativus</i> in processed chickpea- and red gram-based products by thin layer chromatography. <i>Journal of the Science of Food and Agriculture</i> , 2003, 83, 727-730.	1.7	8
266	A study on degradation kinetics of niacin in potato (<i>Solanum tuberosum</i> L.). <i>Journal of Food Composition and Analysis</i> , 2009, 22, 620-624.	1.9	8
267	Co-Immobilization of Glucose Oxidase-Catalase: Optimization of Immobilization Parameters to Improve the Immobilization Yield. <i>International Journal of Food Engineering</i> , 2011, 7, .	0.7	8
268	Metabolic precursors and cofactors stimulate astaxanthin production in <i>Paracoccus MBIC 01143</i> . <i>Food Science and Biotechnology</i> , 2012, 21, 1695-1700.	1.2	8
269	Full-Gene-Sequencing Analysis of <i>N-Acetyltransferase-2</i> in an Adult Indian Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2013, 17, 188-194.	0.3	8
270	Process Optimization of Enzyme Catalyzed Production of Dietary Diacylglycerol (DAG) Using TLIM as Biocatalyst. <i>Journal of Oleo Science</i> , 2014, 63, 169-176.	0.6	8

#	ARTICLE	IF	CITATIONS
271	Interaction of carbohydrates with alcohol dehydrogenase: Effect on enzyme activity. Journal of Bioscience and Bioengineering, 2015, 120, 252-256.	1.1	8
272	Artocarpus lakoocha roxb.: An untapped bioresource of resveratrol from North East India, its extractive separation and antioxidant activity. Industrial Crops and Products, 2017, 95, 75-82.	2.5	8
273	Supercritical carbon dioxide extraction of triacontanol from green tea leaves and its evaluation as an unconventional plant growth regulator for spinach tissue culture. Biocatalysis and Agricultural Biotechnology, 2018, 16, 476-482.	1.5	8
274	Statistical Optimization for Improved Production of Cyclosporin A in Solid-State Fermentation. Journal of Microbiology and Biotechnology, 2009, 19, 1385-92.	0.9	8
275	Effect of Precultural and Nutritional Parameters on Compactin Production by Solid-State Fermentation. Journal of Microbiology and Biotechnology, 2009, 19, 690-7.	0.9	8
276	Utilisation of Amaranthus paniculatas (Rajgeera) Starch in Salad Dressing. Starch/Staerke, 1990, 42, 52-53.	1.1	7
277	Fermentation kinetics of production of ubiquinone-10 by Paracoccus dinitrificans NRRL B-3785: Effect of type and concentration of carbon and nitrogen sources. Food Science and Biotechnology, 2011, 20, 607-613.	1.2	7
278	Empirical predictive modelling of poly-É-lysine biosynthesis in resting cells of Streptomyces noursei. Food Science and Biotechnology, 2014, 23, 201-207.	1.2	7
279	A green process for the production of butanol from butyraldehyde using alcohol dehydrogenase: process details. RSC Advances, 2014, 4, 14597.	1.7	7
280	Identification of chondroitin-like molecules from biofilm isolates <i>Exiguobacterium indicum</i> A11 and <i>Lysinibacillus</i> sp.ÅC13. Journal of Applied Microbiology, 2015, 119, 1046-1056.	1.4	7
281	Gene polymorphisms of desaturase enzymes of polyunsaturated fatty acid metabolism and adiponutrin and the increased risk of nonalcoholic fatty liver disease. Meta Gene, 2017, 11, 152-156.	0.3	7
282	Variation in the Plasma Levels of Polyunsaturated Fatty Acids in Control vis-À-vis Nonalcoholic Fatty Liver Disease Subjects and Its Possible Association with Gut Microbiome. Metabolic Syndrome and Related Disorders, 2018, 16, 329-335.	0.5	7
283	Anti-angiogenic and anti-inflammatory activity of the summer truffle (Tuber aestivum Vittad.) extracts and a correlation with the chemical constituents identified therein. Food Research International, 2020, 137, 109699.	2.9	7
284	Encapsulation of ginger oleoresin in co-crystallized sucrose: development, characterization and storage stability. Food and Function, 2021, 12, 7964-7974.	2.1	7
285	An innovative approach using microencapsulated turmeric oleoresin to develop ready-to-use turmeric milk powder with enhanced oral bioavailability. Food Chemistry, 2022, 373, 131400.	4.2	7
286	Chemical indices of food decomposition. Trends in Food Science and Technology, 1990, 1, 89-91.	7.8	6
287	Pectin and calcium chloride treatment for low-fat fried green gram splits. Journal of the Science of Food and Agriculture, 2005, 85, 1677-1680.	1.7	6
288	Purification of Lycopene by Reverse Phase Chromatography. Food and Bioprocess Technology, 2009, 2, 391-399.	2.6	6

#	ARTICLE	IF	CITATIONS
289	Determination of common genetic variants in cytidine deaminase (CDA) gene in Indian ethnic population. <i>Gene</i> , 2013, 524, 35-39.	1.0	6
290	Poly- μ -lysine amylase conjugates to increase the stability of enzyme. <i>Food Bioscience</i> , 2014, 5, 85-90.	2.0	6
291	Synthesis and evaluation of n-octenyl succinylated guar gum as an anti-staling agent in bread. <i>LWT - Food Science and Technology</i> , 2018, 93, 368-375.	2.5	6
292	Bioreactor studies on acrylamidase produced from <i>Cupriavidus oxalaticus</i> ICTDB921: Production, kinetic modeling, and purification. <i>Biochemical Engineering Journal</i> , 2019, 149, 107245.	1.8	6
293	Simultaneous extraction of flaxseed spice blend using supercritical carbon dioxide: Process optimization, bioactivity profile, and application as a functional seasoning. <i>Separation and Purification Technology</i> , 2020, 248, 117030.	3.9	6
294	Rheological Behavior of Schizophyllan in Fermentation System. <i>American Journal of Food Technology</i> , 2011, 6, 781-789.	0.2	6
295	Esterification of sugars and polyphenols with fatty acids: techniques, bioactivities, and applications. <i>Current Opinion in Food Science</i> , 2022, 43, 163-173.	4.1	6
296	Valorization of arabinoxylans from <i>Linum usitatissimum</i> (flaxseed) and galactomannans from <i>Leucaena leucocephala</i> (subabul) to develop hybrid hydrogels: Rheological, morphological and thermal characterization. <i>Industrial Crops and Products</i> , 2022, 178, 114575.	2.5	6
297	Use of coconut coir fibers as an inert solid support for production of cyclosporin A. <i>Biotechnology and Bioprocess Engineering</i> , 2009, 14, 769-774.	1.4	5
298	Optimizing the Formulation and Processing Conditions of Gulab Jamun: A Statistical Design. <i>International Journal of Food Properties</i> , 2009, 12, 162-175.	1.3	5
299	Isolation, screening, and selection of an L-glutaminase producer from soil and media optimization using a statistical approach. <i>Biotechnology and Bioprocess Engineering</i> , 2010, 15, 975-983.	1.4	5
300	Kinetic modeling and scale up of lipoic acid (LA) production from <i>Saccharomyces cerevisiae</i> in a stirred tank bioreactor. <i>Bioprocess and Biosystems Engineering</i> , 2013, 36, 1063-1070.	1.7	5
301	Supercritical fluid extraction of forskolin from <i>Coleus forskohlii</i> roots. <i>Journal of Food Engineering</i> , 2013, 117, 443-449.	2.7	5
302	Supercritical carbon dioxide extraction of astaxanthin from <i>Paracoccus</i> NBRC 101723: Mathematical modelling study. <i>Separation Science and Technology</i> , 2016, 51, 2164-2173.	1.3	5
303	Indian Traditional Foods: Preparation, Processing and Nutrition. <i>Food Engineering Series</i> , 2019, , 127-199.	0.3	5
304	Supercritical Carbon Dioxide Extraction of Griseofulvin from the Solid Matrix Obtained after Solid-State Fermentation. <i>Biotechnology Progress</i> , 2004, 20, 818-824.	1.3	4
305	Purification and characterization of 5 α -phosphodiesterase from germinated barley. <i>Process Biochemistry</i> , 2006, 41, 1899-1902.	1.8	4
306	Combined Effect of Agitation/Aeration and Fed-Batch Strategy on Ubiquinolone Production by <i>Pseudomonas diminuta</i> . <i>Chemical Engineering and Technology</i> , 2010, 33, 885-894.	0.9	4

#	ARTICLE	IF	CITATIONS
307	Identification of Enzymes and Their Inhibition in Ash Gourd "An Approach to Extend Shelf Life. International Journal of Vegetable Science, 2011, 17, 107-114.	0.6	4
308	Association of Paraoxonase1 Gene Q192R Polymorphism and Apolipoprotein B in Asian Indian Women with Coronary Artery Disease Risk. Genetic Testing and Molecular Biomarkers, 2013, 17, 140-146.	0.3	4
309	Genetic variation in dihydropyrimidine dehydrogenase (DPYD) gene in a healthy adult Indian population. Annals of Human Biology, 2015, 42, 97-100.	0.4	4
310	Glycine Betaine-Mediated Protection of Peas (<i>Pisum sativum</i> L.) During Blanching and Frozen Storage. International Journal of Food Properties, 2016, 19, 2510-2521.	1.3	4
311	Development of Par-Fried Frozen Samosas and Evaluation of Its Post-Storage Finish Frying and Sensory Quality. Journal of Food Processing and Preservation, 2017, 41, e13049.	0.9	4
312	Microbial Polyamino Acids: An Overview for Commercial Attention. , 2018, , 381-412.		4
313	Homology modelling of human divalent metal transporter (DMT): Molecular docking and dynamic simulations for duodenal iron transport. Journal of Molecular Graphics and Modelling, 2018, 85, 145-152.	1.3	4
314	Radiation Processing for Sprout Inhibition of Stored Potatoes and Mitigation of Acrylamide in Fries and Chips. , 2015, , 89-96.		3
315	Chemical modification of cellulase by maleic anhydride and N-bromosuccinimide for improved detergent stability. Journal of Surfactants and Detergents, 2002, 5, 1-4.	1.0	2
316	EVALUATION OF MICROENCAPSULATED TURMERIC OLEORESIN FOR PRE-EXTRUSION COLORING USING RESPONSE SURFACE METHODOLOGY. Journal of Food Processing and Preservation, 2010, 34, 302-315.	0.9	2
317	Extrusion processing for pre-sweetened noodle grits for the preparation of ready-to-prepare kheer: Stability of added intense sweeteners. LWT - Food Science and Technology, 2019, 108, 277-282.	2.5	2
318	Anti-Angiogenic Effect of <i>Cantharellus cibarius</i> Extracts, its Correlation with Lipoxygenase Inhibition, and Role of the Bioactives Therein. Nutrition and Cancer, 2022, 74, 724-734.	0.9	2
319	Studies on Cross-linked <i>A. paniculatas</i> (Rajgeera) Starch. Starch/Staerke, 1991, 43, 15-18.	1.1	1
320	Indicators of Processing of Foods. , 1997, , 489-537.		1
321	Supercritical Extraction of Valued Components From Animals Parts. , 2021, , 597-619.		1
322	Monitoring of oil quality from commercial fried foods—A case study from India. Journal of Food Processing and Preservation, 2022, 46, e16138.	0.9	1
323	The Role of Potatoes in Biomedical/Pharmaceutical and Fermentation Applications. , 2016, , 603-625.		0
324	Three phase partitioning (TPP) as an extraction technique for oleaginous materials. , 2021, , 267-284.		0