

Abdul Haseeb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3651727/publications.pdf>

Version: 2024-02-01

29
papers

1,760
citations

361413

20
h-index

477307

29
g-index

29
all docs

29
docs citations

29
times ranked

2705
citing authors

#	ARTICLE	IF	CITATIONS
1	Isolation of Mouse Growth and for Primary Cultures. <i>Methods in Molecular Biology</i> , 2021, 2245, 39-51.	0.9	6
2	SOX9 keeps growth plates and articular cartilage healthy by inhibiting chondrocyte dedifferentiation/osteoblastic redifferentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	96
3	Human Adult Fibroblast-like Synoviocytes and Articular Chondrocytes Exhibit Prominent Overlap in Their Transcriptomic Signatures. <i>ACR Open Rheumatology</i> , 2021, 3, 359-370.	2.1	2
4	Preparation of Adult Mouse Skeletal Tissue Sections for RNA In Situ Hybridization. <i>Methods in Molecular Biology</i> , 2021, 2245, 85-92.	0.9	5
5	Widening of the genetic and clinical spectrum of Lamb- Shaffer syndrome, a neurodevelopmental disorder due to SOX5 haploinsufficiency. <i>Genetics in Medicine</i> , 2020, 22, 524-537.	2.4	21
6	Sox9 deletion causes severe intervertebral disc degeneration characterized by apoptosis, matrix remodeling, and compartment-specific transcriptomic changes. <i>Matrix Biology</i> , 2020, 94, 110-133.	3.6	66
7	De Novo SOX6 Variants Cause a Neurodevelopmental Syndrome Associated with ADHD, Craniosynostosis, and Osteochondromas. <i>American Journal of Human Genetics</i> , 2020, 106, 830-845.	6.2	17
8	SOX9 in cartilage development and disease. <i>Current Opinion in Cell Biology</i> , 2019, 61, 39-47.	5.4	155
9	The SOXE transcription factors SOX8, SOX9 and SOX10 share a bi-partite transactivation mechanism. <i>Nucleic Acids Research</i> , 2019, 47, 6917-6931.	14.5	41
10	De Novo SOX4 Variants Cause a Neurodevelopmental Disease Associated with Mild Dysmorphism. <i>American Journal of Human Genetics</i> , 2019, 104, 246-259.	6.2	40
11	SOX9 is dispensable for the initiation of epigenetic remodeling and the activation of marker genes at the onset of chondrogenesis. <i>Development (Cambridge)</i> , 2018, 145, .	2.5	59
12	Harpagoside suppresses IL-6 expression in primary human osteoarthritis chondrocytes. <i>Journal of Orthopaedic Research</i> , 2017, 35, 311-320.	2.3	67
13	A Polyphenol-rich Pomegranate Fruit Extract Suppresses NF- κ B and IL-6 Expression by Blocking the Activation of IKK β and NIK in Primary Human Chondrocytes. <i>Phytotherapy Research</i> , 2017, 31, 778-782.	5.8	20
14	Wogonin, a plant derived small molecule, exerts potent anti-inflammatory and chondroprotective effects through the activation of ROS/ERK/Nrf2 signaling pathways in human Osteoarthritis chondrocytes. <i>Free Radical Biology and Medicine</i> , 2017, 106, 288-301.	2.9	223
15	A wogonin-rich-fraction of <i>Scutellaria baicalensis</i> root extract exerts chondroprotective effects by suppressing IL-1 β -induced activation of AP-1 in human OA chondrocytes. <i>Scientific Reports</i> , 2017, 7, 43789.	3.3	28
16	Dataset of effect of Wogonin, a natural flavonoid, on the viability and activation of NF- κ B and MAPKs in IL-1 β -stimulated human OA chondrocytes. <i>Data in Brief</i> , 2017, 12, 150-155.	1.0	18
17	Deep sequencing and analyses of miRNAs, isomiRs and miRNA induced silencing complex (miRISC)-associated miRNome in primary human chondrocytes. <i>Scientific Reports</i> , 2017, 7, 15178.	3.3	34
18	Molecular Mechanism of Rheumatic Diseases and Efficacy of Current Therapies. <i>BioMed Research International</i> , 2017, 2017, 1-2.	1.9	2

#	ARTICLE	IF	CITATIONS
19	Identification of plasma microRNA expression profile in radiographic axial spondyloarthritis—a pilot study. <i>Clinical Rheumatology</i> , 2016, 35, 1323-1327.	2.2	15
20	MicroRNA-9 Promotion of Interleukin-6 Expression by Inhibiting Monocyte Chemoattractant Protein-1 Induced Protein 1 Expression in Interleukin-1 β -Stimulated Human Chondrocytes. <i>Arthritis and Rheumatology</i> , 2015, 67, 2117-2128.	5.6	59
21	Modulation of Ten-Eleven Translocation 1 (TET1), Isocitrate Dehydrogenase (IDH) Expression, α -Ketoglutarate (α -KG), and DNA Hydroxymethylation Levels by Interleukin-1 β in Primary Human Chondrocytes. <i>Journal of Biological Chemistry</i> , 2014, 289, 6877-6885.	3.4	73
22	Delphinidin inhibits IL-1 β -induced activation of NF- κ B by modulating the phosphorylation of IRAK-1Ser376 in human articular chondrocytes. <i>Rheumatology</i> , 2013, 52, 998-1008.	1.9	74
23	Immunopathogenesis of osteoarthritis. <i>Clinical Immunology</i> , 2013, 146, 185-196.	3.2	317
24	Recent Advances in Hantavirus Molecular Biology and Disease. <i>Advances in Applied Microbiology</i> , 2011, 74, 35-75.	2.4	23
25	Hantavirus Nucleocapsid Protein Has Distinct m7G Cap- and RNA-binding Sites. <i>Journal of Biological Chemistry</i> , 2010, 285, 11357-11368.	3.4	43
26	Single-nucleotide polymorphisms in peroxisome proliferator-activated receptor β and their association with plasma levels of resistin and the metabolic syndrome in a South Indian population. <i>Journal of Biosciences</i> , 2009, 34, 405-414.	1.1	30
27	Differential effects of dietary saturated and trans-fatty acids on expression of genes associated with insulin sensitivity in rat adipose tissue. <i>European Journal of Endocrinology</i> , 2005, 153, 159-165.	3.7	112
28	Elevated expression of α - and β -crystallins in streptozotocin-induced diabetic rat. <i>Archives of Biochemistry and Biophysics</i> , 2005, 444, 77-83.	3.0	94
29	Dimerization of human recombinant resistin involves covalent and noncovalent interactions. <i>Biochemical and Biophysical Research Communications</i> , 2004, 313, 642-646.	2.1	20