Seyyed Mehdi Khoshfetrat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3652953/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Electrochemical immunosensor for determination of cardiac troponin I using two-dimensional metal-organic framework/Fe3O4–COOH nanosheet composites loaded with thionine and pCTAB/DES modified electrode. Talanta, 2022, 237, 122911.	5.5	29
2	Enhanced electrochemiluminescence biosensing of gene-specific methylation in thyroid cancer patients' plasma based integrated graphitic carbon nitride-encapsulated metal-organic framework nanozyme optimized by central composite design. Sensors and Actuators B: Chemical, 2022, 364, 131895.	7.8	23
3	Smartphone-Based Electrochemiluminescence for Visual Simultaneous Detection of <i>RASSF1A</i> and <i>SLC5A8</i> Tumor Suppressor Gene Methylation in Thyroid Cancer Patient Plasma. Analytical Chemistry, 2022, 94, 8005-8013.	6.5	34
4	Electrochemiluminescent biosensor for ultrasensitive detection of lymphoma at the early stage using CD20 markers as B cell-specific antigens. Bioelectrochemistry, 2021, 138, 107730.	4.6	16
5	Impedimetric Paper-Based Enzymatic Biosensor Using Electrospun Cellulose Acetate Nanofiber and Reduced Graphene Oxide for Detection of Glucose From Whole Blood. IEEE Sensors Journal, 2021, 21, 9210-9217.	4.7	40
6	Electrochemiluminescence paper-based screen-printed electrode for HbA1c detection using two-dimensional zirconium metal-organic framework/Fe3O4 nanosheet composites decorated with Au nanoclusters. Mikrochimica Acta, 2021, 188, 296.	5.0	30
7	Cascade electrochemiluminescence-based integrated graphitic carbon nitride-encapsulated metal-organic framework nanozyme for prostate-specific antigen biosensing. Sensors and Actuators B: Chemical, 2021, 348, 130658.	7.8	29
8	Fabrication and design of new redox active azure A/3D graphene aerogel and conductive trypan blue–nickel MOF nanosheet array electrodes for an asymmetric supercapattery. Journal of Materials Chemistry A, 2021, 9, 12853-12869.	10.3	19
9	Point-of-care biosensors in medicine: a brief overview of our achievements in this field based on the conducted research in EMRI (endocrinology and metabolism research Institute of Tehran University) Tj ETQq1 1 1-5.	0.784314 1.9	rgBT /Overlo
10	Rich-color visual genotyping of single-nucleotide polymorphisms based on platinum nanoparticle–induced etching of gold nanorods. Emergent Materials, 2019, 2, 351-361.	5.7	5
11	Electrochemical sensors and biosensors based on the use of polyaniline and its nanocomposites: a review on recent advances. Mikrochimica Acta, 2019, 186, 465.	5.0	125
12	Enhanced Visual Wireless Electrochemiluminescence Immunosensing of Prostate-Specific Antigen Based on the Luminol Loaded into MIL-53(Fe)-NH ₂ Accelerator and Hydrogen Evolution Reaction Mediation. Analytical Chemistry, 2019, 91, 6383-6390.	6.5	71
13	Voltammetric immunosensor for E-cadherin promoter DNA methylation using a Fe3O4-citric acid nanocomposite and a screen-printed carbon electrode modified with poly(vinyl alcohol) and reduced graphene oxide. Mikrochimica Acta, 2019, 186, 170.	5.0	31
14	Visual electrochemiluminescence biosensing of aflatoxin M1 based on luminol-functionalized, silver nanoparticle-decorated graphene oxide. Biosensors and Bioelectronics, 2018, 100, 382-388.	10.1	119
15	Amplified detection of leukemia cancer cells using an aptamer-conjugated gold-coated magnetic nanoparticles on a nitrogen-doped graphene modified electrode. Bioelectrochemistry, 2017, 114, 24-32.	4.6	109
16	A Prostate Specific Antigen Immunosensor Based on Biotinylatedâ€Antibody/Cyclodextrin Inclusion Complex: Fabrication and Electrochemical Studies. Electroanalysis, 2017, 29, 2818-2831.	2.9	28
17	Aptamer-conjugated Magnetic Nanoparticles as Targeted Magnetic Resonance Imaging Contrast Agent for Breast Cancer. Journal of Medical Signals and Sensors, 2016, 6, 243-247.	1.0	11
18	Amplified electrochemical genotyping of single-nucleotide polymorphisms using a graphene–gold nanoparticles modified glassy carbon platform. RSC Advances, 2015, 5, 29285-29293.	3.6	16

#	Article	IF	CITATIONS
19	Wireless Electrochemiluminescence Bipolar Electrode Array for Visualized Genotyping of Single Nucleotide Polymorphism. Analytical Chemistry, 2015, 87, 8123-8131.	6.5	52
20	Dual amplification of single nucleotide polymorphism detection using graphene oxide and nanoporous gold electrode platform. Analyst, The, 2014, 139, 5192-5199.	3.5	24
21	Electrochemical Genotyping of Singleâ€Nucleotide Polymorphisms by using Monobaseâ€Conjugated Modified Nanoparticles. ChemElectroChem, 2014, 1, 779-786.	3.4	12
22	Carbon nanotube composite coated platinum electrode for detection of Ga(III). Journal of Hazardous Materials, 2011, 185, 101-106.	12.4	11