Raffael Massuda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3653920/publications.pdf

Version: 2024-02-01

39 papers 1,021 citations

16 h-index 414414 32 g-index

40 all docs

40 docs citations

times ranked

40

1856 citing authors

#	Article	IF	CITATIONS
1	Effects of socioeconomic status in cognition of people with schizophrenia: results from a Latin American collaboration network with 1175 subjects. Psychological Medicine, 2022, 52, 2177-2188.	4.5	13
2	Accelerated aging signatures in subjects with schizophrenia and their unaffected siblings. Journal of Psychiatric Research, 2021, 139, 30-37.	3.1	4
3	Ficolin activation as a potential biomarker of the severity of schizophrenia. Psychiatry Research, 2021, 304, 114122.	3.3	3
4	6.24 Impact of the Coronavirus Disease 2019 (COVID-19) Pandemic on Children and Adolescents With Autism Spectrum Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, S165-S166.	0.5	0
5	M123. EPISODIC VERBAL MEMORY DEFICIT IN SCHIZOPHRENIA: A MARKER OF PROGRESSION OF DISEASE OR DIFFERENT NEURODEVELOPMENTAL PATHWAYS FROM THE ONSET?. Schizophrenia Bulletin, 2020, 46, \$182-\$182.	4.3	0
6	Post-traumatic stress disorder in non-disabled ischemic stroke patients. General Hospital Psychiatry, 2020, 67, 150-151.	2.4	4
7	Schneider's first-rank symptoms and treatment outcome. Revista Brasileira De Psiquiatria, 2020, 42, 5-5.	1.7	O
8	Telomere Length and CCL11 Levels are Associated With Gray Matter Volume and Episodic Memory Performance in Schizophrenia: Evidence of Pathological Accelerated Aging. Schizophrenia Bulletin, 2018, 44, 158-167.	4.3	35
9	White matter volume is decreased in bipolar disorder at early and late stages. Trends in Psychiatry and Psychotherapy, 2018, 40, 277-284.	0.8	9
10	Volumetric brain magnetic resonance imaging predicts functioning in bipolar disorder: A machine learning approach. Journal of Psychiatric Research, 2018, 103, 237-243.	3.1	47
11	Accumbens volumes are reduced among crack-cocaine users. Neuroscience Letters, 2017, 645, 86-89.	2.1	18
12	BIRTH ORDER AND ANDROPHILIC MALE-TO-FEMALE TRANSSEXUALISM IN BRAZIL. Journal of Biosocial Science, 2017, 49, 527-535.	1.2	24
13	Serum concentrations of brain-derived neurotrophic factor in patients diagnosed with gender dysphoria undergoing sex reassignment surgery. Trends in Psychiatry and Psychotherapy, 2017, 39, 43-47.	0.8	4
14	Neurobiological underpinnings of bipolar disorder focusing on findings of diffusion tensor imaging: a systematic review. Revista Brasileira De Psiquiatria, 2016, 38, 167-175.	1.7	28
15	WHOQOL-100 Before and After Sex Reassignment Surgery in Brazilian Male-to-Female Transsexual Individuals. Journal of Sexual Medicine, 2016, 13, 988-993.	0.6	59
16	Telomere length in subjects with schizophrenia, their unaffected siblings and healthy controls: Evidence of accelerated aging. Schizophrenia Research, 2016, 174, 39-42.	2.0	38
17	Reduced serum concentrations of brain-derived neurotrophic factor (BDNF) in transsexual Brazilian men. Neuroscience Letters, 2016, 630, 109-113.	2.1	3
18	Pharmacological treatment and staging in bipolar disorder: evidence from clinical practice. Revista Brasileira De Psiquiatria, 2015, 37, 121-125.	1.7	19

#	Article	IF	CITATIONS
19	Verbal episodic memory along the course of schizophrenia and bipolar disorder: A new perspective. European Neuropsychopharmacology, 2015, 25, 169-175.	0.7	31
20	Treatment delay is associated with more episodes and more severe illness staging progression in patients with bipolar disorder. Psychiatry Research, 2015, 227, 372-373.	3.3	11
21	Increased serum levels of eotaxin/CCL11 in late-stage patients with bipolar disorder: An accelerated aging biomarker?. Journal of Affective Disorders, 2015, 182, 64-69.	4.1	47
22	Functioning in early and late stages of schizophrenia. Trends in Psychiatry and Psychotherapy, 2014, 36, 209-213.	0.8	10
23	The 4th Schizophrenia International Research Society Conference, 5–9 April 2014, Florence, Italy: A summary of topics and trends. Schizophrenia Research, 2014, 159, e1-e22.	2.0	2
24	Discordant Transsexualism in Male Monozygotic Twins: Neuroanatomical and Psychological Differences. Archives of Sexual Behavior, 2014, 43, 399-405.	1.9	4
25	Differences in eotaxin serum levels patients with recent onset and in chronic stable schizophrenia: A clue for understanding accelerating aging profile. Schizophrenia Research, 2014, 152, 528-529.	2.0	19
26	BDNF: A biomarker for social vulnerability in individuals diagnosed with gender dysphoria. Journal of Psychiatric Research, 2014, 50, 16-17.	3.1	4
27	Mitochondrial activity and oxidative stress markers in peripheral blood mononuclear cells of patients with bipolar disorder, schizophrenia, and healthy subjects. Journal of Psychiatric Research, 2013, 47, 1396-1402.	3.1	92
28	Verbal memory impairment in healthy siblings of patients with schizophrenia. Schizophrenia Research, 2013, 150, 580-582.	2.0	13
29	Serum concentrations of brain-derived neurotrophic factor in patients with gender identity disorder. Journal of Psychiatric Research, 2013, 47, 1546-1548.	3.1	16
30	Elevated serum protein oxidative stress in siblings of patients with schizophrenia. Schizophrenia Research, 2013, 147, 398-399.	2.0	7
31	Altered Oxygen Metabolism Associated to Neurogenesis of Induced Pluripotent Stem Cells Derived from a Schizophrenic Patient. Cell Transplantation, 2012, 21, 1547-1559.	2.5	150
32	Meeting report: The Schizophrenia International Research Society (SIRS) South America Conference (August 5–7, 2011). Schizophrenia Research, 2012, 137, 1-6.	2.0	0
33	Effects of omega-3 dietary supplement in prevention of positive, negative and cognitive symptoms: A study in adolescent rats with ketamine-induced model of schizophrenia. Schizophrenia Research, 2012, 141, 162-167.	2.0	65
34	Pharmacological Treatment of Bipolar Depression: Qualitative Systematic Review of Double-Blind Randomized Clinical Trials. Psychiatric Quarterly, 2012, 83, 161-175.	2.1	4
35	Similarities in serum oxidative stress markers and inflammatory cytokines inÂpatients with overt schizophrenia at early and late stages of chronicity. Journal of Psychiatric Research, 2012, 46, 819-824.	3.1	130
36	Minimum 2â€year follow up of sex reassignment surgery in Brazilian maleâ€ŧoâ€ŧemale transsexuals. Psychiatry and Clinical Neurosciences, 2012, 66, 371-372.	1.8	18

# ARTICLE	IF	CITATIONS
Improvement of schizophrenia with electroconvulsive therapy and serum brainâ€der 37 factor levels: Lack of association in a pilot study. Psychiatry and Clinical Neuroscienc 663-665.	rived neurotrophic es, 2010, 64, 1.8	11
Using the Defensive Style Questionnaire to evaluate the impact of sex reassignment defensive mechanisms in transsexual patients. Revista Brasileira De Psiquiatria, 2009	surgery on 1.7 0, 31, 303-306.	7
Serum brain-derived neurotrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): A pilot study in drug resistant depressed patients. N Letters, 2009, 453, 195-198.	Neuroscience 2.1	72