

# Patrick M Kochanek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3653970/publications.pdf>

Version: 2024-02-01

661  
papers

35,221  
citations

2795

94  
h-index

6818

155  
g-index

684  
all docs

684  
docs citations

684  
times ranked

21786  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Hyperoxemia and Increased Cell-Free Plasma Hemoglobin During Cardiopulmonary Bypass in Infants and Children*. <i>Pediatric Critical Care Medicine</i> , 2022, 23, e111-e119.	0.2	7
2	Serum levels of the cold stress hormones FGF21 and GDF-15 after cardiac arrest in infants and children enrolled in single center therapeutic hypothermia clinical trials. <i>Resuscitation</i> , 2022, 172, 173-180.	1.3	5
3	Decreased DNA Methylation of RGMA is Associated with Intracranial Hypertension After Severe Traumatic Brain Injury: An Exploratory Epigenome-Wide Association Study. <i>Neurocritical Care</i> , 2022, 37, 26-37.	1.2	8
4	Association between pediatric TBI mortality and median family income in the United States: A retrospective cohort study. <i>The Lancet Regional Health Americas</i> , 2022, 5, 100164.	1.5	5
5	RNA Binding Motif 5 Gene Deletion Modulates Cell Signaling in a Sex-Dependent Manner but Not Hippocampal Cell Death. <i>Journal of Neurotrauma</i> , 2022, 39, 577-589.	1.7	2
6	Black swans or red herrings – Inflammatory derangement after cardiac arrest. <i>Resuscitation</i> , 2022, 171, 100-102.	1.3	0
7	Hypoxia – ischemia-mediated effects on neurodevelopmentally regulated cold-shock proteins in neonatal mice under strict temperature control. <i>Pediatric Research</i> , 2022, , .	1.1	4
8	Comparison of Intracranial Pressure Measurements Before and After Hypertonic Saline or Mannitol Treatment in Children With Severe Traumatic Brain Injury. <i>JAMA Network Open</i> , 2022, 5, e220891.	2.8	29
9	Targeting TNF – mediated cytotoxicity using thalidomide after experimental cardiac arrest in rats: An exploratory study. <i>Experimental and Therapeutic Medicine</i> , 2022, 23, 380.	0.8	1
10	Association of EEG and Blood-Based Brain Injury Biomarker Accuracy to Prognosticate Mortality After Pediatric Cardiac Arrest: An Exploratory Study. <i>Pediatric Neurology</i> , 2022, 134, 25-30.	1.0	2
11	Use of Magnetic Resonance Imaging in Neuroprognostication After Pediatric Cardiac Arrest: Survey of Current Practices. <i>Pediatric Neurology</i> , 2022, 134, 45-51.	1.0	4
12	Comparative Effectiveness of Diversion of Cerebrospinal Fluid for Children With Severe Traumatic Brain Injury. <i>JAMA Network Open</i> , 2022, 5, e2220969.	2.8	12
13	Assessment of Dynamic Intracranial Compliance in Children with Severe Traumatic Brain Injury: Proof-of-Concept. <i>Neurocritical Care</i> , 2021, 34, 209-217.	1.2	6
14	Feasibility and Performance of a Gel-Adhesive Pad System for Pediatric Targeted Temperature Management: An Exploratory Analysis of 19 Pediatric Critically Ill Patients. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021, 11, 19-27.	0.3	1
15	Strengthening the link between pre-clinical and clinical resuscitation research. <i>Resuscitation</i> , 2021, 158, 282-285.	1.3	2
16	Glibenclamide Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2021, 38, 628-645.	1.7	20
17	Blood Biomarkers for Detection of Brain Injury in COVID-19 Patients. <i>Journal of Neurotrauma</i> , 2021, 38, 1-43.	1.7	68
18	Multifaceted Benefit of Whole Blood Versus Lactated Ringer’s Resuscitation After Traumatic Brain Injury and Hemorrhagic Shock in Mice. <i>Neurocritical Care</i> , 2021, 34, 781-794.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Hippocampal and Prefrontal Cortical Brain Tissue Levels of Irisin and GDF15 Receptor Subunits in Children. <i>Molecular Neurobiology</i> , 2021, 58, 2145-2157.	1.9	9
20	Serum Biomarkers of Regeneration and Plasticity are Associated with Functional Outcome in Pediatric Neurocritical Illness: An Exploratory Study. <i>Neurocritical Care</i> , 2021, 35, 457-467.	1.2	6
21	Cardiac Arrest Induced by Asphyxia Versus Ventricular Fibrillation Elicits Comparable Early Changes in Cytokine Levels in the Rat Brain, Heart, and Serum. <i>Journal of the American Heart Association</i> , 2021, 10, e018657.	1.6	13
22	Ascorbate deficiency confers resistance to hippocampal neurodegeneration after asphyxial cardiac arrest in juvenile rats. <i>Pediatric Research</i> , 2021, , .	1.1	0
23	CSF lipocalin-2 increases early in subarachnoid hemorrhage are associated with neuroinflammation and unfavorable outcome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2524-2533.	2.4	15
24	Cerebrospinal Fluid Sulfonylurea Receptor-1 is Associated with Intracranial Pressure and Outcome after Pediatric TBI: An Exploratory Analysis of the Cool Kids Trial. <i>Journal of Neurotrauma</i> , 2021, 38, 1615-1619.	1.7	9
25	Targeting "Natural Born Killers" to Modulate Immune Suppression in Neurocritical Care. <i>Neurocritical Care</i> , 2021, 35, 608-610.	1.2	1
26	Genetic Variants Associated With Intraparenchymal Hemorrhage Progression After Traumatic Brain Injury. <i>JAMA Network Open</i> , 2021, 4, e2116839.	2.8	11
27	An exploratory assessment of serum biomarkers of post-cardiac arrest syndrome in children. <i>Resuscitation</i> , 2021, 167, 307-316.	1.3	5
28	Cardiopulmonary Resuscitation and Rescue Therapies. <i>Critical Care Medicine</i> , 2021, 49, 1375-1388.	0.4	5
29	Roadmap for Advancing Pre-Clinical Science in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 3204-3221.	1.7	20
30	Fluid therapy after brain injury: the pendulum swings again. <i>Lancet Neurology</i> , The, 2021, 20, 587-589.	4.9	0
31	Choice of Whole Blood versus Lactated Ringer's Resuscitation Modifies the Relationship between Blood Pressure Target and Functional Outcome after Traumatic Brain Injury plus Hemorrhagic Shock in Mice. <i>Journal of Neurotrauma</i> , 2021, 38, 2907-2917.	1.7	3
32	Sustained Dysbiosis and Decreased Fecal Short-Chain Fatty Acids after Traumatic Brain Injury and Impact on Neurologic Outcome. <i>Journal of Neurotrauma</i> , 2021, 38, 2610-2621.	1.7	27
33	Abcc8 (Sulfonylurea Receptor-1) Impact on Brain Atrophy after Traumatic Brain Injury Varies by Sex. <i>Journal of Neurotrauma</i> , 2021, 38, 2473-2485.	1.7	5
34	Kollidon VA64 Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2021, 38, 2454-2472.	1.7	5
35	Intracranial and Cerebral Perfusion Pressure Thresholds Associated With Inhospital Mortality Across Pediatric Neurocritical Care*. <i>Pediatric Critical Care Medicine</i> , 2021, 22, 135-146.	0.2	18
36	Prehospital Whole Blood Resuscitation Reduces Fluid Requirement While Maintaining Critical Physiology in a Model of Penetrating Traumatic Brain Injury and Hemorrhage: Implications on Resource-Limited Combat Casualty Care. <i>Shock</i> , 2021, 55, 545-553.	1.0	4

#	ARTICLE	IF	CITATIONS
37	Sulfonylurea Receptor 1 in Central Nervous System Injury: An Updated Review. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11899.	1.8	22
38	Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. <i>Journal of Neurotrauma</i> , 2020, 37, 2353-2371.	1.7	31
39	A Perfect Tribute to the Tremendous Academic Growth of Pediatric Critical Care Medicine in Turkey. <i>Pediatric Critical Care Medicine</i> , 2020, 21, 1.	0.2	2
40	Emergency Department Implementation of the Brain Trauma Foundation's Pediatric Severe Brain Injury Guideline Recommendations. <i>Pediatric Emergency Care</i> , 2020, 36, e239-e241.	0.5	0
41	Bioactive Oxylipins in Infants and Children With Congenital Heart Disease Undergoing Pediatric Cardiopulmonary Bypass. <i>Pediatric Critical Care Medicine</i> , 2020, 21, 33-41.	0.2	10
42	Early Axonal Injury and Delayed Cytotoxic Cerebral Edema are Associated with Microglial Activation in a Mouse Model of Sepsis. <i>Shock</i> , 2020, 54, 256-264.	1.0	9
43	Circulating GFAP and Iba-1 levels are associated with pathophysiological sequelae in the thalamus in a pig model of mild TBI. <i>Scientific Reports</i> , 2020, 10, 13369.	1.6	32
44	RNA Binding Motif 5 (RBM5) in the CNS—Moving Beyond Cancer to Harness RNA Splicing to Mitigate the Consequences of Brain Injury. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 126.	1.4	14
45	Brain MR imaging and spectroscopy for outcome prognostication after pediatric cardiac arrest. <i>Resuscitation</i> , 2020, 157, 185-194.	1.3	17
46	Personalising Outcomes after Child Cardiac Arrest (POCCA): design and recruitment challenges of a multicentre, observational study. <i>BMJ Open</i> , 2020, 10, e039323.	0.8	5
47	Depletion of gut microbiota is associated with improved neurologic outcome following traumatic brain injury. <i>Brain Research</i> , 2020, 1747, 147056.	1.1	29
48	Smiling on the Bright Future of Pediatric Critical Care Medicine and the "Task(er)" at Hand. <i>Pediatric Critical Care Medicine</i> , 2020, 21, 1033-1034.	0.2	1
49	Epigenetic Effects on Pediatric Traumatic Brain Injury Recovery (EETR): An Observational, Prospective, Longitudinal Concurrent Cohort Study Protocol. <i>Frontiers in Neurology</i> , 2020, 11, 460.	1.1	6
50	The Presence of Anemia in Children with Abusive Head Trauma. <i>Journal of Pediatrics</i> , 2020, 223, 148-155.e2.	0.9	3
51	"Take a Number"—Precision Monitoring Directs Precision Therapy. <i>Neurocritical Care</i> , 2020, 32, 683-686.	1.2	2
52	Cerebral Edema in Traumatic Brain Injury: a Historical Framework for Current Therapy. <i>Current Treatment Options in Neurology</i> , 2020, 22, 1.	0.7	22
53	Is there a role for therapeutic hypothermia in critical care?. , 2020, , 179-185.e1.		0
54	Development and Reporting of Prediction Models: Guidance for Authors From Editors of Respiratory, Sleep, and Critical Care Journals. <i>Critical Care Medicine</i> , 2020, 48, 623-633.	0.4	188

#	ARTICLE	IF	CITATIONS
55	Identification of Novel Targets of RBM5 in the Healthy and Injured Brain. <i>Neuroscience</i> , 2020, 440, 299-315.	1.1	7
56	Operation Brain Trauma Therapy: An Exploratory Study of Levetiracetam Treatment Following Mild Traumatic Brain Injury in the Micro Pig. <i>Frontiers in Neurology</i> , 2020, 11, 586958.	1.1	9
57	Global Consortium Study of Neurological Dysfunction in COVID-19 (GCS-NeuroCOVID): Study Design and Rationale. <i>Neurocritical Care</i> , 2020, 33, 25-34.	1.2	51
58	Addressing Key Clinical Care and Clinical Research Needs in Severe Pediatric Traumatic Brain Injury: Perspectives From a Focused International Conference. <i>Frontiers in Pediatrics</i> , 2020, 8, 594425.	0.9	4
59	Pathophysiology and treatment of cerebral edema in traumatic brain injury. <i>Neuropharmacology</i> , 2019, 145, 230-246.	2.0	269
60	Lack of Benefit on Brain Edema, Blood-Brain Barrier Permeability, or Cognitive Outcome in Global Inducible High Mobility Group Box 1 Knockout Mice Despite Tissue Sparing after Experimental Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 360-369.	1.7	16
61	Neurostimulant Prescribing Patterns in Children Admitted to the Intensive Care Unit after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 293-299.	1.7	5
62	Systemic Estrone Production and Injury-Induced Sex Hormone Steroidogenesis after Severe Traumatic Brain Injury: A Prognostic Indicator of Traumatic Brain Injury-Related Mortality. <i>Journal of Neurotrauma</i> , 2019, 36, 1156-1167.	1.7	12
63	Serum-Based Phospho-Neurofilament-Heavy Protein as Theranostic Biomarker in Three Models of Traumatic Brain Injury: An Operation Brain Trauma Therapy Study. <i>Journal of Neurotrauma</i> , 2019, 36, 348-359.	1.7	26
64	Nitrite pharmacokinetics, safety and efficacy after experimental ventricular fibrillation cardiac arrest. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 93, 71-77.	1.2	6
65	International traumatic brain injury research: an annus mirabilis?. <i>Lancet Neurology</i> , The, 2019, 18, 904-905.	4.9	2
66	Robust RBM3 and $\beta$ -klotho expression in developing neurons in the human brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 2355-2367.	2.4	24
67	Factors Contributing to Fentanyl Pharmacokinetic Variability Among Diagnostically Diverse Critically Ill Children. <i>Clinical Pharmacokinetics</i> , 2019, 58, 1567-1576.	1.6	5
68	Important Outcomes for Parents of Critically Ill Children. <i>Critical Care Nurse</i> , 2019, 39, 74-79.	0.5	14
69	Cooling via Trans-nasal High Flow Ambient Air: Does it Pass the Smell Test?. <i>Neurocritical Care</i> , 2019, 30, 505-507.	1.2	0
70	Detection of brain specific cardiolipins in plasma after experimental pediatric head injury. <i>Experimental Neurology</i> , 2019, 316, 63-73.	2.0	16
71	Guidelines for the Management of Pediatric Severe Traumatic Brain Injury, Third Edition: Update of the Brain Trauma Foundation Guidelines, Executive Summary. <i>Neurosurgery</i> , 2019, 84, 1169-1178.	0.6	104
72	Guidelines for the Management of Pediatric Severe Traumatic Brain Injury, Third Edition: Update of the Brain Trauma Foundation Guidelines, Executive Summary. <i>Pediatric Critical Care Medicine</i> , 2019, 20, 280-289.	0.2	89

#	ARTICLE	IF	CITATIONS
73	Management of Pediatric Severe Traumatic Brain Injury: 2019 Consensus and Guidelines-Based Algorithm for First and Second Tier Therapies. <i>Pediatric Critical Care Medicine</i> , 2019, 20, 269-279.	0.2	146
74	2 $\beta$ ,3 $\beta$ -cGMP exists in vivo and comprises a 2 $\beta$ ,3 $\beta$ -cGMP-guanosine pathway. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019, 316, R783-R790.	0.9	12
75	Ferroptosis Contributes to Neuronal Death and Functional Outcome After Traumatic Brain Injury*. <i>Critical Care Medicine</i> , 2019, 47, 410-418.	0.4	191
76	A New Vision for Therapeutic Hypothermia in the Era of Targeted Temperature Management: A Speculative Synthesis. <i>Therapeutic Hypothermia and Temperature Management</i> , 2019, 9, 13-47.	0.3	55
77	Membrane transporters in traumatic brain injury: Pathological, pharmacotherapeutic, and developmental implications. <i>Experimental Neurology</i> , 2019, 317, 10-21.	2.0	5
78	Development and Performance of Electronic Pediatric Risk of Mortality and Pediatric Logistic Organ Dysfunction-2 Automated Acuity Scores*. <i>Pediatric Critical Care Medicine</i> , 2019, 20, e372-e379.	0.2	13
79	Early Protocolized Versus Usual Care Rehabilitation for Pediatric Neurocritical Care Patients. <i>Pediatric Critical Care Medicine</i> , 2019, 20, 540-550.	0.2	32
80	The authors reply. <i>Pediatric Critical Care Medicine</i> , 2019, 20, 1105-1107.	0.2	0
81	Guidelines for the Management of Pediatric Severe Traumatic Brain Injury, Third Edition: Update of the Brain Trauma Foundation Guidelines. <i>Pediatric Critical Care Medicine</i> , 2019, 20, S1-S82.	0.2	218
82	PICU-Based Rehabilitation and Outcomes Assessment. <i>Pediatric Critical Care Medicine</i> , 2019, 20, e274-e282.	0.2	21
83	Oxidative stress induces release of 2 $\beta$ -AMP from microglia. <i>Brain Research</i> , 2019, 1706, 101-109.	1.1	7
84	Cardiolipin-Dependent Mitophagy Guides Outcome after Traumatic Brain Injury. <i>Journal of Neuroscience</i> , 2019, 39, 1930-1943.	1.7	71
85	The aquaporin-4 inhibitor AER-271 blocks acute cerebral edema and improves early outcome in a pediatric model of asphyxial cardiac arrest. <i>Pediatric Research</i> , 2019, 85, 511-517.	1.1	18
86	Downstream <i>TRPM4</i> Polymorphisms Are Associated with Intracranial Hypertension and Statistically Interact with <i>ABCC8</i> Polymorphisms in a Prospective Cohort of Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 1804-1817.	1.7	28
87	Quantitative and qualitative assessment of glymphatic flux using Evans blue albumin. <i>Journal of Neuroscience Methods</i> , 2019, 311, 436-441.	1.3	20
88	Cerebral microcirculatory alterations and the no-reflow phenomenon in vivo after experimental pediatric cardiac arrest. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 913-925.	2.4	16
89	The role of autophagy in acute brain injury: A state of flux?. <i>Neurobiology of Disease</i> , 2019, 122, 9-15.	2.1	40
90	Minocycline fails to improve neurologic and histologic outcome after ventricular fibrillation cardiac arrest in rats. <i>World Journal of Critical Care Medicine</i> , 2019, 8, 106-119.	0.8	7

#	ARTICLE	IF	CITATIONS
91	Opioid e-prescribing trends at discharge in a large pediatric health system. <i>Journal of Opioid Management</i> , 2019, 15, 119-127.	0.2	4
92	24 vs. 72 hours of hypothermia for pediatric cardiac arrest: A pilot, randomized controlled trial. <i>Resuscitation</i> , 2018, 126, 14-20.	1.3	23
93	Regionally clustered <i>ABCC8</i> polymorphisms in a prospective cohort predict cerebral oedema and outcome in severe traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1152-1162.	0.9	36
94	Traumatic Brain Injury and Infectious Encephalopathy in Children From Four Resource-Limited Settings in Africa*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 649-657.	0.2	19
95	Presenting predictors and temporal trends of treatment-related outcomes in diabetic ketoacidosis. <i>Pediatric Diabetes</i> , 2018, 19, 985-992.	1.2	5
96	Operation Brain Trauma Therapy: 2016 Update. <i>Military Medicine</i> , 2018, 183, 303-312.	0.4	41
97	Glibenclamide Produces Region-Dependent Effects on Cerebral Edema in a Combined Injury Model of Traumatic Brain Injury and Hemorrhagic Shock in Mice. <i>Journal of Neurotrauma</i> , 2018, 35, 2125-2135.	1.7	35
98	Initiating Nutritional Support Before 72 Hours Is Associated With Favorable Outcome After Severe Traumatic Brain Injury in Children: A Secondary Analysis of a Randomized, Controlled Trial of Therapeutic Hypothermia. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 345-352.	0.2	22
99	BrainPhys <sup>®</sup> increases neurofilament levels in CNS cultures, and facilitates investigation of axonal damage after a mechanical stretch-injury in vitro. <i>Experimental Neurology</i> , 2018, 300, 232-246.	2.0	25
100	Phenotyping Cardiac Arrest: Bench and Bedside Characterization of Brain and Heart Injury Based on Etiology. <i>Critical Care Medicine</i> , 2018, 46, e508-e515.	0.4	41
101	Brain-Specific Serum Biomarkers Predict Neurological Morbidity in Diagnostically Diverse Pediatric Intensive Care Unit Patients. <i>Neurocritical Care</i> , 2018, 28, 26-34.	1.2	17
102	<i>ABCG2</i> c.421C>A Is Associated with Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 48-53.	1.7	13
103	Minocycline Attenuates High Mobility Group Box 1 Translocation, Microglial Activation, and Thalamic Neurodegeneration after Traumatic Brain Injury in Post-Natal Day 17 Rats. <i>Journal of Neurotrauma</i> , 2018, 35, 130-138.	1.7	45
104	Infants Uniquely Express High Levels of RBM3 and Other Cold-Adaptive Neuroprotectant Proteins in the Human Brain. <i>Developmental Neuroscience</i> , 2018, 40, 325-336.	1.0	18
105	A Precision Medicine Approach to Cerebral Edema and Intracranial Hypertension after Severe Traumatic Brain Injury: Quo Vadis?. <i>Current Neurology and Neuroscience Reports</i> , 2018, 18, 105.	2.0	30
106	Duration of therapeutic hypothermia or targeted temperature management in pediatric cardiac arrest: Seeing through the ice. <i>Resuscitation</i> , 2018, 133, A3-A4.	1.3	1
107	Intracranial Pressure Trajectories: A Novel Approach to Informing Severe Traumatic Brain Injury Phenotypes*. <i>Critical Care Medicine</i> , 2018, 46, 1792-1802.	0.4	47
108	Pre-Clinical Testing of Therapies for Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2737-2754.	1.7	68

#	ARTICLE	IF	CITATIONS
109	Exploratory Application of Neuropharmacometabolomics in Severe Childhood Traumatic Brain Injury*. <i>Critical Care Medicine</i> , 2018, 46, 1471-1479.	0.4	14
110	Acute Physiology and Neurologic Outcomes after Brain Injury in SCOP/PHLPP1 KO Mice. <i>Scientific Reports</i> , 2018, 8, 7158.	1.6	15
111	Metabolic and Structural Imaging at 7 Tesla After Repetitive Mild Traumatic Brain Injury in Immature Rats. <i>ASN Neuro</i> , 2018, 10, 175909141877054.	1.5	20
112	Multi-Center Pre-clinical Consortia to Enhance Translation of Therapies and Biomarkers for Traumatic Brain Injury: Operation Brain Trauma Therapy and Beyond. <i>Frontiers in Neurology</i> , 2018, 9, 640.	1.1	42
113	Probenecid, an organic anion transporter 1 and 3 inhibitor, increases plasma and brain exposure of $\gamma$ -acetylcysteine. <i>Xenobiotica</i> , 2017, 47, 346-353.	0.5	39
114	Physical and occupational therapy utilization in a pediatric intensive care unit. <i>Journal of Critical Care</i> , 2017, 40, 15-20.	1.0	27
115	The far-reaching scope of neuroinflammation after traumatic brain injury. <i>Nature Reviews Neurology</i> , 2017, 13, 171-191.	4.9	687
116	Cerebrospinal Fluid NLRP3 is Increased After Severe Traumatic Brain Injury in Infants and Children. <i>Neurocritical Care</i> , 2017, 27, 44-50.	1.2	90
117	Derivation and Validation of a Serum Biomarker Panel to Identify Infants With Acute Intracranial Hemorrhage. <i>JAMA Pediatrics</i> , 2017, 171, e170429.	3.3	19
118	Ventricular fibrillation cardiac arrest produces a chronic striatal hyperdopaminergic state that is worsened by methylphenidate treatment. <i>Journal of Neurochemistry</i> , 2017, 142, 305-322.	2.1	6
119	Global assessment of oxidized free fatty acids in brain reveals an enzymatic predominance to oxidative signaling after trauma. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 2601-2613.	1.8	20
120	Titrating the Dose of Oxygen after Severe Traumatic Brain Injury in the Era of Precision Medicine. <i>Journal of Neurotrauma</i> , 2017, 34, 3067-3069.	1.7	6
121	Development of the emergency preservation and resuscitation for cardiac arrest from trauma clinical trial. <i>Journal of Trauma and Acute Care Surgery</i> , 2017, 83, 803-809.	1.1	44
122	Abusive Head Trauma and Mortality—An Analysis From an International Comparative Effectiveness Study of Children With Severe Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2017, 45, 1398-1407.	0.4	51
123	A “Metamorphosis” in Our Approach to Treatment Is Not Likely to Result From a Meta-Analysis of the Use of Therapeutic Hypothermia in Severe Traumatic Brain Injury*. <i>Critical Care Medicine</i> , 2017, 45, 744-745.	0.4	3
124	International Survey of Critically Ill Children With Acute Neurologic Insults: The Prevalence of Acute Critical Neurological Disease in Children: A Global Epidemiological Assessment Study*. <i>Pediatric Critical Care Medicine</i> , 2017, 18, 330-342.	0.2	79
125	ABCB1 genotype is associated with fentanyl requirements in critically ill children. <i>Pediatric Research</i> , 2017, 82, 29-35.	1.1	19
126	Adenosine production by brain cells. <i>Journal of Neurochemistry</i> , 2017, 141, 676-693.	2.1	23

#	ARTICLE	IF	CITATIONS
127	Autophagy Biomarkers Beclin 1 and p62 are Increased in Cerebrospinal Fluid after Traumatic Brain Injury. <i>Neurocritical Care</i> , 2017, 26, 348-355.	1.2	42
128	The pharmacogenomics of severe traumatic brain injury. <i>Pharmacogenomics</i> , 2017, 18, 1413-1425.	0.6	15
129	Whole-transcriptome microarray analysis reveals regulation of Rab4 by RBM5 in neurons. <i>Neuroscience</i> , 2017, 361, 93-107.	1.1	12
130	Big Data Not Yet Big Enough to Determine the Influence of Intracranial Pressure Monitoring on Outcome in Children With Severe Traumatic Brain Injury. <i>JAMA Pediatrics</i> , 2017, 171, 942.	3.3	12
131	Pre-clinical models in pediatric traumatic brain injury—challenges and lessons learned. <i>Child's Nervous System</i> , 2017, 33, 1693-1701.	0.6	32
132	Therapeutic Hypothermia and Targeted Temperature Management With or Without the “Cold Stress” Response. <i>Therapeutic Hypothermia and Temperature Management</i> , 2017, 7, 134-136.	0.3	2
133	Enduring disturbances in regional cerebral blood flow and brain oxygenation at 24h after asphyxial cardiac arrest in developing rats. <i>Pediatric Research</i> , 2017, 81, 94-98.	1.1	7
134	ABCC8 Single Nucleotide Polymorphisms are Associated with Cerebral Edema in Severe TBI. <i>Neurocritical Care</i> , 2017, 26, 213-224.	1.2	40
135	Polynitroxylated Pegylated Hemoglobin—A Novel, Small Volume Therapeutic for Traumatic Brain Injury Resuscitation: Comparison to Whole Blood and Dose Response Evaluation. <i>Journal of Neurotrauma</i> , 2017, 34, 1337-1350.	1.7	13
136	Long-Term Deficits in Cortical Circuit Function after Asphyxial Cardiac Arrest and Resuscitation in Developing Rats. <i>ENeuro</i> , 2017, 4, ENEURO.0319-16.2017.	0.9	5
137	The Brain and Hypothermia—From Aristotle to Targeted Temperature Management. <i>Critical Care Medicine</i> , 2017, 45, 305-310.	0.4	18
138	The benefits of youth are lost on the young cardiac arrest patient. <i>F1000Research</i> , 2017, 6, 77.	0.8	2
139	Phase I randomized clinical trial of N-acetylcysteine in combination with an adjuvant probenecid for treatment of severe traumatic brain injury in children. <i>PLoS ONE</i> , 2017, 12, e0180280.	1.1	39
140	Effectiveness of Pharmacological Therapies for Intracranial Hypertension in Children With Severe Traumatic Brain Injury—Results From an Automated Data Collection System Time-Synched to Drug Administration. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 236-245.	0.2	56
141	Validation of the Pittsburgh Infant Brain Injury Score for Abusive Head Trauma. <i>Pediatrics</i> , 2016, 138, .	1.0	60
142	Hidden Perils of the “Wild Blue Yonder” after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1729-1731.	1.7	1
143	Cyclosporine Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 553-566.	1.7	44
144	Serum Concentrations of Ubiquitin C-Terminal Hydrolase-L1 and Glial Fibrillary Acidic Protein after Pediatric Traumatic Brain Injury. <i>Scientific Reports</i> , 2016, 6, 28203.	1.6	80

#	ARTICLE	IF	CITATIONS
145	Exploratory study of serum ubiquitin carboxyl-terminal esterase L1 and glial fibrillary acidic protein for outcome prognostication after pediatric cardiac arrest. <i>Resuscitation</i> , 2016, 101, 65-70.	1.3	30
146	Imaging mass spectrometry reveals loss of polyunsaturated cardiolipins in the cortical contusion, hippocampus, and thalamus after traumatic brain injury. <i>Journal of Neurochemistry</i> , 2016, 139, 659-675.	2.1	41
147	Secondary Changes After Injury and Temperature. <i>Therapeutic Hypothermia and Temperature Management</i> , 2016, 6, 58-62.	0.3	3
148	Purines: forgotten mediators in traumatic brain injury. <i>Journal of Neurochemistry</i> , 2016, 137, 142-153.	2.1	28
149	Mechanistic characterization of nitrite-mediated neuroprotection after experimental cardiac arrest. <i>Journal of Neurochemistry</i> , 2016, 139, 419-431.	2.1	27
150	Effect of Hypothermia and Targeted Temperature Management on Drug Disposition and Response Following Cardiac Arrest: A Comprehensive Review of Preclinical and Clinical Investigations. <i>Therapeutic Hypothermia and Temperature Management</i> , 2016, 6, 169-179.	0.3	46
151	Combined Neurotrauma Models: Experimental Models Combining Traumatic Brain Injury and Secondary Insults. <i>Methods in Molecular Biology</i> , 2016, 1462, 393-411.	0.4	9
152	Central Nervous System Injury and Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , 2016, 6, 112-115.	0.3	1
153	Traumatic brain injuries. <i>Nature Reviews Disease Primers</i> , 2016, 2, 16084.	18.1	380
154	Intracranial Hypertension and Cerebral Hypoperfusion in Children With Severe Traumatic Brain Injury: Thresholds and Burden in Accidental and Abusive Insults. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 444-450.	0.2	40
155	Erythropoietin Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 538-552.	1.7	51
156	Global and Regional Derangements of Cerebral Blood Flow and Diffusion Magnetic Resonance Imaging after Pediatric Cardiac Arrest. <i>Journal of Pediatrics</i> , 2016, 169, 28-35.e1.	0.9	23
157	Traumatic brain injury research highlights in 2015. <i>Lancet Neurology</i> , The, 2016, 15, 13-15.	4.9	12
158	Nicotinamide Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 523-537.	1.7	63
159	Principal components derived from CSF inflammatory profiles predict outcome in survivors after severe traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2016, 53, 183-193.	2.0	45
160	Probenecid and N-Acetylcysteine Prevent Loss of Intracellular Glutathione and Inhibit Neuronal Death after Mechanical Stretch Injury <i>In Vitro</i> . <i>Journal of Neurotrauma</i> , 2016, 33, 1913-1917.	1.7	19
161	Simvastatin Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 567-580.	1.7	40
162	Synthesis of Findings, Current Investigations, and Future Directions: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 606-614.	1.7	61

#	ARTICLE	IF	CITATIONS
163	Ultrastructure of Diaschisis Lesions after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1866-1882.	1.7	24
164	Insight into Pre-Clinical Models of Traumatic Brain Injury Using Circulating Brain Damage Biomarkers: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 595-605.	1.7	71
165	Levetiracetam Treatment in Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 581-594.	1.7	60
166	Renal $\epsilon$ -Cyclic Nucleotide $\epsilon$ -Phosphodiesterase Is an Important Determinant of AKI Severity after Ischemia-Reperfusion. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2069-2081.	3.0	21
167	Approach to Modeling, Therapy Evaluation, Drug Selection, and Biomarker Assessments for a Multicenter Pre-Clinical Drug Screening Consortium for Acute Therapies in Severe Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Neurotrauma</i> , 2016, 33, 513-522.	1.7	78
168	Repetitive Mild Traumatic Brain Injury in the Developing Brain: Effects on Long-Term Functional Outcome and Neuropathology. <i>Journal of Neurotrauma</i> , 2016, 33, 641-651.	1.7	61
169	Expression of ATP-Binding Cassette Transporters B1 and C1 after Severe Traumatic Brain Injury in Humans. <i>Journal of Neurotrauma</i> , 2016, 33, 226-231.	1.7	18
170	Unique Brain Region-Dependent Cytokine Signatures After Prolonged Hypothermic Cardiac Arrest in Rats. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015, 5, 26-39.	0.3	19
171	Cerebrospinal Fluid Markers of Macrophage and Lymphocyte Activation After Traumatic Brain Injury in Children. <i>Pediatric Critical Care Medicine</i> , 2015, 16, 549-557.	0.2	35
172	Tackling the Challenges of Clinical Trials for Severe Traumatic Brain Injury in Children. <i>Critical Care Medicine</i> , 2015, 43, 1544-1546.	0.4	12
173	Genetic variation in the adenosine regulatory cycle is associated with posttraumatic epilepsy development. <i>Epilepsia</i> , 2015, 56, 1198-1206.	2.6	49
174	$\epsilon$ associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2015, 56, 991-1001.	2.6	50
175	Effect of Administration of Neuromuscular Blocking Agents in Children With Severe Traumatic Brain Injury on Acute Complication Rates and Outcomes. <i>Pediatric Critical Care Medicine</i> , 2015, 16, 352-358.	0.2	13
176	Socioeconomic factors associated with outcome after cardiac arrest in patients under the age of 65. <i>Resuscitation</i> , 2015, 93, 14-19.	1.3	28
177	20-Hydroxyeicosatetraenoic Acid Inhibition by HET0016 Offers Neuroprotection, Decreases Edema, and Increases Cortical Cerebral Blood Flow in a Pediatric Asphyxial Cardiac Arrest Model in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1757-1763.	2.4	34
178	Emerging Therapies in Traumatic Brain Injury. <i>Seminars in Neurology</i> , 2015, 35, 083-100.	0.5	100
179	Serum D-Dimer Concentrations Are Increased after Pediatric Traumatic Brain Injury. <i>Journal of Pediatrics</i> , 2015, 166, 383-388.	0.9	14
180	Acute CSF interleukin-6 trajectories after TBI: Associations with neuroinflammation, polytrauma, and outcome. <i>Brain, Behavior, and Immunity</i> , 2015, 45, 253-262.	2.0	120

#	ARTICLE	IF	CITATIONS
181	The Nuclear Splicing Factor RNA Binding Motif 5 Promotes Caspase Activation in Human Neuronal Cells, and Increases after Traumatic Brain Injury in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 655-666.	2.4	27
182	Variable neuroendocrine-immune dysfunction in individuals with unfavorable outcome after severe traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2015, 45, 15-27.	2.0	53
183	Patterns of multiorgan dysfunction after pediatric drowning. <i>Resuscitation</i> , 2015, 90, 91-96.	1.3	26
184	Schwann Cells Metabolize Extracellular 2 $\beta$ ,3 $\beta$ -cAMP to 2 $\beta$ -AMP. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 354, 175-183.	1.3	5
185	Asphyxial cardiac arrest from drowning: Giving E-CPR the cold shoulder. <i>Resuscitation</i> , 2015, 88, A7-A8.	1.3	2
186	Ischemia-induced autophagy contributes to neurodegeneration in cerebellar Purkinje cells in the developing rat brain and in primary cortical neurons in vitro. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 1902-1911.	1.8	25
187	Detection of PHLPP1 $\pm/\beta$ in Human and Mouse Brain by Different Anti-PHLPP1 Antibodies. <i>Scientific Reports</i> , 2015, 5, 9377.	1.6	4
188	It might be time to let cooler heads prevail after mild traumatic brain injury or concussion. <i>Experimental Neurology</i> , 2015, 267, 13-17.	2.0	7
189	20-HETE is Associated with Unfavorable Outcomes in Subarachnoid Hemorrhage Patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1515-1522.	2.4	33
190	Role for mammalian chitinase 3 $\beta$ -like protein 1 in traumatic brain injury. <i>Neuropathology</i> , 2015, 35, 95-106.	0.7	32
191	2 $\beta$ ,3 $\beta$ -cAMP, 3 $\beta$ -AMP, 2 $\beta$ -AMP and adenosine inhibit TNF $\pm$ and CXCL10 production from activated primary murine microglia via A2A receptors. <i>Brain Research</i> , 2015, 1594, 27-35.	1.1	47
192	Deciphering of Mitochondrial Cardiolipin Oxidative Signaling in Cerebral Ischemia-Reperfusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 319-328.	2.4	51
193	Brain tissue oxygen monitoring identifies cortical hypoxia and thalamic hyperoxia after experimental cardiac arrest in rats. <i>Pediatric Research</i> , 2014, 75, 295-301.	1.1	31
194	Hemorrhagic Shock Shifts the Serum Cytokine Profile from Pro- to Anti-Inflammatory after Experimental Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2014, 31, 1386-1395.	1.7	43
195	Role of 2 $\beta$ ,3 $\beta$ -cyclic nucleotide 3 $\beta$ -phosphodiesterase in the renal 2 $\beta$ ,3 $\beta$ -cAMP-adenosine pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F14-F24.	1.3	14
196	Barriers to Drug Delivery for Brain Trauma. , 2014, , 125-140.		1
197	Interactive roles of CD73 and tissue nonspecific alkaline phosphatase in the renal vascular metabolism of 5 $\beta$ -AMP. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F680-F685.	1.3	15
198	In response to comments on IL-1 $\beta$ associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2014, 55, 1313-1314.	2.6	4

#	ARTICLE	IF	CITATIONS
199	Improving Outcomes from Resuscitation. <i>Circulation</i> , 2014, 130, 2133-2135.	1.6	2
200	PCCM 2014. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 797.	0.2	0
201	Will the Next Breakthrough for Neuroprotection After Cardiac Arrest Come Out of Thin Air?. <i>Shock</i> , 2014, 41, 85-86.	1.0	0
202	Cerebrospinal Fluid Mitochondrial DNA. <i>Shock</i> , 2014, 41, 499-503.	1.0	91
203	Serum Biomarkers of Brain Injury to Classify Outcome After Pediatric Cardiac Arrest*. <i>Critical Care Medicine</i> , 2014, 42, 664-674.	0.4	78
204	Authors'™ Response to Letter to the Editor, "Effect of a single dose of propofol and lack of dextrose administration in a child with mitochondrial disease" A Case Report. <i>Journal of Child Neurology</i> , 2014, 29, 1576-1577.	0.7	1
205	Energy Expenditure in Children After Severe Traumatic Brain Injury. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 242-249.	0.2	33
206	Minocycline attenuates brain tissue levels of TNF- $\alpha$ produced by neurons after prolonged hypothermic cardiac arrest in rats. <i>Resuscitation</i> , 2014, 85, 284-291.	1.3	41
207	Targeting therapeutic hypothermia in neonatal resuscitation and beyond: It is time to phenotype. <i>Resuscitation</i> , 2014, 85, 458-459.	1.3	2
208	Pharmacotherapy of Traumatic Brain Injury: State of the Science and the Road Forward: Report of the Department of Defense Neurotrauma Pharmacology Workgroup. <i>Journal of Neurotrauma</i> , 2014, 31, 135-158.	1.7	243
209	Regional TNF- $\alpha$ mapping in the brain reveals the striatum as a neuroinflammatory target after ventricular fibrillation cardiac arrest in rats. <i>Resuscitation</i> , 2014, 85, 694-701.	1.3	26
210	Effect of a Single Dose of Propofol and Lack of Dextrose Administration in a Child With Mitochondrial Disease. <i>Journal of Child Neurology</i> , 2014, 29, NP40-NP46.	0.7	23
211	Serum amyloid A is increased in children with abusive head trauma: a gel-based proteomic analysis. <i>Pediatric Research</i> , 2014, 76, 280-286.	1.1	32
212	Interleukin 6 and Apolipoprotein E as Predictors of Acute Brain Dysfunction and Survival in Critical Care Patients. <i>American Journal of Critical Care</i> , 2014, 23, 49-57.	0.8	30
213	Blood brain barrier is impermeable to solutes and permeable to water after experimental pediatric cardiac arrest. <i>Neuroscience Letters</i> , 2014, 578, 17-21.	1.0	27
214	Finding a faster and safer way to "catch a cold" after cardiac arrest: We may be getting closer. <i>Resuscitation</i> , 2014, 85, 1131-1133.	1.3	0
215	<sc>IL</sc>-1 $\beta$ associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2014, 55, 1109-1119.	2.6	125
216	Global and regional differences in cerebral blood flow after asphyxial versus ventricular fibrillation cardiac arrest in rats using ASL-MRI. <i>Resuscitation</i> , 2014, 85, 964-971.	1.3	64

#	ARTICLE	IF	CITATIONS
217	A mitochondrial pathway for biosynthesis of lipid mediators. <i>Nature Chemistry</i> , 2014, 6, 542-552.	6.6	130
218	366. <i>Critical Care Medicine</i> , 2014, 42, A1448.	0.4	0
219	576. <i>Critical Care Medicine</i> , 2014, 42, A1498.	0.4	0
220	Influence of ATP-Binding Cassette Polymorphisms on Neurological Outcome After Traumatic Brain Injury. <i>Neurocritical Care</i> , 2013, 19, 192-198.	1.2	27
221	Making an IMPACT in traumatic brain injury research. <i>Lancet Neurology</i> , The, 2013, 12, 1132-1133.	4.9	7
222	Temperature Management in Neurological and Neurosurgical Intensive Care Units. <i>Therapeutic Hypothermia and Temperature Management</i> , 2013, 3, 41-45.	0.3	0
223	Anthraquinone-2-sulfonic acid (AQ2S) is A Novel Neurotherapeutic Agent. <i>Cell Death and Disease</i> , 2013, 4, e451-e451.	2.7	48
224	Morris water maze function and histologic characterization of two age-at-injury experimental models of controlled cortical impact in the immature rat. <i>Child's Nervous System</i> , 2013, 29, 43-53.	0.6	36
225	Pediatric Traumatic Brain Injury in 2012. <i>Critical Care Clinics</i> , 2013, 29, 223-238.	1.0	44
226	Cerebral Blood Flow Changes after Brain Injury in Human Amyloid-Beta Knock-in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 826-833.	2.4	19
227	Regional Brain Injury on Conventional and Diffusion Weighted MRI is Associated with Outcome After Pediatric Cardiac Arrest. <i>Neurocritical Care</i> , 2013, 19, 31-40.	1.2	33
228	Pharmacological Inhibition of Pleckstrin Homology Domain Leucine-Rich Repeat Protein Phosphatase Is Neuroprotective: Differential Effects on Astrocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 347, 516-528.	1.3	25
229	Polynitroxylated-Pegylated Hemoglobin Attenuates Fluid Requirements and Brain Edema in Combined Traumatic Brain Injury Plus Hemorrhagic Shock in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1457-1464.	2.4	34
230	Mri Assessment of Cerebral Blood Flow after Experimental Traumatic Brain Injury Combined with Hemorrhagic Shock in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 129-136.	2.4	38
231	A New Roadmap for Mechanical Circulatory Support in Children. <i>Pediatric Critical Care Medicine</i> , 2013, 14, 447.	0.2	0
232	Therapeutic Hypothermia Decreases Phenytoin Elimination in Children with Traumatic Brain Injury*. <i>Critical Care Medicine</i> , 2013, 41, 2379-2387.	0.4	50
233	Hypothermia Decreases Cerebrospinal Fluid Asymmetric Dimethylarginine Levels in Children With Traumatic Brain Injury. <i>Pediatric Critical Care Medicine</i> , 2013, 14, 403-412.	0.2	6
234	Differences in Medical Therapy Goals for Children With Severe Traumatic Brain Injury—An International Study. <i>Pediatric Critical Care Medicine</i> , 2013, 14, 811-818.	0.2	69

#	ARTICLE	IF	CITATIONS
235	Progress Amidst Some Anticipated Growing Pains for PCCM. <i>Pediatric Critical Care Medicine</i> , 2013, 14, 739-740.	0.2	0
236	The Potential for Bio-Mediators and Biomarkers in Pediatric Traumatic Brain Injury and Neurocritical Care. <i>Frontiers in Neurology</i> , 2013, 4, 40.	1.1	38
237	Role of CD73 in renal sympathetic neurotransmission in the mouse kidney. <i>Physiological Reports</i> , 2013, 1, .	0.7	3
238	Role of CNPase in the oligodendrocytic extracellular 2 $\alpha$ -cAMP-adenosine pathway. <i>Glia</i> , 2013, 61, 1595-1606.	2.5	38
239	Screening of Biochemical and Molecular Mechanisms of Secondary Injury and Repair in the Brain after Experimental Blast-Induced Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 2013, 30, 920-937.	1.7	96
240	464. <i>Critical Care Medicine</i> , 2013, 41, A113.	0.4	0
241	189. <i>Critical Care Medicine</i> , 2013, 41, A42.	0.4	0
242	317. <i>Critical Care Medicine</i> , 2013, 41, A74.	0.4	0
243	448. <i>Critical Care Medicine</i> , 2013, 41, A108-A109.	0.4	0
244	Extracorporeal Versus Conventional Cardiopulmonary Resuscitation After Ventricular Fibrillation Cardiac Arrest in Rats. <i>Critical Care Medicine</i> , 2013, 41, e211-e222.	0.4	36
245	Effect of Hyperoxia on Resuscitation of Experimental Combined Traumatic Brain Injury and Hemorrhagic Shock in Mice. <i>Anesthesiology</i> , 2013, 118, 649-663.	1.3	25
246	The Many Roles of Adenosine in Traumatic Brain Injury. , 2013, , 307-322.		4
247	Role of A <sub>1</sub> receptors in renal sympathetic neurotransmission in the mouse kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F1000-F1005.	1.3	7
248	Polynitroxyl Albumin and Albumin Therapy after Pediatric Asphyxial Cardiac Arrest: Effects on Cerebral Blood Flow and Neurologic Outcome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 560-569.	2.4	21
249	Chapter 6. Advanced neuromonitoring. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S30-S32.	0.2	2
250	Chapter 13. Hyperventilation. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S58-S60.	0.2	4
251	Chapter 3. Indications for intracranial pressure monitoring. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S11-S17.	0.2	9
252	Chapter 16. Glucose and nutrition. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S68-S71.	0.2	2

#	ARTICLE	IF	CITATIONS
253	Guidelines for the Acute Medical Management of Severe Traumatic Brain Injury in Infants, Children, and Adolescents-Second Edition. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S1-S2.	0.2	506
254	Chapter 8. Hyperosmolar therapy. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S36-S41.	0.2	6
255	Chapter 9. Temperature control. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S42-S45.	0.2	3
256	Chapter 4. Threshold for treatment of intracranial hypertension. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S18-S23.	0.2	2
257	Chapter 5. Cerebral perfusion pressure thresholds. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S24-S29.	0.2	13
258	Brain tissue oxygen monitoring after severe traumatic brain injury in children: relationship to outcome and association with other clinical parameters. <i>Journal of Neurosurgery: Pediatrics</i> , 2012, 10, 383-391.	0.8	49
259	Mitochondrial Injury after Mechanical Stretch of Cortical Neurons <i>in vitro</i> : Biomarkers of Apoptosis and Selective Peroxidation of Anionic Phospholipids. <i>Journal of Neurotrauma</i> , 2012, 29, 776-788.	1.7	39
260	Severe Brief Pressure-Controlled Hemorrhagic Shock after Traumatic Brain Injury Exacerbates Functional Deficits and Long-Term Neuropathological Damage in Mice. <i>Journal of Neurotrauma</i> , 2012, 29, 2192-2208.	1.7	53
261	The Utility of Near Infrared Spectroscopy in Detecting Intracranial Hemorrhage in Children. <i>Journal of Neurotrauma</i> , 2012, 29, 1047-1053.	1.7	55
262	Developing Cooling Strategies Targeting the Heart in Adults and Children. <i>Therapeutic Hypothermia and Temperature Management</i> , 2012, 2, 157-161.	0.3	6
263	Therapeutic Hypothermia on Its 10th Anniversary. <i>Circulation</i> , 2012, 126, 2803-2805.	1.6	6
264	Thalamocortical Dysfunction and Thalamic Injury after Asphyxial Cardiac Arrest in Developing Rats. <i>Journal of Neuroscience</i> , 2012, 32, 4972-4981.	1.7	27
265	Chapter 14. Corticosteroids. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S61-S63.	0.2	2
266	Therapeutic Hypothermia for Refractory Status Epilepticus in a Child with Malignant Migrating Partial Seizures of Infancy and <i>SCN1A</i> Mutation: A Case Report. <i>Therapeutic Hypothermia and Temperature Management</i> , 2012, 2, 144-149.	0.3	25
267	Chapter 11. Barbiturates. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S49-S52.	0.2	3
268	Chapter 12. Decompressive craniectomy for the treatment of intracranial hypertension. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S53-S57.	0.2	4
269	Chapter 10. Cerebrospinal fluid drainage. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S46-S48.	0.2	2
270	Intracranial monitoring and continuous data collection. <i>Critical Care Medicine</i> , 2012, 40, 3115-3116.	0.4	2

#	ARTICLE	IF	CITATIONS
271	Pediatric Critical Care Medicine reaches another milestone. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 623-624.	0.2	3
272	Comments about the revised Guidelines for the Acute Medical Management of Severe Traumatic Brain Injury in Infants, Children, and Adolescents. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 496-497.	0.2	124
273	Fever control and application of hypothermia using intravenous cold saline. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 80-84.	0.2	32
274	Relationship between hyperglycemia and outcome in children with severe traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 85-91.	0.2	77
275	Chapter 15. Analgesics, sedatives, and neuromuscular blockade. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S64-S67.	0.2	3
276	Mild hypothermia decreases fentanyl and midazolam steady-state clearance in a rat model of cardiac arrest. <i>Critical Care Medicine</i> , 2012, 40, 1221-1228.	0.4	51
277	The SQUIRE has arrived. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 499-500.	0.2	0
278	Chapter 7. Neuroimaging. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S33-S35.	0.2	1
279	Hypothermia and hemostasis in severe trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2012, 73, 809-817.	1.1	26
280	Chapter 2. Methods. <i>Pediatric Critical Care Medicine</i> , 2012, 13, S7-S10.	0.2	1
281	Risk Factors for Mortality in Children with Abusive Head Trauma. <i>Journal of Pediatrics</i> , 2012, 161, 716-722.e1.	0.9	63
282	Politics and Hypothermia—What Might They Have in Common? Editorial Comment on Silasi and Colbourne, 2011. <i>Therapeutic Hypothermia and Temperature Management</i> , 2012, 2, 11-13.	0.3	0
283	Microglial depletion using intrahippocampal injection of liposome-encapsulated clodronate in prolonged hypothermic cardiac arrest in rats. <i>Resuscitation</i> , 2012, 83, 517-526.	1.3	29
284	Cerebrospinal Fluid Levels of High-Mobility Group Box 1 and Cytochrome C Predict Outcome after Pediatric Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 2013-2021.	1.7	87
285	Cerebral Resuscitation and Traumatic Brain Injury. , 2012, , 643-667.		1
286	Lipidomics identifies cardiolipin oxidation as a mitochondrial target for redox therapy of brain injury. <i>Nature Neuroscience</i> , 2012, 15, 1407-1413.	7.1	254
287	The brain <i>in vivo</i> expresses the $2\text{-},3\text{-}\text{AMP}\text{-adenosine}$ pathway. <i>Journal of Neurochemistry</i> , 2012, 122, 115-125.	2.1	50
288	Brain Resuscitation in the Drowning Victim. <i>Neurocritical Care</i> , 2012, 17, 441-467.	1.2	67

#	ARTICLE	IF	CITATIONS
289	Increased CSF Concentrations of Myelin Basic Protein After TBI in Infants and Children: Absence of Significant Effect of Therapeutic Hypothermia. <i>Neurocritical Care</i> , 2012, 17, 401-407.	1.2	54
290	Optimizing oxygenation and ventilation after cardiac arrest in "little adults". <i>Resuscitation</i> , 2012, 83, 1425-1426.	1.3	1
291	Mapping of phospholipids by MALDI imaging (MALDI-MSI): realities and expectations. <i>Chemistry and Physics of Lipids</i> , 2012, 165, 545-562.	1.5	92
292	Automated detection and characterization of SPIO-labeled cells and capsules using magnetic field perturbations. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 278-289.	1.9	30
293	Blast Exposure in Rats with Body Shielding Is Characterized Primarily by Diffuse Axonal Injury. <i>Journal of Neurotrauma</i> , 2011, 28, 947-959.	1.7	204
294	Hypoxic-Ischemic Encephalopathy. , 2011, , 871-892.		0
295	Severe Traumatic Brain Injury in Infants and Children. , 2011, , 849-870.		4
296	The impact of Pediatric Critical Care Medicine in 2011. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 493.	0.2	0
297	Intravenous Hydrogen Sulfide Does Not Induce Hypothermia or Improve Survival from Hemorrhagic Shock in Pigs. <i>Shock</i> , 2011, 35, 67-73.	1.0	71
298	A Novel Multicenter Preclinical Drug Screening and Biomarker Consortium for Experimental Traumatic Brain Injury: Operation Brain Trauma Therapy. <i>Journal of Trauma</i> , 2011, 71, S15-S24.	2.3	46
299	Normoxic versus hyperoxic resuscitation in pediatric asphyxial cardiac arrest: Effects on oxidative stress. <i>Critical Care Medicine</i> , 2011, 39, 335-343.	0.4	39
300	Polynitroxylated pegylated hemoglobin: A novel neuroprotective hemoglobin for acute volume-limited fluid resuscitation after combined traumatic brain injury and hemorrhagic hypotension in mice*. <i>Critical Care Medicine</i> , 2011, 39, 494-505.	0.4	73
301	Pediatric Critical Care Medicine: Re-tooling to accommodate growth and success while preserving excellence. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 1.	0.2	55
302	Brain-systemic temperature gradient is temperature-dependent in children with severe traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 449-454.	0.2	22
303	"Lost in translation?" Noninvasive cerebral monitoring after cardiac arrest*. <i>Critical Care Medicine</i> , 2011, 39, 2379-2380.	0.4	0
304	Mass critical care for children: Implications for adult critical care. <i>Critical Care Medicine</i> , 2011, 39, 2783.	0.4	2
305	Intracranial pressure-monitoring systems in children with traumatic brain injury: Combining therapeutic and diagnostic tools*. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 560-565.	0.2	55
306	Unmasking Sex-Based Disparity in Neuronal Metabolism. <i>Current Pharmaceutical Design</i> , 2011, 17, 3854-3860.	0.9	15

#	ARTICLE	IF	CITATIONS
307	Expression of the 2â€²,3â€²â€¢AMPâ€¢adenosine pathway in astrocytes and microglia. Journal of Neurochemistry, 2011, 118, 979-987.	2.1	34
308	CSF Bcl-2 and cytochrome C temporal profiles in outcome prediction for adults with severe TBI. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 1886-1896.	2.4	43
309	A high-throughput screening assay of ascorbate in brain samples. Journal of Neuroscience Methods, 2011, 201, 185-190.	1.3	7
310	Cerebrovascular response in children following severe traumatic brain injury. Child's Nervous System, 2011, 27, 1465-1476.	0.6	77
311	Autophagy in acute brain injury: Feast, famine, or folly?. Neurobiology of Disease, 2011, 43, 52-59.	2.1	86
312	Cardiac Arrest and Therapeutic Hypothermia Decrease Isoform-Specific Cytochrome P450 Drug Metabolism. Drug Metabolism and Disposition, 2011, 39, 2209-2218.	1.7	31
313	Animal Models of Traumatic Brain Injury. , 2011, , 3300-3304.		2
314	Cold aortic flush and chest compressions enable good neurologic outcome after 15 mins of ventricular fibrillation in cardiac arrest in pigs*. Critical Care Medicine, 2010, 38, 1637-1643.	0.4	23
315	A tertiary care center's experience with therapeutic hypothermia after pediatric cardiac arrest*. Pediatric Critical Care Medicine, 2010, 11, 66-74.	0.2	119
316	How I Cool Children in Neurocritical Care. Neurocritical Care, 2010, 12, 414-420.	1.2	23
317	Adenosine A1 receptor gene variants associated with post-traumatic seizures after severe TBI. Epilepsy Research, 2010, 90, 259-272.	0.8	82
318	Massâ€¢spectrometry based oxidative lipidomics and lipid imaging: applications in traumatic brain injury. Journal of Neurochemistry, 2010, 115, 1322-1336.	2.1	106
319	Minocycline Reduces Neuronal Death and Attenuates Microglial Response after Pediatric Asphyxial Cardiac Arrest. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 119-129.	2.4	59
320	Using serum biomarkers to diagnose, assess, treat, and predict outcome after pediatric TBI. , 2010, , 36-53.		2
321	Titration of Oxygen During and After Cardiopulmonary Resuscitation. JAMA - Journal of the American Medical Association, 2010, 303, 2190.	3.8	13
322	Adenosine A<sub>1</sub> Receptor Activation as a Brake on the Microglial Response after Experimental Traumatic Brain Injury in Mice. Journal of Neurotrauma, 2010, 27, 901-910.	1.7	78
323	Influence of PARP-1 Polymorphisms in Patients after Traumatic Brain Injury. Journal of Neurotrauma, 2010, 27, 465-471.	1.7	37
324	Endothelin-1 Is Increased in Cerebrospinal Fluid and Associated with Unfavorable Outcomes in Children after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2010, 27, 1819-1825.	1.7	61

#	ARTICLE	IF	CITATIONS
325	Mild Hypothermia Alters Midazolam Pharmacokinetics in Normal Healthy Volunteers. <i>Drug Metabolism and Disposition</i> , 2010, 38, 781-788.	1.7	73
326	Cardiac arrest in children. <i>Journal of Emergencies, Trauma and Shock</i> , 2010, 3, 267.	0.3	52
327	Is Hypothermia Useful in Managing Critically Ill Patients? Which Ones? Under What Conditions?. , 2010, , 437-444.		1
328	Î±-Synuclein Levels Are Elevated in Cerebrospinal Fluid following Traumatic Brain Injury in Infants and Children: The Effect of Therapeutic Hypothermia. <i>Developmental Neuroscience</i> , 2010, 32, 385-395.	1.0	45
329	Trajectory Analysis of Serum Biomarker Concentrations Facilitates Outcome Prediction after Pediatric Traumatic and Hypoxicemic Brain Injury. <i>Developmental Neuroscience</i> , 2010, 32, 396-405.	1.0	68
330	Relationship of Intracranial Pressure and Cerebral Perfusion Pressure with Outcome in Young Children after Severe Traumatic Brain Injury. <i>Developmental Neuroscience</i> , 2010, 32, 413-9.	1.0	50
331	Quo Vadis 2010? â€œ Carpe Diem: Challenges and Opportunities in Pediatric Traumatic Brain Injury. <i>Developmental Neuroscience</i> , 2010, 32, 335-342.	1.0	15
332	Neurological sequelae of 2009 influenza A (H1N1) in children: A case series observed during a pandemic*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 179-184.	0.2	101
333	Oxidative Lipidomics of Apoptosis: Quantitative Assessment of Phospholipid Hydroperoxides in Cells and Tissues. <i>Methods in Molecular Biology</i> , 2010, 610, 353-374.	0.4	34
334	Evaluation of autophagy using mouse models of brain injury. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 918-923.	1.8	18
335	Unusual peroxidase activity of polynitroxylated pegylated hemoglobin: Elimination of H <sub>2</sub> O <sub>2</sub> coupled with intramolecular oxidation of nitroxides. <i>Biochemical and Biophysical Research Communications</i> , 2010, 399, 139-143.	1.0	12
336	A Critical Problem Begging for New Insight and New Therapies. <i>Journal of Neurotrauma</i> , 2009, 26, 813-814.	1.7	18
337	Introduction. <i>Journal of Neurotrauma</i> , 2009, 26, 297-298.	1.7	6
338	Starving Neurons Show Sex Difference in Autophagy. <i>Journal of Biological Chemistry</i> , 2009, 284, 2383-2396.	1.6	180
339	Therapeutic Hypothermia: The Safar Vision. <i>Journal of Neurotrauma</i> , 2009, 26, 417-420.	1.7	25
340	Therapeutic Hypothermia: Applications in Pediatric Cardiac Arrest. <i>Journal of Neurotrauma</i> , 2009, 26, 421-427.	1.7	30
341	Hemorrhagic Shock after Experimental Traumatic Brain Injury in Mice: Effect on Neuronal Death. <i>Journal of Neurotrauma</i> , 2009, 26, 889-899.	1.7	62
342	Magnetic Resonance Imaging Assessment of Macrophage Accumulation in Mouse Brain after Experimental Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2009, 26, 1509-1519.	1.7	45

#	ARTICLE	IF	CITATIONS
343	Effect of Short Periods of Normobaric Hyperoxia on Local Brain Tissue Oxygenation and Cerebrospinal Fluid Oxidative Stress Markers in Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2009, 26, 1241-1249.	1.7	28
344	Deep Hypothermia Attenuates Microglial Proliferation Independent of Neuronal Death After Prolonged Cardiac Arrest in Rats. <i>Anesthesia and Analgesia</i> , 2009, 109, 914-923.	1.1	23
345	Multiplex Assessment of Serum Biomarker Concentrations in Well-Appearing Children With Inflicted Traumatic Brain Injury. <i>Pediatric Research</i> , 2009, 65, 97-102.	1.1	76
346	Cytochrome c/cardiolipin relations in mitochondria: a kiss of death. <i>Free Radical Biology and Medicine</i> , 2009, 46, 1439-1453.	1.3	382
347	Relationship Between Increases in Pancreatic Enzymes and Cerebral Events in Children After Traumatic Brain Injury. <i>Neurocritical Care</i> , 2009, 11, 322-329.	1.2	6
348	Magnetic Resonance Imaging Assessment of Regional Cerebral Blood Flow after Asphyxial Cardiac Arrest in Immature Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 197-205.	2.4	78
349	Mass-spectrometric analysis of hydroperoxy- and hydroxy-derivatives of cardiolipin and phosphatidylserine in cells and tissues induced by pro-apoptotic and pro-inflammatory stimuli. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2863-2872.	1.2	63
350	Bloodâ€“brain barrier integrity in a rat model of emergency preservation and resuscitation. <i>Resuscitation</i> , 2009, 80, 484-488.	1.3	13
351	Reply to: Delta-opioid receptor ligands in shock treatment. <i>Resuscitation</i> , 2009, 80, 1331-1332.	1.3	0
352	Resuscitation of Traumatic Brain Injury and Hemorrhagic Shock with Polynitroxylated Albumin, Hextend, Hypertonic Saline, and Lactated Ringer's: Effects on Acute Hemodynamics, Survival, and Neuronal Death in Mice. <i>Journal of Neurotrauma</i> , 2009, 26, 2403-2408.	1.7	45
353	Postcardiac arrest syndrome: focus on the brain. <i>Current Opinion in Pediatrics</i> , 2009, 21, 745-750.	1.0	23
354	Pediatric Neurointensive Care: 2008 Update for the Rogersâ€™ Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2009, 10, 517-523.	0.2	32
355	PCCM makes an impact. <i>Pediatric Critical Care Medicine</i> , 2009, 10, 543.	0.2	0
356	Moderate hypothermia prevents cardiac arrest-mediated suppression of drug metabolism and induction of interleukin-6 in rats*. <i>Critical Care Medicine</i> , 2009, 37, 263-269.	0.4	52
357	Therapeutic hypothermia preserves antioxidant defenses after severe traumatic brain injury in infants and children*. <i>Critical Care Medicine</i> , 2009, 37, 689-695.	0.4	141
358	Bakken Lecture: The brain, the heart, and therapeutic hypothermia. <i>Cleveland Clinic Journal of Medicine</i> , 2009, 76, S8-S12.	0.6	8
359	Current and future therapies of pediatric cardiopulmonary arrest. <i>Indian Journal of Pediatrics</i> , 2008, 75, 609-614.	0.3	3
360	Traumatic brain injury in children: Recent advances in management. <i>Indian Journal of Pediatrics</i> , 2008, 75, 1159-1165.	0.3	12

#	ARTICLE	IF	CITATIONS
361	Genetic disruption of cyclooxygenase-2 does not improve histological or behavioral outcome after traumatic brain injury in mice. <i>Journal of Neuroscience Research</i> , 2008, 86, 3605-3612.	1.3	29
362	Assessment of the delta opioid agonist DADLE in a rat model of lethal hemorrhage treated by emergency preservation and resuscitation. <i>Resuscitation</i> , 2008, 77, 220-228.	1.3	17
363	Protein nitration and poly-ADP-ribosylation in brain after rapid exsanguination cardiac arrest in a rat model of emergency preservation and resuscitation. <i>Resuscitation</i> , 2008, 79, 301-310.	1.3	15
364	Quantification of Poly(ADP-Ribose)-Modified Proteins in Cerebrospinal Fluid from Infants and Children after Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 1523-1529.	2.4	23
365	Emergency Preservation and Resuscitation with Profound Hypothermia, Oxygen, and Glucose Allows Reliable Neurological Recovery after 3 h of Cardiac Arrest from Rapid Exsanguination in Dogs. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 302-311.	2.4	53
366	Increases in Cerebrospinal Fluid Caffeine Concentration are Associated with Favorable Outcome after Severe Traumatic Brain injury in Humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 395-401.	2.4	42
367	Autophagy is Increased after Traumatic Brain Injury in Mice and is Partially Inhibited by the Antioxidant Î³-glutamylcysteinyl Ethyl Ester. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 540-550.	2.4	150
368	Identification of poly-ADP-ribosylated mitochondrial proteins after traumatic brain injury. <i>Journal of Neurochemistry</i> , 2008, 104, 1700-1711.	2.1	100
369	Mass spectrometric characterization of phospholipids and their primary peroxidation products in rat cortical neurons during staurosporine-induced apoptosis. <i>Journal of Neurochemistry</i> , 2008, 107, 1614-1633.	2.1	76
370	Chapter Nineteen Oxidative Lipidomics of Programmed Cell Death. <i>Methods in Enzymology</i> , 2008, 442, 375-393.	0.4	58
371	Pediatric Traumatic Brain Injury Is Inconsistently Regionalized in the United States. <i>Pediatrics</i> , 2008, 122, e172-e180.	1.0	26
372	Autophagy is increased in mice after traumatic brain injury and is detectable in human brain after trauma and critical illness. <i>Autophagy</i> , 2008, 4, 88-90.	4.3	137
373	Disruption of Bax Protein Prevents Neuronal Cell Death but Produces Cognitive Impairment in Mice following Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2008, 25, 755-767.	1.7	53
374	Effect of Inducible Nitric Oxide Synthase on Cerebral Blood Flow after Experimental Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2008, 25, 299-310.	1.7	26
375	Biomarkers of primary and evolving damage in traumatic and ischemic brain injury: diagnosis, prognosis, probing mechanisms, and therapeutic decision making. <i>Current Opinion in Critical Care</i> , 2008, 14, 135-141.	1.6	207
376	PCCM moves to online-only publication of case reports. <i>Pediatric Critical Care Medicine</i> , 2008, 9, 1.	0.2	13
377	In quest of the optimal cooling device: Isn't faster too fast?. <i>Critical Care Medicine</i> , 2008, 36, 1018-1020.	0.4	1
378	Inflicted Childhood Neurotrauma: New Insight into The Detection, Pathobiology, Prevention, and Treatment of Our Youngest Patients with Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 1-4.	1.7	783

#	ARTICLE	IF	CITATIONS
379	A Gel-Based Proteomic Comparison of Human Cerebrospinal Fluid between Inflicted and Non-Inflicted Pediatric Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 43-53.	1.7	52
380	Cerebrospinal Fluid Biomarkers versus Glasgow Coma Scale and Glasgow Outcome Scale in Pediatric Traumatic Brain Injury: The Role of Young Age and Inflicted Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 75-86.	1.7	57
381	Winning the cold war: Inroads into implementation of mild hypothermia after cardiac arrest in adults from the European Resuscitation Council Hypothermia After Cardiac Arrest Registry Study Group*. <i>Critical Care Medicine</i> , 2007, 35, 1199-1202.	0.4	19
382	Effects of hypothermia on drug disposition, metabolism, and response: A focus of hypothermia-mediated alterations on the cytochrome P450 enzyme system. <i>Critical Care Medicine</i> , 2007, 35, 2196-2204.	0.4	376
383	Emergency preservation and resuscitation improve survival after 15 minutes of normovolemic cardiac arrest in pigs*. <i>Critical Care Medicine</i> , 2007, 35, 2785-2791.	0.4	24
384	Hypothermia in traumatic brain injury. <i>Critical Care Medicine</i> , 2007, 35, 1999-2000.	0.4	2
385	Emergency preservation and delayed resuscitation allows normal recovery after exsanguination cardiac arrest in rats: A feasibility trial*. <i>Critical Care Medicine</i> , 2007, 35, 532-537.	0.4	50
386	Prolonged deep hypothermic circulatory arrest in rats can be achieved without cognitive deficits. <i>Life Sciences</i> , 2007, 81, 543-552.	2.0	8
387	Multiplex Assessment of Cytokine and Chemokine Levels in Cerebrospinal Fluid following Severe Pediatric Traumatic Brain Injury: Effects of Moderate Hypothermia. <i>Journal of Neurotrauma</i> , 2007, 24, 1707-1718.	1.7	137
388	Emergency preservation and resuscitation improve survival after 15 minutes of normovolemic cardiac arrest in pigs*. <i>Critical Care Medicine</i> , 2007, 35, 2785-2791.	0.4	41
389	Selective early cardiolipin peroxidation after traumatic brain injury: an oxidative lipidomics analysis. <i>Annals of Neurology</i> , 2007, 62, 154-169.	2.8	168
390	Exsanguination cardiac arrest in rats treated by 60min, but not 75min, emergency preservation and delayed resuscitation is associated with intact outcome. <i>Resuscitation</i> , 2007, 75, 114-123.	1.3	20
391	boc-Aspartyl(OMe)-Fluoromethylketone Attenuates Mitochondrial Release of Cytochrome c and Delays Brain Tissue Loss after Traumatic Brain Injury in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 316-326.	2.4	35
392	Oxidation and cytotoxicity of 6-OHDA are mediated by reactive intermediates of COX-2 overexpressed in PC12 cells. <i>Brain Research</i> , 2006, 1093, 71-82.	1.1	25
393	Immunohistochemical analysis of histone H3 acetylation and methylation—Evidence for altered epigenetic signaling following traumatic brain injury in immature rats. <i>Brain Research</i> , 2006, 1070, 31-34.	1.1	71
394	Induction of Profound Hypothermia for Emergency Preservation and Resuscitation Allows Intact Survival After Cardiac Arrest Resulting From Prolonged Lethal Hemorrhage and Trauma in Dogs. <i>Circulation</i> , 2006, 113, 1974-1982.	1.6	64
395	Urinary S100B concentrations are increased after brain injury in children: A preliminary study*. <i>Pediatric Critical Care Medicine</i> , 2006, 7, 557-561.	0.2	48
396	MAGNETIC RESONANCE IMAGING ASSESSMENT OF MACROPHAGE ACCUMULATION IN MOUSE BRAIN AFTER EXPERIMENTAL TRAUMATIC BRAIN INJURY: A PRELIMINARY REPORT.. <i>Critical Care Medicine</i> , 2006, 34, A6.	0.4	0

#	ARTICLE	IF	CITATIONS
397	EFFECT OF HEMORRHAGIC SHOCK ON CEREBRAL BLOOD FLOW IN EXPERIMENTAL TRAUMATIC BRAIN INJURY: MAGNETIC RESONANCE IMAGING ASSESSMENT.. Critical Care Medicine, 2006, 34, A5.	0.4	2
398	THE POTENTIAL INFLUENCE OF ATP BINDING CASSETTE SUBFAMILY B-1 POLYMORPHISMS IN TRAUMATIC BRAIN INJURY: A PRELIMINARY STUDY.. Critical Care Medicine, 2006, 34, A11.	0.4	0
399	Physiological Assessment and Control in Studies Evaluating Central Nervous System Injury: Should Size Matter?. Anesthesia and Analgesia, 2006, 102, 72-74.	1.1	4
400	Therapeutic hypothermia-induced pharmacokinetic alterations on CYP2E1 chlorzoxazone-mediated metabolism in a cardiac arrest rat model*. Critical Care Medicine, 2006, 34, 785-791.	0.4	87
401	Reliability and validity of the Pediatric Intensity Level of Therapy (PILOT) scale: A measure of the use of intracranial pressure-directed therapies. Critical Care Medicine, 2006, 34, 1981-1987.	0.4	38
402	A new section in Pediatric Critical Care Medicine for our smallest patients. Pediatric Critical Care Medicine, 2006, 7, 1.	0.2	9
403	A special thanks to our friends and colleagues in Japan. Pediatric Critical Care Medicine, 2006, 7, 199.	0.2	0
404	Neuronal NOS-mediated nitration and inactivation of manganese superoxide dismutase in brain after experimental and human brain injury. Journal of Neurochemistry, 2006, 101, 168-181.	2.1	121
405	Adenosine A1 Receptor Knockout Mice Develop Lethal Status Epilepticus after Experimental Traumatic Brain Injury. Journal of Cerebral Blood Flow and Metabolism, 2006, 26, 565-575.	2.4	161
406	Increased Phosphorylation of Protein Kinase B and Related Substrates after Traumatic Brain Injury in Humans and Rats. Journal of Cerebral Blood Flow and Metabolism, 2006, 26, 915-926.	2.4	35
407	Protective Effect of the 20-HETE Inhibitor HET0016 on Brain Damage after Temporary Focal Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2006, 26, 1551-1561.	2.4	65
408	Isoflurane exerts neuroprotective actions at or near the time of severe traumatic brain injury. Brain Research, 2006, 1076, 216-224.	1.1	118
409	Transgenic mice that overexpress the anti-apoptotic Bcl-2 protein have improved histological outcome but unchanged behavioral outcome after traumatic brain injury. Brain Research, 2006, 1101, 126-135.	1.1	23
410	Mitochondrial Heat Shock Protein 60 Is Increased in Cerebrospinal Fluid following Pediatric Traumatic Brain Injury. Developmental Neuroscience, 2006, 28, 336-341.	1.0	26
411	Oxidative Stress in Immature Brain after Traumatic Brain Injury. Developmental Neuroscience, 2006, 28, 420-431.	1.0	122
412	Serum Biomarkers after Traumatic and Hypoxemic Brain Injuries: Insight into the Biochemical Response of the Pediatric Brain to Inflicted Brain Injury. Developmental Neuroscience, 2006, 28, 327-335.	1.0	104
413	Pediatric Traumatic Brain Injury: Quo Vadis?. Developmental Neuroscience, 2006, 28, 244-255.	1.0	85
414	Heme Oxygenase 1 in Cerebrospinal Fluid from Infants and Children after Severe Traumatic Brain Injury. Developmental Neuroscience, 2006, 28, 342-347.	1.0	33

#	ARTICLE	IF	CITATIONS
415	Identification of Inflicted Traumatic Brain Injury in Well-Appearing Infants Using Serum and Cerebrospinal Markers: A Possible Screening Tool. <i>Pediatrics</i> , 2006, 117, 325-332.	1.0	126
416	Critical Time Window for Intra-Arrest Cooling With Cold Saline Flush in a Dog Model of Cardiopulmonary Resuscitation. <i>Circulation</i> , 2006, 113, 2690-2696.	1.6	214
417	Comparison of Seven Anesthetic Agents on Outcome after Experimental Traumatic Brain Injury in Adult, Male Rats. <i>Journal of Neurotrauma</i> , 2006, 23, 97-108.	1.7	138
418	Proteolysis Consistent with Activation of Caspase-7 after Severe Traumatic Brain Injury in Humans. <i>Journal of Neurotrauma</i> , 2006, 23, 1583-1590.	1.7	20
419	Severe Traumatic Brain Injury in Infants and Children. , 2006, , 1595-1617.		2
420	PEROXIDASE ACTIVITY OF HEMOPROTEINS RELEASED INTO PLASMA AS SOURCES OF OXIDATIVE STRESS IN SEPSIS: A PRELIMINARY REPORT.. <i>Critical Care Medicine</i> , 2006, 34, A15.	0.4	0
421	EFFECT OF HEMORRHAGIC SHOCK ON NEURONAL DEATH AFTER EXPERIMENTAL TRAUMATIC BRAIN INJURY IN MICE.. <i>Critical Care Medicine</i> , 2006, 34, A17.	0.4	0
422	EFFECT OF A DELTA-OPIOID AGONIST IN A RAT MODEL OF LETHAL HEMORRHAGE TREATED BY EMERGENCY PRESERVATION AND RESUSCITATION.. <i>Critical Care Medicine</i> , 2006, 34, A113.	0.4	0
423	Mild Hypothermia Improves Survival After Prolonged, Traumatic Hemorrhagic Shock in Pigs. <i>Journal of Trauma</i> , 2005, 59, 291-301.	2.3	41
424	Should we add stem cells to the code cart in resuscitation of heatstroke?*. <i>Critical Care Medicine</i> , 2005, 33, 1458-1459.	0.4	4
425	Show us the evidence? An Evidence-Based Journal Club linking PedsCCM: The Pediatric Critical Care Web Site and <i>Pediatric Critical Care Medicine</i> . <i>Pediatric Critical Care Medicine</i> , 2005, 6, 253.	0.2	0
426	<i>Pediatric Critical Care Medicine</i> ???Unifying our field around the world. <i>Pediatric Critical Care Medicine</i> , 2005, 6, 1.	0.2	16
427	A COMPREHENSIVE ASSESSMENT OF THE CYTOKINE RESPONSE AFTER SEVERE PEDIATRIC TRAUMATIC BRAIN INJURY: EFFECTS OF MODERATE HYPOTHERMIA.. <i>Critical Care Medicine</i> , 2005, 33, A3.	0.4	0
428	A NOVEL METHOD FOR QUANTIFICATION OF POLY(ADPRIBOSE)-MODIFIED PROTEINS VALIDATED IN CEREBROSPINAL FLUID FROM INFANTS AND CHILDREN AFTER TRAUMATIC BRAIN INJURY.. <i>Critical Care Medicine</i> , 2005, 33, A8.	0.4	0
429	Enhanced Oxidative Stress in iNOS-Deficient Mice after Traumatic Brain Injury: Support for a Neuroprotective Role of iNOS. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 673-684.	2.4	125
430	Cytochrome c, a Biomarker of Apoptosis, is Increased in Cerebrospinal Fluid from Infants with Inflicted Brain Injury from Child Abuse. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 919-927.	2.4	96
431	Characterization of the Effects of Adenosine Receptor Agonists on Cerebral Blood Flow in Uninjured and Traumatically Injured Rat Brain using Continuous Arterial Spin-Labeled Magnetic Resonance Imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 1596-1612.	2.4	34
432	Murine orthostatic response during prolonged vertical studies: Effect on cerebral blood flow measured by arterial spin-labeled MRI. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 798-806.	1.9	33

#	ARTICLE	IF	CITATIONS
433	Pediatric traumatic brain injury: Beyond the guidelines. <i>Current Treatment Options in Neurology</i> , 2005, 7, 441-450.	0.7	17
434	Traumatic Brain Injury: Laboratory Studies. , 2005, , 63-86.		3
435	Brief Induced Hypothermia Improves Outcome after Asphyxial Cardiopulmonary Arrest in Juvenile Rats. <i>Developmental Neuroscience</i> , 2005, 27, 191-199.	1.0	32
436	Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children. <i>Journal of Neurosurgery: Pediatrics</i> , 2005, 103, 61-68.	0.8	142
437	HUMAN CEREBROSPINAL OXIDATIVE STRESS MARKER RESPONSE FOLLOWING A NORMOBARIC HYPEROXIA TRIAL AFTER SEVERE TRAUMATIC BRAIN INJURY.. <i>Critical Care Medicine</i> , 2005, 33, A102.	0.4	0
438	MECHANISMS OF TYROSINE NITRATION OF MNSOD AFTER TRAUMATIC BRAIN INJURY.. <i>Critical Care Medicine</i> , 2005, 33, A16.	0.4	0
439	INHIBITION OF POLY (ADP-RIBOSE) POLYMERASE PRESERVES BIOENERGETICS IN ISOLATED MITOCHONDRIA UNDER CONDITIONS OF OXIDATIVE STRESS.. <i>Critical Care Medicine</i> , 2005, 33, A16.	0.4	0
440	EFFECT OF SRC TYROSINE KINASE INHIBITOR, PP1, ON THE CYTOKINE RESPONSE INDUCED BY LIPOPOLYSACCHARIDE.. <i>Critical Care Medicine</i> , 2005, 33, A139.	0.4	0
441	Time Course Analysis of Hippocampal Nerve Growth Factor and Antioxidant Enzyme Activity following Lateral Controlled Cortical Impact Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 2004, 21, 491-500.	1.7	36
442	Continuous Versus Intermittent Cerebrospinal Fluid Drainage after Severe Traumatic Brain Injury in Children: Effect on Biochemical Markers. <i>Journal of Neurotrauma</i> , 2004, 21, 1113-1122.	1.7	93
443	Relationships between Cerebrospinal Fluid Markers of Excitotoxicity, Ischemia, and Oxidative Damage after Severe TBI: The Impact of Gender, Age, and Hypothermia. <i>Journal of Neurotrauma</i> , 2004, 21, 125-136.	1.7	162
444	Innate Gender-based Proclivity in Response to Cytotoxicity and Programmed Cell Death Pathway. <i>Journal of Biological Chemistry</i> , 2004, 279, 38563-38570.	1.6	324
445	Assessment of the Macrophage Marker Quinolinic Acid in Cerebrospinal Fluid after Pediatric Traumatic Brain Injury: Insight into the Timing and Severity of Injury in Child Abuse. <i>Journal of Neurotrauma</i> , 2004, 21, 1123-1130.	1.7	28
446	Marked Gender Effect on Lipid Peroxidation after Severe Traumatic Brain Injury in Adult Patients. <i>Journal of Neurotrauma</i> , 2004, 21, 1-8.	1.7	198
447	Effects of post-injury hypothermia and nerve growth factor infusion on antioxidant enzyme activity in the rat: implications for clinical therapies. <i>Journal of Neurochemistry</i> , 2004, 90, 998-1004.	2.1	29
448	Biochemical markers of brain injury: could they be used as diagnostic adjuncts in cases of inflicted traumatic brain injury?. <i>Child Abuse and Neglect</i> , 2004, 28, 739-754.	1.3	27
449	Induction of the Stress Response after Inflicted and Non-Inflicted Traumatic Brain Injury in Infants and Children. <i>Journal of Neurotrauma</i> , 2004, 21, 229-237.	1.7	64
450	Bench-to-bedside review: Apoptosis/programmed cell death triggered by traumatic brain injury. <i>Critical Care</i> , 2004, 9, 66.	2.5	178

#	ARTICLE	IF	CITATIONS
451	Caution Should be Exercised When Maintaining a Serum Sodium Level >160 meq/L: The authors reply. <i>Critical Care Medicine</i> , 2004, 32, 1439-1440.	0.4	6
452	Experimental model of pediatric asphyxial cardiopulmonary arrest in rats. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 139-144.	0.2	73
453	Introduction to the Proceedings of the Second Annual Safar Symposium. <i>Critical Care Medicine</i> , 2004, 32, S41-S42.	0.4	2
454	Further growth and development for Pediatric Critical Care Medicine. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 1.	0.2	3
455	Vascular Endothelial Growth Factor Is Increased in Cerebrospinal Fluid after Traumatic Brain Injury in Infants and Children. <i>Neurosurgery</i> , 2004, 54, 605-612.	0.6	57
456	A special supplement for a very special man: A celebration of the life of Peter J. Safar, MD. <i>Critical Care Medicine</i> , 2004, 32, S2.	0.4	1
457	The incredible career of Peter J. Safar, MD: The Michelangelo of acute medicine. <i>Critical Care Medicine</i> , 2004, 32, S3-S7.	0.4	38
458	Mild hypothermia during prolonged cardiopulmonary cerebral resuscitation increases conscious survival in dogs*. <i>Critical Care Medicine</i> , 2004, 32, 2110-2116.	0.4	88
459	Suspended Animation Can Allow Survival without Brain Damage after Traumatic Exsanguination Cardiac Arrest of 60 Minutes in Dogs. <i>Journal of Trauma</i> , 2004, 57, 1266-1275.	2.3	39
460	Novel Potentials for Emergency Hypothermia: Suspended Animation with Delayed Resuscitation from Exsanguination Cardiac Arrest. , 2004, , 271-277.		2
461	Hyperglycolysis is exacerbated after traumatic brain injury with fentanyl vs. isoflurane anesthesia in rats. <i>Brain Research</i> , 2003, 994, 37-43.	1.1	23
462	Alterations in inducible 72-kDa heat shock protein and the chaperone cofactor BAG-1 in human brain after head injury. <i>Journal of Neurochemistry</i> , 2003, 84, 514-521.	2.1	38
463	A dual role for poly(ADP-ribose) synthesis in spatial memory acquisition after traumatic brain injury in mice involving NAD <sup>+</sup> depletion and ribosylation of 14-3-3 <sup>β</sup> . <i>Journal of Neurochemistry</i> , 2003, 85, 697-708.	2.1	101
464	Increased S-Nitrosothiols and S-Nitrosoalbumin in Cerebrospinal Fluid after Severe Traumatic Brain Injury in Infants and Children: Indirect Association with Intracranial Pressure. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 51-61.	2.4	33
465	Traumatic brain injury in infants and children. <i>Critical Care Clinics</i> , 2003, 19, 529-549.	1.0	85
466	F2-Isoprostane and Neuron-Specific Enolase in Cerebrospinal Fluid after Severe Traumatic Brain Injury in Infants and Children. <i>Journal of Neurotrauma</i> , 2003, 20, 781-786.	1.7	82
467	Intra-mitochondrial Poly(ADP-ribose) Synthesis Contributes to NAD <sup>+</sup> Depletion and Cell Death Induced by Oxidative Stress. <i>Journal of Biological Chemistry</i> , 2003, 278, 18426-18433.	1.6	282
468	Therapeutic Hypothermia for Severe Traumatic Brain Injury. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 3007.	3.8	49

#	ARTICLE	IF	CITATIONS
469	Caspase-8 expression and proteolysis in human brain after severe head injury. <i>FASEB Journal</i> , 2003, 17, 1367-1369.	0.2	66
470	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S1.	0.2	234
471	Chapter 1: Introduction. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S2-S4.	0.2	279
472	A tribute to Peter J. Safar, MD. <i>Critical Care Medicine</i> , 2003, 31, 2571-2573.	0.4	5
473	Promising strategies to minimize secondary brain injury after head trauma. <i>Critical Care Medicine</i> , 2003, 31, S112-S117.	0.4	88
474	Mild hypothermia during hemorrhagic shock in rats improves survival without significant effects on inflammatory responses. <i>Critical Care Medicine</i> , 2003, 31, 195-202.	0.4	364
475	"The British are coming" and other new developments for Pediatric Critical Care Medicine. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 1.	0.2	69
476	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. <i>Journal of Trauma</i> , 2003, 54, S236.	2.3	8
477	Acute etomidate treatment reduces cognitive deficits and histopathology in rats with traumatic brain injury. <i>Critical Care Medicine</i> , 2003, 31, 2222-2227.	0.4	34
478	Pediatric critical care medicine: Planning for our research future. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 196-202.	0.2	60
479	Moderate hypothermia may be detrimental after traumatic brain injury in fentanyl-anesthetized rats. <i>Critical Care Medicine</i> , 2003, 31, 1134-1139.	0.4	22
480	Survival without brain damage after clinical death of 60-120 mins in dogs using suspended animation by profound hypothermia*. <i>Critical Care Medicine</i> , 2003, 31, 1523-1531.	0.4	140
481	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. <i>Critical Care Medicine</i> , 2003, 31, S417.	0.4	50
482	Induced hyperthermia exacerbates neurologic neuronal histologic damage after asphyxial cardiac arrest in rats*. <i>Critical Care Medicine</i> , 2003, 31, 531-535.	0.4	111
483	Increased S-Nitrosothiols and S-Nitrosoalbumin in Cerebrospinal Fluid After Severe Traumatic Brain Injury in Infants and Children: Indirect Association With Intracranial Pressure. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, , 51-61.	2.4	7
484	Ischemic Mechanisms in Traumatic Brain Injury. , 2003, , 60-71.		0
485	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 2: Trauma systems, pediatric trauma centers, and the neurosurgeon. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S5-8.	0.2	9
486	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 4. Resuscitation of blood pressure and oxygenation and prehospital brain-specific therapies for the severe pediatric traumatic brain injury patient. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S12-8.	0.2	24

#	ARTICLE	IF	CITATIONS
487	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 5. Indications for intracranial pressure monitoring in pediatric patients with severe traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S19-24.	0.2	38
488	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 6. Threshold for treatment of intracranial hypertension. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S25-7.	0.2	34
489	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 7. Intracranial pressure monitoring technology. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S28-30.	0.2	18
490	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 8. Cerebral perfusion pressure. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S31-3.	0.2	33
491	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 9. Use of sedation and neuromuscular blockade in the treatment of severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S34-7.	0.2	12
492	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 10. The role of cerebrospinal fluid drainage in the treatment of severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S38-9.	0.2	10
493	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 11. Use of hyperosmolar therapy in the management of severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S40-4.	0.2	28
494	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 12. Use of hyperventilation in the acute management of severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S45-8.	0.2	13
495	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 13. The use of barbiturates in the control of intracranial hypertension in severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S49-52.	0.2	14
496	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 14. The role of temperature control following severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S53-5.	0.2	17
497	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 15. Surgical treatment of pediatric intracranial hypertension. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S56-9.	0.2	8
498	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 16. The use of corticosteroids in the treatment of severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S60-4.	0.2	6
499	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 17. Critical pathway for the treatment of established intracranial hypertension in pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S65-7.	0.2	34
500	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 18. Nutritional support. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S68-71.	0.2	12
501	Guidelines for the acute medical management of severe traumatic brain injury in infants, children, and adolescents. Chapter 19. The role of anti-seizure prophylaxis following severe pediatric traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2003, 4, S72-5.	0.2	52
502	Changes in Expression of Amyloid Precursor Protein and Interleukin-1 $\beta$ after Experimental Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 2002, 19, 1555-1567.	1.7	89
503	Serum S100B Concentrations Are Increased after Closed Head Injury in Children: A Preliminary Study. <i>Journal of Neurotrauma</i> , 2002, 19, 1405-1409.	1.7	93
504	Cerebral Blood Flow at One Year after Controlled Cortical Impact in Rats: Assessment by Magnetic Resonance Imaging. <i>Journal of Neurotrauma</i> , 2002, 19, 1029-1037.	1.7	82

#	ARTICLE	IF	CITATIONS
505	Therapeutic Hypothermia after Cardiac Arrest. <i>New England Journal of Medicine</i> , 2002, 346, 612-613.	13.9	212
506	Neuron-Specific Enolase and S100B in Cerebrospinal Fluid After Severe Traumatic Brain Injury in Infants and Children. <i>Pediatrics</i> , 2002, 109, e31-e31.	1.0	190
507	Effect of hyperventilation on extracellular concentrations of glutamate, lactate, pyruvate, and local cerebral blood flow in patients with severe traumatic brain injury*. <i>Critical Care Medicine</i> , 2002, 30, 2619-2625.	0.4	191
508	Cerebrospinal fluid procalcitonin and severe traumatic brain injury in children. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 39-44.	0.2	12
509	Systemic Hypothermia, but Not Regional Gut Hypothermia, Improves Survival from Prolonged Hemorrhagic Shock in Rats. <i>Journal of Trauma</i> , 2002, 53, 654-662.	2.3	29
510	Assessment of Antioxidant Reserves and Oxidative Stress in Cerebrospinal Fluid after Severe Traumatic Brain Injury in Infants and Children. <i>Pediatric Research</i> , 2002, 51, 571-578.	1.1	253
511	Critical mechanisms of secondary damage after inflicted head injury in infants and children. <i>Neurosurgery Clinics of North America</i> , 2002, 13, 169-182.	0.8	29
512	Clinical Trials in Head Injury. <i>Journal of Neurotrauma</i> , 2002, 19, 503-557.	1.7	868
513	Conventional and Functional Proteomics Using Large Format Two-Dimensional Gel Electrophoresis 24 Hours after Controlled Cortical Impact in Postnatal Day 17 Rats. <i>Journal of Neurotrauma</i> , 2002, 19, 715-740.	1.7	78
514	Regulation of interstitial excitatory amino acid concentrations after cortical contusion injury. <i>Brain Research</i> , 2002, 935, 40-46.	1.1	46
515	Acute systemic administration of interleukin-10 suppresses the beneficial effects of moderate hypothermia following traumatic brain injury in rats. <i>Brain Research</i> , 2002, 937, 22-31.	1.1	66
516	Regulation of interstitial excitatory amino acid concentrations after cortical contusion injury. <i>Brain Research</i> , 2002, 943, 15-22.	1.1	39
517	Administration of adenosine receptor agonists or antagonists after controlled cortical impact in mice: effects on function and histopathology. <i>Brain Research</i> , 2002, 951, 191-201.	1.1	38
518	Oxidative Stress Following Traumatic Brain Injury in Rats. <i>Journal of Neurochemistry</i> , 2002, 75, 2178-2189.	2.1	214
519	Intranuclear localization of apoptosis-inducing factor (AIF) and large scale dna fragmentation after traumatic brain injury in rats and in neuronal cultures exposed to peroxynitrite. <i>Journal of Neurochemistry</i> , 2002, 82, 181-191.	2.1	245
520	Antioxidant Tempol Enhances Hypothermic Cerebral Preservation during Prolonged Cardiac Arrest in Dogs. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 105-117.	2.4	69
521	Pediatric critical care medicine in Chinese—and other developments. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 101.	0.2	0
522	Publication of Cochrane Reviews in Critical Care Medicine and Pediatric Critical Care Medicine: Guiding practice or duplicating the literature?. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 221.	0.2	0

#	ARTICLE	IF	CITATIONS
523	Detection of Single- and Double-Strand DNA Breaks After Traumatic Brain Injury in Rats: Comparison of In Situ Labeling Techniques Using DNA Polymerase I, the Klenow Fragment of DNA Polymerase I, and Terminal Deoxynucleotidyl Transferase. <i>Journal of Neurotrauma</i> , 2001, 18, 675-689.	1.7	66
524	Excitatory amino acid concentrations in ventricular cerebrospinal fluid after severe traumatic brain injury in infants and children: The role of child abuse. <i>Journal of Pediatrics</i> , 2001, 138, 18-25.	0.9	129
525	CEREBRAL RESUSCITATION AFTER TRAUMATIC BRAIN INJURY AND CARDIOPULMONARY ARREST IN INFANTS AND CHILDREN IN THE NEW MILLENNIUM. <i>Pediatric Clinics of North America</i> , 2001, 48, 661-682.	0.9	24
526	The Th1 versus Th2 cytokine profile in cerebrospinal fluid after severe traumatic brain injury in infants and children. <i>Pediatric Critical Care Medicine</i> , 2001, 2, 260-264.	0.2	48
527	Intraperitoneal, but not enteric, adenosine administration improves survival after volume-controlled hemorrhagic shock in rats. <i>Critical Care Medicine</i> , 2001, 29, 1767-1773.	0.4	38
528	Interstitial brain adenosine and xanthine increase during jugular venous oxygen desaturations in humans after traumatic brain injury. <i>Critical Care Medicine</i> , 2001, 29, 399-404.	0.4	59
529	Increased adenosine in cerebrospinal fluid after severe traumatic brain injury in infants and children: Association with severity of injury and excitotoxicity. <i>Critical Care Medicine</i> , 2001, 29, 2287-2293.	0.4	71
530	GUT DAMAGE DURING HEMORRHAGIC SHOCK: EFFECTS ON SURVIVAL OF ORAL OR ENTERAL INTERLEUKIN-6. <i>Shock</i> , 2001, 16, 449-453.	1.0	8
531	Caspase-3 Mediated Neuronal Death After Traumatic Brain Injury in Rats. <i>Journal of Neurochemistry</i> , 2001, 74, 740-753.	2.1	360
532	Assessment of the effect of 2-chloroadenosine in normal rat brain using spin-labeled MRI measurement of perfusion. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 924-929.	1.9	19
533	Cerebral perfusion during anesthesia with fentanyl, isoflurane, or pentobarbital in normal rats studied by arterial spin-labeled MRI. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 202-206.	1.9	147
534	Adenovirus-Mediated Transfer and Expression of $\beta$ -Gal in Injured Hippocampus After Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2001, 18, 73-82.	1.7	12
535	Increased Adrenomedullin in Cerebrospinal Fluid after Traumatic Brain Injury in Infants and Children. <i>Journal of Neurotrauma</i> , 2001, 18, 861-868.	1.7	29
536	The Simple Model Versus the Super Model: Translating Experimental Traumatic Brain Injury Research to the Bedside. <i>Journal of Neurotrauma</i> , 2001, 18, 1195-1206.	1.7	107
537	Histopathologic Response of the Immature Rat to Diffuse Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2001, 18, 967-976.	1.7	78
538	The Multifaceted Role of Adenosine in Experimental and Clinical Traumatic Brain Injury. , 2001, , 37-56.		1
539	Cell Signaling: Serine/Threonine Protein Kinases and Traumatic Brain Injury. , 2001, , 163-180.		1
540	Specialty neurointensive care—Is it just a name or a way of life?. <i>Critical Care Medicine</i> , 2001, 29, 692-693.	0.4	10

#	ARTICLE	IF	CITATIONS
541	HBO: It's not ready for prime time for the treatment of acute central nervous system trauma. <i>Critical Care Medicine</i> , 2001, 29, 906-908.	0.4	3
542	Some historic firsts for Pediatric Critical Care Medicine. <i>Pediatric Critical Care Medicine</i> , 2001, 2, 293.	0.2	0
543	Hypothermia and Hyperthermia in Children After Resuscitation From Cardiac Arrest. <i>Pediatrics</i> , 2000, 106, 118-122.	1.0	127
544	Reduced brain edema after traumatic brain injury in mice deficient in P-selectin and intercellular adhesion molecule-1. <i>Journal of Leukocyte Biology</i> , 2000, 67, 160-168.	1.5	54
545	Delayed, spontaneous hypothermia reduces neuronal damage after asphyxial cardiac arrest in rats. <i>Critical Care Medicine</i> , 2000, 28, 3511-3516.	0.4	115
546	No long-term benefit from hypothermia after severe traumatic brain injury with secondary insult in rats. <i>Critical Care Medicine</i> , 2000, 28, 3218-3223.	0.4	36
547	Biochemical, cellular, and molecular mechanisms in the evolution of secondary damage after severe traumatic brain injury in infants and children: Lessons learned from the bedside. <i>Pediatric Critical Care Medicine</i> , 2000, 1, 4-19.	0.2	227
548	Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 are increased in the plasma of children with sepsis-induced multiple organ failure. <i>Critical Care Medicine</i> , 2000, 28, 2600-2607.	0.4	100
549	Effect of neutropenia and granulocyte colony stimulating factor-induced neutrophilia on blood-brain barrier permeability and brain edema after traumatic brain injury in rats. <i>Critical Care Medicine</i> , 2000, 28, 3710-3717.	0.4	44
550	Adenosine by aortic flush fails to augment the brain preservation effect of mild hypothermia during exsanguination cardiac arrest in dogs: an exploratory study. <i>Resuscitation</i> , 2000, 44, 47-59.	1.3	17
551	Interleukin-8 is increased in cerebrospinal fluid of children with severe head injury. <i>Critical Care Medicine</i> , 2000, 28, 929-934.	0.4	173
552	Long-Term Dysfunction Following Diffuse Traumatic Brain Injury in the Immature Rat. <i>Journal of Neurotrauma</i> , 2000, 17, 273-282.	1.7	71
553	Isoflurane Improves Long-Term Neurologic Outcome Versus Fentanyl After Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 2000, 17, 1179-1189.	1.7	105
554	10 kD mitochondrial matrix heat shock protein mRNA is induced following global brain ischemia in the rat. <i>Molecular Brain Research</i> , 2000, 79, 169-173.	2.5	16
555	Increases in bcl-2 protein in cerebrospinal fluid and evidence for programmed cell death in infants and children after severe traumatic brain injury. <i>Journal of Pediatrics</i> , 2000, 137, 197-204.	0.9	110
556	Assessment of 2-Chloroadenosine Treatment After Experimental Traumatic Brain Injury in the Rat Using Arterial Spin-Labeled MRI: A Preliminary Report. , 2000, 76, 187-189.		6
557	Cerebral blood flow promotion after prolonged cardiac arrest. <i>Critical Care Medicine</i> , 2000, 28, 3104-3106.	0.4	49
558	Traumatic Brain Injury in Mice Deficient in Poly-ADP(Ribose) Polymerase: A Preliminary Report. , 2000, 76, 61-64.		17

#	ARTICLE	IF	CITATIONS
559	Increases in Bcl-2 and cleavage of caspase-1 and caspase-3 in human brain after head injury. FASEB Journal, 1999, 13, 813-821.	0.2	259
560	Inducible nitric oxide synthase is an endogenous neuroprotectant after traumatic brain injury in rats and mice. Journal of Clinical Investigation, 1999, 104, 647-656.	3.9	200
561	Effect of Traumatic Brain Injury in Mice Deficient in Intercellular Adhesion Molecule-1: Assessment of Histopathologic and Functional Outcome. Journal of Neurotrauma, 1999, 16, 299-309.	1.7	81
562	One-Year Study of Spatial Memory Performance, Brain Morphology, and Cholinergic Markers After Moderate Controlled Cortical Impact in Rats. Journal of Neurotrauma, 1999, 16, 109-122.	1.7	270
563	Reduction of Cognitive and Motor Deficits after Traumatic Brain Injury in Mice Deficient in Poly(ADP-Ribose) Polymerase. Journal of Cerebral Blood Flow and Metabolism, 1999, 19, 835-842.	2.4	151
564	Early perfusion after controlled cortical impact in rats: Quantification by arterial spin-labeled MRI and the influence of spin-lattice relaxation time heterogeneity. Magnetic Resonance in Medicine, 1999, 42, 673-681.	1.9	69
565	Neutrophils Do Not Mediate Blood-Brain Barrier Permeability Early After Controlled Cortical Impact in Rats. Journal of Neurotrauma, 1999, 16, 583-594.	1.7	66
566	DNA DAMAGE IS TEMPERATURE DEPENDENT EARLY AFTER TRAUMATIC BRAIN INJURY IN RATS. Critical Care Medicine, 1999, 27, 51A.	0.4	1
567	MANIPULATING SYSTEMIC NEUTROPHIL COUNT IN EXPERIMENTAL CEREBRAL CONTUSION IN RATS. Critical Care Medicine, 1999, 27, 103A.	0.4	2
568	ADENOSINE BY AORTIC FLUSH FAILS TO AUGMENT THE BRAIN PRESERVATION EFFECT OF MILD HYPOTHERMIA DURING EXSANGUINATION CARDIAC ARREST IN DOGS. Critical Care Medicine, 1999, 27, 106A.	0.4	1
569	Subarachnoid hemorrhage, systemic immune response syndrome, and MODS. Critical Care Medicine, 1999, 27, 454-455.	0.4	5
570	Quinolinic acid in the cerebrospinal fluid of children after traumatic brain injury. Critical Care Medicine, 1999, 27, 493-497.	0.4	56
571	How low can you go? Blood pressure control after intracranial hemorrhage. Critical Care Medicine, 1999, 27, 867-869.	0.4	2
572	An acute inflammatory response to the use of granulocyte colony-stimulating factor to prevent infections in patients with brain injury. Critical Care Medicine, 1999, 27, 1014-1018.	0.4	10
573	Partial liquid ventilation combined with high frequency gas ventilation: Clinical breakthrough or two treatments looking for a home?. Critical Care Medicine, 1999, 27, 2589-2591.	0.4	5
574	SOLUBLE FAS IS INCREASED IN CSF FROM INFANTS AND CHILDREN AFTER HEAD INJURY. Critical Care Medicine, 1999, 27, A38.	0.4	2
575	INCREASED ADENOSINE CONCENTRATION IN CEREBROSPINAL FLUID AFTER SEVERE TRAUMATIC BRAIN INJURY IN INFANTS AND CHILDREN: ASSOCIATION WITH SEVERITY OF INJURY. Critical Care Medicine, 1999, 27, A38.	0.4	1
576	CEREBROSPINAL FLUID PROCALCITONIN IS INCREASED AFTER TRAUMATIC BRAIN INJURY IN CHILDREN. Critical Care Medicine, 1999, 27, A75.	0.4	3

#	ARTICLE	IF	CITATIONS
577	INCREASED ADRENOMEDULLIN IN CEREBROSPINAL FLUID AFTER TRAUMATIC BRAIN INJURY IN CHILDREN: A PRELIMINARY REPORT. <i>Critical Care Medicine</i> , 1999, 27, A75.	0.4	2
578	ENDOTHELIN-1 IS INCREASED IN CEREBROSPINAL FLUID FOLLOWING TRAUMATIC BRAIN INJURY IN CHILDREN. <i>Critical Care Medicine</i> , 1999, 27, A76.	0.4	4
579	CASPASE-3 MEDIATED PROGRAMMED-CELL DEATH (APOPTOSIS) AFTER TRAUMATIC BRAIN INJURY IN RATS. <i>Critical Care Medicine</i> , 1999, 27, 53A.	0.4	0
580	NO LONG-TERM BENEFIT FROM HYPOTHERMIA AFTER SEVERE TRAUMATIC BRAIN INJURY WITH SECONDARY HYPOXEMIA IN RATS. <i>Critical Care Medicine</i> , 1999, 27, 52A.	0.4	0
581	INDUCIBLE 72kd HEAT SHOCK PROTEIN IS INCREASED AFTER TRAUMATIC BRAIN INJURY IN HUMANS. <i>Critical Care Medicine</i> , 1999, 27, 51A.	0.4	0
582	Delayed, Spontaneous-Hypothermia Reduces Neuronal Damage after Asphyxial Cardiac Arrest in Rats. <i>Pediatric Research</i> , 1999, 45, 81A-81A.	1.1	0
583	REDUCED BRAIN EDEMA AFTER TRAUMATIC BRAIN INJURY IN MICE DEFICIENT IN P-SELECTIN AND INTER-CELLULAR ADHESION MOLECULE-1. <i>Critical Care Medicine</i> , 1999, 27, A64.	0.4	0
584	ISOFLURANE IMPROVES LONG-TERM NEUROLOGIC OUTCOME COMPARED TO FENTANYL AFTER TRAUMATIC BRAIN INJURY IN RATS. <i>Critical Care Medicine</i> , 1999, 27, A38.	0.4	1
585	POLY(ADP-RIBOSE)SYNTHETASE ACTIVATION AND NAD DEPLETION AFTER TRAUMATIC BRAIN INJURY IN RATS. <i>Critical Care Medicine</i> , 1999, 27, A34.	0.4	0
586	Quinolinic Acid is Increased in CSF and Associated with Mortality after Traumatic Brain Injury in Humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 610-615.	2.4	71
587	Soluble Adhesion Molecules in CSF Are Increased in Children With Severe Head Injury. <i>Journal of Neurotrauma</i> , 1998, 15, 777-787.	1.7	79
588	Interstitial Adenosine, Inosine, and Hypoxanthine Are Increased after Experimental Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 1998, 15, 163-170.	1.7	104
589	Astrocytes Are the Major Source of Nerve Growth Factor Upregulation Following Traumatic Brain Injury in the Rat. <i>Experimental Neurology</i> , 1998, 149, 301-309.	2.0	137
590	Blood-Brain Barrier Permeability, Neutrophil Accumulation and Vascular Adhesion Molecule Expression after Controlled Cortical Impact in Rats: A Preliminary Study. , 1998, 71, 212-214.		32
591	72-kDa Heat Shock Protein and mRNA Expression after Controlled Cortical Impact Injury with Hypoxemia in Rats. <i>Journal of Neurotrauma</i> , 1998, 15, 171-181.	1.7	36
592	Reappraisal of Mouth-to-Mouth Ventilation During Bystander-Initiated CPR. <i>Circulation</i> , 1998, 98, 608-610.	1.6	24
593	Hyperventilation early after controlled cortical impact augmented neuronal death in CA3 hippocampus. <i>Journal of Neurosurgery</i> , 1998, 88, 549-556.	0.9	52
594	Topical Review: Head Injury in Children. <i>Journal of Child Neurology</i> , 1998, 13, 2-15.	0.7	156

#	ARTICLE	IF	CITATIONS
595	Electron spin resonance measure of brain antioxidant activity during ischemia/reperfusion. <i>NeuroReport</i> , 1998, 9, 1587-1593.	0.6	32
596	Upâ€Regulation of Type 2 Iodothyronine Deiodinase mRNA in Reactive Astrocytes Following Traumatic Brain Injury in the Rat. <i>Journal of Neurochemistry</i> , 1998, 71, 887-890.	2.1	26
597	INTERLEUKIN-8 IS INCREASED IN CSF OF CHILDREN WITH SEVERE TRAUMATIC BRAIN INJURY. <i>Critical Care Medicine</i> , 1998, 26, 85A.	0.4	2
598	QUINOLINIC ACID IN CEREBROSPINAL FLUID OF CHILDREN AFTER TRAUMATIC BRAIN INJURY. <i>Critical Care Medicine</i> , 1998, 26, 86A.	0.4	4
599	Pass the salt?. <i>Critical Care Medicine</i> , 1998, 26, 1161-1162.	0.4	3
600	Is the administration of inhaled nitric oxide (NO) associated with electroencephalogram abnormalities? There is NO harm in looking. <i>Critical Care Medicine</i> , 1998, 26, 1788-1789.	0.4	0
601	Interleukin-6 and Interleukin-10 in Cerebrospinal Fluid after Severe Traumatic Brain Injury in Children. <i>Journal of Neurotrauma</i> , 1997, 14, 451-457.	1.7	226
602	Early Neuropathologic Effects of Mild or Moderate Hypoxemia after Controlled Cortical Impact Injury in Rats. <i>Journal of Neurotrauma</i> , 1997, 14, 179-189.	1.7	171
603	Cerebrovascular Response in Infants and Young Children following Severe Traumatic Brain Injury: A Preliminary Report. <i>Pediatric Neurosurgery</i> , 1997, 26, 200-207.	0.4	217
604	The Effect of Brain Temperature on Acute Inflammation after Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 1997, 14, 561-572.	1.7	84
605	Apoptosis-Suppressor Gene <i>bcl-2</i> Expression after Traumatic Brain Injury in Rats. <i>Journal of Neuroscience</i> , 1997, 17, 9172-9182.	1.7	235
606	Cerebrospinal Fluid Adenosine Concentration and Uncoupling of Cerebral Blood Flow and Oxidative Metabolism after Severe Head Injury in Humans. <i>Neurosurgery</i> , 1997, 41, 1284-1292.	0.6	83
607	Motor and Cognitive Functional Deficits Following Diffuse Traumatic Brain Injury in the Immature Rat. <i>Journal of Neurotrauma</i> , 1997, 14, 99-108.	1.7	107
608	Treatment of Traumatic Brain Injury with Moderate Hypothermia. <i>New England Journal of Medicine</i> , 1997, 336, 540-546.	13.9	1,321
609	The Antioxidant Enzymes Glutathione Peroxidase and Catalase Increase Following Traumatic Brain Injury in the Rat. <i>Experimental Neurology</i> , 1997, 146, 291-294.	2.0	77
610	Resuscitative Moderate Hypothermia for Severe Traumatic Brain Injury. <i>Prehospital and Disaster Medicine</i> , 1997, 12, S12-S12.	0.7	0
611	Assessment of Cerebral Blood Flow and CO <sub>2</sub> Reactivity After Controlled Cortical Impact By Perfusion Magnetic Resonance Imaging Using Arterial Spin-Labeling in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 865-874.	2.4	78
612	Perfusion MRI Assessment of Cerebral Blood Flow and CO <sub>2</sub> Reactivity after Controlled Cortical Impact in Rats. <i>Advances in Experimental Medicine and Biology</i> , 1997, 411, 7-12.	0.8	5

#	ARTICLE	IF	CITATIONS
613	Comparison of the Interleukin-6 and Interleukin-10 Response in Children After Severe Traumatic Brain Injury or Septic Shock. , 1997, 70, 96-97.		25
614	The Relationship Between Brain Temperature and Neutrophil Accumulation After Traumatic Brain Injury in Rats. , 1997, 70, 260-261.		26
615	Antibodies against Mac-1 Attenuate Neutrophil Accumulation after Traumatic Brain Injury in Rats. Journal of Neurotrauma, 1996, 13, 333-341.	1.7	60
616	Posttraumatic Hyperemia in Immature, Mature, and Aged Rats: Autoradiographic Determination of Cerebral Blood Flow. Journal of Neurotrauma, 1996, 13, 189-200.	1.7	70
617	Interleukin-1 receptor antagonist suppresses neurotrophin response in injured rat brain. Annals of Neurology, 1996, 39, 123-127.	2.8	107
618	Effects of Hypothermia on Traumatic Brain Injury in Immature Rats. Journal of Cerebral Blood Flow and Metabolism, 1996, 16, 244-252.	2.4	70
619	Mild Posttraumatic Hypothermia Reduces Mortality after Severe Controlled Cortical Impact in Rats. Journal of Cerebral Blood Flow and Metabolism, 1996, 16, 253-261.	2.4	148
620	A model of diffuse traumatic brain injury in the immature rat. Journal of Neurosurgery, 1996, 85, 877-884.	0.9	92
621	Suspended animation for delayed resuscitation. Critical Care Medicine, 1996, 24, 24S-47S.	0.4	100
622	Resuscitation from severe brain trauma. Critical Care Medicine, 1996, 24, 48S-56S.	0.4	36
623	Resuscitative hypothermia. Critical Care Medicine, 1996, 24, 81S-89S.	0.4	97
624	Resuscitation from severe brain trauma. Critical Care Medicine, 1996, 24, 48S-56S.	0.4	5
625	Resuscitative hypothermia. Critical Care Medicine, 1996, 24, 81S-89S.	0.4	21
626	Cerebrospinal fluid and plasma nitrite and nitrate concentrations after head injury in humans. Critical Care Medicine, 1996, 24, 1243-1251.	0.4	107
627	Inducible Nitric Oxide Synthase Expression in Cerebrovascular Smooth Muscle and Neutrophils after Traumatic Brain Injury in Immature Rats <sup>1</sup> . Pediatric Research, 1996, 39, 784-790.	1.1	162
628	Concluding comments and suggestions for young resuscitation researchers. Critical Care Medicine, 1996, 24, 95S-99S.	0.4	1
629	Funding resuscitation research. Critical Care Medicine, 1996, 24, 90S-94S.	0.4	1
630	Effect of Soluble Complement Receptor-1 on Neutrophil Accumulation after Traumatic Brain Injury in Rats. Journal of Cerebral Blood Flow and Metabolism, 1995, 15, 860-864.	2.4	127

#	ARTICLE	IF	CITATIONS
631	Hypothermia Attenuates the Normal Increase in Interleukin 1 $\beta$ RNA and Nerve Growth Factor Following Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 1995, 12, 159-167.	1.7	171
632	Severe Controlled Cortical Impact in Rats: Assessment of Cerebral Edema, Blood Flow, and Contusion Volume. <i>Journal of Neurotrauma</i> , 1995, 12, 1015-1025.	1.7	183
633	Optimization of epoxyeicosatrienoic acid syntheses to test their effects on cerebral blood flow in vivo. <i>Lipids and Lipid Metabolism</i> , 1995, 1256, 263-274.	2.6	18
634	Effects of Neutropenia on Edema, Histology, and Cerebral Blood Flow After Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 1994, 11, 303-315.	1.7	101
635	Early Cerebrovascular Response to Head Injury in Immature and Mature Rats. <i>Journal of Neurotrauma</i> , 1994, 11, 135-148.	1.7	100
636	Upregulation of Nerve Growth Factor Following Cortical Trauma. <i>Experimental Neurology</i> , 1994, 130, 173-177.	2.0	115
637	Neutrophil Accumulation After Traumatic Brain Injury in Rats: Comparison of Weight Drop and Controlled Cortical Impact Models. <i>Journal of Neurotrauma</i> , 1994, 11, 499-506.	1.7	268
638	Molecular pathophysiology in critical care illness. <i>Critical Care Medicine</i> , 1993, 21, S400.	0.4	1
639	Ischemic and traumatic brain injury. <i>Critical Care Medicine</i> , 1993, 21, S333-S334.	0.4	20
640	Assessment of Posttraumatic Polymorphonuclear Leukocyte Accumulation in Rat Brain Using Tissue Myeloperoxidase Assay and Vinblastine Treatment. <i>Journal of Neurotrauma</i> , 1992, 9, 363-371.	1.7	85
641	Uncoupled Cerebral Blood Flow and Metabolism after Severe Global Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992, 12, 802-808.	2.4	29
642	The Regional Cerebral Blood Flow Response to Cortical Microelectrode Insertion is Neutrophil Dependent. <i>Advances in Experimental Medicine and Biology</i> , 1992, 317, 701-705.	0.8	4
643	Platelet-Activating Factor Antagonists Do Not Attenuate Delayed Posttraumatic Cerebral Edema in Rats. <i>Journal of Neurotrauma</i> , 1991, 8, 19-25.	1.7	14
644	THE EFFECT OF INTRAPARENCHYMAL INJECTION OF ACTIVATED GRANULOCYTES ON DELAYED CEREBRAL EDEMA IN RATS. <i>Critical Care Medicine</i> , 1990, 18, S274.	0.4	2
645	Early Polymorphonuclear Leukocyte Accumulation Correlates with the Development of Posttraumatic Cerebral Edema in Rats. <i>Journal of Neurotrauma</i> , 1990, 7, 207-217.	1.7	205
646	Platelet Activating Factor Antagonists do not Alter Normal Cerebral Blood Flow or Cerebral Oxygen Consumption. <i>Advances in Experimental Medicine and Biology</i> , 1990, 277, 345-351.	0.8	2
647	Platelet- Activating Factor Receptor Blockade Decreases Early Posttraumatic Cerebral Edema in Rats. <i>Annals of the New York Academy of Sciences</i> , 1989, 559, 427-428.	1.8	9
648	EARLY GRANULOCYTE ACCUMULATION AND EDEMA AFTER CEREBRAL TRAUMA. <i>Anesthesiology</i> , 1989, 71, A582.	1.3	0

#	ARTICLE	IF	CITATIONS
649	Cerebrovascular and Cerebrometabolic Effects of Intracarotid Infused Platelet-Activating Factor in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 546-551.	2.4	62
650	Management of pulmonary barotrauma by extracorporeal membrane oxygenation, apnea, and lung rest. <i>Journal of Pediatrics</i> , 1988, 112, 787-789.	0.9	5
651	Platelet-activating factor receptor blockade decreases early post-traumatic cerebral edema in rats. <i>Prostaglandins</i> , 1988, 35, 814.	1.2	2
652	Cerebrovascular and cerebrometabolic effects of intracarotid infused platelet-activating factor in rats. <i>Prostaglandins</i> , 1988, 35, 830.	1.2	0
653	Treatment potentials for reversing clinical death. <i>Critical Care Medicine</i> , 1988, 16, 1034-1042.	0.4	0
654	Novel Pharmacologic Approaches to Brain Resuscitation After Cardiorespiratory Arrest in the Pediatric Patient. <i>Critical Care Clinics</i> , 1988, 4, 661-677.	1.0	6
655	BROAD SPECTRUM ANTI-PLATELET AGGREGATION THERAPY IMPROVES POSTISCHEMIC CEREBRAL BLOOD FLOW (CBF) AND CORTICAL SOMATOSENSORY EVOKED RESPONSE (CSER) RECOVERY, BUT FAILS TO BLOCK PLATELET ACCUMULATION IN THE DAMAGED HEMISPHERE. <i>Critical Care Medicine</i> , 1987, 15, 432.	0.4	0
656	Platelet activating factor receptor blockade enhances recovery after multifocal brain ischemia. <i>Life Sciences</i> , 1987, 41, 2639-2644.	2.0	63
657	BW 755C PRFTREATMENT FAILS TO INHIBIT EARLY GRANULOCYTE ACCUMULATION AFTER FOCAL BRAIN ISCHEMIA. <i>Critical Care Medicine</i> , 1986, 14, 390.	0.4	0
658	Nifedipine in the Treatment of a Child with Pulmonary Hypertension Associated with Severe Bronchopulmonary Dysplasia. <i>Clinical Pediatrics</i> , 1986, 25, 214-216.	0.4	8
659	COMBINATION CYCLOOXYGENASE-LIPOXYGENASE INHIBITION IN THE RESUSCITATION FROM FOCAL BRAIN ISCHEMIA IN DOGS USING BW 755C, PROSTACYCLIN, AND HEPARIN. <i>Critical Care Medicine</i> , 1985, 13, 287.	0.4	2
660	Photochemistry of 2-methylcycloalkanones. <i>Tetrahedron Letters</i> , 1977, 18, 1261-1264.	0.7	8
661	Metabolic and therapeutic differences in pediatric and adult TBI: implications for clinical care and therapeutic hypothermia. , 0, , 92-102.		0