

Yuan Ji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3655894/publications.pdf>

Version: 2024-02-01

134
papers

4,301
citations

159525

30
h-index

138417

58
g-index

143
all docs

143
docs citations

143
times ranked

6156
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the Diagnosis and Treatment of Hepatocellular Carcinoma (2019 Edition). <i>Liver Cancer</i> , 2020, 9, 682-720.	4.2	427
2	Guidelines for Diagnosis and Treatment of Primary Liver Cancer in China (2017 Edition). <i>Liver Cancer</i> , 2018, 7, 235-260.	4.2	426
3	High expression levels of putative hepatic stem/progenitor cell biomarkers related to tumour angiogenesis and poor prognosis of hepatocellular carcinoma. <i>Gut</i> , 2010, 59, 953-962.	6.1	238
4	Arid1a Has Context-Dependent Oncogenic and Tumor Suppressor Functions in Liver Cancer. <i>Cancer Cell</i> , 2017, 32, 574-589.e6.	7.7	172
5	Cytokeratin 10 and Cytokeratin 19: Predictive Markers for Poor Prognosis in Hepatocellular Carcinoma Patients after Curative Resection. <i>Clinical Cancer Research</i> , 2008, 14, 3850-3859.	3.2	143
6	A Pharmacogenomic Landscape in Human Liver Cancers. <i>Cancer Cell</i> , 2019, 36, 179-193.e11.	7.7	127
7	Radiomics score: a potential prognostic imaging feature for postoperative survival of solitary HCC patients. <i>BMC Cancer</i> , 2018, 18, 1148.	1.1	113
8	Circulating Tumor Cells from Different Vascular Sites Exhibit Spatial Heterogeneity in Epithelial and Mesenchymal Composition and Distinct Clinical Significance in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 547-559.	3.2	112
9	The UPF1 RNA surveillance gene is commonly mutated in pancreatic adenocarcinoma. <i>Nature Medicine</i> , 2014, 20, 596-598.	15.2	111
10	Prognostic significance of the IASLC/ATS/ERS classification in Chinese patients—A single institution retrospective study of 292 lung adenocarcinoma. <i>Journal of Surgical Oncology</i> , 2013, 107, 474-480.	0.8	110
11	Downstaging and Resection of Initially Unresectable Hepatocellular Carcinoma with Tyrosine Kinase Inhibitor and Anti-PD-1 Antibody Combinations. <i>Liver Cancer</i> , 2021, 10, 320-329.	4.2	108
12	Improved survival of porcine acute liver failure by a bioartificial liver device implanted with induced human functional hepatocytes. <i>Cell Research</i> , 2016, 26, 206-216.	5.7	105
13	Microvascular invasion (MVI) is a poorer prognostic predictor for small hepatocellular carcinoma. <i>BMC Cancer</i> , 2014, 14, 38.	1.1	99
14	Modelling liver cancer initiation with organoids derived from directly reprogrammed human hepatocytes. <i>Nature Cell Biology</i> , 2019, 21, 1015-1026.	4.6	99
15	Integrative analysis of DNA methylation and gene expression reveals hepatocellular carcinoma-specific diagnostic biomarkers. <i>Genome Medicine</i> , 2018, 10, 42.	3.6	95
16	Dissecting spatial heterogeneity and the immune-evasion mechanism of CTCs by single-cell RNA-seq in hepatocellular carcinoma. <i>Nature Communications</i> , 2021, 12, 4091.	5.8	90
17	Distribution and density of tertiary lymphoid structures predict clinical outcome in intrahepatic cholangiocarcinoma. <i>Journal of Hepatology</i> , 2022, 76, 608-618.	1.8	62
18	Enrichment of short mutant cell-free DNA fragments enhanced detection of pancreatic cancer. <i>EBioMedicine</i> , 2019, 41, 345-356.	2.7	59

#	ARTICLE	IF	CITATIONS
19	Chinese expert consensus on conversion therapy for hepatocellular carcinoma (2021 edition). <i>Hepatobiliary Surgery and Nutrition</i> , 2022, 11, 227-252.	0.7	55
20	Efficacy and Safety of Endoscopic Submucosal Dissection for Colorectal Carcinoids. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 575-581.	2.4	52
21	Arid1a regulates response to anti-angiogenic therapy in advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2018, 68, 465-475.	1.8	50
22	Whole-tumor MRI histogram analyses of hepatocellular carcinoma: Correlations with Ki-67 labeling index. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 383-392.	1.9	49
23	UBE2C Is a Potential Biomarker of Intestinal-Type Gastric Cancer With Chromosomal Instability. <i>Frontiers in Pharmacology</i> , 2018, 9, 847.	1.6	48
24	Clinical features and surgical outcomes of pulmonary artery sarcoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 1109-1115.e1.	0.4	43
25	Organ specific responses to first-line lenvatinib plus anti-PD-1 antibodies in patients with unresectable hepatocellular carcinoma: a retrospective analysis. <i>Biomarker Research</i> , 2021, 9, 19.	2.8	43
26	Microvascular invasion has limited clinical values in hepatocellular carcinoma patients at Barcelona Clinic Liver Cancer (BCLC) stages 0 or B. <i>BMC Cancer</i> , 2017, 17, 58.	1.1	42
27	A standardized pathological proposal for evaluating microvascular invasion of hepatocellular carcinoma: a multicenter study by LCPGC. <i>Hepatology International</i> , 2020, 14, 1034-1047.	1.9	42
28	NOD-like receptor X1 functions as a tumor suppressor by inhibiting epithelial-mesenchymal transition and inducing aging in hepatocellular carcinoma cells. <i>Journal of Hematology and Oncology</i> , 2018, 11, 28.	6.9	41
29	Single-cell transcriptomic analysis suggests two molecularly distinct subtypes of intrahepatic cholangiocarcinoma. <i>Nature Communications</i> , 2022, 13, 1642.	5.8	40
30	Upstream open reading frame with NOTCH2NLC GGC expansion generates polyglycine aggregates and disrupts nucleocytoplasmic transport: implications for polyglycine diseases. <i>Acta Neuropathologica</i> , 2021, 142, 1003-1023.	3.9	34
31	Mitogen-activated protein kinase kinase kinase 4 deficiency in intrahepatic cholangiocarcinoma leads to invasive growth and epithelial-mesenchymal transition. <i>Hepatology</i> , 2015, 62, 1804-1816.	3.6	33
32	Evaluation of ADC measurements among solid pancreatic masses by respiratory-triggered diffusion-weighted MR imaging with inversion-recovery fat-suppression technique at 3.0T. <i>Magnetic Resonance Imaging</i> , 2013, 31, 524-528.	1.0	31
33	BAP1 acts as a tumor suppressor in intrahepatic cholangiocarcinoma by modulating the ERK1/2 and JNK/c-Jun pathways. <i>Cell Death and Disease</i> , 2018, 9, 1036.	2.7	31
34	Hepatocellular carcinoma repression by TNF α -mediated synergistic lethal effect of mitosis defect-induced senescence and cell death sensitization. <i>Hepatology</i> , 2016, 64, 1105-1120.	3.6	30
35	MRI of small intrahepatic mass-forming cholangiocarcinoma and atypical small hepatocellular carcinoma (≤ 3 cm) with cirrhosis and chronic viral hepatitis: a comparative study. <i>Clinical Imaging</i> , 2014, 38, 265-272.	0.8	29
36	Efficient liver repopulation of transplanted hepatocyte prevents cirrhosis in a rat model of hereditary tyrosinemia type I. <i>Scientific Reports</i> , 2016, 6, 31460.	1.6	29

#	ARTICLE	IF	CITATIONS
37	Clinical significance of assessing Her2/neu expression in gastric cancer with dual tumor tissue paraffin blocks. <i>Human Pathology</i> , 2015, 46, 850-857.	1.1	28
38	Combined test of serum CgA and NSE improved the power of prognosis prediction of NF-pNETs. <i>Endocrine Connections</i> , 2018, 7, 169-178.	0.8	26
39	Serum PON1 as a biomarker for the estimation of microvascular invasion in hepatocellular carcinoma. <i>Annals of Translational Medicine</i> , 2020, 8, 204-204.	0.7	25
40	Graft Programmed Death Ligand 1 Expression as a Marker for Transplant Rejection Following Anti-Programmed Death 1 Immunotherapy for Recurrent Liver Tumors. <i>Liver Transplantation</i> , 2021, 27, 444-449.	1.3	24
41	Effect of surgical margin on recurrence based on preoperative circulating tumor cell status in hepatocellular carcinoma. <i>EBioMedicine</i> , 2020, 62, 103107.	2.7	23
42	Microvascular invasion in hepatocellular carcinoma: is it predictable with a new, preoperative application of diffusion-weighted imaging?. <i>Clinical Imaging</i> , 2017, 41, 101-105.	0.8	22
43	Magnetic resonance texture analysis for the identification of cytokeratin 19-positive hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2019, 117, 164-170.	1.2	22
44	<scp>DUSP</scp>16 ablation arrests the cell cycle and induces cellular senescence. <i>FEBS Journal</i> , 2015, 282, 4580-4594.	2.2	20
45	HIF2A gain-of-function mutations detected in duodenal gangliocytic paraganglioma. <i>Endocrine-Related Cancer</i> , 2016, 23, L13-L16.	1.6	20
46	Solitary fibrous tumor of the liver. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2006, 5, 151-3.	0.6	20
47	Efficacy after preoperative capecitabine and oxaliplatin (XELOX) versus docetaxel, oxaliplatin and S1 (DOS) in patients with locally advanced gastric adenocarcinoma: a propensity score matching analysis. <i>BMC Cancer</i> , 2018, 18, 702.	1.1	19
48	Grading Solid Pseudopapillary Tumors of the Pancreas: the Fudan Prognostic Index. <i>Annals of Surgical Oncology</i> , 2021, 28, 550-559.	0.7	17
49	Histogram Analysis of Diffusion Kurtosis Magnetic Resonance Imaging for Diagnosis of Hepatic Fibrosis. <i>Korean Journal of Radiology</i> , 2018, 19, 916.	1.5	16
50	Assessing liver fibrosis in chronic hepatitis B using MR extracellular volume measurements: Comparison with serum fibrosis indices. <i>Magnetic Resonance Imaging</i> , 2019, 59, 39-45.	1.0	16
51	MR features based on LI-RADS identify cytokeratin 19 status of hepatocellular carcinomas. <i>European Journal of Radiology</i> , 2019, 113, 7-14.	1.2	16
52	Nivolumab-associated DRESS in a genetic susceptible individual. , 2021, 9, e002879.		16
53	The potential of plasma thrombomodulin as a biomarker of portal vein tumor thrombus in hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001, 127, 559-564.	1.2	15
54	Combined treatment with TNF- α /gefitinib alleviates the resistance to gefitinib in PC-9 cells. <i>Anti-Cancer Drugs</i> , 2009, 20, 832-837.	0.7	15

#	ARTICLE	IF	CITATIONS
55	MR comparative study of combined hepatocellular-cholangiocarcinoma in normal, fibrotic, and cirrhotic livers. <i>Abdominal Radiology</i> , 2016, 41, 2102-2114.	1.0	15
56	Clinical relevance of different WHO grade 3 pancreatic neuroendocrine neoplasms based on morphology. <i>Endocrine Connections</i> , 2018, 7, 355-363.	0.8	15
57	Risk factors affecting prognosis in metachronous liver metastases from WHO classification G1 and G2 gastroenteropancreatic neuroendocrine tumors after initial R0 surgical resection. <i>BMC Cancer</i> , 2019, 19, 335.	1.1	15
58	Proteomics analysis identified TPI1 as a novel biomarker for predicting recurrence of intrahepatic cholangiocarcinoma. <i>Journal of Gastroenterology</i> , 2020, 55, 1171-1182.	2.3	15
59	Gemox chemotherapy in combination with anti-PD1 antibody toripalimab and lenvatinib as first-line treatment for advanced intrahepatic cholangiocarcinoma: A phase 2 clinical trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4094-4094.	0.8	14
60	Tumor containing fragment number influences immunohistochemistry positive rate of HER2 in biopsy specimens of gastric cancer. <i>Diagnostic Pathology</i> , 2017, 12, 41.	0.9	13
61	Systematic analysis reveals molecular characteristics of ERG-negative prostate cancer. <i>Scientific Reports</i> , 2018, 8, 12868.	1.6	13
62	T 1 mapping on gadoxetic acid-enhanced MR imaging predicts recurrence of hepatocellular carcinoma after hepatectomy. <i>European Journal of Radiology</i> , 2018, 103, 25-31.	1.2	13
63	The role of oxaliplatin in the adjuvant setting of different Lauren's type of gastric adenocarcinoma after D2 gastrectomy: a real-world study. <i>Gastric Cancer</i> , 2019, 22, 587-597.	2.7	13
64	Comparison of hepatic resection and systemic treatment of breast cancer liver metastases: A propensity score matching study. <i>American Journal of Surgery</i> , 2020, 220, 945-951.	0.9	13
65	Integration of radiotherapy with anti-PD-1 antibody for the treatment of intrahepatic or hilar cholangiocarcinoma: reflection from four cases. <i>Cancer Biology and Therapy</i> , 2021, 22, 175-183.	1.5	13
66	A comparative study of MR extracellular volume fraction measurement and two-dimensional shear-wave elastography in assessment of liver fibrosis with chronic hepatitis B. <i>Abdominal Radiology</i> , 2019, 44, 1407-1414.	1.0	12
67	Poor efficacy response to trastuzumab therapy in advanced gastric cancer with homogeneous HER2 positive and non-intestinal type. <i>Oncotarget</i> , 2017, 8, 33185-33196.	0.8	12
68	A series of 64 cases of pancreatic cystic neoplasia from an institutional study of China. <i>World Journal of Gastroenterology</i> , 2006, 12, 7380.	1.4	12
69	Hepatic Loss of Borealin Impairs Postnatal Liver Development, Regeneration, and Hepatocarcinogenesis. <i>Journal of Biological Chemistry</i> , 2016, 291, 21137-21147.	1.6	11
70	Initially unresectable hepatocellular carcinoma treated by combination therapy of tyrosine kinase inhibitor and anti-PD-1 antibody followed by resection.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16690-e16690.	0.8	11
71	Invasive potential of hepatocellular carcinoma is enhanced by loss of selenium-binding protein 1 and subsequent upregulation of CXCR4. <i>American Journal of Cancer Research</i> , 2018, 8, 1040-1049.	1.4	11
72	MR imaging of hepatocellular adenomas on genotype-phenotype classification: A report from China. <i>European Journal of Radiology</i> , 2018, 100, 135-141.	1.2	10

#	ARTICLE	IF	CITATIONS
73	Role of MR in the differentiation of IgG4-related from non-IgG4-related hepatic inflammatory pseudotumor. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2017, 16, 631-637.	0.6	9
74	ADC similarity predicts microvascular invasion of bifocal hepatocellular carcinoma. <i>Abdominal Radiology</i> , 2018, 43, 2295-2302.	1.0	9
75	Microinvasion of liver metastases from colorectal cancer: predictive factors and application for determining clinical target volume. <i>Radiation Oncology</i> , 2015, 10, 125.	1.2	8
76	MR features of small hepatocellular carcinoma in normal, fibrotic, and cirrhotic livers: a comparative study. <i>Abdominal Imaging</i> , 2015, 40, 3062-3069.	2.0	8
77	<sc>HER</sc>2 assessment in locally advanced gastric cancer: comparing the results obtained with the use of two primary tumour blocks versus those obtained with the use of all primary tumour blocks. <i>Histopathology</i> , 2017, 71, 570-579.	1.6	8
78	The benefit of everolimus in recurrent/epithelioid angiosarcoma patients: Case reports and literature review. <i>Oncotarget</i> , 2017, 8, 95023-95029.	0.8	8
79	Clinicopathological Characteristics of the primary and metastatic Hepatic Neuroendocrine Tumors and the relevant Prognosis-Related Factors: A Retrospective Study of 81 Cases in a Single Chinese Center. <i>Journal of Cancer</i> , 2018, 9, 479-487.	1.2	8
80	Clinical features of 18 perivascular epithelioid cell tumor cases. <i>Medicine (United States)</i> , 2020, 99, e21659.	0.4	8
81	Endoscopic treatment of gastroesophageal variceal bleeding after oxaliplatin-based chemotherapy in patients with colorectal cancer. <i>Endoscopy</i> , 2020, 52, 727-735.	1.0	8
82	The role of GPR110 in lung cancer progression. <i>Annals of Translational Medicine</i> , 2020, 8, 745-745.	0.7	8
83	Staging Chronic Hepatitis B Related Liver Fibrosis with a Fractional Order Calculus Diffusion Model. <i>Academic Radiology</i> , 2022, 29, 951-963.	1.3	8
84	Efficacy of preoperative chemotherapy regimens in patients with initially unresectable locally advanced gastric adenocarcinoma: capecitabine and oxaliplatin (XELOX) or with epirubicin (EOX). <i>Oncotarget</i> , 2016, 7, 76298-76307.	0.8	8
85	Serous cystic neoplasms of the pancreas: a clinicopathologic and immunohistochemical analysis [This article has been retracted]. <i>Chinese Journal of Digestive Diseases</i> , 2006, 7, 39-44.	1.1	7
86	Histogram analyses of diffusion kurtosis indices and apparent diffusion coefficient in assessing liver regeneration after ALPPS and a comparative study with portal vein ligation. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 729-736.	1.9	7
87	High Level of Legumain Was Correlated With Worse Prognosis and Peritoneal Metastasis in Gastric Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 966.	1.3	7
88	Do the existing staging systems for primary liver cancer apply to combined hepatocellular carcinoma-intrahepatic cholangiocarcinoma?. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021, 20, 13-20.	0.6	7
89	Abstract 486: A phase Ib/II, open-label study evaluating the efficacy and safety of Toripalimab injection (JS001) or combination with Lenvatinib as a neoadjuvant therapy for patients with resectable hepatocellular carcinoma (HCC). <i>Cancer Research</i> , 2021, 81, 486-486.	0.4	7
90	The value of systemic inflammatory markers in identifying malignancy in mucinous pancreatic cystic neoplasms. <i>Oncotarget</i> , 2017, 8, 115561-115569.	0.8	7

#	ARTICLE	IF	CITATIONS
91	Hepatocellular carcinoma with concomitant hepatic angiomyolipoma and cavernous hemangioma in one patient. <i>World Journal of Gastroenterology</i> , 2015, 21, 3414-3419.	1.4	7
92	Pancreatic primary lymphoma: a case report and review of the literature. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2005, 4, 622-6.	0.6	7
93	Assessment of liver regeneration after associating liver partition and portal vein ligation for staged hepatectomy: a comparative study with portal vein ligation. <i>Hpb</i> , 2018, 20, 305-312.	0.1	6
94	Molecular profiling of the biphasic components of hepatic carcinosarcoma by the use of targeted next-generation sequencing. <i>Histopathology</i> , 2019, 74, 944-958.	1.6	6
95	Inhibition of LXR signaling by SULT2B1b promotes liver regeneration after partial hepatectomy in mouse models of nonalcoholic fatty liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, G87-G96.	1.6	6
96	Consolidative Chemoradiotherapy After Induced Chemotherapy Is an Optimal Regimen for Locally Advanced Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 1543.	1.3	6
97	Lenvatinib plus toripalimab as first-line treatment for advanced intrahepatic cholangiocarcinoma: A single-arm, phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4099-4099.	0.8	6
98	Tumor size and perineural invasion predict outcome of gastric high-grade neuroendocrine neoplasms. <i>Endocrine Connections</i> , 2021, 10, 947-954.	0.8	6
99	Successful treatment of a case with pancreatic neuroendocrine carcinoma with focal hepatoid differentiation: a case report and literature review. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 3588-94.	1.3	6
100	Clear cell sarcoma of the pancreas: a case report and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 2171-5.	0.5	6
101	Large Cell Neuroendocrine Carcinoma Shares Similarity with Small Cell Carcinoma on the Basis of Clinical and Pathological Features. <i>Translational Oncology</i> , 2019, 12, 646-655.	1.7	5
102	RAF1 expression is correlated with HAF, a parameter of liver computed tomographic perfusion, and may predict the early therapeutic response to sorafenib in advanced hepatocellular carcinoma patients. <i>Open Medicine (Poland)</i> , 2020, 15, 167-174.	0.6	5
103	Phase II study of lenvatinib in combination with GEMOX chemotherapy for advanced intrahepatic cholangiocarcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16163-e16163.	0.8	5
104	Late stage gastric cancer patients with extra gained HER2 positivity by dual block assessment may not show compromised efficacy to trastuzumab treatment. <i>Aging</i> , 2019, 11, 10052-10060.	1.4	5
105	Liver computed tomographic perfusion for monitoring the early therapeutic response to sorafenib in advanced hepatocellular carcinoma patients. <i>Journal of Cancer Research and Therapeutics</i> , 2018, 14, 1556.	0.3	5
106	Reduced selenium-binding protein 1 correlates with a poor prognosis in intrahepatic cholangiocarcinoma and promotes the cell epithelial-mesenchymal transition. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 3567-3578.	0.0	5
107	Retrospective study of hepatocellular adenomas based on the phenotypic classification system: A report from China. <i>Histology and Histopathology</i> , 2014, 29, 243-9.	0.5	5
108	Increased expression of β -Tubulin is associated with poor prognosis in patients with pancreatic cancer after surgical resection. <i>Oncotarget</i> , 2016, 7, 60657-60664.	0.8	4

#	ARTICLE	IF	CITATIONS
109	Expert consensus on the scheme of pathological diagnosis of primary liver cancer. Chinese Clinical Oncology, 2012, 1, 12.	0.4	4
110	Long-term outcomes and prognosis for patients with sarcomatoid hepatocellular carcinoma. Annals of Translational Medicine, 2022, 10, 394-394.	0.7	4
111	Contrast-enhanced magnetic resonance imaging perfusion can predict microvascular invasion in patients with hepatocellular carcinoma (between 1 and 5 cm). Abdominal Radiology, 2022, 47, 3264-3275.	1.0	4
112	Higher intratumor than peritumor expression of DUSP6/MKP-3 is associated with recurrence after curative resection of hepatocellular carcinoma. Chinese Medical Journal, 2014, 127, 1211-7.	0.9	4
113	Case Report: Complete Response to Antiangiogenesis and Immune Checkpoint Blockade in an Unresectable MMR-Deficient Leiomyosarcoma Harboring Biallelic Loss of PTEN. Frontiers in Oncology, 2022, 12, 802074.	1.3	4
114	The role of a multidisciplinary team in the management of portal hypertension. BMC Gastroenterology, 2020, 20, 83.	0.8	3
115	Complement activation in the arteries of patients with severe atherosclerosis. International Journal of Clinical and Experimental Pathology, 2018, 11, 1-9.	0.5	3
116	Evaluating tumor-infiltrating lymphocytes in hepatocellular carcinoma using hematoxylin and eosin-stained tumor sections. World Journal of Clinical Cases, 2022, 10, 856-869.	0.3	3
117	Application of MSCT characteristic nomogram model in predicting invasion of pancreatic solid pseudopapillary neoplasms. European Journal of Radiology, 2022, 149, 110201.	1.2	3
118	Long-term prognosis of small gastric gastrointestinal stromal tumors with high histological grade: a longitudinal nested cohort study. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 4042-4049.	1.3	3
119	MR imaging of primary hepatic neuroendocrine neoplasm and metastatic hepatic neuroendocrine neoplasm: a comparative study. Radiologia Medica, 2015, 120, 1012-1020.	4.7	2
120	Colonic polypoid mucosa-associated lymphoid tissue lymphoma. Clinics and Research in Hepatology and Gastroenterology, 2018, 42, 101-102.	0.7	2
121	Development of predictive prognostic nomogram for NECs of rectum on population-based exploration. Endocrine Connections, 2018, 7, 1178-1185.	0.8	2
122	Nitric oxide synthase and vascular endothelial growth factor expression in hepatocellular carcinoma and the correlation with angiogenesis. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2001, 13, 124-127.	0.7	1
123	Tolerance induction with donor hematopoietic stem cell infusion in kidney transplantation: a single-center experience in China with a 10-year follow-up. Annals of Translational Medicine, 2020, 8, 1378-1378.	0.7	1
124	Radiological response as a predictor of pathological response to combined tyrosine kinase inhibitor (TKI) and anti-PD-1 antibodies in hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2021, 39, e16144-e16144.	0.8	1
125	Efficacy of preoperative chemotherapy regimens in patients with initially unresectable locally advanced gastric adenocarcinoma: Capecitabine and oxaliplatin (XELOX) or with epirubicin (EOX).. Journal of Clinical Oncology, 2016, 34, 4047-4047.	0.8	1
126	Nivolumab Combined With Ipilimumab Treatment Induced Hypophysitis and Immune-Mediated Liver Injury in Advanced Esophageal Squamous Cell Carcinoma: A Case Report. Frontiers in Oncology, 2022, 12, 801924.	1.3	1

#	ARTICLE	IF	CITATIONS
127	Heterogeneous Her2/Neu expression in gastric and gastroesophageal cancer—reply. <i>Human Pathology</i> , 2016, 48, 174-175.	1.1	0
128	Abstract 353: The translocations of FGFR2 and NTRK1 in intrahepatic cholangiocarcinoma and their discordance in status by FISH and IHC. , 2021, , .		0
129	Immunostaining by dual tumor tissue paraffin blocks increases the sensitivity of c-Met detection in gastric cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 5063-5071.	0.5	0
130	BRCA1-associated protein 1 serves as a tumor suppressor in hepatocellular carcinoma by deubiquitinating and stabilizing PTEN. <i>American Journal of Cancer Research</i> , 2021, 11, 2044-2061.	1.4	0
131	Mucin profile of the pancreatic mucinous cystic neoplasms. <i>Chinese Medical Journal</i> , 2006, 119, 328-30.	0.9	0
132	Mucins in the diagnosis and differential diagnosis of pancreatic cystic neoplasms: report of 40 cases. <i>Chinese Medical Journal</i> , 2006, 119, 765-8.	0.9	0
133	Eosinophilic granulomatosis with polyangiitis is associated with hepatitis B virus infection. <i>Clinical Rheumatology</i> , 2022, , .	1.0	0
134	Genomic co-genotype classification and clinical prognosis in Ewing sarcoma.. <i>Journal of Clinical Oncology</i> , 2022, 40, e23532-e23532.	0.8	0