

Martin Bobak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3656735/martin-bobak-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

243
papers

14,545
citations

51
h-index

116
g-index

266
ext. papers

18,386
ext. citations

6.4
avg, IF

5.87
L-index

#	Paper	IF	Citations
243	A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project.. <i>Health Information Science and Systems</i> , 2022 , 10, 6	5.1	0
242	Prevalence, awareness, treatment and control of hypertension, diabetes and hypercholesterolemia, and associated risk factors in the Czech Republic, Russia, Poland and Lithuania: a cross-sectional study.. <i>BMC Public Health</i> , 2022 , 22, 883	4.1	0
241	Lifestyle factors and psychological well-being: 10-year follow-up study in Lithuanian urban population.. <i>BMC Public Health</i> , 2022 , 22, 1011	4.1	0
240	Memory Trajectories Before and After First and Recurrent Strokes. <i>Neurology</i> , 2021 ,	6.5	1
239	Prenatal psychosocial stress and children's sleep problems: Evidence from the ELSPAC-CZ study. <i>Journal of Sleep Research</i> , 2021 , e13531	5.8	
238	Associations of cardiovascular diseases and type 2 diabetes with ophthalmic diseases in a population sample over 55 years old. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2021 , 20, 2886	0.9	
237	Longitudinal trajectories of blood lipid levels in an ageing population sample of Russian Western-Siberian urban population. <i>PLoS ONE</i> , 2021 , 16, e0260229	3.7	
236	Social networks and cognitive function in older adults: findings from the HAPIEE study. <i>BMC Geriatrics</i> , 2021 , 21, 570	4.1	2
235	Accession Site Does Not Influence the Risk of Stroke after Diagnostic Coronary Angiography or Intervention: Results from a Large Prospective Registry. <i>Cerebrovascular Diseases Extra</i> , 2021 , 11, 122-130 ¹		1
234	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. <i>International Journal of Epidemiology</i> , 2021 , 50, 880-892	7.8	9
233	Sex differences in mortality: results from a population-based study of 12 longitudinal cohorts. <i>Cmaj</i> , 2021 , 193, E361-E370	3.5	3
232	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021 , 10,	8.9	10
231	Socioeconomic inequalities in physical and cognitive functioning: cross-sectional evidence from 37 cohorts across 28 countries in the ATHLOS project. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 980-986	5.1	2
230	Lowered cognitive function and the risk of the first events of cardiovascular diseases: findings from a cohort study in Lithuania. <i>BMC Public Health</i> , 2021 , 21, 792	4.1	1
229	Roles of allostatic load, lifestyle and clinical risk factors in mediating the association between education and coronary heart disease risk in Europe. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 1147-1154	5.1	4
228	Job loss and lower healthcare utilisation due to COVID-19 among older adults across 27 European countries. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 1078-1083	5.1	10
227	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58

226	Traditional Eastern European diet and mortality: prospective evidence from the HAPIEE study. <i>European Journal of Nutrition</i> , 2021 , 60, 1091-1100	5.2	5
225	Metabolic dysregulation in older adults with depression and loneliness: The ATHLOS study. <i>Psychoneuroendocrinology</i> , 2021 , 123, 104918	5	2
224	Overview of retrospective data harmonisation in the MINDMAP project: process and results. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 433-441	5.1	0
223	Gender, marital and educational inequalities in mid- to late-life depressive symptoms: cross-cohort variation and moderation by urbanicity degree. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 442-449	5.1	1
222	Four-year trajectories of episodic memory decline in mid-late life by living arrangements: a cross-national comparison between China and England. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 881-889	5.1	
221	The Risk of Type 2 Diabetes Mellitus in a Russian Population Cohort According to Data from the HAPIEE Project. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
220	Household availability of dietary fats and cardiovascular disease and mortality: prospective evidence from Russia. <i>European Journal of Public Health</i> , 2021 , 31, 1037-1041	2.1	
219	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980	40	154
218	Low fruit and vegetable intake is associated with poor self-rated health in the Czech part of the HAPIEE study.. <i>Nutrition and Health</i> , 2021 , 2601060211069209	2.1	
217	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	40	73
216	Predictors of pain in general ageing populations: results from a multi-country analysis based on ATHLOS harmonized database. <i>Journal of Headache and Pain</i> , 2020 , 21, 45	8.8	4
215	Pain rates in general population for the period 1991-2015 and 10-years prediction: results from a multi-continent age-period-cohort analysis. <i>Journal of Headache and Pain</i> , 2020 , 21, 52	8.8	8
214	Alcohol Drinking and Health in Ageing: A Global Scale Analysis of Older Individual Data through the Harmonised Dataset of ATHLOS. <i>Nutrients</i> , 2020 , 12,	6.7	2
213	The prospective association between frequency of contact with friends and relatives and quality of life in older adults from Central and Eastern Europe. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1001-1010	4.5	5
212	The Impact of Metabolic Syndrome and Lifestyle Habits on the Risk of the First Event of Cardiovascular Disease: Results from a Cohort Study in Lithuanian Urban Population. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	2
211	Education as inefficient resource against depressive symptoms in the Czech Republic: cross-sectional analysis of the HAPIEE study. <i>European Journal of Public Health</i> , 2020 , 30, 948-952	2.1	6
210	Cognitive Function and Mortality: Results from Kaunas HAPIEE Study 2006-2017. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
209	Metabolic syndrome and the risk of cardiovascular and all-cause mortality: data of 14-year prospective cohort study in Siberia. <i>Russian Journal of Cardiology</i> , 2020 , 25, 3821	1.3	4

208	Type 2 diabetes: basic clinical and laboratory parameters and risk of cardiovascular death. <i>Russian Journal of Cardiology</i> , 2020 , 25, 3822	1.3	1
207	Socioeconomic position in childhood and depressive symptoms in later adulthood in the Czech Republic. <i>Journal of Affective Disorders</i> , 2020 , 272, 17-23	6.6	4
206	Development and validation of two SCORE-based cardiovascular risk prediction models for Eastern Europe: a multicohort study. <i>European Heart Journal</i> , 2020 , 41, 3325-3333	9.5	6
205	Risk of depressive symptoms before and after the first hospitalisation for cancer: Evidence from a 16-year cohort study in the Czech Republic. <i>Journal of Affective Disorders</i> , 2020 , 276, 76-83	6.6	5
204	Education and wealth inequalities in healthy ageing in eight harmonised cohorts in the ATHLOS consortium: a population-based study. <i>Lancet Public Health</i> , 2020 , 5, e386-e394	22.4	27
203	Do multigenerational living arrangements influence depressive symptoms in mid-late life? Cross-national findings from China and England. <i>Journal of Affective Disorders</i> , 2020 , 277, 584-591	6.6	4
202	Decomposing the educational gradient in allostatic load across European populations. What matters the most: differentials in exposure or in susceptibility?. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 1008-1015	5.1	2
201	The influence of the North Atlantic Oscillation index on arterial blood pressure. <i>Journal of Hypertension</i> , 2019 , 37, 513-521	1.9	4
200	Association between plasma bilirubin and mortality. <i>Annals of Hepatology</i> , 2019 , 18, 379-385	3.1	16
199	The association between the FTO gene variant and alcohol consumption and binge and problem drinking in different gene-environment background: The HAPIEE study. <i>Gene</i> , 2019 , 707, 30-35	3.8	3
198	Socioeconomic status and pulmonary function, transition from childhood to adulthood: cross-sectional results from the polish part of the HAPIEE study. <i>BMJ Open</i> , 2019 , 9, e022638	3	7
197	Fruit, vegetable intake and blood pressure trajectories in older age. <i>Journal of Human Hypertension</i> , 2019 , 33, 671-678	2.6	8
196	Sex-Specific Epidemiology of Heart Failure Risk and Mortality in Europe: Results From The BiomarCaRE Consortium. <i>JACC: Heart Failure</i> , 2019 , 7, 204-213	7.9	30
195	Congruent relations between perceived neighbourhood social cohesion and depressive symptoms among older European adults: An East-West analysis. <i>Social Science and Medicine</i> , 2019 , 237, 112454	5.1	17
194	Cohort Profile: The Ageing Trajectories of Health - Longitudinal Opportunities and Synergies (ATHLOS) project. <i>International Journal of Epidemiology</i> , 2019 , 48, 1052-1053i	7.8	27
193	Life course socioeconomic position and incidence of mid-late life depression in China and England: a comparative analysis of CHARLS and ELSA. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 817-824	5.1	9
192	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 240	2.3	8
191	Accumulation of psychosocial risk factors and incidence of cardiovascular disease: a prospective observation of the Polish HAPIEE cohort. <i>Kardiologia Polska</i> , 2019 , 77, 535-540	0.9	1

190	Obesity phenotypes and the risk of myocardial infarction: a prospective cohort study. <i>Russian Journal of Cardiology</i> , 2019 , 109-114	1.3	1
189	AN INTRODUCTION TO THE ATHLOS PROJECT: AGEING TRAJECTORIES OF HEALTH: LONGITUDINAL OPPORTUNITIES AND SYNERGIES. <i>Innovation in Aging</i> , 2019 , 3, S798-S799	0.1	78
188	Application of non-HDL cholesterol for population-based cardiovascular risk stratification: results from the Multinational Cardiovascular Risk Consortium. <i>Lancet, The</i> , 2019 , 394, 2173-2183	4.0	75
187	Cardiovascular risk factors and memory decline in middle-aged and older adults: the English Longitudinal Study of Ageing. <i>BMC Geriatrics</i> , 2019 , 19, 337	4.1	10
186	Education and mortality in three Eastern European populations: findings from the PrivMort retrospective cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 549-554	2.1	8
185	The prospective relationship between social cohesion and depressive symptoms among older adults from Central and Eastern Europe. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 117-122	5.1	11
184	Association of serum markers of oxidative stress with myocardial infarction and stroke: pooled results from four large European cohort studies. <i>European Journal of Epidemiology</i> , 2019 , 34, 471-481	12.1	14
183	Increased High-Density Lipoprotein Levels Associated with Age-Related Macular Degeneration: Evidence from the EYE-RISK and European Eye Epidemiology Consortia. <i>Ophthalmology</i> , 2019 , 126, 393-406	7.3	49
182	Alcohol, pattern of drinking and all-cause mortality in Russia, Belarus and Hungary: a retrospective indirect cohort study based on mortality of relatives. <i>Addiction</i> , 2018 , 113, 1252-1263	4.6	14
181	Smoking, alcohol and cancer mortality in Eastern European men: Findings from the PrivMort retrospective cohort study. <i>International Journal of Cancer</i> , 2018 , 143, 1128-1133	7.5	2
180	Cardiovascular health among the Czech population at the beginning of the 21st century: a 12-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 442-448	5.1	9
179	Systemic and Ocular Determinants of Peripapillary Retinal Nerve Fiber Layer Thickness Measurements in the European Eye Epidemiology (E3) Population. <i>Ophthalmology</i> , 2018 , 125, 1526-1538	7.3	41
178	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
177	A comparison of health-related quality of life and disease severity in patients with stable coronary artery disease. <i>Kontakt</i> , 2018 , 20, e237-e243	0.3	
176	The Decreasing Prevalence of Nonrefractive Visual Impairment in Older Europeans: A Meta-analysis of Published and Unpublished Data. <i>Ophthalmology</i> , 2018 , 125, 1149-1159	7.3	9
175	Dietary polyphenol intake and risk of hypertension in the Polish arm of the HAPIEE study. <i>European Journal of Nutrition</i> , 2018 , 57, 1535-1544	5.2	29
174	Smoking and Mortality in Eastern Europe: Results From the PrivMort Retrospective Cohort Study of 177 376 Individuals. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 749-754	4.9	8
173	Mediterranean diet and physical functioning trajectories in Eastern Europe: Findings from the HAPIEE study. <i>PLoS ONE</i> , 2018 , 13, e0200460	3.7	5

172	MINDMAP: establishing an integrated database infrastructure for research in ageing, mental well-being, and the urban environment. <i>BMC Public Health</i> , 2018 , 18, 158	4.1	18
171	Patient-Centered Beliefs Among Patients and Providers in Kazakhstan. <i>Ochsner Journal</i> , 2018 , 18, 46-52	1.5	5
170	The gendered effects of foreign investment and prolonged state ownership on mortality in Hungary: an indirect demographic, retrospective cohort study. <i>The Lancet Global Health</i> , 2018 , 6, e95-e102	13.6	12
169	Upward intergenerational transmission of health inequality. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 971-972	5.1	4
168	Leukocyte telomere length and risk of coronary heart disease and stroke mortality: prospective evidence from a Russian cohort. <i>Scientific Reports</i> , 2018 , 8, 16627	4.9	10
167	Perceived neighbourhood social cohesion and depressive symptom trajectories in older adults: a 12-year prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1081-1090	4.5	18
166	Changes in psychological well-being among older Lithuanian city dwellers: Results from a cohort study. <i>International Journal of Clinical and Health Psychology</i> , 2018 , 18, 218-226	5.1	7
165	Dietary polyphenols are inversely associated with metabolic syndrome in Polish adults of the HAPIEE study. <i>European Journal of Nutrition</i> , 2017 , 56, 1409-1420	5.2	82
164	Mediterranean diet score and total and cardiovascular mortality in Eastern Europe: the HAPIEE study. <i>European Journal of Nutrition</i> , 2017 , 56, 421-429		62
163	Coffee consumption and mortality in three Eastern European countries: results from the HAPIEE (Health, Alcohol and Psychosocial factors In Eastern Europe) study. <i>Public Health Nutrition</i> , 2017 , 20, 82-91	3.3	19
162	Trajectories of Verbal Episodic Memory in Middle-Aged and Older Adults: Evidence from the English Longitudinal Study of Ageing. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1274-1281	5.6	31
161	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , 2017 , 38, 2612-2618	9.5	95
160	Link between healthy lifestyle and psychological well-being in Lithuanian adults aged 45-72: a cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e014240	3	17
159	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 97-105	18.1	225
158	The effect of rapid privatisation on mortality in mono-industrial towns in post-Soviet Russia: a retrospective cohort study. <i>Lancet Public Health</i> , 2017 , 2, e231-e238	22.4	30
157	Impact of perceived control on all-cause and cardiovascular disease mortality in three urban populations of Central and Eastern Europe: the HAPIEE study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 771-778	5.1	4
156	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 1210-1216	5.1	14
155	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet</i> , 2017 , 390, 2627-2642	40	2980

154	Sex Differences and Similarities in Atrial Fibrillation Epidemiology, Risk Factors, and Mortality in Community Cohorts: Results From the BiomarCaRE Consortium (Biomarker for Cardiovascular Risk Assessment in Europe). <i>Circulation</i> , 2017 , 136, 1588-1597	16.7	163
153	Prevalence, awareness, treatment and control of dyslipidemia in older persons in urban and rural population in the Astana region, Kazakhstan. <i>BMC Public Health</i> , 2017 , 17, 651	4.1	9
152	Seasonality of nutrient intake - An analysis including over 44,000 participants in 4 countries. <i>Clinical Nutrition ESPEN</i> , 2017 , 21, 66-71	1.3	5
151	Dietary polyphenol intake and risk of type 2 diabetes in the Polish arm of the Health, Alcohol and Psychosocial factors in Eastern Europe (HAPIEE) study. <i>British Journal of Nutrition</i> , 2017 , 118, 60-68	3.6	45
150	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 437-445	3.9	25
149	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
148	Association between clinically recorded alcohol consumption and initial presentation of 12 cardiovascular diseases: population based cohort study using linked health records. <i>BMJ, The</i> , 2017 , 356, j909	5.9	145
147	Education and coronary heart disease: mendelian randomisation study. <i>BMJ, The</i> , 2017 , 358, j3542	5.9	125
146	Psychosocial and socioeconomic determinants of cardiovascular mortality in Eastern Europe: A multicentre prospective cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002459	11.6	26
145	Cohort Profile: The European Longitudinal Study of Pregnancy and Childhood (ELSPAC) in the Czech Republic. <i>International Journal of Epidemiology</i> , 2017 , 46, 1379-1379f	7.8	38
144	Fruit and vegetable consumption and mortality in Eastern Europe: Longitudinal results from the Health, Alcohol and Psychosocial Factors in Eastern Europe study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 493-501	3.9	34
143	Lack of Association between NYD-SP18 Variant and Obesity. The Health Alcohol and Psychosocial Factors in Eastern Europe Study. <i>Annals of Nutrition and Metabolism</i> , 2016 , 68, 244-8	4.5	2
142	Education, material condition and physical functioning trajectories in middle-aged and older adults in Central and Eastern Europe: a cross-country comparison. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 1128-1135	5.1	5
141	Educational class inequalities in the incidence of coronary heart disease in Europe. <i>Heart</i> , 2016 , 102, 958-965	4.0	40
140	Mortality in Transition: Study Protocol of the PrivMort Project, a multilevel convenience cohort study. <i>BMC Public Health</i> , 2016 , 16, 672	4.1	13
139	FTO gene variant and risk of spontaneous abortion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 118	3.8	2
138	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. <i>European Journal of Nutrition</i> , 2016 , 55, 547-560	5.2	26
137	Serum folate, vitamin B-12 and cognitive function in middle and older age: The HAPIEE study. <i>Experimental Gerontology</i> , 2016 , 76, 33-8	4.5	15

136	Diabetes prevalence, awareness and treatment and their correlates in older persons in urban and rural population in the Astana region, Kazakhstan. <i>Diabetes Research and Clinical Practice</i> , 2016 , 112, 6-12	7.4	23
135	Comparison of food and nutrient intakes between cohorts of the HAPIEE and Whitehall II studies. <i>European Journal of Public Health</i> , 2016 , 26, 628-34	2.1	12
134	Wealth and mortality at older ages: a prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 346-53	5.1	73
133	Prevalence, awareness, and control of hypertension in elderly and very elderly in Poland: results of a cross-sectional representative survey. <i>Journal of Hypertension</i> , 2016 , 34, 532-8; discussion 538	1.9	24
132	Blood-Based Oxidative Stress Markers and Cognitive Performance in Early Old Age: The HAPIEE Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 42, 297-309	2.6	12
131	Alcohol Consumption and Longitudinal Trajectories of Physical Functioning in Central and Eastern Europe: A 10-Year Follow-up of HAPIEE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1063-8	6.4	7
130	Effort-reward imbalance at work, over-commitment personality and diet quality in Central and Eastern European populations. <i>British Journal of Nutrition</i> , 2016 , 115, 1254-64	3.6	2
129	The association of depressive symptoms with cardiovascular and all-cause mortality in Central and Eastern Europe: Prospective results of the HAPIEE study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1839-1847	3.9	48
128	Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. <i>BMC Medicine</i> , 2016 , 14, 62	11.4	69
127	Alcohol, drinking pattern and all-cause, cardiovascular and alcohol-related mortality in Eastern Europe. <i>European Journal of Epidemiology</i> , 2016 , 31, 21-30	12.1	43
126	Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. <i>BMJ, The</i> , 2015 , 350, h1551	5.9	235
125	Prevalence, awareness, treatment and control of arterial hypertension in Astana, Kazakhstan. A cross-sectional study. <i>Public Health</i> , 2015 , 129, 948-53	4	19
124	WHO guidelines for a healthy diet and mortality from cardiovascular disease in European and American elderly: the CHANCES project. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 745-56	7	50
123	Alcohol consumption and physical functioning among middle-aged and older adults in Central and Eastern Europe: results from the HAPIEE study. <i>Age and Ageing</i> , 2015 , 44, 84-9	3	18
122	Psychometric properties and confirmatory factor analysis of the CASP-19, a measure of quality of life in early old age: the HAPIEE study. <i>Aging and Mental Health</i> , 2015 , 19, 595-609	3.5	36
121	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , 2015 , 385, 351-61	40	409
120	Social patterning in grip strength, chair rise, and walk speed in an aging population: the Czech HAPIEE Study. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 264-71	1.6	3
119	Evidence for the free radical/oxidative stress theory of ageing from the CHANCES consortium: a meta-analysis of individual participant data. <i>BMC Medicine</i> , 2015 , 13, 300	11.4	64

118	Does the consumption of fruits and vegetables differ between Eastern and Western European populations? Systematic review of cross-national studies. <i>Archives of Public Health</i> , 2015 , 73, 29	2.6	13
117	A Mediterranean-type diet is associated with better metabolic profile in urban Polish adults: Results from the HAPIEE study. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 738-46	12.7	33
116	Alcohol consumption, drinking patterns, and cognitive function in older Eastern European adults. <i>Neurology</i> , 2015 , 84, 287-95	6.5	31
115	The epidemiology of obesity and the development of disorders of glucose metabolism according to a prospective study in Siberia. <i>Obesity and Metabolism</i> , 2015 , 12, 14-28	0.6	7
114	Perceived control as a predictor of cardiovascular disease mortality in Poland. The HAPIEE study. <i>Cardiology Journal</i> , 2015 , 22, 404-12	1.4	3
113	Adherence to a healthy diet according to the World Health Organization guidelines and all-cause mortality in elderly adults from Europe and the United States. <i>American Journal of Epidemiology</i> , 2014 , 180, 978-88	3.8	80
112	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. <i>Atherosclerosis</i> , 2014 , 237, 5-12	3.1	24
111	Healthy diet indicator and mortality in Eastern European populations: prospective evidence from the HAPIEE cohort. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 1346-1352	5.2	32
110	Levels and distribution of self-rated health in the Kazakh population: results from the Kazakhstan household health survey 2012. <i>BMC Public Health</i> , 2014 , 14, 768	4.1	9
109	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014 , 349, g4164	5.9	406
108	Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , 2014 , 100, 1517-23	5.1	88
107	Drinking pattern, abstinence and problem drinking as risk factors for depressive symptoms: evidence from three urban Eastern European populations. <i>PLoS ONE</i> , 2014 , 9, e104384	3.7	15
106	Does inclusion of education and marital status improve SCORE performance in central and eastern Europe and former soviet union? findings from MONICA and HAPIEE cohorts. <i>PLoS ONE</i> , 2014 , 9, e94344	3.7	3
105	Health factors and risk of all-cause, cardiovascular, and coronary heart disease mortality: findings from the MONICA and HAPIEE studies in Lithuania. <i>PLoS ONE</i> , 2014 , 9, e114283	3.7	22
104	Inclusion of hazardous drinking does not improve the SCORE performance in men from Central and Eastern Europe: the findings from the HAPIEE cohorts. <i>BMC Public Health</i> , 2014 , 14, 1187	4.1	2
103	Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. <i>BMJ, The</i> , 2014 , 348, g3656	5.9	265
102	Socioeconomic inequalities in all-cause mortality in the Czech Republic, Russia, Poland and Lithuania in the 2000s: findings from the HAPIEE Study. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 297-303	5.1	27
101	SCORE performance in Central and Eastern Europe and former Soviet Union: MONICA and HAPIEE results. <i>European Heart Journal</i> , 2014 , 35, 571-7	9.5	23

100	The Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) project--design, population and data harmonization of a large-scale, international study. <i>European Journal of Epidemiology</i> , 2014 , 29, 929-36	12.1	42
99	Alcohol consumption and cognitive performance: a Mendelian randomization study. <i>Addiction</i> , 2014 , 109, 1462-71	4.6	19
98	Accessibility and use of urban green spaces, and cardiovascular health: findings from a Kaunas cohort study. <i>Environmental Health</i> , 2014 , 13, 20	6	166
97	Life course socioeconomic position and mid-late life cognitive function in Eastern Europe. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014 , 69, 470-81	4.6	38
96	The relationship of green space, depressive symptoms and perceived general health in urban population. <i>Scandinavian Journal of Public Health</i> , 2014 , 42, 669-76	3	81
95	The association between APOA5 haplotypes and plasma lipids is not modified by energy or fat intake: the Czech HAPIEE study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 243-7	4.5	5
94	Trends in prevalence of dyslipidaemias and the risk of mortality in Lithuanian urban population aged 45-64 in relation to the presence of the dyslipidaemias and the other cardiovascular risk factors. <i>PLoS ONE</i> , 2014 , 9, e100158	3.7	7
93	Trends in cardiovascular mortality and hospitalisations, and potential contribution of in-hospital case-fatality rates to changes in national mortality in the Czech Republic 1994-2009. <i>Heart</i> , 2013 , 99, 409-16	5.1	9
92	Development of a standardised instrument to assess ageing-related health outcomes in a comparable fashion in European ageing populations, the CHANCES Health Module. <i>BMC Proceedings</i> , 2013 , 7, S7	2.3	
91	Health and health systems in the Commonwealth of Independent States. <i>Lancet, The</i> , 2013 , 381, 1145-55	4.0	47
90	Menopausal transition enhances the atherogenic risk of smoking in middle aged women. <i>International Journal of Cardiology</i> , 2013 , 168, 190-6	3.2	10
89	Lack of an association between left-handedness and APOE polymorphism in a large sample of adults: results of the Czech HAPIEE study. <i>Laterality</i> , 2013 , 18, 513-9	2	9
88	Combined impact of smoking and heavy alcohol use on cognitive decline in early old age: Whitehall II prospective cohort study. <i>British Journal of Psychiatry</i> , 2013 , 203, 120-5	5.4	45
87	Binge drinking and blood pressure: cross-sectional results of the HAPIEE study. <i>PLoS ONE</i> , 2013 , 8, e65856	5.7	28
86	ADH1B polymorphism, alcohol consumption, and binge drinking in Slavic Caucasians: results from the Czech HAPIEE study. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 900-5	3.7	8
85	Fat mass and obesity-associated (fto) gene and alcohol intake. <i>Addiction</i> , 2012 , 107, 1185-6	4.6	5
84	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet, The</i> , 2012 , 379, 1214-24	4.0	658
83	The risk of sporadic colorectal cancer development is not influenced by fat mass and obesity related gene polymorphism in Slavs. <i>European Journal of Internal Medicine</i> , 2012 , 23, e175-6	3.9	4

82	The FTO gene polymorphism is associated with end-stage renal disease: two large independent case-control studies in a general population. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1030-5	4.3	31
81	Socioeconomic circumstances, health behaviours and functional limitations in older persons in four Central and Eastern European populations. <i>Age and Ageing</i> , 2012 , 41, 728-35	3	6
80	Generic quality of life predicts all-cause mortality in the short term: evidence from British Household Panel Survey. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 962-6	5.1	20
79	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. <i>Lancet, The</i> , 2011 , 378, 584-94	4.0	231
78	Prevalence and predictors of carotid wall triple line pattern in a general population sample. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1682-8	9.4	4
77	Socio-economic circumstances and food habits in Eastern, Central and Western European populations. <i>Public Health Nutrition</i> , 2011 , 14, 678-87	3.3	51
76	Gender differences in drinking practices in middle aged and older Russians. <i>Alcohol and Alcoholism</i> , 2010 , 45, 573-80	3.5	45
75	Non-fatal injuries in three Central and Eastern European urban population samples: the HAPIEE study. <i>European Journal of Public Health</i> , 2010 , 20, 695-701	2.1	9
74	Stresses and Opportunities of Transformation: The Impact on Health. <i>Journal of Communist Studies and Transition Politics</i> , 2010 , 26, 80-100		2
73	APOE polymorphism and its effect on plasma C-reactive protein levels in a large general population sample. <i>Human Immunology</i> , 2010 , 71, 304-8	2.3	49
72	Associations between different dimensions of religious involvement and self-rated health in diverse European populations. <i>Health Psychology</i> , 2010 , 29, 227-35	5	34
71	Job insecurity and health: a study of 16 European countries. <i>Social Science and Medicine</i> , 2010 , 70, 867-74	5.1	202
70	Association between year of birth and cognitive functions in Russia and the Czech Republic: cross-sectional results of the HAPIEE study. <i>Neuroepidemiology</i> , 2009 , 33, 231-9	5.4	10
69	Association between attendance at religious services and self-reported health in 22 European countries. <i>Social Science and Medicine</i> , 2009 , 69, 519-28	5.1	80
68	Dietary habits in three Central and Eastern European countries: the HAPIEE study. <i>BMC Public Health</i> , 2009 , 9, 439	4.1	68
67	Apolipoprotein E polymorphism in hemodialyzed patients and healthy controls. <i>Biochemical Genetics</i> , 2009 , 47, 688-93	2.4	10
66	Neighbourhood socioeconomic indicators and depressive symptoms in the Czech Republic: a population based study. <i>International Journal of Public Health</i> , 2009 , 54, 283-93	4	13
65	Depressive symptoms and levels of C-reactive protein: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 217-22	4.5	23

64	Drinking alcohol surrogates among clients of an alcohol-misuser treatment clinic in Novosibirsk, Russia. <i>Substance Use and Misuse</i> , 2009 , 44, 1821-32	2.2	28
63	Societal transition and health. <i>Lancet, The</i> , 2009 , 373, 360-2	4.0	15
62	Quality of acute coronary care in emerging economies. <i>Cmaj</i> , 2009 , 180, 1190-1	3.5	2
61	Assessing the contribution of unstable employment to mortality in posttransition Russia: prospective individual-level analyses from the Russian longitudinal monitoring survey. <i>American Journal of Public Health</i> , 2009 , 99, 1818-25	5.1	36
60	The FTO gene and obesity in a large Eastern European population sample: the HAPIEE study. <i>Obesity</i> , 2008 , 16, 2764-6	8	54
59	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. <i>Journal of Affective Disorders</i> , 2008 , 105, 125-36	6.6	46
58	Socioeconomic and behavioral determinants of mortality in posttransition Russia: a prospective population study. <i>Annals of Epidemiology</i> , 2008 , 18, 92-100	6.4	25
57	Apolipoprotein E Arg136 --> Cys mutation and hyperlipidemia in a large central European population sample. <i>Clinica Chimica Acta</i> , 2008 , 388, 217-8	6.2	4
56	The relationship between alcohol consumption and cortisol secretion in an aging cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 750-7	5.6	88
55	MLXIPL variant in individuals with low and high triglyceridemia in white population in Central Europe. <i>Human Genetics</i> , 2008 , 124, 553-5	6.3	25
54	Determinants of self rated health and mortality in Russia - are they the same?. <i>International Journal for Equity in Health</i> , 2008 , 7, 19	4.6	50
53	Estimation of secular trends in adult height, and childhood socioeconomic circumstances in three Eastern European populations. <i>Economics and Human Biology</i> , 2008 , 6, 228-36	2.6	36
52	The relative contribution of case management and inadequate care-seeking behaviour to childhood deaths from diarrhoea and acute respiratory infections in Hidalgo, Mexico. <i>Tropical Medicine and International Health</i> , 2007 , 12, 1545-52	2.3	20
51	Neighbourhood socioeconomic status and cardiovascular risk factors: a multilevel analysis of nine cities in the Czech Republic and Germany. <i>BMC Public Health</i> , 2007 , 7, 255	4.1	99
50	Adverse health effects of low levels of perceived control in Swedish and Russian community samples. <i>BMC Public Health</i> , 2007 , 7, 314	4.1	17
49	Trends in the prevalence of smoking in Russia during the transition to a market economy. <i>Tobacco Control</i> , 2007 , 16, 299-305	5.3	81
48	Commentary: migration and health--what about those who stay at home?. <i>International Journal of Epidemiology</i> , 2007 , 36, 1272-3	7.8	1
47	Societal characteristics and health in the former communist countries of Central and Eastern Europe and the former Soviet Union: a multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 990-6	5.1	36

46	Rates of contraindications and use of alternative vaccines in routine immunisation of children: a population based study in the Czech Republic. <i>Vaccine</i> , 2007 , 25, 3890-5	4.1	4
45	Obesity and education in three countries of the Central and Eastern Europe: the HAPIEE study. <i>Central European Journal of Public Health</i> , 2007 , 15, 140-2	1.2	29
44	Determinants of cardiovascular disease and other non-communicable diseases in Central and Eastern Europe: rationale and design of the HAPIEE study. <i>BMC Public Health</i> , 2006 , 6, 255	4.1	205
43	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. <i>British Journal of Psychiatry</i> , 2006 , 188, 359-65	5.4	64
42	Changes in smoking prevalence in Russia, 1996-2004. <i>Tobacco Control</i> , 2006 , 15, 131-5	5.3	50
41	The widening gap in mortality by educational level in the Russian Federation, 1980-2001. <i>American Journal of Public Health</i> , 2006 , 96, 1293-9	5.1	72
40	Social and economic changes and health in Europe East and West. <i>European Review</i> , 2005 , 13, 15-31	0.3	13
39	Socio-economic influences on self-rated health in Russian men and women--a life course approach. <i>Social Science and Medicine</i> , 2005 , 61, 2345-54	5.1	53
38	Unfavourable birth outcomes of the Roma women in the Czech Republic and the potential explanations: a population-based study. <i>BMC Public Health</i> , 2005 , 5, 106	4.1	51
37	Women's autonomy, education and contraception use in Pakistan: a national study. <i>Reproductive Health</i> , 2005 , 2, 8	3.5	95
36	Ambient air pollution and pregnancy outcomes: a review of the literature. <i>Environmental Health Perspectives</i> , 2005 , 113, 375-82	8.4	464
35	Do lipids contribute to the lack of cardio-protective effect of binge drinking: alcohol consumption and lipids in three eastern European countries. <i>Alcohol and Alcoholism</i> , 2005 , 40, 431-5	3.5	14
34	The association between psychosocial characteristics at work and problem drinking: a cross-sectional study of men in three Eastern European urban populations. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 546-50	2.1	27
33	Alcohol consumption and increased mortality in Russian men and women: a cohort study based on the mortality of relatives. <i>Bulletin of the World Health Organization</i> , 2005 , 83, 812-9	8.2	30
32	Life span and disability: a cross sectional comparison of Russian and Swedish community based data. <i>BMJ, The</i> , 2004 , 329, 767	5.9	33
31	Trends in alcohol intake by education and marital status in urban population in Russia between the mid 1980s and the mid 1990s. <i>Alcohol and Alcoholism</i> , 2004 , 39, 64-9	3.5	43
30	Psychosocial factors at work and depression in three countries of Central and Eastern Europe. <i>Social Science and Medicine</i> , 2004 , 58, 1475-82	5.1	145
29	Relation between children's height and outdoor air pollution from coal-burning sources in the British 1946 birth cohort. <i>International Archives of Occupational and Environmental Health</i> , 2004 , 77, 383-8 ²	3.2	17

28	Education, marital status, and total and cardiovascular mortality in Novosibirsk, Russia: a prospective cohort study. <i>Annals of Epidemiology</i> , 2004 , 14, 244-9	6.4	68
27	Determinants of adult mortality in Russia: estimates from sibling data. <i>Epidemiology</i> , 2003 , 14, 603-11	3.1	31
26	Relative and absolute gender gap in all-cause mortality in Europe and the contribution of smoking. <i>European Journal of Epidemiology</i> , 2003 , 18, 15-8	12.1	30
25	Household item ownership and self-rated health: material and psychosocial explanations. <i>BMC Public Health</i> , 2003 , 3, 38	4.1	22
24	Do health control beliefs predict behaviour in Russians?. <i>Preventive Medicine</i> , 2003 , 37, 73-81	4.3	23
23	Relation between heavy and binge drinking and all-cause and cardiovascular mortality in Novosibirsk, Russia: a prospective cohort study. <i>Lancet, The</i> , 2002 , 360, 1448-54	4.0	186
22	Mortality patterns in the Russian Federation: indirect technique using widowhood data. <i>Bulletin of the World Health Organization</i> , 2002 , 80, 876-81	8.2	16
21	Outdoor sulphur dioxide and respiratory symptoms in Czech and Polish school children: a small-area study (SAVIAH). Small-Area Variation in Air Pollution and Health. <i>International Archives of Occupational and Environmental Health</i> , 2001 , 74, 574-8	3.2	49
20	Alcohol consumption and binge drinking in Novosibirsk, Russia, 1985-95. <i>Addiction</i> , 2001 , 96, 987-95	4.6	44
19	Associations between homocysteine and coagulation factors--a cross-sectional study in two populations of central Europe. <i>Thrombosis Research</i> , 2001 , 103, 265-73	8.2	25
18	Air pollution and birth weight in Britain in 1946. <i>Epidemiology</i> , 2001 , 12, 358-9	3.1	39
17	Effect of beer drinking on risk of myocardial infarction: population based case-control study. <i>BMJ: British Medical Journal</i> , 2000 , 320, 1378-9		28
16	Socioeconomic factors, material inequalities, and perceived control in self-rated health: cross-sectional data from seven post-communist countries. <i>Social Science and Medicine</i> , 2000 , 51, 1343-50	5.1	260
15	Outdoor air concentrations of nitrogen dioxide and sulfur dioxide and prevalence of wheezing in school children. <i>Epidemiology</i> , 2000 , 11, 153-60	3.1	37
14	Alcohol consumption in a national sample of the Russian population. <i>Addiction</i> , 1999 , 94, 857-66	4.6	155
13	The Effect of Air Pollution on Infant Mortality Appears Specific for Respiratory Causes in the Postneonatal Period. <i>Epidemiology</i> , 1999 , 10, 666-670	3.1	114
12	Socioeconomic factors, perceived control and self-reported health in Russia. A cross-sectional survey. <i>Social Science and Medicine</i> , 1998 , 47, 269-79	5.1	231
11	Association between Psychosocial Factors at Work and Nonfatal Myocardial Infarction in a Population-Based Case-Control Study in Czech Men. <i>Epidemiology</i> , 1998 , 9, 43-47	3.1	43

10	Albanian paradox, another example of protective effect of Mediterranean lifestyle?. <i>Lancet, The</i> , 1997 , 350, 1815-7	40	82
9	East-West mortality divide and its potential explanations: proposed research agenda. <i>BMJ: British Medical Journal</i> , 1996 , 312, 421-5		237
8	East-West Health Divide and Potential Explanations 1996 , 17-44		5
7	Air pollution and mortality in Central and Eastern Europe. <i>European Journal of Public Health</i> , 1995 , 5, 82-86	2.1	17
6	Health status in the Czech and Slovak Federal Republic. <i>Health Policy and Planning</i> , 1992 , 7, 234-242	3.4	8
5	Epidemiology in central and eastern Europe. <i>Lancet, The</i> , 1992 , 340, 308	40	
4	Education and coronary heart disease: a Mendelian randomization study		4
3	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9		1
2	The associations of physical incapacity and wealth with remaining in paid employment after age 60 in five middle-income and high-income countries. <i>Ageing and Society</i> ,1-24	1.7	
1	Methodological challenges in harmonisation of the variables used as indicators of social capital in epidemiological studies of ageing [Results of the ATHLOS project. <i>Ageing and Society</i> ,1-28	1.7	