## Sarah Heim

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3659606/publications.pdf

Version: 2024-02-01

399 papers 22,248 citations

9784 73 h-index 124 g-index

416 all docs

416 docs citations

times ranked

416

9249 citing authors

#	Article	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	3.9	453
4	Improved luminosity determination in pp collisions at $q = 7 \text{ mathrm{TeV}}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
6	Performance of pile-up mitigation techniques for jets in $pp \ p \ collisions at q \ s=8. European Physical Journal C, 2016, 76, 581.$	3.9	298
7	Luminosity determination in pp collisions at $\$$ sqrt $\{s\}$ \$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
8	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\$$ sqrt $\{s\}=7$ \$\$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
9	Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
10	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
11	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
12	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\frac{s}{s}=8^{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
13			

#	Article	IF	Citations
19	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
20	Luminosity determination in pp collisions at $sqrt\{s\} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
21	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $q=1.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
22	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
23	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
24	Measurement of the transverse momentum and \$\$phi ^*_{eta }\$\$ ī• ī• ∗ distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
25	Measurement of the top quark-pair production cross section withÂATLAS in pp collisions at \$sqrt{s}=7\$ ÂTeV. European Physical Journal C, 2011, 71, 1.	3.9	146
26	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at	4.7	145
27	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
28	Precision measurement and interpretation of inclusive $\$W^+\$W^+, \$W^-\$W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
29	Measurement of the $\frac{t}{s}$ t t $\hat{A}^-$ production cross-section using $\frac{1}{4}$ events with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
30	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
31	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
32	Measurement of the $Z\hat{l}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
33	ATLAS b-jet identification performance and efficiency measurement with $f(x) = 13$ events in pp collisions at $f(x) = 13$ for European Physical Journal C, 2019, 79, 1.	3.9	130
34	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 $ sqrt $s=8 $ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
35	Search for charged Higgs bosons decaying via H ± → ï,,ν in \$ toverline t \$ events using pp collision da sqrt {s} = 7;TeV \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	ata at \$ 4.7	126
36	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\$$ varvec{bar{b}}\$\$ b b $\hat{A}^-$ in $\$$ varvec{pp}\$\$ p p collisions at $\$$ sqrt{mathbf{s}}= varvec{8{{,mathrm TeV}}}\$\$ s = 8 T e V with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123

#	Article	IF	CITATIONS
37			

#	Article	IF	CITATIONS
55	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b $\hat{A}^-$ b b $\hat{A}^-$ final state from pp collisions at $\$$ sqrt $\{s\}$ = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
56	Search for the b b $\hat{A}^-$ \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
57	Jet mass and substructure of inclusive jets in $\$ sqrt $\{s\} = 7$ ; $\{ext\{TeV\}\}\$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
58	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\$ sqrt $\{s\}$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
59	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
60	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
61	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at s = $8 $ \$\$ sqrt $s$ =8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
62	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\$sqrt\{s\}=13\$$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
63	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\frac{1}{5}$ sqrt $\frac{1}{5}$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
64	Measurement of the prompt J/ $\$$ psi $\$$ $\ddot{\Gamma}$ pair production cross-section in pp collisions at $\$$ sqrt $\{s\}$ = $8$ \$ $\$$ s = $8$ $\ddot{A}$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
65	Search for dark matter at $\frac{s}=13~mathrm{TeV}$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
66	Search for production of $\$WW/WZ\$\$WW/WZ\$\$WW/WZ\$\$$ or resonances decaying to a lepton, neutrino and jets in $\$pp\$\$$ p p collisions at $\$sqrt\{s\}=8\$\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
67	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
68	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
69	Light-quark and gluon jet discrimination in $pspsppsprox p$ p collisions at $prox prox prox prox prox prox prox prox $	3.9	77
70	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
71	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	3.9	77
72	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75

#	Article	IF	CITATIONS
73	Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â,," â,," q q $\hat{A}^-$ final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
74	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{~TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
75	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
76	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
77	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\frac{1}{5}$ s = 13 $\frac{100}{100}$ mathrm $\frac{100}{100}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
78	Search for supersymmetry at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
79	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at \$ sqrt{s}=8 \$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
80	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
81	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 $ sqrt $s=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
82	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
83	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $$\sqrt{s} = 8 $ , hbox $TeV$ , European Physical Journal C, 2015, 75, 303.	3.9	70
84	Search for resonances in diphoton events at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
85	Search for charged Higgs bosons decaying via H ± â†' Ï,, ± ν in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
86	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\frac{5}{9}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
87	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = $2.76 \$\$$ sqrt $\{s_{mathrm}NN\}\}=2.76 \$\$$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
88	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ ÅGeV}$ Higgs boson in $$$ sqrt ${\text{varvec}} = 8$ \$ s = 8 $\text{ÅTeV}$ \$varvec ${\text{pp}}$ \$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
89	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s $\$\$$ sqrt $\$\$$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
90	A search for t t $\hat{A}^-$ \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66

#	Article	IF	Citations
91	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $sqrt {s} = 7 \text{ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.}$	4.7	65
92	Measurement of the W â†' â, "ν and $Z$  γ * â†' â, "â, "production cross sections in proton-proton collisions at \$ s = 7;{ext{TeV}} \$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	qrt {s} 4.7	64
93	Measurement of isolated-photon pair production in pp collisions at $q=7$ ; TeV $q=7$ ; TeV $q=7$ ; with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
94	Observation and measurements of the production of prompt and non-prompt $\$ varvec{ext {J}uppsi}\$\$ J $\$ mesons in association with a $\$ varvec{Z}\$\$ Z boson in $\$ varvec{pp}\$\$ p p collisions at $\$ varvec{sqrt{s}= 8,ext {TeV}}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
95	Evidence for the H $\hat{a}$ †' b b $\hat{A}^-$ \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
96	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
97	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 $\dot{\Lambda}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
98	Performance of the ATLAS muon trigger in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
99	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\$$ sqrt $\{s\}$ = 8 $\$$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	3.9	62
100	Measurement of ZZ production in pp collisions at $\$ sqrt $\{s\}=7\$ TeV and limits on anomalous ZZZ and ZZ $\hat{1}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
101	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $sqrt{s} = 7 \text{ mbox}{TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
102	Charged-particle distributions at low transverse momentum in $\$$ sqrt $\{s\}$ = 13 $\$$ 5 s = 13 ÂTeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
103	Performance of algorithms that reconstruct missing transverse momentum in $\$\$qrt\{s\}$ s = 8 TeV protonâ $\in$ "proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
104	Prompt and non-prompt $f'$ and $f'$ an	3.9	61
105	Measurement of multi-jet cross sections in proton–proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
106	Summary of the searches for squarks and gluinos using $s=8$ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
107	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s=8 $ \$\$ sqrt{ $s$ }= $8 $ \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
108	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â," â," $\hat{a}$ ," $\hat{i}$ ½ / $\hat{i}$ ½ / $\hat{i}$ ½ + b b $\hat{A}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60

#	Article	IF	CITATIONS
109	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton–lead collisions at \$\$sqrt{s_{_ext {NN}}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
110	Measurement of W $\hat{A}\pm Z$ production in proton-proton collisions at $q=7-mbox\{TeV\}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
111	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
112	Measurement of the production of a W boson in association with a charm quark in pp collisions at $q=0$ sqrt $q=0$ and $q=0$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
113	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
114	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in protonâ€"proton collisions at $\$$ sqrt{s}=7\$\$ s = 7ÂTeV in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
115	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
116	Measurement of the jet fragmentation function and transverse profile in proton–proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
117	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\frac{s}{q} = 8$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
118	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
119	Search for direct top squark pair production in events with a $Z$ \$ Z boson, $5$ \$ b -jets and missing transverse momentum in $S$ \$ qrt{s}=8\$\$ s = 8 TeV \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
120	Summary of the ATLAS experiment $\hat{a} \in \mathbb{N}$ s sensitivity to supersymmetry after LHC Run 1 $\hat{a} \in \mathbb{N}$ interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
121	Search for pair production of Higgs bosons in the $\$$ boverline $\{b\}$ boverline $\{b\}$ \$\$ final state using proton-proton collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
122	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
123	Search for high-mass resonances decaying to dilepton final states in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
124	Measurements of fiducial cross-sections for $\frac{t}{\hat{A}}$ tr $\hat{A}$ production with one or two additional b-jets in pp collisions at $\frac{s}{s}$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
125	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fbâ^'1 of \$ sqrt $\{s\} = 7$ ;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
126	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $q = 1$ at $q = 1$ and $q = 1$ are the cross-section for W boson production in association with b-jets in pp collisions at $q = 1$ and $q = 1$ are the cross-section for W boson production in association with b-jets in pp collisions at $q = 1$ and $q = 1$ are the cross-section for W boson production in association with b-jets in pp collisions at $q = 1$ and $q = 1$ are the cross-section for W boson production in association with b-jets in pp collisions at $q = 1$ and $q = 1$ are the cross-section for W boson production in association with b-jets in pp collisions at $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ and $q = 1$ are the cross-section for $q = 1$ and $q = 1$ are the cross-section for	4.7	53

#	Article	lF	CITATIONS
127	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
128	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\frac{1}{5}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
129	Search for lepton-flavour-violating H $\hat{a}$ †' $\hat{l}$ ' $\hat{l}$ ', decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
130	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ ext{ lepton+jets } \$\$ t t Â^â†' lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â^â†' dilepton channels using \$\$sqrt{s}=7\$\$ s = 7  \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
131	Measurement of the top quark mass with the template method in the \$tar{t} omathrm{lepton}+mathrm{jets}\$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
132	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/\hat{A}A$ and for a \$\$Z^{prime}}\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ $\hat{I}$ , $\hat{I}$ , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
133	Measurement of the charged-particle multiplicity inside jets from $\$$ sqrt $\{s\}=8$ \$ s = 8 $\$$ mathrm $\{TeV\}$ \$\$ TeV Âpp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
134	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
135	Search for direct top squark pair production in final states with two leptons in $\$$ sqrt $\{s\}$ = 13 $\$$ \$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
136	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
137	Constraints on mediator-based dark matter and scalar dark energy models using $\$\$$ sqrt $\$\$$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
138	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
139	Search for contact interactions and large extra dimensions in the dilepton channel using proton $\hat{s}\in \text{``proton collisions at $} -=\$ s = \hat{s}$ s = $\hat{s}\in \text{`AsATeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
140	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
141	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $\hat{a}$ °1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
142	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
143	Measurements of the production cross section of a $Z$ \$ Z boson in association with jets in pp collisions at $f_s$ = 13\$\$ s. European Physical Journal C, 2017, 77, 361.	3.9	47
144	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $p=0.000$ p p collisions at $p=0.000$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46

#	Article	IF	Citations
145	Study of the rare decays of \$\$B^0_s\$\$ B s 0 and \$\$B^0\$\$ B 0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
146	Measurement of the Higgs boson coupling properties in the H $\hat{a}$ † ZZ $\hat{a}$ — $\hat{a}$ † 4 $\hat{a}$ , decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 4.7	46
147	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
148	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
149	Measurement of the cross section for top-quark pair production in pp collisions at $q = 7$ , {ext{TeV}} with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
150	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in protonâ $\in$ proton collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 1.	3.9	45
151	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
152	Measurement of the $tar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
153	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
154	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
155	Search for supersymmetry at $\sqrt{s}$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
156	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
157	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 $ \$ sqrt{ $s$ }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
158	Search for the Standard Model Higgs boson in the H â†' Ï,, + Ï,, â^' decay mode in \$ sqrt {s} = 7,{mathrm{ \$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	TeV}}	43
159	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\dagger$ ' tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
160	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$$ sqrt $\{s\}$ = $8$ \$\$ s = $8$ ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
161	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
162	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $q=0$ sqrt $q=0$ 1.	4.7	42

#	ARTICLE	IF	CITATIONS
163	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ sqrt $s=8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
164	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
165	Performance of top-quark and $\$$ varvec $\{W\}$ $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
166	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\frac{sqrt{s}=7-mbox{TeV}}{proton}$ proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
167	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
168	Measurement of the production and lepton charge asymmetry of $\$W$ \$ W bosons in Pb+Pb collisions at $\$$ mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
169	Measurement of the $\$ {varvec{tar{t}Z}}\$\$ t t Â^Z and \$\${varvec{tar{t}W}}\$\$ t t Â^W production cross sections in multilepton final states using 3.2 fb \$\$^{-1}\$\$ - 1 of \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{s}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
170	Higgs boson production cross-section measurements and their EFT interpretation in the $\$4ell \$$ decay channel at $\$sqrt\{s\}=\$13\ATeV$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
171	Limits on the production of the standard model Higgs boson in pp collisions at $q = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
172	A search for $\$$ toverline $t \$$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
173	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp $ p collisions at $s=7,mathrm{TeV}$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
174	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s=8$ \$ sqrt{ $s}=8$ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
175	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s=7$ \$\$ $sqrt{s}=7$ \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
176	Study of the $SB_c^+$ ightarrow J/psi D_s^+\$ B c + → J / Ï^ D s + and $SB_c^+$ ightarrow J/psi D_s^{*+}\$ B c + → J / Ï^ D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
177	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
178	Measurements of b-jet tagging efficiency with the ATLAS detector using $\$$ toverline{t} $\$$ events at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
179	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u { $a \in S$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of protonaê"proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
180	Search for massive colored scalars in four-jet final states in \$sqrt{s}=7~mbox{TeV}\$ proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39

#	Article	IF	CITATIONS
181	Search for flavour-changing neutral current top-quark decays to $\$ varvec{qZ}\$\$ q Z in \$\varphi varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$\varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	3.9	39
182	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.016, 76, 87.01$	3.9	39
183	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8$ \$\$ sqrt{s} = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
184	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
185	Measurements of WH and ZH production in the $\$ ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
186	Search for second generation scalar leptoquarks in pp collisions at $\frac{s}{7-mbox}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
187	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
188	Measurement of the W boson polarisation in $\frac{1}{5}$ t t $\hat{A}$ events from pp collisions at $\frac{1}{5}$ s = 8 TeV in the lepton $\hat{A}$ + $\hat{A}$ jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
189	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
190	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fba^1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
191	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\frac{1}{5} = 7 \text{ mathrm{TeV}}$ . European Physical Journal C, 2012, 72, 1.	3.9	36
192	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at	4.7	36
193	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ mbox{TeV}}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
194	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
195	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
196	Search for heavy long-lived multi-charged particles in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
197	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
198	Search for a scalar partner of the top quark in the all-hadronic $f(t)$ plus missing transverse momentum final state at $f(t)$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36

#	Article	IF	CITATIONS
199	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 $ sqrt $s = 8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
200	Measurement of the production cross section of prompt $J/\tilde{\Gamma}$ mesons in association with a W $\hat{A}\pm$ boson in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
201	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W ′ → t b → q q b b decays in \$\$pp\$\$ p p collisions at \$\$sqrt{s}\$\$ s Â=Ā8ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
202	Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
203	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
204	Multi-channel search for squarks and gluinos in $\frac{s}{s}=7mbox\{ TeV\}\$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
205	Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
206	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $$pp$ \$ collisions at $$qrt{s}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
207	Inclusive search for same-sign dilepton signatures in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
208	Measurement of jet shapes in top-quark pair events at $q=7 \text{ mbox} $ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
209	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
210	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
211	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 $ \$\$ sqrt{ $s$ }= $8 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
212	Measurements of $\ddot{\Gamma}(2S)$ and X(3872) $\hat{a}^{\dagger}$ $\ddot{\Gamma} \in + \ddot{\iota} \in \hat{a}^{\circ}$ production in pp collisions at $s = 8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
213	Search for third generation scalar leptoquarks in pp collisions at $ \sqrt{s}=7 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
214	Measurement of $\ddot{i}$ ‡ c1 and $\ddot{i}$ ‡ c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
215	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4$ \$ell \$\$ decay channel at $\$$ sqrt $\{s\}$ \$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
216	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $q=0.05$ GeV and $q=0.05$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31

#	Article	IF	CITATIONS
217	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
218	Measurement of the differential cross-section of B + meson production in pp collisions at $qrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
219	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $s=13 \text{ Te V}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
220	A search for prompt lepton-jets in pp collisions at $s = 8 $ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
221	Measurement of inclusive and differential cross sections in the H $\hat{a}$ †' ZZ * $\hat{a}$ †' 4 $\hat{a}$ ," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
222	Search for invisible particles produced in association with single-top-quarks in protona $\in$ proton collisions at \$\$sqrt{s}=mathrm {8-TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
223	Measurement of the t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
224	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
225	Charged-particle distributions in pp interactions at $\$\$qrt\{s\}=8$ mathrm $\{$ , TeV $\}$ $\$$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
226	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
227	Evidence for \$\$tar{t}tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
228	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29
229	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
230	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 $ \$ sqrt{ $s$ }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
231	Search for heavy diboson resonances in semileptonic final states in pp collisions at \$\$\$qrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
232	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 $ \$\$ $sqrt{s}=7 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
233	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
234	Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28

#	Article	IF	CITATIONS
235	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ syarvec{sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
236	Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 $ \$ sqrt{ $s}=7 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
237	Measurements of top-quark pair differential cross-sections in the $\pm 0.01$ collisions at $\pm 0.01$ collisions at $\pm 0.01$ s = 13 ÅTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
238	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\ddot{l}$ ,-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
239	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
240	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\$$ ell ell bb\$\$ and $\$$ ell ell WW\$\$ final states in pp collisions at $\$$ qrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
241	Next-to-leading order QCD corrections tos-channel single top quark production and decay at the LHC. Physical Review D, 2010, 81, .	4.7	25
242	A search for $tar{t}\$ resonances with the ATLAS detector in 2.05 fbâ^1 of proton-proton collisions at $q=0.05$	3.9	25
243	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
244	Measurement of the low-mass Drell-Yan differential cross section at s $\$$ sqrt $\{s\}$ $\$$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
245	Determination of the top-quark pole mass using t t $\hat{A}^-$ \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
246	Searches for heavy diboson resonances in pp collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
247	Search for triboson $\W^{pm}W^{pm}W^{mp}$ W ± W ± W â-" production in pp collisions at \$\$sqrt{s}=8\$\$ s = 8  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
248	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
249	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \$\$varvec{sqrt{s}}\$\$ s Â=Â13ÂTeV \$\$varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	3.9	24
250	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
251	Measurement of fiducial and differential $\$W^+W^-$ , production cross-sections at $\$\$qrt\{s\}=13\$$ ATEV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
252	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24

#	Article	IF	CITATIONS
253	A measurement of the ratio of the production cross sections for \$\$W\$\$ W and \$\$Z\$\$ Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
254	Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
255	A search for high-mass resonances decaying to $\ddot{\parallel}$ , $+\ddot{\parallel}$ , $\hat{a}$ in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
256	Measurement of three-jet production cross-sections in $pp $ p collisions at $PA$ $mathrm $ Te, $PV$ Te $PV$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
257	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ from with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
258	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
259	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
260	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
261	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\frac{1}{s}=7 \text{ mathrm} $ European Physical Journal C, 2012, 72, 1.	3.9	22
262	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
263	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at sqrts = 8 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
264	Measurement of the t t $\hat{A}^-$ W \$\$ toverline{t}W \$\$ and t t $\hat{A}^-$ Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
265	Study of (W/Z)H production and Higgs boson couplings using H→ W W â^— decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
266	Measurements of top-quark pair spin correlations in the $\$$ emu $\$$ channel at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
267	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
268	Measurement of $\ddot{l}$ , polarization in Wâ† $\ddot{l}$ , $\hat{l}$ /2 decays with the ATLAS detector in pp collisions at \$sqrt{s} =7~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 2062.	3.9	21
269	Measurement of the production cross-section of Ï^(2S) → J/Ĭ^(→μ + μ â~')Ĭ€ + Ï€ â~' in pp collisions at s \$\$ sqrt = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	{s},\$\$ 4.7	21
270	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W $\hat{a}$ — $\hat{a}$ †' e $\hat{l}$ ½ $\hat{l}$ ½ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21

#	Article	IF	CITATIONS
271	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
272	Search for the Standard Model Higgs boson decaying into b b $\hat{A}^-$ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
273	Search for new phenomena in events with three or more charged leptons in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
274	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
275	Measurements of top quark spin observables in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
276	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$$ sqrt ${s}={13}{ext {TeV}}$ \$\$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
277	Search for charged Higgs bosons through the violation of lepton universality in $\$ toverline{t} \$ events using pp collision data at $\$ sqrt{s}=7 $\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
278	Measurement of k T splitting scales in Wâ†'â," $\hat{1}/2$ events at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
279	Search for flavour-changing neutral current top quark decays t $\hat{a}$ † Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
280	Addendum to $\hat{a} \in \mathbb{Z}$ Measurement of the $\frac{t}{\hat{a}} = \frac{\hat{a}}{\hat{b}}$ production cross-section using $\hat{a} = \hat{a}$ events with b-tagged jets in pp collisions at $\hat{a} = 7$ and $\hat{a}$	3.9	19
281	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 $ sqrt $s = 8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
282	Probing lepton flavour violation via neutrinoless \$\$varvec{au longrightarrow 3mu }\$\$ $\ddot{l}_{,}$ â $\ddot{q}$ 3 $\hat{l}_{,}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
283	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ°'1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
284	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^'1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
285	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
286	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in \$sqrt{s}=7\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
287	Search for dark matter in association with an energetic photon in pp collisions at $\$\$$ sqrt $\$\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
288	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18

#	Article	IF	Citations
289	Search for new phenomena in final states with b-jets and missing transverse momentum in $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
290	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
291	Search for anomalous production of prompt like-sign lepton pairs at $\$ \sqrt{s}=7;$ mathrm{TeV} $\$$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
292	Measurement of the top quark charge in pp collisions at $\frac{5}{7}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
293	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
294	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\frac{1}{s}=7$ mathrm{,TeV}\$\$ s = 7 TeV. European Physical Journal C, 2015, 75, 158.	3.9	17
295	Identification of high transverse momentum top quarks in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
296	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 $ \$\$ sqrt $s$ =8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
297	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
298	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$\$ \cdot \$$ sqrt $\$$ = 13 $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
299	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
300	Search for the HH $\hat{a}^{*}$ \$\$ boverline{b} boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
301	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$$ sqrt $\{s\}$ = 13, $\{ext \{TeV\}\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
302	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
303	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
304	Top-quark mass measurement in the all-hadronic t t $\hat{A}^-$ \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
305	Measurement of differential cross sections and W+/W $\hat{a}^{\circ}$ cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
306	Search for diphoton events with large missing transverse energy with 36 pbâ^1 of 7 TeV proton–proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15

#	Article	IF	Citations
307	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at \$ sqrt{s}=7 \$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
308	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
309	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
310	Measurement of the flavour composition of dijet events in pp collisions at $q=7 \text{ mbox} TeV$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
311	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
312	Measurement of event-shape observables in \$\$Z ightarrow ell $^{+}$ ell $^{-}$ \$\$ Z â†' â," + â," - events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7  \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
313	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW $\hat{a}^-\hat{a}^{\dagger}\hat{e}^{1}/2\hat{l}/4\hat{l}/2$ with the ATLAS detector at $s=8$ \$\$ sqrt{ $s}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
314	Search for strong gravity in multijet final states produced in pp collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
315	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
316	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
317	Search for a heavy neutral particle decaying into an electron and a muon using 1 fbâ^1 of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
318	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 $ \$\$ sqrt{ $s$ }= $8 $ \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
319	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
320	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
321	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt{s} $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
322	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at \$\$sqrt{s}=13,ext {TeV}\$\$. European Physical Journal C, 2021, 81, 1.	3.9	14
323	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$\$ $ sqrt $\{$ mathrm $\{s\}\}$ $\$\$ = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
324	Search for \$\$ toverline{t} \$\$ resonances in fully hadronic final states in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14

#	ARTICLE Consularing off-shell production of axionlike particles with <mml:math< th=""><th>IF</th><th>CITATIONS</th></mml:math<>	IF	CITATIONS
325	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>Z</mml:mi> <mml:mi>i³</mml:mi> and <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:mi>W</mml:mi><mml:mi>W</mml:mi> differential cross-section</mml:math 	4.7	14
326	Measurement of the c-jet mistagging efficiency in $\frac{t}{\$$$ Revents using pp collision data at $\frac{s}{3}=13\$$ Revert {TeV}\$\$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
327	Search for R-parity-violating supersymmetry in events with four or more leptons in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
328	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\frac{sqrt}{s} = 7-mathrm{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	13
329	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
330	Search for lepton flavour violation in the $e\hat{l}$ continuum with the ATLAS detector in $q = 7-mbox\{TeV\}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
331	The differential production cross section of the \$\$phi \$\$ Ï• (1020) meson in \$\$sqrt{s}\$\$ s = 7ÂTeV \$\$pp\$\$ p p collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
332	Measurement of the CP-violating phase i̇̃• s and the B s O meson decay width difference with B s O  → J/ḯ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ϊ• 4.7	13
333	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
334	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
335	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\$$ sqrt $\{s\}$ =13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
336	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
337	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fbâ´1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
338	Measurement of the $\$$ boverline $\{b\}$ \$\$ b b $\hat{A}^-$ dijet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
339	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\s\$ varvec{sqrt{s}=13}\$\$ = 13 Â \$\$ext {TeV}\$\$ TeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
340	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
341	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
342	Search for supersymmetry in events with four or more charged leptons in 139 fba $^1$ of \$\$ sqrt{s} \$= 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12

#	Article	IF	CITATIONS
343	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
344	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
345	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
346	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ , 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	3.9	12
347	Measurement of $\hat{W}^3$ and $\hat{Z}^3$ production in proton-proton collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
348	Measurement of four-jet differential cross sections in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
349	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
350	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
351	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\frac{13}{100}$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
352	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
353	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
354	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
355	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\frac{1}{5}=8$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
356	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W $\hat{A}\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
357	Measurement of the t\$\$ overline{t} $$$ \$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
358	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
359	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
360	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9

#	Article	IF	CITATIONS
361	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 $ \$ sqrt $s=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
362	Measurement of the ZZ production cross section in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ZZ $\hat{a}^+\hat{a}^+,a$	i <b>n.∉</b> {u}\$\$	decay chan
363	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
364	Measurement of the Z( $\hat{a}^{*}$ , $\hat{a}^{*}$ , $\hat{a}^{*}$ ) $\hat{l}^{3}$ production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
365	Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
366	Measurement of the relative width difference of the B O $\hat{a} \in B \hat{A} \cap S = B^0 \cap $	4.7	8
367	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 $ \$ sqrt $s=13 $ \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
368	Measurements of W+W $\hat{a}^+$ $\hat{a}$ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
369	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
370	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
371	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
372	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
373	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
374	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\$$ sqrt $\{s\}=13\$$ ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
375	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
376	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
377	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
378	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 1.	4.7	5

#	Article	IF	CITATIONS
379	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
380	The ATLAS inner detector trigger performance in pp collisions at $13\text{\^A}$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
381	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
382	Measurement of jet activity in top quark events using the $e\hat{l}$ final state with two b-tagged jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
383	Measurement of hadronic event shapes in high-pT multijet final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
384	Search for top squarks in events with a Higgs or Z boson using $139 \text{\^{A}} \text{fb} $ of pp collision data at \$\$sqrt{s}=13\$\$\^{A}TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
385	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from $\W^{pm} $ ightarrow au $^{pm} $ ightarrow pi $^{pm} $ $_{au} $ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
386	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
387	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
388	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s=0$ , with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
389	Measurement of the inclusive jet cross-section in proton-proton collisions at ( sqrt{s}=7 ) TeV using 4.5 fbâ^'1 of data with the ATLAS detector. , 2015, 2015, 1.		3
390	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector., 2015, 75, 1.		3
391	ATLAS Run $1$ searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
392	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow'J/\hat{\Gamma}K\hat{A}\pm\hat{a}\pm\hat{a}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
393	A search for an excited muon decaying to a muon and two jets inppcollisions at \$sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
394	Measurement of the (toverline $\{t\}$ ) production cross-section using (emu ) events with (b)-tagged jets in (pp) collisions at (sqrt $\{s\}$ =7) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
395	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt $\{s\}=8\sim$ )TeV with the ATLAS detector., 2015, 75, 1.		2
396	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2

#	Article	IF	CITATIONS
397	Measurement of the energy asymmetry in $f(x)$ production at $f(x)$ production at $f(x)$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
398	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt{s}=8) TeV with the ATLAS detector., 2015, 75, 1.		1
399	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt $\{s\}=8$ ,mathrm TeV $\{\}$ ) with the ATLAS detector., 2016, 76, 1.		1