Oscar Vicente

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/36597/oscar-vicente-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141 4,121 37 59 g-index h-index citations papers 4,706 176 5.2 3.2 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------|
| 141 | Physiological and Biochemical Responses to Water Stress and Salinity of the Invasive Moth Plant, Araujia sericifera Brot., during Seed Germination and Vegetative Growth. <i>Agronomy</i> , 2022 , 12, 361 | 3.6 | 1 |
| 140 | Growth and antioxidant responses triggered by water stress in wild relatives of eggplant. <i>Scientia Horticulturae</i> , 2022 , 293, 110685 | 4.1 | 3 |
| 139 | Essential Oils of Three Aromatic Plant Species as Natural Herbicides for Environmentally Friendly Agriculture. <i>Sustainability</i> , 2022 , 14, 3596 | 3.6 | O |
| 138 | Effect of acetylsalicylic acid and ammonium sulphate on productive and physiological parameters in Stipa caudata under water shortage conditions. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2022 , 50, 12645 | 1.2 | |
| 137 | Agronomic Assessment of a Controlled-Release Polymer-Coated Urea-Based Fertilizer in Maize. <i>Plants</i> , 2021 , 10, | 4.5 | 2 |
| 136 | Modern Biotechnologies: Innovative and Sustainable Approaches for the Improvement of Sugarcane Tolerance to Environmental Stresses. <i>Agronomy</i> , 2021 , 11, 1042 | 3.6 | 15 |
| 135 | Effect of the Pesticide Endosulfan and Two Different Biostimulants on the Stress Responses of Phaseolus leptostachyus Plants Grown in a Saline Soil. <i>Agronomy</i> , 2021 , 11, 1208 | 3.6 | 1 |
| 134 | Moderate and severe water stress effects on morphological and biochemical traits in a set of pepino (Solanum muricatum) cultivars. <i>Scientia Horticulturae</i> , 2021 , 284, 110143 | 4.1 | 0 |
| 133 | Adaptive responses to drought of two Retama raetam subspecies from Tunisia. <i>Journal of Plant Ecology</i> , 2021 , 14, 527-540 | 1.7 | |
| 132 | A brief overview of global biotechnology. <i>Biotechnology and Biotechnological Equipment</i> , 2021 , 35, S5-S | 1 4 .6 | 4 |
| 131 | Constitutive and Induced Salt Tolerance Mechanisms and Potential Uses of Limonium Mill. Species. <i>Agronomy</i> , 2021 , 11, 413 | 3.6 | 7 |
| 130 | Multidisciplinary studies supporting conservation programmes of two rare, endangered Limonium species from Spain. <i>Plant and Soil</i> , 2021 , 466, 505-524 | 4.2 | 0 |
| 129 | Responses to Salinity in Four Species from Tunisia. <i>Plants</i> , 2021 , 10, | 4.5 | 3 |
| 128 | Unraveling Sorghum Allelopathy in Agriculture: Concepts and Implications. <i>Plants</i> , 2021 , 10, | 4.5 | 9 |
| 127 | Comparative studies on the stress responses of two Bupleurum (Apiaceae) species in support of conservation programmes. <i>Environmental and Experimental Botany</i> , 2021 , 191, 104616 | 5.9 | 1 |
| 126 | Effects of Drought and Salinity on Two Commercial Varieties of Mill. <i>Plants</i> , 2020 , 9, | 4.5 | 3 |
| 125 | Physiological and Biochemical Responses to Salt Stress in Cultivated Eggplant (Solanum melongena L.) and in S. insanum L., a Close Wild Relative. <i>Agronomy</i> , 2020 , 10, 651 | 3.6 | 11 |

(2019-2020)

| 124 | Genetic Relationships and Reproductive Traits of Romanian Populations of Silver Fir (Abies alba): Implications for the Sustainable Management of Local Populations. <i>Sustainability</i> , 2020 , 12, 4199 | 3.6 | 1 |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 123 | Physiological and morphological characterisation of Limonium species in their natural habitats: Insights into their abiotic stress responses. <i>Plant and Soil</i> , 2020 , 449, 267-284 | 4.2 | 10 |
| 122 | The Use of Proline in Screening for Tolerance to Drought and Salinity in Common Bean (Phaseolus vulgaris L.) Genotypes. <i>Agronomy</i> , 2020 , 10, 817 | 3.6 | 20 |
| 121 | New Eco-Friendly Polymeric-Coated Urea Fertilizers Enhanced Crop Yield in Wheat. <i>Agronomy</i> , 2020 , 10, 438 | 3.6 | 20 |
| 120 | Responses to Water Deficit and Salt Stress in Silver Fir (Abies alba Mill.) Seedlings. <i>Forests</i> , 2020 , 11, 39 | 952.8 | 6 |
| 119 | Growth of pineapple plantlets during acclimatisation can be monitored through automated image analysis of the canopy. <i>The EuroBiotech Journal</i> , 2020 , 4, 223-229 | 1.5 | 1 |
| 118 | Antioxidant responses to drought and salinity in Lavandula angustifolia Mill <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2020 , 48, 1980-1992 | 1.2 | 3 |
| 117 | Responses to Increased Salinity and Severe Drought in the Eastern Iberian Endemic Species (Ranunculaceae), Threatened by Climate Change. <i>Plants</i> , 2020 , 9, | 4.5 | 2 |
| 116 | Responses to Salt Stress in : Insight into Its Tolerance Mechanisms. <i>Plants</i> , 2020 , 9, | 4.5 | 7 |
| 115 | Enhanced Agronomic Efficiency Using a New Controlled-Released, Polymeric-Coated Nitrogen Fertilizer in Rice. <i>Plants</i> , 2020 , 9, | 4.5 | 12 |
| 114 | Comparative Studies on the Physiological and Biochemical Responses to Salt Stress of Eggplant (Solanum melongena) and Its Rootstock S. torvum. <i>Agriculture (Switzerland)</i> , 2020 , 10, 328 | 3 | 9 |
| 113 | Assessing the effects of in vitro imposed water stress on pineapple growth in relation to biochemical stress indicators using polynomial regression analysis. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2020 , 48, 162-170 | 1.2 | 3 |
| 112 | Comparative analysis of the responses to water stress in eggplant (Solanum melongena) cultivars. <i>Plant Physiology and Biochemistry</i> , 2019 , 143, 72-82 | 5.4 | 22 |
| 111 | Identification of Salt and Drought Biochemical Stress Markers in Several Silene vulgaris Populations. <i>Sustainability</i> , 2019 , 11, 800 | 3.6 | 15 |
| 110 | Creating Products and Services in Plant Biotechnology 2019 , 19-52 | | 2 |
| 109 | Responses to Drought in Seedlings of European Larch (Larix decidua Mill.) from Several Carpathian Provenances. <i>Forests</i> , 2019 , 10, 511 | 2.8 | 2 |
| 108 | Morphological and Agronomic Characterization of Spanish Landraces of Phaseolus vulgaris L <i>Agriculture (Switzerland)</i> , 2019 , 9, 149 | 3 | 8 |
| 107 | European Biotech Entrepreneur Profile: Case Studies 2019 , 251-258 | | 1 |

| 106 | Screening for Salt and Water Stress Tolerance in Fir (Abies alba) Populations. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2019 , 47, 1063-1072 | 1.2 | 3 |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 105 | Qualitative and Quantitative Differences in Osmolytes Accumulation and Antioxidant Activities in Response to Water Deficit in Four Mediterranean Species. <i>Plants</i> , 2019 , 8, | 4.5 | 10 |
| 104 | Insights on Salt Tolerance of Two Endemic Species from Spain. <i>Metabolites</i> , 2019 , 9, | 5.6 | 10 |
| 103 | Responses of succulents to drought: Comparative analysis of four Sedum (Crassulaceae) species. <i>Scientia Horticulturae</i> , 2019 , 243, 235-242 | 4.1 | 14 |
| 102 | Effects of Drought and Salinity on European Larch (Larix decidua Mill.) Seedlings. <i>Forests</i> , 2018 , 9, 320 | 2.8 | 10 |
| 101 | Variable Levels of Tolerance to Water Stress (Drought) and Associated Biochemical Markers in Tunisian Barley Landraces. <i>Molecules</i> , 2018 , 23, | 4.8 | 15 |
| 100 | Comparative analysis of water deficit and salt tolerance mechanisms in Silene. <i>South African Journal of Botany</i> , 2018 , 117, 193-206 | 2.9 | 17 |
| 99 | The genus Portulaca as a suitable model to study the mechanisms of plant tolerance to drought and salinity. <i>The EuroBiotech Journal</i> , 2018 , 2, 104-113 | 1.5 | 7 |
| 98 | Highly informative SSR genotyping reveals large genetic diversity and limited differentiation in European larch (Larixdecidua) populations from Romania. <i>Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2018 , 42, 165-175 | 2.2 | 10 |
| 97 | Biochemical Markers of Salt Stress in European Larch (Larix decidua). <i>Notulae Scientia Biologicae</i> , 2018 , 10, 430-438 | 0.4 | 3 |
| 96 | Screening for Salt Tolerance in Four Local Varieties of Phaseolus lunatus from Spain. <i>Agriculture</i> (Switzerland), 2018 , 8, 201 | 3 | 9 |
| 95 | Biochemical responses to drought, at the seedling stage, of several Romanian Carpathian populations of Norway spruce (Picea abies L. Karst). <i>Trees - Structure and Function</i> , 2017 , 31, 1479-1490 | 2.6 | 13 |
| 94 | Effects of salinity and drought on growth, ionic relations, compatible solutes and activation of antioxidant systems in oleander (Nerium oleander L.). <i>PLoS ONE</i> , 2017 , 12, e0185017 | 3.7 | 68 |
| 93 | A Methodological Approach for Testing the Viability of Seeds Stored in Short-Term Seed Banks. <i>Notulae Scientia Biologicae</i> , 2017 , 9, 563-570 | 0.4 | 9 |
| 92 | Antioxidant responses under salinity and drought in three closely related wild monocots with different ecological optima. <i>AoB PLANTS</i> , 2017 , 9, plx009 | 2.9 | 60 |
| 91 | Unraveling Salt Tolerance Mechanisms in Halophytes: A Comparative Study on Four Mediterranean Species with Different Geographic Distribution Patterns. <i>Frontiers in Plant Science</i> , 2017 , 8, 1438 | 6.2 | 44 |
| 90 | Flavonoids: Antioxidant Compounds for Plant Defence and for a Healthy Human Diet. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2017 , 46, 14-21 | 1.2 | 25 |
| 89 | Comparative analysis of drought responses in Phaseolus vulgaris (common bean) and P. coccineus (runner bean) cultivars. <i>The EuroBiotech Journal</i> , 2017 , 1, 247-252 | 1.5 | 8 |

(2014-2016)

| 88 | Stress tolerance mechanisms in Juncus: responses to salinity and drought in three Juncus species adapted to different natural environments. <i>Functional Plant Biology</i> , 2016 , 43, 949-960 | 2.7 | 25 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 87 | Proline and glycine betaine accumulation in two succulent halophytes under natural and experimental conditions. <i>Plant Biosystems</i> , 2016 , 150, 904-915 | 1.6 | 24 |
| 86 | Contribution of Osmolyte Accumulation to Abiotic Stress Tolerance in Wild Plants Adapted to Different Stressful Environments 2016 , 13-25 | | 11 |
| 85 | Environmentally induced changes in antioxidant phenolic compounds levels in wild plants. <i>Acta Physiologiae Plantarum</i> , 2016 , 38, 1 | 2.6 | 46 |
| 84 | Effects of Salt Stress on Three Ecologically Distinct Plantago Species. <i>PLoS ONE</i> , 2016 , 11, e0160236 | 3.7 | 44 |
| 83 | Screening for drought tolerance in cultivars of the ornamental genus Tagetes (Asteraceae). <i>PeerJ</i> , 2016 , 4, e2133 | 3.1 | 24 |
| 82 | Cloning, Sequence Analysis and Expression Patterns during Seed Germination of a Rapeseed (Brassica napus L.) G-x-S-x-G-motif Lipase Gene. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2016 , 44, 435-444 | 1.2 | 1 |
| 81 | Salinity-Induced Variation in Biochemical Markers Provides Insight into the Mechanisms of Salt Tolerance in Common (Phaseolus vulgaris) and Runner (P. coccineus) Beans. <i>International Journal of Molecular Sciences</i> , 2016 , 17, | 6.3 | 30 |
| 80 | Native-Invasive Plants vs. Halophytes in Mediterranean Salt Marshes: Stress Tolerance Mechanisms in Two Related Species. <i>Frontiers in Plant Science</i> , 2016 , 7, 473 | 6.2 | 38 |
| 79 | Identification of Discriminant Factors after Exposure of Maize and Common Bean Plantlets to Abiotic Stresses. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2015 , 43, 589-598 | 1.2 | 6 |
| 78 | Effects of Salt and Water Stress on Plant Growth and on Accumulation of Osmolytes and Antioxidant Compounds in Cherry Tomato. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2015 , 43, 1-11 | 1.2 | 54 |
| 77 | Identification of Salt Stress Biomarkers in Romanian Carpathian Populations of Picea abies (L.) Karst. <i>PLoS ONE</i> , 2015 , 10, e0135419 | 3.7 | 21 |
| 76 | Breeding and Domesticating Crops Adapted to Drought and Salinity: A New Paradigm for Increasing Food Production. <i>Frontiers in Plant Science</i> , 2015 , 6, 978 | 6.2 | 180 |
| 75 | Anatomical Modifications in two Juncus Species under Salt Stress Conditions. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2015 , 43, 501-506 | 1.2 | 3 |
| 74 | Responses to Environmental Stress in Plants Adapted to Mediterranean Gypsum Habitats. <i>Notulae Scientia Biologicae</i> , 2015 , 7, 37-44 | 0.4 | 2 |
| 73 | Responses to Environmental Stress in Plants Adapted to Mediterranean Gypsum Habitats. <i>Notulae Scientia Biologicae</i> , 2015 , 7, | 0.4 | 4 |
| 72 | Effects of Salt and Water Stress on Plant Growth and on Accumulation of Osmolytes and Antioxidant Compounds in Cherry Tomato. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2015 , 43, | 1.2 | 8 |
| 71 | Drought Tolerance in Several Tagetes L. Cultivars. <i>Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca: Horticulture</i> , 2014 , 71, | 0.4 | 3 |

| 70 | Growth and Reproductive Success under Saline Conditions of Three Plantago Species with Different Levels of Stress Tolerance. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2014 , 42, | 1.2 | 7 |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 69 | Is salinity the main ecologic factor that shapes the distribution of two endemic Mediterranean plant species of the genus Gypsophila?. <i>Plant and Soil</i> , 2014 , 384, 363-379 | 4.2 | 9 |
| 68 | Responses of five Mediterranean halophytes to seasonal changes in environmental conditions. <i>AoB PLANTS</i> , 2014 , 6, | 2.9 | 47 |
| 67 | Environmental-dependent proline accumulation in plants living on gypsum soils. <i>Acta Physiologiae Plantarum</i> , 2013 , 35, 2193-2204 | 2.6 | 9 |
| 66 | Are soluble carbohydrates ecologically relevant for salt tolerance in halophytes?. <i>Functional Plant Biology</i> , 2013 , 40, 805-818 | 2.7 | 74 |
| 65 | Proline as a biochemical marker in relation to the ecology of two halophytic Juncus species. <i>Journal of Plant Ecology</i> , 2013 , 6, 177-186 | 1.7 | 39 |
| 64 | Mitigation of Salt Stress-Induced Inhibition of Plantago crassifolia Reproductive Development by Supplemental Calcium or Magnesium. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2012 , 40, 58 | 1.2 | 23 |
| 63 | Do Halophytes Really Require Salts for Their Growth and Development? An Experimental Approach. <i>Notulae Scientia Biologicae</i> , 2012 , 4, 23-29 | 0.4 | 41 |
| 62 | Stress-tolerant Wild Plants: a Source of Knowledge and Biotechnological Tools for the Genetic Improvement of Stress Tolerance in Crop Plants. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2012 , 40, 323 | 1.2 | 8 |
| 61 | Responses to salt stress in Juncus acutus and J. maritimus during seed germination and vegetative plant growth. <i>Plant Biosystems</i> , 2011 , 145, 770-777 | 1.6 | 29 |
| 60 | Opportunistic Germination Behaviour of Gypsophila (Caryophyllaceae) in Two Priority Habitats from Semi-arid Mediterranean Steppes. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2011 , 39, 18 | 1.2 | 6 |
| 59 | Soluble Carbohydrates as Osmolytes in Several Halophytes from a Mediterranean Salt Marsh. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2011 , 39, 09 | 1.2 | 45 |
| 58 | Plant responses to abiotic stress. <i>Current Opinion in Biotechnology</i> , 2011 , 22, S130 | 11.4 | 3 |
| 57 | Genetic variability in the endemic Leucojum valentinum. <i>Biologia Plantarum</i> , 2009 , 53, 317-320 | 2.1 | 7 |
| 56 | Nuclear DNA content variation in Halimium and Xolantha (Cistaceae). <i>Plant Biosystems</i> , 2008 , 142, 17-23 | 31.6 | 3 |
| 55 | In situ molecular identification of the Ntf4 MAPK expression sites in maturing and germinating pollen. <i>Biology of the Cell</i> , 2007 , 99, 209-21 | 3.5 | 11 |
| 54 | Overexpression of Arabidopsis thaliana LTL1, a salt-induced gene encoding a GDSL-motif lipase, increases salt tolerance in yeast and transgenic plants. <i>Plant, Cell and Environment</i> , 2006 , 29, 1890-900 | 8.4 | 73 |
| 53 | Intragenomic diversity and phylogenetic systematics of wild rosemaries (Rosmarinus officinalis L. s.l., Lamiaceae) assessed by nuclear ribosomal DNA sequences (ITS). <i>Plant Systematics and Evolution</i> , 2006 , 262, 1-12 | 1.3 | 23 |

(1996-2005)

| 52 | Sp i t zer Mid-Infrared Spectroscopy of Ices toward Extincted Background Stars. <i>Astrophysical Journal</i> , 2005 , 635, L145-L148 | 4.7 | 100 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 51 | Effects of salt stress on the reproductive biology of the halophyte Plantago crassifolia. <i>Biologia Plantarum</i> , 2005 , 49, 141-143 | 2.1 | 15 |
| 50 | Development of a citrus genome-wide EST collection and cDNA microarray as resources for genomic studies. <i>Plant Molecular Biology</i> , 2005 , 57, 375-91 | 4.6 | 103 |
| 49 | Responses to salt stress in the halophyte Plantago crassifolia (Plantaginaceae). <i>Journal of Arid Environments</i> , 2004 , 58, 463-481 | 2.5 | 111 |
| 48 | FUNCTIONAL GENOMICS OF SALT TOLERANCE: THE YEAST OVEREXPRESSION APPROACH. <i>Acta Horticulturae</i> , 2003 , 31-38 | 0.3 | 5 |
| 47 | Lithium treatment induces a hypersensitive-like response in tobacco. <i>Planta</i> , 2003 , 217, 417-24 | 4.7 | 36 |
| 46 | Salt Stress Proteins Identified by a Functional Approach in Yeast. <i>Monatshefte Fil Chemie</i> , 2003 , 134, 1445-1464 | 1.4 | 14 |
| 45 | Expression of Arabidopsis SR-like splicing proteins confers salt tolerance to yeast and transgenic plants. <i>Plant Journal</i> , 2002 , 30, 511-9 | 6.9 | 66 |
| 44 | Intra- and interspecific variation in DNA content in Cistus (Cistaceae). Annals of Botany, 2002, 90, 345-5 | 14.1 | 48 |
| 43 | The yeast SR protein kinase Sky1p modulates salt tolerance, membrane potential and the Trk1,2 potassium transporter. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002 , 1565, 36-40 | 3.8 | 34 |
| 42 | Chromosome numbers, karyotypes and nuclear DNA contents from perennial polyploid groups of Cerastium (Caryophyllaceae). <i>Plant Systematics and Evolution</i> , 1999 , 218, 13-21 | 1.3 | 13 |
| 41 | Ultrastructural distribution of a MAP kinase and transcripts in quiescent and cycling plant cells and pollen grains. <i>Journal of Cell Science</i> , 1999 , 112, 1065-1076 | 5.3 | 25 |
| 40 | Evidence for the activation of a MAP kinase upon phosphate-induced cell cycle re-entry in tobacco cells. <i>Physiologia Plantarum</i> , 1998 , 102, 532-538 | 4.6 | 20 |
| 39 | A cell cycle regulated MAP kinase with a possible role in cytokinesis in tobacco cells. <i>Journal of Cell Science</i> , 1998 , 111, 3091-3100 | 5.3 | 98 |
| 38 | A developmentally regulated MAP kinase activated by hydration in tobacco pollen. <i>Plant Cell</i> , 1997 , 9, 2093-100 | 11.6 | 89 |
| 37 | Initiation of microspore embryogenesis by stress. <i>Trends in Plant Science</i> , 1997 , 2, 297-302 | 13.1 | 233 |
| 36 | Stress-induced formation of haploid plants through anther culture in cork oak (Quercus suber). <i>Physiologia Plantarum</i> , 1997 , 99, 335-341 | 4.6 | 60 |
| 35 | Efficient microspore embryogenesis in wheat (Triticum aestivum L.) induced by starvation at high temperature. <i>Sexual Plant Reproduction</i> , 1996 , 9, 209-215 | | 133 |

| 34 | Stress-induced microspore embryogenesis in tobacco: an optimized system for molecular studies. Plant Cell Reports, 1996 , 15, 561-5 | 5. 1 | 92 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----|
| 33 | Stress as the major signal controlling the developmental fate of tobacco microspores: towards a unified model of induction of microspore/pollen embryogenesis. <i>Planta</i> , 1996 , 200, 144 | l-7 | 68 |
| 32 | Bet v 1 proteins, the major birch pollen allergens and members of a family of conserved pathogenesis-related proteins, show ribonuclease activity in vitro. <i>Physiologia Plantarum</i> , 1996 , 96, 433-4 | l38 | 77 |
| 31 | Stability in Ploidy Level During Somatic Embryogenesis in Quercus Canariensis. <i>Forestry Sciences</i> , 1996 , 23-28 | | 8 |
| 30 | Stress-induced microspore embryogenesis in tobacco: an optimized system for molecular studies 1996 , 15, 561 | | 7 |
| 29 | Efficient microspore embryogenesis in wheat (Triticum aestivum L.) induced by starvation at high temperature 1996 , 9, 209 | | 10 |
| 28 | Bet v 1 proteins, the major birch pollen allergens and members of a family of conserved pathogenesis-related proteins, show ribonuclease activity in vitro. <i>Physiologia Plantarum</i> , 1996 , 96, 433-4 | 38 | 7 |
| 27 | In Vitro Pollen Cultures: Progress and Perspectives 1996 , 85-109 | | 4 |
| 26 | The expression of a small heat shock gene is activated during induction of tobacco pollen embryogenesis by starvation*. <i>Plant, Cell and Environment</i> , 1995 , 18, 139-147 | 3.4 | 92 |
| 25 | cDNA cloning and characterization of three genes in the Bet v 1 gene family that encode pathogenesis-related proteins*. <i>Plant, Cell and Environment</i> , 1995 , 18, 865-874 | 3.4 | 52 |
| 24 | Isolation and expression during pollen development of a tobacco cDNA clone encoding a protein kinase homologous to shaggy/glycogen synthase kinase-3. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995 , 1260, 315-9 | | 19 |
| 23 | In situ characterization of the late vacuolate microspore as a convenient stage to induce embryogenesis inCapsicum. <i>Protoplasma</i> , 1995 , 187, 60-71 | .4 | 32 |
| 22 | Expression of Bet v 1, the major birch pollen allergen, during anther development. <i>Protoplasma</i> , 1995 , 187, 103-110 | ··4 | 21 |
| 21 | Cellular changes during the acquisition of embryogenic potential in isolated pollen grains of Nicotiana tabacum. <i>Protoplasma</i> , 1995 , 186, 220-230 | .4 | 23 |
| 20 | Isoforms of Bet v 1, the major birch pollen allergen, analyzed by liquid chromatography, mass spectrometry, and cDNA cloning. <i>Journal of Biological Chemistry</i> , 1995 , 270, 2607-13 | 5.4 | 155 |
| 19 | Maintenance of gametophytic development after symmetrical division in tobacco microspore culture. <i>Sexual Plant Reproduction</i> , 1995 , 8, 70 | | 17 |
| 18 | Molecular cloning, functional expression in Escherichia coli, and characterization of multiple mitogen-activated-protein kinases from tobacco. <i>FEBS Journal</i> , 1995 , 233, 249-57 | | 59 |
| 17 | A birch gene family encoding pollen allergens and pathogenesis-related proteins. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994 , 1219, 457-64 | | 50 |

LIST OF PUBLICATIONS

| 16 | De novo transcription of specific mRNAs during the induction of tobacco pollen embryogenesis. Sexual Plant Reproduction, 1993 , 6, 40 | | 44 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 15 | Isolation and characterization of a tobacco cDNA clone encoding a putative MAP kinase. <i>Plant Molecular Biology</i> , 1993 , 23, 543-51 | 4.6 | 71 |
| 14 | Ultrastructural rRNA localization in plant cell nucleoli. RNA/RNA in situ hybridization, autoradiography and cytochemistry. <i>Journal of Cell Science</i> , 1993 , 106, 1333-1346 | 5.3 | 14 |
| 13 | Flavonols stimulate development, germination, and tube growth of tobacco pollen. <i>Plant Physiology</i> , 1992 , 100, 902-7 | 6.6 | 160 |
| 12 | Derepression of the cell cycle by starvation is involved in the induction of tobacco pollen embryogenesis. <i>Sexual Plant Reproduction</i> , 1992 , 5, 189-194 | | 60 |
| 11 | Plant endogenous beta-glucuronidase activity: how to avoid interference with the use of the E. coli beta-glucuronidase as a reporter gene in transgenic plants. <i>Transgenic Research</i> , 1992 , 1, 63-70 | 3.3 | 31 |
| 10 | Pollen cultures as a tool to study plant development. <i>Cell Biology Reviews: CBR</i> , 1991 , 25, 295-306 | | 7 |
| 9 | RNA 3Rterminal phosphate cyclase from HeLa cells. <i>Methods in Enzymology</i> , 1990 , 181, 499-510 | 1.7 | 16 |
| 8 | Embryogenic Cultures of Tobacco Pollen as a Model System to Study Plant Rejuvenation 1990 , 389-393 | | |
| 7 | Phosphorylation and guanine nucleotide exchange on polypeptide chain initiation factor-2 from Artemia embryos. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1989 , 1007, 55-60 | | 5 |
| 6 | Purification of RNA 3Rterminal phosphate cyclase from HeLa cells. Covalent modification of the enzyme with different nucleotides. <i>FEBS Journal</i> , 1988 , 176, 431-9 | | 12 |
| 5 | Reactivity with monoclonal antibodies of viruses from an episode of foot-and-mouth disease. <i>Virus Research</i> , 1987 , 8, 261-74 | 6.4 | 109 |
| 4 | Protein synthesis in Drosophila melanogaster embryos. Purification and characterization of polypeptide chain-initiation factor 2. <i>FEBS Journal</i> , 1987 , 162, 221-9 | | 17 |
| 3 | Studies on the activation of the heme-stabilized translational inhibitor of reticulocyte lysates by oxidized glutathione and NADPH depletion. <i>Archives of Biochemistry and Biophysics</i> , 1985 , 239, 497-507 | 4.1 | 26 |
| 2 | Inhibition of eukaryotic cell-free protein synthesis by thionins from wheat endosperm. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1983 , 740, 52-56 | | 18 |
| 1 | Preformed mRNA in Cotyledons of Ungerminated Seeds of Cicer arietinum L. <i>Plant Physiology</i> , 1980 , 65, 1128-32 | 6.6 | 9 |
| | | | |