

Michael G Tal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3660922/publications.pdf>

Version: 2024-02-01

12
papers

174
citations

1478505

6
h-index

1372567

10
g-index

12
all docs

12
docs citations

12
times ranked

156
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of Recirculation Percentage of the Palindrome Catheter and Standard Hemodialysis Catheters in a Swine Model. <i>Journal of Vascular and Interventional Radiology</i> , 2005, 16, 1237-1240.	0.5	42
2	Comparison of side hole versus non side hole high flow hemodialysis catheters. <i>Hemodialysis International</i> , 2006, 10, 63-67.	0.9	35
3	Selecting Optimal Hemodialysis Catheters: Material, Design, Advanced Features, and Preferences. <i>Techniques in Vascular and Interventional Radiology</i> , 2008, 11, 186-191.	1.0	33
4	Induction of Diabetes in Nonhuman Primates by Means of Temporary Arterial Embolization and Selective Arterial Injection of Streptozotocin. <i>Radiology</i> , 2004, 230, 163-168.	7.3	24
5	Vein of Galen Technique for Occluding the Aneurysmal Sac of Pulmonary Arteriovenous Malformations. <i>Journal of Vascular and Interventional Radiology</i> , 2002, 13, 1261-1264.	0.5	15
6	Histologic findings after mechanochemical ablation in a caprine model with use of ClariVein. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2015, 3, 81-85.	1.6	15
7	Reduced nontarget embolization and increased targeted delivery with a reflux-control microcatheter in a swine model. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 641-648.	3.2	5
8	Clot accumulation at the tip of hemodialysis catheters in a large animal model. <i>Journal of Vascular Access</i> , 2020, , 112972982098361.	0.9	3
9	<i>Staphylococcus aureus</i> accumulation at the tip of hemodialysis catheters with or without tip side holes in catheter related bloodstream infection in a large animal. <i>Journal of Vascular Access</i> , 2021, , 112972982110128.	0.9	1
10	Catheter-related blood stream infection in hemodialysis patients with symmetric tunneled non-side-hole hemodialysis catheters. <i>Journal of Vascular Access</i> , 2023, 24, 614-619.	0.9	1
11	Inframalleolar access in endovenous treatment of venous ulcers and C5 disease with nonthermal nontumescent techniques. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2022, 10, 417-422.	1.6	0
12	Initial Clinical Experience with a Symmetric Tip Tunneled Hemodialysis Catheter Without Side Holes. <i>ASAIO Journal</i> , 2021, Publish Ahead of Print, 1257-1262.	1.6	0