

Monica C Ledur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3662348/publications.pdf>

Version: 2024-02-01

94
papers

1,295
citations

361045

20
h-index

454577

30
g-index

96
all docs

96
docs citations

96
times ranked

1193
citing authors

#	ARTICLE	IF	CITATIONS
1	Comprehensive Analyses of Bone and Cartilage Transcriptomes Evince Ion Transport, Inflammation and Cartilage Development-Related Genes Involved in Chickens'™ Femoral Head Separation. <i>Animals</i> , 2022, 12, 788.	1.0	1
2	Upregulated genes in articular cartilage may help to counteract femoral head separation in broilers with 21 days of age. <i>Research in Veterinary Science</i> , 2022, 147, 92-95.	0.9	3
3	Exploring the genetic architecture of feed efficiency traits in chickens. <i>Scientific Reports</i> , 2021, 11, 4622.	1.6	23
4	Genome-wide detection of CNVs and their association with performance traits in broilers. <i>BMC Genomics</i> , 2021, 22, 354.	1.2	23
5	Transcription Landscape of the Early Developmental Biology in Pigs. <i>Animals</i> , 2021, 11, 1443.	1.0	3
6	A dinâmica do resíduo de ractopamina na produção de suínos: farinha de carne e ossos, tecidos e urina. , 2021, , 55-70.		0
7	Differential Expression of Myogenic and Calcium Signaling-Related Genes in Broilers Affected With White Striping. <i>Frontiers in Physiology</i> , 2021, 12, 712464.	1.3	8
8	A Missense Mutation in the MYBPH Gene Is Associated With Abdominal Fat Traits in Meat-Type Chickens. <i>Frontiers in Genetics</i> , 2021, 12, 698163.	1.1	4
9	Differentially expressed genes in the femur cartilage transcriptome clarify the understanding of femoral head separation in chickens. <i>Scientific Reports</i> , 2021, 11, 17965.	1.6	4
10	SAP30 Gene Is a Probable Regulator of Muscle Hypertrophy in Chickens. <i>Frontiers in Genetics</i> , 2021, 12, 709937.	1.1	1
11	Genes and SNPs Involved with Scrotal and Umbilical Hernia in Pigs. <i>Genes</i> , 2021, 12, 166.	1.0	5
12	Innate immunity in chicken lines developed by EMBRAPA Suínos e Aves: antimicrobial activity of macrophages and serum. <i>Revista Brasileira De Zootecnia</i> , 2021, 50, .	0.3	0
13	A joint analysis using exome and transcriptome data identifies candidate polymorphisms and genes involved with umbilical hernia in pigs. <i>BMC Genomics</i> , 2021, 22, 818.	1.2	3
14	Stable reference genes for expression studies in breast muscle of normal and white striping-affected chickens. <i>Molecular Biology Reports</i> , 2020, 47, 45-53.	1.0	8
15	Putative Epigenetic Biomarkers of Stress in Red Blood Cells of Chickens Reared Across Different Biomes. <i>Frontiers in Genetics</i> , 2020, 11, 508809.	1.1	16
16	Reference genes for proximal femoral epiphysiolysis expression studies in broilers cartilage. <i>PLoS ONE</i> , 2020, 15, e0238189.	1.1	9
17	Transcriptome analysis identifies genes involved with the development of umbilical hernias in pigs. <i>PLoS ONE</i> , 2020, 15, e0232542.	1.1	10
18	RNA-seq reveals downregulated osteochondral genes potentially related to tibia bacterial chondronecrosis with osteomyelitis in broilers. <i>BMC Genetics</i> , 2020, 21, 58.	2.7	4

#	ARTICLE	IF	CITATIONS
19	lâ€•Arginine supplementation of gilts during early gestation modulates energy sensitive pathways in pig conceptuses. <i>Molecular Reproduction and Development</i> , 2020, 87, 819-834.	1.0	4
20	Inguinal Ring RNA Sequencing Reveals Downregulation of Muscular Genes Related to Scrotal Hernia in Pigs. <i>Genes</i> , 2020, 11, 117.	1.0	6
21	Genetic parameters for performance and carcass traits in a paternal 1 lineage of broiler. <i>Anais Da Academia Brasileira De Ciencias</i> , 2020, 92, e20180697.	0.3	4
22	Replacement of corn and soybean meal with corn gluten meal on roosterâ€™s diet. <i>Turkish Journal of Veterinary and Animal Sciences</i> , 2020, 44, 798-804.	0.2	1
23	60 Re-ranking of estimated breeding values using different panel densities with ssGBLUP in broiler chickens. <i>Journal of Animal Science</i> , 2019, 97, 36-37.	0.2	0
24	Unraveling genomic associations with feed efficiency and body weight traits in chickens through an integrative approach. <i>BMC Genetics</i> , 2019, 20, 83.	2.7	10
25	Genome-wide association scan for QTL and their positional candidate genes associated with internal organ traits in chickens. <i>BMC Genomics</i> , 2019, 20, 669.	1.2	17
26	Identification of selection signatures involved in performance traits in a paternal broiler line. <i>BMC Genomics</i> , 2019, 20, 449.	1.2	28
27	Genomic structure of a crossbred Landrace pig population. <i>PLoS ONE</i> , 2019, 14, e0212266.	1.1	14
28	Sex Determination Using RNA-Sequencing Analyses in Early Prenatal Pig Development. <i>Genes</i> , 2019, 10, 1010.	1.0	7
29	Proximal femoral head transcriptome reveals novel candidate genes related to epiphysiolysis in broiler chickens. <i>BMC Genomics</i> , 2019, 20, 1031.	1.2	11
30	New genes involved in the Bacterial Chondronecrosis with Osteomyelitis in commercial broilers. <i>Livestock Science</i> , 2018, 208, 33-39.	0.6	11
31	Reduced-rank estimation of genetic parameters for egg production traits and cluster analyses with predicted breeding values. <i>Acta Agriculturae Scandinavica - Section A: Animal Science</i> , 2018, 68, 81-86.	0.2	0
32	Application of Enzyme Digestion and Deconjugation Followed by Quick, Easy, Cheap, Effective, Rugged, Safe Extraction and Liquid Chromatographyâ€™Tandem Mass Spectrometry Methodology To Determine Ractopamine Residue in Pork. <i>Journal of Food Protection</i> , 2018, 81, 1258-1263.	0.8	7
33	Integration of genome wide association studies and whole genome sequencing provides novel insights into fat deposition in chicken. <i>Scientific Reports</i> , 2018, 8, 16222.	1.6	29
34	Identification of endogenous normalizing genes for expression studies in inguinal ring tissue for scrotal hernias in pigs. <i>PLoS ONE</i> , 2018, 13, e0204348.	1.1	10
35	Identification of Genetic Regions Associated with Scrotal Hernias in a Commercial Swine Herd. <i>Veterinary Sciences</i> , 2018, 5, 15.	0.6	8
36	Genome-wide characterization of genetic variants and putative regions under selection in meat and egg-type chicken lines. <i>BMC Genomics</i> , 2018, 19, 83.	1.2	39

#	ARTICLE	IF	CITATIONS
37	A genome-wide association study reveals novel genomic regions and positional candidate genes for fat deposition in broiler chickens. BMC Genomics, 2018, 19, 374.	1.2	28
38	Genome-wide association study for performance traits in chickens using genotype by sequencing approach. Scientific Reports, 2017, 7, 41748.	1.6	33
39	Genetic variation of the bronze locus (MC1R) in turkeys from Southern Brazil. Genetics and Molecular Biology, 2017, 40, 104-108.	0.6	2
40	Estimates of genetic parameters and cluster analyses for carcass and meat quality traits in birds. Pesquisa Agropecuaria Brasileira, 2017, 52, 205-213.	0.9	3
41	Parâmetros genéticos e efeitos de sexo e cruzamento recíproco sobre características de interesse econômico em aves F2. Arquivo Brasileiro De Medicina Veterinária E Zootecnia, 2016, 68, 716-724.	0.1	2
42	Genome-wide association study of periweaning failure-to-thrive syndrome (PFTS) in pigs. Veterinary Record, 2016, 178, 653-653.	0.2	6
43	High-throughput and Cost-effective Chicken Genotyping Using Next-Generation Sequencing. Scientific Reports, 2016, 6, 26929.	1.6	55
44	Genetic diversity analysis of two commercial breeds of pigs using genomic and pedigree data. Genetics Selection Evolution, 2016, 48, 24.	1.2	61
45	Quantitative trait loci with sex-specific effects for internal organs weights and hematocrit value in a broiler-layer cross. Journal of Applied Genetics, 2016, 57, 215-224.	1.0	6
46	Comparison of iterated single-step and Bayesian regressions on genomic evaluations for age at 100 kg in swine1. Journal of Animal Science, 2015, 93, 4675-4683.	0.2	0
47	Genetic parameters and mapping quantitative trait loci associated with tibia traits in broilers. Genetics and Molecular Research, 2015, 14, 17544-17554.	0.3	4
48	Identification of polymorphisms associated with production traits on chicken (Gallus gallus) chromosome 4. Genetics and Molecular Research, 2015, 14, 10717-10728.	0.3	15
49	Association of Apolipoprotein B and Adiponectin Receptor 1 Genes with Carcass, Bone Integrity and Performance Traits in a Paternal Broiler Line. PLoS ONE, 2015, 10, e0136824.	1.1	9
50	Association between ACTA1 candidate gene and performance, organs and carcass traits in broilers. Poultry Science, 2015, 94, 2863-2869.	1.5	9
51	SNP and INDEL detection in a QTL region on chicken chromosome 2 associated with muscle deposition. Animal Genetics, 2015, 46, 158-163.	0.6	21
52	Variant discovery in a QTL region on chromosome 3 associated with fatness in chickens. Animal Genetics, 2015, 46, 141-147.	0.6	28
53	Phenotypic, genetic and environmental parameters for traits related to femur bone integrity and body weight at 42 days of age in a broiler population. Poultry Science, 2015, 94, 2604-2607.	1.5	8
54	Unravelling the genetic components involved in the immune response of pigs vaccinated against influenza virus. Virus Research, 2015, 210, 327-336.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Identification and characterization of microRNAs expressed in chicken skeletal muscle. <i>Genetics and Molecular Research</i> , 2014, 13, 1465-1479.	0.3	10
56	Genetic and phenotypic parameters of carcass and organ traits of broiler chickens. <i>Genetics and Molecular Research</i> , 2014, 13, 10294-10300.	0.3	24
57	Genetic parameter estimates and principal component analysis on performance and carcass traits of a terminal pig sire line. <i>Acta Agriculturae Scandinavica - Section A: Animal Science</i> , 2014, 64, 137-144.	0.2	2
58	Unraveling the associations of osteoprotegerin gene with production traits in a paternal broiler line. <i>SpringerPlus</i> , 2014, 3, 682.	1.2	16
59	Composite interval mapping and mixed models reveal QTL associated with performance and carcass traits on chicken chromosomes 1, 3, and 4. <i>Journal of Applied Genetics</i> , 2014, 55, 97-103.	1.0	1
60	Genetic parameters and principal component analysis for egg production from White Leghorn hens. <i>Poultry Science</i> , 2013, 92, 2283-2289.	1.5	23
61	Association of IGF1 and KDM5A polymorphisms with performance, fatness and carcass traits in chickens. <i>Journal of Applied Genetics</i> , 2013, 54, 103-112.	1.0	32
62	Identification and association of polymorphisms in CAPN1 and CAPN3 candidate genes related to performance and meat quality traits in chickens. <i>Genetics and Molecular Research</i> , 2013, 12, 472-482.	0.3	23
63	Polymorphisms in FGF1 and FGF2 genes associated with carcass and meat quality traits in chickens. <i>Genetics and Molecular Research</i> , 2013, 12, 208-222.	0.3	11
64	Egg production curve fitting using nonlinear models for selected and nonselected lines of White Leghorn hens. <i>Poultry Science</i> , 2012, 91, 2977-2987.	1.5	26
65	Estimation of genetic parameters for partial egg production periods by means of random regression models. <i>Genetics and Molecular Research</i> , 2012, 11, 1819-1829.	0.3	14
66	Quantitative trait loci associated with chemical composition of the chicken carcass. <i>Animal Genetics</i> , 2012, 43, 570-576.	0.6	14
67	Comparison of logistic and neural network models to fit to the egg production curve of White Leghorn hens. <i>Poultry Science</i> , 2011, 90, 705-711.	1.5	27
68	Genetic parameters for body weight, carcass chemical composition and yield in a broiler-layer cross developed for QTL mapping. <i>Genetics and Molecular Biology</i> , 2011, 34, 429-434.	0.6	8
69	Heritabilities and genetic correlations for reproductive traits in an F2 reciprocal cross chicken population. <i>Genetics and Molecular Research</i> , 2011, 10, 1247-1254.	0.3	7
70	QTL for percentage of carcass and carcass parts in a broiler x layer cross. <i>Animal Genetics</i> , 2011, 42, 117-124.	0.6	20
71	Estimates of genetic parameters, and cluster and principal components analyses of breeding values related to egg production traits in a White Leghorn population. <i>Poultry Science</i> , 2011, 90, 2174-2188.	1.5	50
72	Regiões genômicas associadas a características de desempenho e carcaça no cromossomo 5 de linhagens Brasileiras de galinha. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 229-238.	0.9	2

#	ARTICLE	IF	CITATIONS
73	Large-scale SNP genotyping in crosses between outbred lines: how useful is it?. <i>Heredity</i> , 2010, 105, 173-182.	1.2	21
74	Mapping quantitative trait loci in <i>Gallus gallus</i> using principal components. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 2434-2441.	0.3	4
75	Precision of distances and ordering of microsatellite markers in consensus linkage maps of chromosomes 1, 3 and 4 from two reciprocal chicken populations using bootstrap sampling. <i>Genetics and Molecular Research</i> , 2010, 9, 1357-1376.	0.3	4
76	Chicken skeletal muscle-associated macroarray for gene discovery. <i>Genetics and Molecular Research</i> , 2010, 9, 188-207.	0.3	0
77	Genotypic characterization of microsatellite markers in broiler and layer selected chicken lines and their reciprocal F1s. <i>Scientia Agricola</i> , 2009, 66, 150-158.	0.6	26
78	Quantitative differential expression of alpha and beta ryanodine receptor genes in PSE (Pale, Soft,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Technology, 2009, 52, 1519-1525.	0.5	18
79	Quantitative trait loci for performance traits in a broiler × layer cross. <i>Animal Genetics</i> , 2009, 40, 200-208.	0.6	46
80	Quantitative trait loci associated with fatness in a broiler × layer cross. <i>Animal Genetics</i> , 2009, 40, 729-736.	0.6	48
81	Data modeling as a main source of discrepancies in single and multiple marker association methods. <i>BMC Proceedings</i> , 2009, 3, S9.	1.8	4
82	Investigation of Leptin gene in broiler and layer chicken lines. <i>Scientia Agricola</i> , 2008, 65, 214-219.	0.6	8
83	Genetic linkage maps of chicken chromosomes 6, 7, 8, 11 and 13 from a Brazilian resource population. <i>Scientia Agricola</i> , 2008, 65, 447-452.	0.6	10
84	Contributions and perspectives of chicken genomics in Brazil: from biological model to export commodity. <i>World's Poultry Science Journal</i> , 2007, 63, 597-610.	1.4	3
85	ESTs and putative line-specific (broiler and layer) SNPs identified in genes expressed in <i>Gallus gallus</i> pituitary and hypothalamus. <i>Genetics and Molecular Biology</i> , 2007, 30, 1077-1081.	0.6	1
86	Principal components analysis applied to performance and carcass traits in the chicken. <i>Animal Research</i> , 2006, 55, 419-425.	0.6	26
87	Mapping QTLs on chicken chromosome 1 for performance and carcass traits in a broiler x layer cross. <i>Animal Genetics</i> , 2006, 37, 95-100.	0.6	74
88	Genetic linkage map of chicken chromosome 1 from a Brazilian resource population. <i>Scientia Agricola</i> , 2005, 62, 12-17.	0.6	11
89	Strategic marker selection to detect quantitative trait loci in chicken. <i>Scientia Agricola</i> , 2005, 62, 111-116.	0.6	7
90	Parâmetros genéticos para caracteres de sãmen de aves White Leghorn.: 1. Herdabilidades e correlações. <i>Revista Brasileira De Zootecnia</i> , 2000, 29, 1320-1326.	0.3	4

#	ARTICLE	IF	CITATIONS
91	Genetic effects of ageing on fertility and hatchability in the first laying cycle of three White Leghorn strains and their two-way crosses. <i>British Poultry Science</i> , 2000, 41, 552-561.	0.8	7
92	Mudan�as gen�ticas em linhas puras de frango de corte. <i>Pesquisa Agropecuaria Brasileira</i> , 1999, 34, 623-627.	0.9	2
93	Segmented polynomial model for estimation of egg production curves in laying hens. <i>British Poultry Science</i> , 1997, 38, 66-73.	0.8	21
94	Improving skeletal structure in meat-type chickens given fast weight gain and large breast yield through genetic selection.. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> , 0, , 1-9.	0.6	1