

Gerhard J Mohr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3663/gerhard-j-mohr-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

3,355
citations

37
h-index

52
g-index

105
ext. papers

3,546
ext. citations

5.9
avg, IF

5.38
L-index

#	Paper	IF	Citations
102	Capillary microfluidic platform for sulfite determination in wines. <i>Sensors and Actuators B: Chemical</i> , 2022 , 359, 131549	8.5	0
101	Scalable production of magnetic fluorescent cellulose microparticles. <i>Cellulose</i> , 2021 , 28, 7675-7685	5.5	2
100	Synthesis of naphthalimide-based indicator dyes with a 2-hydroxyethylsulfonfyl function for covalent immobilisation to cellulose. <i>Sensors and Actuators B: Chemical</i> , 2018 , 275, 439-445	8.5	15
99	Design and Characterization of Dicyanovinyl Reactive Dyes for the Colorimetric Detection of Thiols and Biogenic Amines. <i>Sensors</i> , 2018 , 18,	3.8	4
98	Indicator Layers Based on Ethylene-Vinyl Acetate Copolymer (EVA) and Dicyanovinyl Azobenzene Dyes for Fast and Selective Evaluation of Vaporous Biogenic Amines. <i>Sensors</i> , 2018 , 18,	3.8	6
97	Smart bandage with wireless connectivity for optical monitoring of pH. <i>Sensors and Actuators B: Chemical</i> , 2017 , 246, 455-460	8.5	59
96	Developing a sensor layer for the optical detection of amines during food spoilage. <i>Talanta</i> , 2017 , 170, 481-487	6.2	60
95	Indicator washcloth for detecting alkaline washing solutions to prevent dermatitis patients and babies from skin irritation. <i>Fashion and Textiles</i> , 2017 , 4,	2.8	9
94	The Development of Indicator Cotton Swabs for the Detection of pH in Wounds. <i>Sensors</i> , 2017 , 17,	3.8	21
93	Plasmonic optical sensor for determination of refractive index of human skin tissues. <i>Sensors and Actuators B: Chemical</i> , 2016 , 226, 312-317	8.5	11
92	Tailoring colour changes of optical sensor materials by combining indicator and inert dyes and their use in sensor layers, textiles and non-wovens. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 788-793	8.5	30
91	Mitoxantrone-loaded zeolite beta nanoparticles: preparation, physico-chemical characterization and biological evaluation. <i>Journal of Colloid and Interface Science</i> , 2012 , 365, 33-40	9.3	27
90	Fluorescence dye as novel label molecule for quantitative SERS investigations of an antibiotic. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 2625-31	4.4	22
89	Covalent immobilization of a fluorescent pH-sensitive naphthalimide dye in sol-gel films. <i>Journal of Sol-Gel Science and Technology</i> , 2012 , 63, 23-29	2.3	20
88	Chemosensors based on molecularly imprinted polymers. <i>Topics in Current Chemistry</i> , 2012 , 325, 165-265		48
87	Surface-functionalized fluorescent silica nanoparticles for the detection of ATP. <i>Chemical Communications</i> , 2011 , 47, 6066-8	5.8	51
86	Molecular recognition of the antiretroviral drug abacavir: towards the development of a novel carbazole-based fluorosensor. <i>Journal of Fluorescence</i> , 2011 , 21, 1195-204	2.4	2

85	Star-shaped tripodal chemosensors for the detection of aliphatic amines. <i>Chemistry - A European Journal</i> , 2011 , 17, 969-75	4.8	73
84	Spectroscopic Properties of Azobenzene-Based pH Indicator Dyes: A Quantum Chemical and Experimental Study. <i>Journal of Chemical Theory and Computation</i> , 2011 , 7, 1062-72	6.4	25
83	Magnetic and fluorescent core-shell nanoparticles for ratiometric pH sensing. <i>Nanotechnology</i> , 2011 , 22, 415501	3.4	31
82	Synthesis and sensing properties of a new carbazole fluorosensor for detection of abacavir. <i>Supramolecular Chemistry</i> , 2010 , 22, 598-602	1.8	5
81	Nanosensoren für die biotechnologische und medizinische Forschung Nanosensors for Biotechnological and Medical Research. <i>TM Technisches Messen</i> , 2010 , 77,	0.7	1
80	On the application of different bimetallic alloy nanoparticle combinations in fiber optic surface plasmon resonance salinity sensor and its performance optimization against thermal effects. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 3145-54	1.3	8
79	An ATP fluorescent chemosensor based on a Zn(II)-complexed dipicolylamine receptor coupled with a naphthalimide chromophore. <i>Chemical Communications</i> , 2010 , 46, 1085-7	5.8	146
78	Fluorescent nanoparticles for ratiometric pH-monitoring in the neutral range. <i>Journal of Materials Chemistry</i> , 2010 , 20, 1475		37
77	On the design of fluorescent ratiometric nanosensors. <i>Chemistry - A European Journal</i> , 2010 , 16, 10290-94.8		91
76	Design considerations for surface plasmon resonance-based fiber-optic detection of human blood group. <i>Journal of Biomedical Optics</i> , 2009 , 14, 064041	3.5	14
75	Two-Dye Core/Shell Zeolite Nanoparticles: A New Tool for Ratiometric pH Measurements. <i>Advanced Functional Materials</i> , 2009 , 19, 117-122	15.6	64
74	Ratiometric pH-nanosensors based on rhodamine-doped silica nanoparticles functionalized with a naphthalimide derivative. <i>Journal of Colloid and Interface Science</i> , 2009 , 339, 266-70	9.3	68
73	Spectroscopic and quantum chemical study of the Brønsted acid sites in zeolite L channels with acidochromic cyanine dyes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 204, 90-96	4.7	23
72	Ratiometric porphyrin-based layers and nanoparticles for measuring oxygen in biosamples. <i>Sensors and Actuators B: Chemical</i> , 2009 , 135, 472-477	8.5	54
71	On the temperature sensing capability of a fibre optic SPR mechanism based on bimetallic alloy nanoparticles. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 045104	3	12
70	Evaluation of fluorescent polysaccharide nanoparticles for pH-sensing. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 1884-9	3.9	37
69	Fluorescent polyacrylamide nanoparticles for naproxen recognition. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 1821-30	4.4	19
68	Fluorescent Polysaccharide Nanoparticles for pH-Sensing. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2009 , 22, 671-673	0.7	7

67	Biocompatible fluorescent nanoparticles for pH-sensing. <i>Soft Matter</i> , 2008 , 4, 1169-1172	3.6	81
66	Novel pH indicator dyes for array preparation via NHS ester activation or solid-phase organic synthesis. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 4319-22	3.9	28
65	Chemosensor for the optical detection of aliphatic amines and diamines. <i>Chemical Communications</i> , 2008 , 2272-4	5.8	43
64	Hybrid functionalised mesoporous silica/polymer composites for enhanced analyte monitoring using optical sensors. <i>Journal of Materials Chemistry</i> , 2008 , 18, 5815		41
63	On the performance of surface plasmon resonance based fibre optic sensor with different bimetallic nanoparticle alloy combinations. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 055106	3	60
62	Development and critical evaluation of fluorescent chloride nanosensors. <i>Analytical Chemistry</i> , 2008 , 80, 6526-31	7.8	53
61	Fibre-Optic and Nanoparticle-Based Fluorescence Sensing Using Indicator Dyes: Pitfalls, Self-Referencing, Application, and Future Trends. <i>Springer Series on Fluorescence</i> , 2008 , 347-372	0.5	2
60	Optical sensor based on sensitive polymer layer 2008 ,		1
59	Design of acidochromic dyes for facile preparation of pH sensor layers. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 392, 1411-8	4.4	37
58	Predicting spectral characteristics and reactivity of receptor molecules that perform reversible chemical reactions with analyte molecules. <i>Sensors and Actuators B: Chemical</i> , 2007 , 127, 414-419	8.5	1
57	Sol-gel-based optical sensor for the detection of aqueous amines. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 2863-70	4.4	24
56	Electronic properties of neutral dyes in the channels of zeolite L: a combined spectroscopic and quantum chemical study. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 8-15	3.4	21
55	New chromogenic and fluorogenic reagents and sensors for neutral and ionic analytes based on covalent bond formation—a review of recent developments. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 1201-14	4.4	92
54	POLYMERS FOR OPTICAL SENSORS. <i>NATO Science Series Series II, Mathematics, Physics and Chemistry</i> , 2006 , 297-321		6
53	Functional liquid crystal films selectively recognize amine vapours and simultaneously change their colour. <i>Chemical Communications</i> , 2006 , 1512-4	5.8	50
52	A fluorescent water-soluble naphthalimide-based receptor for saccharides with highest sensitivity in the physiological pH range. <i>Organic and Biomolecular Chemistry</i> , 2006 , 4, 2965-8	3.9	58
51	Optical sensor materials for the detection of amines in organic solvents. <i>Analytica Chimica Acta</i> , 2006 , 565, 42-47	6.6	28
50	Optical sensor arrays: one-pot, multiparallel synthesis and cellulose immobilization of pH and metal ion sensitive azo-dyes. <i>Tetrahedron</i> , 2006 , 62, 1502-1507	2.4	46

49	Comparison of trifluoroacetyl monostyryl and distyryl dyes: effects of chromophore elongation on the spectral properties and chemical reactivity. <i>Journal of Fluorescence</i> , 2006 , 16, 185-90	2.4	5
48	Fluororeactands for the Detection of Saccharides Based on Hemicyanine Dyes with a Boronic Acid Receptor. <i>Mikrochimica Acta</i> , 2006 , 153, 127-131	5.8	10
47	Covalent bond formation as an analytical tool to optically detect neutral and anionic analytes. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 2-13	8.5	44
46	Chromogenic and Fluorogenic Reactands: New Indicator Dyes for Monitoring Amines, Alcohols and Aldehydes 2004 , 51-66		
45	Chromo- and fluororeactands: indicators for detection of neutral analytes by using reversible covalent-bond chemistry. <i>Chemistry - A European Journal</i> , 2004 , 10, 1082-90	4.8	97
44	Photochemistry of the amine-sensor dye 4-N,N-dioctylamino-4'-trifluoroacetylazobenzene. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004 , 163, 341-345	4.7	9
43	Tailoring the sensitivity and spectral properties of a chromoreactand for the detection of amines and alcohols. <i>Analytica Chimica Acta</i> , 2004 , 508, 233-237	6.6	26
42	A tricyanovinyl azobenzene dye used for the optical detection of amines via a chemical reaction in polymer layers. <i>Dyes and Pigments</i> , 2004 , 62, 77-81	4.6	14
41	Aquacyanocobalt(III)-cobyrinate as a key compound in NO ₂ -sensitive polymeric liquid membranes. <i>Analytical Sciences</i> , 2003 , 19, 551-6	1.7	4
40	New chromoreactands for the detection of aldehydes, amines and alcohols. <i>Sensors and Actuators B: Chemical</i> , 2003 , 90, 31-36	8.5	39
39	A chromoreactand for optical sensing of amphetamines. <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 374, 399-402	4.4	18
38	Using reactands in CMOS-based calorimetric sensors: new functional materials for electronic noses. <i>Analytical Sciences</i> , 2002 , 18, 109-11	1.7	3
37	A chromoreactand for the selective detection of HSO ₃ ⁻ based on the reversible bisulfite addition reaction in polymer membranes. <i>Chemical Communications</i> , 2002 , 2646-7	5.8	83
36	Optical alcohol sensor using lipophilic Reichardt's dyes in polymer membranes. <i>Analytica Chimica Acta</i> , 2001 , 432, 269-275	6.6	36
35	Tailor-made dyes for fluorescence correlation spectroscopy (FCS). <i>Biological Chemistry</i> , 2001 , 382, 495-84.5		12
34	Fluoro reactants and dual luminophore referencing: a technique to optically measure amines. <i>Analytical Chemistry</i> , 2001 , 73, 1053-6	7.8	32
33	Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH 4001. <i>Analytica Chimica Acta</i> , 2000 , 414, 181-187	6.6	22
32	A highly sensitive NO ₂ -selective optode membrane. <i>Sensors and Actuators B: Chemical</i> , 2000 , 70, 165-168.5	8.5	12

31	Continuous optical monitoring of aqueous amines in transfectance mode. <i>Sensors and Actuators B: Chemical</i> , 2000 , 62, 154-161	8.5	18
30	Using N-aminoperylene-3,4:9,10-tetracarboxylbisimide as a fluorogenic reactand in the optical sensing of aqueous propionaldehyde. <i>Analytical Chemistry</i> , 2000 , 72, 1084-7	7.8	53
29	Reversible chemical reactions as the basis for optical sensors used to detect amines, alcohols and humidity. <i>Journal of Materials Chemistry</i> , 1999 , 9, 2259-2264		52
28	Plasticizer-Free Optode Membranes for Dissolved Amines Based on Copolymers from Alkyl Methacrylates and the Fluoro Reactand ETHHT 4014. <i>Analytical Chemistry</i> , 1999 , 71, 1534-1539	7.8	27
27	Synthesis and characterization of fluorophore-absorber pairs for sensing of ammonia based on fluorescence. <i>Analytica Chimica Acta</i> , 1998 , 360, 119-128	6.6	19
26	Effect of the Sol-Gel Matrix on the Performance of Ammonia Fluorosensors Based on Energy Transfer. <i>Journal of Fluorescence</i> , 1998 , 8, 199-205	2.4	7
25	Application of Chromogenic and Fluorogenic Reactands in the Optical Sensing of Dissolved Aliphatic Amines. <i>Analytical Chemistry</i> , 1998 , 70, 3868-3873	7.8	103
24	Development of Chromogenic Copolymers for Optical Detection of Amines. <i>Advanced Materials</i> , 1998 , 10, 1353-1357	24	41
23	Development of an optical membrane for humidity. <i>Mikrochimica Acta</i> , 1998 , 130, 29-34	5.8	10
22	Development of chromogenic reactands for optical sensing of alcohols. <i>Sensors and Actuators B: Chemical</i> , 1998 , 49, 226-234	8.5	42
21	The effect of polymeric supports and methods of immobilization on the performance of an optical copper(II)-sensitive membrane based on the colourimetric reagent Zincon. <i>Talanta</i> , 1998 , 47, 595-604	6.2	65
20	Application of potential-sensitive fluorescent dyes in anion and cation-sensitive polymer membranes. <i>Sensors and Actuators B: Chemical</i> , 1997 , 39, 239-245	8.5	23
19	Investigation of potential-sensitive fluorescent dyes for application in nitrate sensitive polymer membranes. <i>Fresenius Journal of Analytical Chemistry</i> , 1997 , 357, 284-291		16
18	Synthesis and structure-property relationships of amphiphilic acidochromic hydroxystilbazolium dyes. <i>Sensors and Actuators B: Chemical</i> , 1997 , 39, 229-234	8.5	6
17	Novel optical sensor materials based on solubilization of polar dyes in apolar polymers. <i>Advanced Materials</i> , 1997 , 9, 1108-1113	24	34
16	New polar plasticizers for luminescence-based sensors. <i>Analytica Chimica Acta</i> , 1997 , 337, 201-205	6.6	27
15	Fluorosensors for ammonia using rhodamines immobilized in plasticized poly(vinyl chloride) and in sol-gel; a comparative study. <i>Analytica Chimica Acta</i> , 1997 , 342, 207-213	6.6	38
14	Fluorescent ligands for optical sensing of alcohols: Synthesis and characterisation of p-N,N-dialkylamino-trifluoroacetylstilbenes. <i>Analytica Chimica Acta</i> , 1997 , 344, 215-225	6.6	43

13	Novel fluorescent sensor membranes for alcohols based on p-N, N-dioctylamino-4'-trifluoroacetylstilbene. <i>Analytica Chimica Acta</i> , 1997 , 351, 189-196	6.6	31
12	Optical nitrite sensor based on a potential-sensitive dye and a nitrite-selective carrier. <i>Analyst, The</i> , 1996 , 121, 1489	5	24
11	Ammonia fluorosensors based on reversible lactonization of polymer-entrapped rhodamine dyes, and the effects of plasticizers. <i>Analytica Chimica Acta</i> , 1996 , 334, 113-123	6.6	68
10	Fluorescent potential-sensitive dyes for use in solid state sensors for potassium ion. <i>Analytica Chimica Acta</i> , 1996 , 334, 125-132	6.6	26
9	Effects of the polymer matrix on an optical nitrate sensor based on a polarity-sensitive dye. <i>Sensors and Actuators B: Chemical</i> , 1996 , 37, 103-109	8.5	11
8	Optode membrane for continuous measurement of silver ions. <i>Mikrochimica Acta</i> , 1995 , 121, 249-258	5.8	19
7	Application of a novel lipophilized fluorescent dye in an optical nitrate sensor. <i>Journal of Fluorescence</i> , 1995 , 5, 135-8	2.4	17
6	Optical sensing of anions via polarity-sensitive dyes: A bulk sensor membrane for nitrate. <i>Analytica Chimica Acta</i> , 1995 , 316, 239-246	6.6	30
5	Enzyme biosensor for urea based on a novel pH bulk optode membrane. <i>Biosensors and Bioelectronics</i> , 1995 , 10, 653-9	11.8	49
4	Optical sensors for a wide pH range based on azo dyes immobilized on a novel support. <i>Analytica Chimica Acta</i> , 1994 , 292, 41-48	6.6	106
3	Synthesis of reactive vinylsulphonyl azo dyes for application in optical pH sensing. <i>Dyes and Pigments</i> , 1994 , 24, 223-240	4.6	17
2	New near infrared absorbing acidochromic dyes and their application in sensor techniques. <i>Dyes and Pigments</i> , 1994 , 26, 229-235	4.6	17
1	Novel type of ion-selective fluorosensor based on the inner filter effect: an optrode for potassium. <i>Analytical Chemistry</i> , 1993 , 65, 123-127	7.8	74