

Katsuyuki Miura

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3663077/katsuyuki-miura-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248
papers

4,756
citations

35
h-index

60
g-index

278
ext. papers

6,320
ext. citations

4.1
avg. IF

5.26
L-index

#	Paper	IF	Citations
248	Cardiovascular disease and risk factors in Asia: a selected review. <i>Circulation</i> , 2008 , 118, 2702-9	16.7	500
247	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). <i>Hypertension Research</i> , 2019 , 42, 1235-1481	4.7	468
246	Dietary sources of sodium in China, Japan, the United Kingdom, and the United States, women and men aged 40 to 59 years: the INTERMAP study. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 736-45		359
245	Epidemiology of hypertension in Japan: where are we now?. <i>Circulation Journal</i> , 2013 , 77, 2226-31	2.9	130
244	Four blood pressure indexes and the risk of stroke and myocardial infarction in Japanese men and women: a meta-analysis of 16 cohort studies. <i>Circulation</i> , 2009 , 119, 1892-8	16.7	88
243	Blood pressure categories and long-term risk of cardiovascular disease according to age group in Japanese men and women. <i>Hypertension Research</i> , 2012 , 35, 947-53	4.7	87
242	Adiposity and risk of decline in glomerular filtration rate: meta-analysis of individual participant data in a global consortium. <i>BMJ, The</i> , 2019 , 364, k5301	5.9	85
241	Incidence, Management and Short-Term Outcome of Stroke in a General Population of 1.4 Million Japanese - Shiga Stroke Registry. <i>Circulation Journal</i> , 2017 , 81, 1636-1646	2.9	75
240	Relation between serum total cholesterol level and cardiovascular disease stratified by sex and age group: a pooled analysis of 65 594 individuals from 10 cohort studies in Japan. <i>Journal of the American Heart Association</i> , 2012 , 1, e001974	6	64
239	Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of 9 cohort studies including 43,407 individuals: The EPOCH-JAPAN study. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 674-684.e5	4.9	61
238	Impact of metabolic syndrome on the risk of cardiovascular disease mortality in the United States and in Japan. <i>American Journal of Cardiology</i> , 2014 , 113, 84-9	3	60
237	Relationship of dietary linoleic acid to blood pressure. The International Study of Macro-Micronutrients and Blood Pressure Study [corrected]. <i>Hypertension</i> , 2008 , 52, 408-14	8.5	60
236	Associations of socioeconomic status with prevalence, awareness, treatment, and control of hypertension in a general Japanese population: NIPPON DATA2010. <i>Journal of Hypertension</i> , 2017 , 35, 401-408	1.9	59
235	Time to Consider Use of the Sodium-to-Potassium Ratio for Practical Sodium Reduction and Potassium Increase. <i>Nutrients</i> , 2017 , 9,	6.7	55
234	Dietary sodium-to-potassium ratio as a risk factor for stroke, cardiovascular disease and all-cause mortality in Japan: the NIPPON DATA80 cohort study. <i>BMJ Open</i> , 2016 , 6, e011632	3	53
233	Relation of Dietary Sodium (Salt) to Blood Pressure and Its Possible Modulation by Other Dietary Factors: The INTERMAP Study. <i>Hypertension</i> , 2018 , 71, 631-637	8.5	52
232	Rationale and Descriptive Analysis of Specific Health Guidance: the Nationwide Lifestyle Intervention Program Targeting Metabolic Syndrome in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 308-322	4	51

231	Statin use and risk of cerebral aneurysm rupture: a hospital-based case-control study in Japan. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 343-8	2.8	50
230	Influence of smoking combined with another risk factor on the risk of mortality from coronary heart disease and stroke: pooled analysis of 10 Japanese cohort studies. <i>Cerebrovascular Diseases</i> , 2012 , 33, 480-91	3.2	50
229	Population attributable numbers and fractions of deaths due to smoking: a pooled analysis of 180,000 Japanese. <i>Preventive Medicine</i> , 2011 , 52, 60-5	4.3	45
228	Epidemiology of cardiovascular risk factors in Asian countries. <i>Circulation Journal</i> , 2013 , 77, 2851-9	2.9	44
227	Six random specimens of daytime casual urine on different days are sufficient to estimate daily sodium/potassium ratio in comparison to 7-day 24-h urine collections. <i>Hypertension Research</i> , 2014 , 37, 765-71	4.7	43
226	Long-chain n-3 polyunsaturated fatty acids intake and cardiovascular disease mortality risk in Japanese: a 24-year follow-up of NIPPON DATA80. <i>Atherosclerosis</i> , 2014 , 232, 384-9	3.1	42
225	HbA1c and the risks for all-cause and cardiovascular mortality in the general Japanese population: NIPPON DATA90. <i>Diabetes Care</i> , 2013 , 36, 3759-65	14.6	42
224	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. <i>BMJ, The</i> , 2018 , 360, k671	5.9	41
223	Conversion of Urine Protein-Creatinine Ratio or Urine Dipstick Protein to Urine Albumin-Creatinine Ratio for Use in Chronic Kidney Disease Screening and Prognosis : An Individual Participant-Based Meta-analysis. <i>Annals of Internal Medicine</i> , 2020 , 173, 426-435	8	39
222	Fiber-rich diet with brown rice improves endothelial function in type 2 diabetes mellitus: A randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0179869	3.7	38
221	Dietary salt intake and blood pressure in a representative Japanese population: baseline analyses of NIPPON DATA80. <i>Journal of Epidemiology</i> , 2010 , 20 Suppl 3, S524-30	3.4	38
220	Increased Aortic Calcification Is Associated With Arterial Stiffness Progression in Multiethnic Middle-Aged Men. <i>Hypertension</i> , 2017 , 69, 102-108	8.5	37
219	Relationship of dietary cholesterol to blood pressure: the INTERMAP study. <i>Journal of Hypertension</i> , 2011 , 29, 222-8	1.9	37
218	Salt intake and prevalence of overweight/obesity in Japan, China, the United Kingdom, and the United States: the INTERMAP Study. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 34-40	7	36
217	Lipoprotein-associated phospholipase A2 is related to risk of subclinical atherosclerosis but is not supported by Mendelian randomization analysis in a general Japanese population. <i>Atherosclerosis</i> , 2016 , 246, 141-7	3.1	36
216	Having few remaining teeth is associated with a low nutrient intake and low serum albumin levels in middle-aged and older Japanese individuals: findings from the NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , 2019 , 24, 1	4.2	36
215	Low-carbohydrate diets and cardiovascular and total mortality in Japanese: a 29-year follow-up of NIPPON DATA80. <i>British Journal of Nutrition</i> , 2014 , 112, 916-24	3.6	35
214	Serum n-6 fatty acids and lipoprotein subclasses in middle-aged men: the population-based cross-sectional ERA-JUMP study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1195-203	7	35

213	Integration of data from NIPPON DATA80/90 and National Nutrition Survey in Japan: for cohort studies of representative Japanese on nutrition. <i>Journal of Epidemiology</i> , 2010 , 20 Suppl 3, S506-14	3.4	35
212	Volumetric changes in the aging rat brain and its impact on cognitive and locomotor functions. <i>Experimental Gerontology</i> , 2017 , 99, 69-79	4.5	34
211	The Relationship between Very High Levels of Serum High-Density Lipoprotein Cholesterol and Cause-Specific Mortality in a 20-Year Follow-Up Study of Japanese General Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016 , 23, 800-9	4	33
210	Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980-2010. <i>Hypertension Research</i> , 2015 , 38, 790-5	4.7	32
209	Cross-sectional comparison of coronary artery calcium scores between Caucasian men in the United States and Japanese men in Japan: the multi-ethnic study of atherosclerosis and the Shiga epidemiological study of subclinical atherosclerosis. <i>American Journal of Epidemiology</i> , 2014 , 180, 590-8	3.8	29
208	Epidemiology and prevention of hypertension in Japanese: how could Japan get longevity?. <i>EPMA Journal</i> , 2011 , 2, 59-64	8.8	28
207	Relationship of Insulin Resistance to Prevalence and Progression of Coronary Artery Calcification Beyond Metabolic Syndrome Components: Shiga Epidemiological Study of Subclinical Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1703-8	9.4	26
206	Smoking, Smoking Cessation, and Measures of Subclinical Atherosclerosis in Multiple Vascular Beds in Japanese Men. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	26
205	Lifetime cigarette smoking is associated with abdominal obesity in a community-based sample of Japanese men: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Preventive Medicine Reports</i> , 2016 , 4, 225-32	2.6	26
204	Significant inverse association of equol-producer status with coronary artery calcification but not dietary isoflavones in healthy Japanese men. <i>British Journal of Nutrition</i> , 2017 , 117, 260-266	3.6	25
203	Relationship of dietary monounsaturated fatty acids to blood pressure: the International Study of Macro/Micronutrients and Blood Pressure. <i>Journal of Hypertension</i> , 2013 , 31, 1144-50	1.9	25
202	Ipragliflozin, a sodium-glucose cotransporter 2 inhibitor, reduces bodyweight and fat mass, but not muscle mass, in Japanese type 2 diabetes patients treated with insulin: A randomized clinical trial. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1012-1021	3.9	25
201	Smoking increases the risk of all-cause and cardiovascular mortality in patients with chronic kidney disease. <i>Kidney International</i> , 2015 , 88, 1144-52	9.9	24
200	Seasonal variation in home blood pressure: findings from nationwide web-based monitoring in Japan. <i>BMJ Open</i> , 2018 , 8, e017351	3	24
199	Estimating 24-h urinary sodium/potassium ratio from casual (spot) urinary sodium/potassium ratio: the INTERSALT Study. <i>International Journal of Epidemiology</i> , 2017 , 46, 1564-1572	7.8	24
198	Diurnal variation of urinary sodium-to-potassium ratio in free-living Japanese individuals. <i>Hypertension Research</i> , 2017 , 40, 658-664	4.7	23
197	Mutant KCNJ3 and KCNJ5 Potassium Channels as Novel Molecular Targets in Bradyarrhythmias and Atrial Fibrillation. <i>Circulation</i> , 2019 , 139, 2157-2169	16.7	23
196	Coronary artery calcification by computed tomography in epidemiologic research and cardiovascular disease prevention. <i>Journal of Epidemiology</i> , 2012 , 22, 188-98	3.4	23

195	Age-specific impact of diabetes mellitus on the risk of cardiovascular mortality: An overview from the evidence for Cardiovascular Prevention from Observational Cohorts in the Japan Research Group (EPOCH-JAPAN). <i>Journal of Epidemiology</i> , 2017 , 27, 123-129	3.4	22
194	Proton magnetic resonance spectroscopy assessment of metabolite status of the anterior cingulate cortex in chronic pain patients and healthy controls. <i>Journal of Pain Research</i> , 2017 , 10, 287-293	3.9	21
193	Effectiveness of a Self-monitoring Device for Urinary Sodium-to-Potassium Ratio on Dietary Improvement in Free-Living Adults: a Randomized Controlled Trial. <i>Journal of Epidemiology</i> , 2018 , 28, 41-47	3.4	21
192	Continuous decline in mortality from coronary heart disease in Japan despite a continuous and marked rise in total cholesterol: Japanese experience after the Seven Countries Study. <i>International Journal of Epidemiology</i> , 2015 , 44, 1614-24	7.8	20
191	Brachial-ankle pulse wave velocity is associated with coronary calcification among 1131 healthy middle-aged men. <i>International Journal of Cardiology</i> , 2015 , 189, 67-72	3.2	20
190	The National Integrated Project for Prospective Observation of Non-communicable Disease and its Trends in the Aged 2010 (NIPPON DATA2010): Objectives, Design, and Population Characteristics. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S2-S9	3.4	20
189	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level: EPOCH-JAPAN (Evidence for Cardiovascular Prevention From Observational Cohorts in Japan). <i>Hypertension</i> , 2019 , 73, 52-59	8.5	19
188	Relationship Between Socioeconomic Status and the Prevalence of Underweight, Overweight or Obesity in a General Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S10-S16	3.4	19
187	HOMA-IR and the risk of hyperuricemia: a prospective study in non-diabetic Japanese men. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 154-60	7.4	18
186	Associations between rice, noodle, and bread intake and sleep quality in Japanese men and women. <i>PLoS ONE</i> , 2014 , 9, e105198	3.7	18
185	The association of fish consumption and its urinary metabolites with cardiovascular risk factors: the International Study of Macro-/Micronutrients and Blood Pressure (INTERMAP). <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 280-290	7	18
184	Mendelian randomization analysis in three Japanese populations supports a causal role of alcohol consumption in lowering low-density lipid cholesterol levels and particle numbers. <i>Atherosclerosis</i> , 2016 , 254, 242-248	3.1	18
183	Food sources of dietary sodium in the Japanese adult population: the international study of macro-/micronutrients and blood pressure (INTERMAP). <i>European Journal of Nutrition</i> , 2017 , 56, 1269-1280	5.3	17
182	Trends in antipsychotic prescriptions for Japanese outpatients during 2006-2012: a descriptive epidemiological study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 642-656	2.6	17
181	Lipoprotein particle profiles compared with standard lipids in association with coronary artery calcification in the general Japanese population. <i>Atherosclerosis</i> , 2014 , 236, 237-43	3.1	17
180	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017 , 10, 535-541	3.2	17
179	Relationship between 5-year decline in instrumental activity of daily living and accumulation of cardiovascular risk factors: NIPPON DATA90. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 64-72	4	17
178	Relationship between non-high-density lipoprotein cholesterol and the long-term mortality of cardiovascular diseases: NIPPON DATA 90. <i>International Journal of Cardiology</i> , 2016 , 220, 262-7	3.2	16

177	High-density lipoprotein particle concentration and subclinical atherosclerosis of the carotid arteries in Japanese men. <i>Atherosclerosis</i> , 2015 , 239, 444-50	3.1	16
176	A cross-sectional association of obesity with coronary calcium among Japanese, Koreans, Japanese Americans, and U.S. whites. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 921-7	4.1	16
175	The impact of equol-producing status in modifying the effect of soya isoflavones on risk factors for CHD: a systematic review of randomised controlled trials. <i>Journal of Nutritional Science</i> , 2016 , 5, e30	2.7	16
174	Urinary sodium-to-potassium ratio and intake of sodium and potassium among men and women from multiethnic general populations: the INTERSALT Study. <i>Hypertension Research</i> , 2019 , 42, 1590-1598	4.7	15
173	Association of blood pressure with estimates of 24-h urinary sodium and potassium excretion from repeated single-spot urine samples. <i>Hypertension Research</i> , 2019 , 42, 411-418	4.7	15
172	Relationship of serum irisin levels to prevalence and progression of coronary artery calcification: A prospective, population-based study. <i>International Journal of Cardiology</i> , 2018 , 267, 177-182	3.2	15
171	Urinary Sodium-to-Potassium Ratio Tracks the Changes in Salt Intake during an Experimental Feeding Study Using Standardized Low-Salt and High-Salt Meals among Healthy Japanese Volunteers. <i>Nutrients</i> , 2017 , 9,	6.7	15
170	[Scientific statement] Report of the Salt Reduction Committee of the Japanese Society of Hypertension(2) Goal and strategies of dietary salt reduction in the management of hypertension. <i>Hypertension Research</i> , 2013 , 36, 1020-5	4.7	15
169	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan. <i>European Journal of Epidemiology</i> , 2017 , 32, 547-557	12.1	14
168	Fasting but not casual blood glucose is associated with pancreatic cancer mortality in Japanese: EPOCH-JAPAN. <i>Cancer Causes and Control</i> , 2017 , 28, 625-633	2.8	13
167	Epidemiology of hypertension in Japan: beyond the new 2019 Japanese guidelines. <i>Hypertension Research</i> , 2020 , 43, 1344-1351	4.7	13
166	Association of blood levels of marine omega-3 fatty acids with coronary calcification and calcium density in Japanese men. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 783-792	5.2	13
165	Intracranial Artery Stenosis and Its Association With Conventional Risk Factors in a General Population of Japanese Men. <i>Stroke</i> , 2019 , 50, 2967-2969	6.7	13
164	Cross-sectional association between exposure to particulate matter and inflammatory markers in the Japanese general population: NIPPON DATA2010. <i>Environmental Pollution</i> , 2016 , 213, 460-467	9.3	13
163	Comparison of blood pressure values-self-measured at home, measured at an unattended office, and measured at a conventional attended office. <i>Hypertension Research</i> , 2019 , 42, 1726-1737	4.7	12
162	Re-evaluation of the associations of egg intake with serum total cholesterol and cause-specific and total mortality in Japanese women. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 841-847	5.2	12
161	Serum magnesium, phosphorus, and calcium levels and subclinical calcific aortic valve disease: A population-based study. <i>Atherosclerosis</i> , 2018 , 273, 145-152	3.1	12
160	Cumulative impact of axial, structural, and repolarization ECG findings on long-term cardiovascular mortality among healthy individuals in Japan: National Integrated Project for Prospective Observation of Non-Communicable Disease and its Trends in the Aged, 1980 and 1990. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1501-8	3.9	12

159	Vegetable Protein Intake was Inversely Associated with Cardiovascular Mortality in a 15-Year Follow-Up Study of the General Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 198-206	4	12
158	The Association between Glomerular Filtration Rate Estimated on Admission and Acute Stroke Outcome: The Shiga Stroke Registry. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 570-579	4	11
157	Relation of unprocessed, processed red meat and poultry consumption to blood pressure in East Asian and Western adults. <i>Journal of Hypertension</i> , 2016 , 34, 1721-9	1.9	11
156	Two-Year Survival After First-Ever Stroke in a General Population of 1.4 Million Japanese - Shiga Stroke Registry. <i>Circulation Journal</i> , 2018 , 82, 2549-2556	2.9	11
155	Twelve-year trends of increasing overweight and obesity in patients with diabetes: the Shiga Diabetes Clinical Survey. <i>Endocrine Journal</i> , 2018 , 65, 527-536	2.9	11
154	Macronutrient Intake and Socioeconomic Status: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S17-S22	3.4	11
153	Socioeconomic Status Associated With Urinary Sodium and Potassium Excretion in Japan: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S29-S34	3.4	11
152	Brain Metabolite Changes in the Anterior Cingulate Cortex of Chronic Low Back Pain Patients and Correlations Between Metabolites and Psychological State. <i>Clinical Journal of Pain</i> , 2018 , 34, 657-663	3.5	10
151	Serum level of LOX-1 ligand containing ApoB is associated with increased carotid intima-media thickness in Japanese community-dwelling men, especially those with hypercholesterolemia LOX-1 ligand and IMT in Japanese. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 172-80.e1	4.9	10
150	Dietary Inflammatory Index Positively Associated With High-Sensitivity C-Reactive Protein Level in Japanese From NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2020 , 30, 98-107	3.4	10
149	Socioeconomic Inequalities in Oral Health among Middle-Aged and Elderly Japanese: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S59-S65	3.4	10
148	Variation of Risk Factors for Cause-Specific Reintubation: A Preliminary Study. <i>Canadian Respiratory Journal</i> , 2018 , 2018, 3654251	2.1	10
147	Associations between Socioeconomic Status and the Prevalence and Treatment of Hypercholesterolemia in a General Japanese Population: NIPPON DATA2010. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 606-620	4	10
146	Socioeconomic and lifestyle factors associated with depressive tendencies in general Japanese men and women: NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , 2019 , 24, 37	4.2	9
145	Long-term outcomes associated with prolonged PR interval in the general Japanese population. <i>International Journal of Cardiology</i> , 2015 , 184, 291-293	3.2	9
144	Relationship of type of work with health-related quality of life. <i>Quality of Life Research</i> , 2015 , 24, 2927-337		9
143	Associations of serum LDL particle concentration with carotid intima-media thickness and coronary artery calcification. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 1195-1202.e1	4.9	9
142	Effects of Estradiol on cold-sensitive receptor channel TRPM8 in ovariectomized rats. <i>Experimental Animals</i> , 2017 , 66, 337-343	1.8	9

141	High long-chain n-3 fatty acid intake attenuates the effect of high resting heart rate on cardiovascular mortality risk: a 24-year follow-up of Japanese general population. <i>Journal of Cardiology</i> , 2014 , 64, 218-24	3	9
140	Relation of Serum Leptin and Adiponectin Level to Serum C-Reactive Protein: The INTERLIPID Study. <i>International Journal of Vascular Medicine</i> , 2013 , 2013, 601364	1.2	9
139	Absolute risk score for stroke, myocardial infarction, and all cardiovascular disease: Japan Arteriosclerosis Longitudinal Study. <i>Hypertension Research</i> , 2019 , 42, 567-579	4.7	9
138	Agreement between 24-h dietary recalls and 24-h urine collections for estimating sodium intake in China, Japan, UK, USA: the International Study of Macro- and Micro-nutrients and Blood Pressure. <i>Journal of Hypertension</i> , 2019 , 37, 814-819	1.9	9
137	Association between antidepressant use during pregnancy and autism spectrum disorder in children: a retrospective cohort study based on Japanese claims data. <i>Maternal Health, Neonatology and Perinatology</i> , 2019 , 5, 1	3.4	9
136	Meat intake and incidence of cardiovascular disease in Japanese patients with type 2 diabetes: analysis of the Japan Diabetes Complications Study (JDACS). <i>European Journal of Nutrition</i> , 2019 , 58, 281-290	5.2	9
135	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S66-S72	3.4	9
134	Associations of High-Density Lipoprotein Particle and High-Density Lipoprotein Cholesterol With Alcohol Intake, Smoking, and Body Mass Index - The INTERLIPID Study. <i>Circulation Journal</i> , 2018 , 82, 2557-2565	7.9	9
133	Socioeconomic Status and Knowledge of Cardiovascular Risk Factors: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S46-S52	3.4	9
132	Quantitative CT analysis of honeycombing area predicts mortality in idiopathic pulmonary fibrosis with definite usual interstitial pneumonia pattern: A retrospective cohort study. <i>PLoS ONE</i> , 2019 , 14, e0214278	3.7	8
131	Is the Proportion of Carbohydrate Intake Associated with the Incidence of Diabetes Complications?-An Analysis of the Japan Diabetes Complications Study. <i>Nutrients</i> , 2017 , 9,	6.7	8
130	Association of total marine fatty acids, eicosapentaenoic and docosahexaenoic acids, with aortic stiffness in Koreans, whites, and Japanese Americans. <i>American Journal of Hypertension</i> , 2013 , 26, 1321-133	7.3	8
129	Does the flushing response modify the relationship between alcohol intake and hypertension in the Japanese population? NIPPON DATA2010. <i>Hypertension Research</i> , 2016 , 39, 670-9	4.7	8
128	Association Between Body Mass Index and All-Cause Death in Japanese Population: Pooled Individual Participant Data Analysis of 13 Cohort Studies. <i>Journal of Epidemiology</i> , 2019 , 29, 457-463	3.4	8
127	Development of a High-Sensitivity Method for the Measurement of Human Nasal A β 2, Tau, and Phosphorylated Tau. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 737-744	4.3	7
126	Dietary tofu intake and long-term risk of death from stroke in a general population. <i>Clinical Nutrition</i> , 2018 , 37, 182-188	5.9	7
125	Holter monitoring for the screening of cardiac disease in diabetes mellitus: The non-invasive Holter monitoring observation of new cardiac events in diabetics study. <i>Diabetes and Vascular Disease Research</i> , 2015 , 12, 396-404	3.3	7
124	Comparability in coronary artery calcium scores on CT scan between two community-based cohort studies. <i>International Journal of Cardiology</i> , 2011 , 149, 244-245	3.2	7

123	Dietary intake of potassium and associated dietary factors among representative samples of Japanese general population: NIPPON DATA 80/90. <i>Journal of Epidemiology</i> , 2010 , 20 Suppl 3, S567-75	3.4	7
122	Long-Term Survival after Stroke in 1.4 Million Japanese Population: Shiga Stroke and Heart Attack Registry. <i>Journal of Stroke</i> , 2020 , 22, 336-344	5.6	7
121	Isolated systolic hypertension and 29-year cardiovascular mortality risk in Japanese adults aged 30--49 years. <i>Journal of Hypertension</i> , 2020 , 38, 2230-2236	1.9	7
120	The impact of sex on risk of cardiovascular disease and all-cause mortality in adults with or without diabetes mellitus: A comparison between the U.S. and Japan. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 417-423	3.2	6
119	Food Sources of Dietary Potassium in the Adult Japanese Population: The International Study of Macro-/Micronutrients and Blood Pressure (INTERMAP). <i>Nutrients</i> , 2020 , 12,	6.7	6
118	Relationship of three different types of low-carbohydrate diet to cardiometabolic risk factors in a Japanese population: the INTERMAP/INTERLIPID Study. <i>European Journal of Nutrition</i> , 2016 , 55, 1515-24	5.2	6
117	Reduced Lung Function and Cerebral Small Vessel Disease in Japanese Men: the Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 1009-1021	4	6
116	Trends in medical performance in diabetic patients in primary care clinics compared with those in hospitals: Shiga Diabetes Clinical Survey, Japan, 2000-2012. <i>Diabetology International</i> , 2017 , 8, 59-68	2.3	6
115	Interaction between dietary marine-derived n-3 fatty acids intake and J-point elevation on the risk of cardiac death: a 24-year follow-up of Japanese men. <i>Heart</i> , 2013 , 99, 1024-9	5.1	6
114	Association of Alcohol Consumption With Fat Deposition in a Community-Based Sample of Japanese Men: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Journal of Epidemiology</i> , 2019 , 29, 205-212	3.4	6
113	Waist Circumference and Domain-Specific Cognitive Function Among Non-Demented Japanese Older Adults Stratified by Sex: Results from the Takashima Cognition Study. <i>Journal of Alzheimer's Disease</i> , 2020 , 73, 887-896	4.3	6
112	Relationship of household salt intake level with long-term all-cause and cardiovascular disease mortality in Japan: NIPPON DATA80. <i>Hypertension Research</i> , 2020 , 43, 132-139	4.7	6
111	Validation of the european SCORE risk chart in the healthy middle-aged Japanese. <i>Atherosclerosis</i> , 2016 , 252, 116-121	3.1	6
110	Impacts of chronic kidney disease and diabetes on cardiovascular mortality in a general Japanese population: A 20-year follow-up of the NIPPON DATA90 study. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 505-513	3.9	5
109	Cardiovascular Risk Assessment Chart by Dietary Factors in Japan - NIPPON DATA80. <i>Circulation Journal</i> , 2019 , 83, 1254-1260	2.9	5
108	Relationship Between Step Counts and Cerebral Small Vessel Disease in Japanese Men. <i>Stroke</i> , 2020 , 51, 3584-3591	6.7	5
107	The Association Between Coronary Artery Calcification and Subclinical Cerebrovascular Diseases in Men: An Observational Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 995-1009	4	5
106	International Comparison of Abdominal Fat Distribution Among Four Populations: The ERA-JUMP Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018 , 16, 166-173	2.6	5

105	Overweight or underweight and the risk of decline in activities of daily living in a 22-year cohort study of a Japanese sample. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 799-805	2.9	5
104	Cardiovascular risk and blood pressure lowering treatment among elderly individuals: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan. <i>Journal of Hypertension</i> , 2018 , 36, 410-418	1.9	5
103	Comparison of carotid plaque burden among healthy middle-aged men living in the US, Japan, and South Korea. <i>International Journal of Cardiology</i> , 2018 , 266, 245-249	3.2	5
102	Maximum BMI and microvascular complications in a cohort of Japanese patients with type 2 diabetes: the Japan Diabetes Complications Study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 790-7	3.2	5
101	Vitamin B6 intake and incidence of diabetic retinopathy in Japanese patients with type 2 diabetes: analysis of data from the Japan Diabetes Complications Study (JDACS). <i>European Journal of Nutrition</i> , 2020 , 59, 1585-1594	5.2	5
100	Self-reported Sleep Duration and Subclinical Atherosclerosis in a General Population of Japanese Men. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 186-198	4	5
99	Relationships among Food Group Intakes, Household Expenditure, and Education Attainment in a General Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S23-S28	3.4	5
98	Association of Work Situation With Cardiovascular Disease Mortality Risk Among Working-Age Japanese Men - A 20-Year Follow-up of NIPPON DATA90. <i>Circulation Journal</i> , 2019 , 83, 1506-1513	2.9	4
97	Sorafenib exposure and its correlation with response and safety in advanced hepatocellular carcinoma: results from an observational retrospective study. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 86, 129-139	3.5	4
96	Exclusion of emphysematous lung from dose-volume estimates of risk improves prediction of radiation pneumonitis. <i>Radiation Oncology</i> , 2017 , 12, 160	4.2	4
95	Change in Pericardial Fat Volume and Cardiovascular Risk Factors in a General Population of Japanese Men. <i>Circulation Journal</i> , 2018 , 82, 2542-2548	2.9	4
94	The Relationship of Dietary Cholesterol with Serum Low-Density Lipoprotein Cholesterol and Confounding by Reverse Causality: The INTERLIPID Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 170-182	4	4
93	The association between subjective health perception and lifestyle factors in Shiga prefecture, Japan: a cross-sectional study. <i>BMC Public Health</i> , 2020 , 20, 1786	4.1	4
92	Perioperative Adiponectin Measurement is Useful for Prediction of Postoperative Infection in Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 540-545	3.1	4
91	The association of home and accurately measured office blood pressure with coronary artery calcification among general Japanese men. <i>Journal of Hypertension</i> , 2019 , 37, 1676-1681	1.9	4
90	The relationship between repeated measurement of casual and 24-h urinary sodium-to-potassium ratio in patients with chronic kidney disease. <i>Journal of Human Hypertension</i> , 2019 , 33, 286-297	2.6	4
89	Relationship between carbohydrate and dietary fibre intake and the risk of cardiovascular disease mortality in Japanese: 24-year follow-up of NIPPON DATA80. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 67-76	5.2	4
88	A Combination of Blood Pressure and Total Cholesterol Increases the Lifetime Risk of Coronary Heart Disease Mortality: EPOCH-JAPAN. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 6-24	4	4

87	Association of alcohol consumption and aortic calcification in healthy men aged 40-49 years for the ERA JUMP Study. <i>Atherosclerosis</i> , 2018 , 268, 84-91	3.1	4
86	Factors Related to Participation in Health Examinations for Japanese National Health Insurance: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S53-S58	3.4	4
85	Estimation of 10-Year Risk of Death from Coronary Heart Disease, Stroke, and Cardiovascular Disease in a Pooled Analysis of Japanese Cohorts: EPOCH-JAPAN. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 816-825	4	4
84	Differences Between Coronary Artery Calcification and Aortic Artery Calcification in Relation to Cardiovascular Disease Risk Factors in Japanese Men. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 452-464	4	3
83	One-year weight loss maintenance outcomes following a worksite-based weight reduction program among Japanese men with cardiovascular risk factors. <i>Journal of Occupational Health</i> , 2019 , 61, 189-196 ^{2,3}		3
82	Coronary Artery Calcium Progression Among the US and Japanese Men. <i>Circulation: Cardiovascular Imaging</i> , 2019 , 12, e008104	3.9	3
81	Smoking habits and progression of coronary and aortic artery calcification: A 5-year follow-up of community-dwelling Japanese men. <i>International Journal of Cardiology</i> , 2020 , 314, 89-94	3.2	3
80	Impact of hypertension stratified by diabetes on the lifetime risk of cardiovascular disease mortality in Japan: a pooled analysis of data from the Evidence for Cardiovascular Prevention from Observational Cohorts in Japan study. <i>Hypertension Research</i> , 2020 , 43, 1437-1444	4.7	3
79	Association of Coronary Artery Calcification with Estimated Coronary Heart Disease Risk from Prediction Models in a Community-Based Sample of Japanese Men: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 477-489	4	3
78	Associations of Overweight, Obesity, and Underweight With High Serum Total Cholesterol Level Over 30 Years Among the Japanese Elderly: NIPPON DATA 80, 90, and 2010. <i>Journal of Epidemiology</i> , 2019 , 29, 133-138	3.4	3
77	Serum long-chain n-3 polyunsaturated fatty acids and aortic calcification in middle-aged men: The population-based cross-sectional ERA-JUMP study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 837-846	4.5	3
76	Serum Ferritin, Insulin Resistance, and βcell Dysfunction: A Prospective Study in Normoglycemic Japanese Men. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017 , 125, 12-20	2.3	3
75	Independent Prognostic Value of Single and Multiple Non-Specific 12-Lead Electrocardiographic Findings for Long-Term Cardiovascular Outcomes: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0157563 ^{3,7}		3
74	Overall nutrient and total fat intake among Japanese people: The INTERLIPID Study Japan. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017 , 26, 837-848	1	3
73	Health status of workers approximately 60 years of age and the risk of early death after compulsory retirement: A cohort study. <i>Journal of Occupational Health</i> , 2020 , 62, e12088	2.3	3
72	Alcohol consumption and cognitive function in elderly Japanese men. <i>Alcohol</i> , 2020 , 85, 145-152	2.7	3
71	Association between antidepressant use during pregnancy and congenital anomalies in children: A retrospective cohort study based on Japanese claims data. <i>Congenital Anomalies (discontinued)</i> , 2020 , 60, 180-188	1.1	3
70	Recent status of self-measured home blood pressure in the Japanese general population: a modern database on self-measured home blood pressure (MDAS). <i>Hypertension Research</i> , 2020 , 43, 1403-1412	4.7	3

69	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020 , 111, 3835-3844	6.9	3
68	Association between socioeconomic status and prolonged television viewing time in a general Japanese population: NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , 2021 , 26, 57	4.2	3
67	Factors associated with intra-individual visit-to-visit variability of blood pressure in four countries: the INTERMAP study. <i>Journal of Human Hypertension</i> , 2019 , 33, 229-236	2.6	3
66	Proteinuria and Reduced Estimated Glomerular Filtration Rate are Independently Associated With Lower Cognitive Abilities in Apparently Healthy Community-Dwelling Elderly Men in Japan: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2020 , 30, 244-252	3.4	3
65	Passive Smoking at Home by Socioeconomic Factors in a Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S40-S45	3.4	3
64	Anthropometric Obesity Indices were Stronger than CT-Based Indices in Associations with Carotid Intima-Media Thickness in Japanese Men. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 1102-1114 ⁴		2
63	Two-Year Recurrence After First-Ever Stroke in a General Population of 1.4 Million Japanese Patients - The Shiga Stroke and Heart Attack Registry Study. <i>Circulation Journal</i> , 2020 , 84, 943-948	2.9	2
62	Data on alcohol consumption and coronary artery calcification among asymptomatic middle-aged men for the ERA-JUMP study. <i>Data in Brief</i> , 2018 , 17, 1091-1098	1.2	2
61	Overall sleep status and high sensitivity C-reactive protein: a prospective study in Japanese factory workers. <i>Journal of Sleep Research</i> , 2014 , 23, 717-727	5.8	2
60	Liver fat accumulation assessed by computed tomography is an independent risk factor for diabetes mellitus in a population-based study: SESSA (Shiga Epidemiological Study of Subclinical Atherosclerosis). <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 108002	7.4	2
59	Estimating the cost-effectiveness of screening for hepatitis C virus infection in Japan. <i>Hepatology Research</i> , 2020 , 50, 542-556	5.1	2
58	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2019 , 144, 718-729	7.5	2
57	Physical activity levels in American and Japanese men from the ERA-JUMP Study and associations with metabolic syndrome. <i>Journal of Sport and Health Science</i> , 2020 , 9, 170-178	8.2	2
56	A genome-wide association study in Japanese identified one variant associated with a preference for a Japanese dietary pattern. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 937-945	5.2	2
55	Differences between home blood pressure and strictly measured office blood pressure and their determinants in Japanese men. <i>Hypertension Research</i> , 2021 , 44, 80-87	4.7	2
54	Relationship of higher-level functional capacity with long-term mortality in Japanese older people: NIPPON DATA90. <i>Journal of Epidemiology</i> , 2021 ,	3.4	2
53	Sodium Intake and Incidence of Diabetes Complications in Elderly Patients with Type 2 Diabetes-Analysis of Data from the Japanese Elderly Diabetes Intervention Study (J-EDIT). <i>Nutrients</i> , 2021 , 13,	6.7	2
52	Differences in Lifestyle Improvements With the Intention to Prevent Cardiovascular Diseases by Socioeconomic Status in a Representative Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018 , 28 Suppl 3, S35-S39	3.4	2

51	Time-Related Changes in Relationships Between the Keys Score, Dietary Lipids, and Serum Total Cholesterol in Japan - NIPPON DATA80/90/2010. <i>Circulation Journal</i> , 2018 , 83, 147-155	2.9	2
50	The JAGUAR Score Predicts 1-Month Disability/Death in Ischemic Stroke Patient Ineligible for Recanalization Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 2579-2586	2.8	2
49	Association between socioeconomic status and physical inactivity in a general Japanese population: NIPPON DATA2010. <i>PLoS ONE</i> , 2021 , 16, e0254706	3.7	2
48	Seasonal Variation in Incidence of Stroke in a General Population of 1.4 Million Japanese: The Shiga Stroke Registry. <i>Cerebrovascular Diseases</i> , 2021 , 1-7	3.2	2
47	Developing a health economic model for Asians with type 2 diabetes based on the Japan Diabetes Complications Study and the Japanese Elderly Diabetes Intervention Trial. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	2
46	Progression of coronary artery calcium in Japanese American men and white men in the ERA JUMP study. <i>International Journal of Cardiology</i> , 2017 , 228, 672-676	3.2	1
45	Analysis of factors associated with maintenance discontinuation in implant patients. <i>SpringerPlus</i> , 2015 , 4, 767		1
44	Alcohol consumption, hospitalization and medical expenditure: a large epidemiological study on the medical insurance system in Japan. <i>Alcohol and Alcoholism</i> , 2015 , 50, 236-43	3.5	1
43	The relationship between serum levels of LOX-1 ligand containing ApoAI as a novel marker of dysfunctional HDL and coronary artery calcification in middle-aged Japanese men. <i>Atherosclerosis</i> , 2020 , 313, 20-25	3.1	1
42	Risk Factors That Most Accurately Predict Coronary Artery Disease Based on the Duration of Follow-up - NIPPON DATA80. <i>Circulation Journal</i> , 2021 , 85, 908-913	2.9	1
41	Lipoprotein Particle Profiles Compared With Standard Lipids in the Association With Subclinical Aortic Valve Calcification in Apparently Healthy Japanese Men. <i>Circulation Journal</i> , 2021 , 85, 1076-1082	2.9	1
40	Elevated Fasting Blood Glucose Levels Are Associated With Lower Cognitive Function, With a Threshold in Non-Diabetic Individuals: A Population-Based Study. <i>Journal of Epidemiology</i> , 2020 , 30, 121-127	3.4	1
39	Electrocardiographic Left Atrial Abnormality and B-Type Natriuretic Peptide in a General Japanese Population: NIPPON DATA2010. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 34-43	4	1
38	A genome-wide association study on confection consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort Study. <i>British Journal of Nutrition</i> , 2021 , 126, 1843-1851	3.6	1
37	Relationship Between Calcium Intake and Impaired Activities of Daily Living in a Japanese Population: NIPPON DATA90. <i>Journal of Epidemiology</i> , 2021 , 31, 119-124	3.4	1
36	Stroke registries in the world: a systematic review. <i>Nosotchu</i> , 2018 , 40, 331-342	0.1	1
35	The Influence of the Japanese Nationwide Cardiovascular Prevention System Health Guidance on Smoking Cessation Among Smokers: A Propensity Score Matching Analysis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 323-334	4	1
34	Relationships of Alcohol Consumption with Coronary Risk Factors and Macro- and Micro-Nutrient Intake in Japanese People: The INTERLIPID Study. <i>Journal of Nutritional Science and Vitaminology</i> , 2021 , 67, 28-38	1.1	1

33	Trends in Prevalence, Treatment, and Control of Hypertension According to 40-Year-Old Life Expectancy at Prefectures in Japan from the National Health and Nutrition Surveys.. <i>Nutrients</i> , 2022 , 14,	6.7	1
32	Diet, Nutrients, and the Prevention of Hypertension. <i>Current Nutrition Reports</i> , 2012 , 1, 87-92	6	0
31	NIPPON DATA80/90 Nutrition Study: Appendix Tables. <i>Journal of Epidemiology</i> , 2010 , 20, S587-S596	3.4	0
30	The 21-Year Trend of Stroke Incidence in a General Japanese Population: Results from the Takashima Stroke Registry, 1990-2010.. <i>Cerebrovascular Diseases</i> , 2022 , 1-7	3.2	0
29	Predictors of lower limb fractures in general Japanese: NIPPON DATA90.. <i>PLoS ONE</i> , 2022 , 17, e0261716	3.7	0
28	A genome-wide association study on meat consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort study. <i>Journal of Nutritional Science</i> , 2021 , 10, e61	2.7	0
27	Exercise Habits Are Associated with Improved Long-Term Mortality Risks in the Nationwide General Japanese Population: A 20-Year Follow-Up of the NIPPON DATA90 Study. <i>Tohoku Journal of Experimental Medicine</i> , 2020 , 252, 253-262	2.4	0
26	Cross-sectional association of bone mineral density with coronary artery calcification in an international multi-ethnic population-based cohort of men aged 40-49: ERA JUMP study. <i>IJC Heart and Vasculature</i> , 2020 , 30, 100618	2.4	0
25	Association between plant-based diets and blood pressure in the INTERMAP study. <i>BMJ Nutrition, Prevention and Health</i> , 2020 , 3, 133-142	6.7	0
24	Cluster-randomized controlled trial for the early promotion of clinic visits for untreated hypertension. <i>Hypertension Research</i> , 2021 , 44, 355-362	4.7	0
23	A genome-wide association study on fish consumption in a Japanese population-the Japan Multi-Institutional Collaborative Cohort study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 480-488	5.2	0
22	Dexmedetomidine attenuates the positive chronotropic effects of intravenous atropine in patients with bradycardia during spinal anaesthesia: a retrospective study. <i>JA Clinical Reports</i> , 2018 , 4, 70	0.6	0
21	Coronary Artery Calcium Assessed Years Before Was Positively Associated With Subtle White Matter Injury of the Brain in Asymptomatic Middle-Aged Men: The Framingham Heart Study. <i>Circulation: Cardiovascular Imaging</i> , 2021 , 14, e011753	3.9	0
20	Association between Stress-Coping Strategy and Functional Disability in the General Older Adult Population: The Takashima Study. <i>Gerontology</i> , 2021 , 1-8	5.5	0
19	Eighteen-year trends in the management of patients with diabetes in the Shiga Diabetes Clinical Survey: overall trends and differences by age group. <i>Diabetology International</i> , 1	2.3	0
18	Metabolic changes induced by dapagliflozin, an SGLT2 inhibitor, in Japanese patients with type 2 diabetes treated by oral anti-diabetic agents: A randomized, clinical trial.. <i>Diabetes Research and Clinical Practice</i> , 2022 , 186, 109781	7.4	0
17	Dynamic changes of mitral annulus in patients with degenerative mitral regurgitation and chronic atrial fibrillation undergoing mitral valve reconstruction. <i>General Thoracic and Cardiovascular Surgery</i> , 2020 , 68, 1405-1411	1.6	
16	Carotid Intima-Media Thickness and Plaque in Apparently Healthy Japanese Individuals with an Estimated 10-Year Absolute Risk of CAD Death According to the Japan Atherosclerosis Society (JAS) Guidelines 2012: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 716	4	

- 15 Scientific evidences for the cut-off points of blood pressure. *Health Evaluation and Promotion*, **2015**, 42, 280-286 0.1
- 14 Effects of Changes in Lifestyle on Weight Loss before and after Intervention with Active Support Including Specific Health Guidance. *Health Evaluation and Promotion*, **2018**, 45, 374-381 0.1
- 13 Preface for the Special Issue "Cardiovascular Risk Factors and Socioeconomic Status in Japan: NIPPON DATA2010". *Journal of Epidemiology*, **2018**, 28 Suppl 3, S1 3.4
- 12 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study. *PLoS ONE*, **2020**, 15, e0244143 3.7
- 11 Factors Associated with Lower Cognitive Performance Scores Among Older Japanese Men in Hawaii and Japan. *Journal of Alzheimer's Disease*, **2021**, 81, 403-412 4.3
- 10 Lipoprotein particles and coronary artery calcium in middle-aged US-White and Japanese men. *Open Heart*, **2019**, 6, e001119 3
- 9 IC-P-112: OBJECTIVELY MEASURED PHYSICAL ACTIVITY AND BRAIN VOLUME IN JAPANESE ADULT MEN: FINDINGS FROM THE SHIGA EPIDEMIOLOGICAL STUDY OF SUBCLINICAL ATHEROSCLEROSIS **2019**, 15, P96-P96
- 8 Relationship of Ambient Temperature Parameters to Stroke Incidence in a Japanese Population - Takashima Stroke Registry, Japan, 1988-2010. *Circulation Journal*, **2021**, 85, 2215-2221 2.9
- 7 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study **2020**, 15, e0244143
- 6 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study **2020**, 15, e0244143
- 5 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study **2020**, 15, e0244143
- 4 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study **2020**, 15, e0244143
- 3 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study **2020**, 15, e0244143
- 2 Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study **2020**, 15, e0244143
- 1 Differential Association of Serum n-3 Polyunsaturated Fatty Acids with Various Cerebrovascular Lesions in Japanese Men.. *Cerebrovascular Diseases*, **2022**, 1-7 3.2