Frank GonzÃ;lez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3663554/publications.pdf

Version: 2024-02-01

26 papers

1,813 citations

361045 20 h-index 26 g-index

27 all docs 27 docs citations

times ranked

27

1726 citing authors

#	Article	IF	CITATIONS
1	Saturated fat ingestion stimulates proatherogenic inflammation in polycystic ovary syndrome. American Journal of Physiology - Endocrinology and Metabolism, 2021, 321, E689-E701.	1.8	6
2	Salicylate administration suppresses the inflammatory response to nutrients and improves ovarian function in polycystic ovary syndrome. American Journal of Physiology - Endocrinology and Metabolism, 2020, 319, E744-E752.	1.8	5
3	Inflammation Triggered by Saturated Fat Ingestion Is Linked to Insulin Resistance and Hyperandrogenism in Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e2152-e2167.	1.8	30
4	Oxidative Stress in Response to Saturated Fat Ingestion Is Linked to Insulin Resistance and Hyperandrogenism in Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 5360-5371.	1.8	33
5	Saturated Fat Ingestion Promotes Lipopolysaccharide-Mediated Inflammation and Insulin Resistance in Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 934-946.	1.8	57
6	Pancreatic \hat{l}^2 -cell dysfunction in polycystic ovary syndrome: role of hyperglycemia-induced nuclear factor- \hat{l}^2 B activation and systemic inflammation. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E770-E777.	1.8	36
7	Nutrient-Induced Inflammation in Polycystic Ovary Syndrome: Role in the Development of Metabolic Aberration and Ovarian Dysfunction. Seminars in Reproductive Medicine, 2015, 33, 276-286.	0.5	43
8	The Altered Mononuclear Cell-Derived Cytokine Response to Glucose Ingestion Is Not Regulated by Excess Adiposity in Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2244-E2251.	1.8	34
9	Evidence of mononuclear cell preactivation in the fasting state in polycystic ovary syndrome. American Journal of Obstetrics and Gynecology, 2014, 211, 635.e1-635.e7.	0.7	8
10	Hyperandrogenism Induces a Proinflammatory TNFî± Response to Glucose Ingestion in a Receptor-Dependent Fashion. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E848-E854.	1.8	42
11	Glucose and lipopolysaccharide regulate proatherogenic cytokine release from mononuclear cells in polycystic ovary syndrome. Journal of Reproductive Immunology, 2014, 103, 38-44.	0.8	14
12	Adrenal dysfunction in polycystic ovary syndrome: has it been lost to follow-up?. Fertility and Sterility, 2013, 99, 352-353.	0.5	2
13	Glucose ingestion stimulates atherothrombotic inflammation in polycystic ovary syndrome. American Journal of Physiology - Endocrinology and Metabolism, 2013, 304, E375-E383.	1.8	21
14	Elevated Circulating Levels of Tissue Factor in Polycystic Ovary Syndrome. Clinical and Applied Thrombosis/Hemostasis, 2013, 19, 66-72.	0.7	17
15	Hyperandrogenism sensitizes mononuclear cells to promote glucose-induced inflammation in lean reproductive-age women. American Journal of Physiology - Endocrinology and Metabolism, 2012, 302, E297-E306.	1.8	56
16	Inflammation in Response to Glucose Ingestion Is Independent of Excess Abdominal Adiposity in Normal-Weight Women with Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 4071-4079.	1.8	46
17	Hyperandrogenism Sensitizes Leukocytes to Hyperglycemia to Promote Oxidative Stress in Lean Reproductive-Age Women. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2836-2843.	1.8	59
18	Hyperglycemia-induced oxidative stress is independent of excess abdominal adiposity in normal-weight women with polycystic ovary syndrome. Human Reproduction, 2012, 27, 3560-3568.	0.4	48

#	Article	IF	CITATION
19	Inflammation in Polycystic Ovary Syndrome: Underpinning of insulin resistance and ovarian dysfunction. Steroids, 2012, 77, 300-305.	0.8	328
20	Hyperandrogenism exerts an anti-inflammatory effect in obese women with polycystic ovary syndrome. Endocrine, 2012, 42, 726-735.	1.1	41
21	Obese Reproductiveâ€Age Women Exhibit a Proatherogenic Inflammatory Response During Hyperglycemia. Obesity, 2007, 15, 2436-2444.	1.5	27
22	Altered tumor necrosis factor \hat{l}_{\pm} release from mononuclear cells of obese reproductive-age women during hyperglycemia. Metabolism: Clinical and Experimental, 2006, 55, 271-276.	1.5	32
23	Reactive Oxygen Species-Induced Oxidative Stress in the Development of Insulin Resistance and Hyperandrogenism in Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 336-340.	1.8	364
24	Increased Activation of Nuclear Factor κB Triggers Inflammation and Insulin Resistance in Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 1508-1512.	1.8	197
25	Hyperglycemia Alters Tumor Necrosis Factor-α Release from Mononuclear Cells in Women with Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5336-5342.	1.8	88
26	Elevated serum levels of tumor necrosis factor alpha in normal-weight women with polycystic ovary syndrome. Metabolism: Clinical and Experimental, 1999, 48, 437-441.	1.5	179