

Elmar Brhler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3663707/elmar-brahler-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

528
papers

23,543
citations

71
h-index

134
g-index

741
ext. papers

29,975
ext. citations

2.6
avg, IF

7.17
L-index

#	Paper	IF	Citations
528	Cancer as a risk factor for distress and its interactions with sociodemographic variables in the context of the first wave of the COVID-19 pandemic in Germany.. <i>Scientific Reports</i> , 2022 , 12, 2021	4.9	2
527	Self-Criticism in the General Population: Development and Psychometric Properties of the Depressive Experiences Questionnaire Self-Criticism 4 (DEQ-SC4).. <i>Journal of Personality Assessment</i> , 2022 , 1-13	2.8	
526	A Mixed-Methods Investigation of Medical Follow-Up in Long-Term Childhood Cancer Survivors: What Are the Reasons for Non-Attendance?. <i>Frontiers in Psychology</i> , 2022 , 13, 846671	3.4	
525	Measuring physical, cognitive, and emotional aspects of exhaustion with the BOSS II-short version - results from a representative population-based study in Germany.. <i>BMC Public Health</i> , 2022 , 22, 579	4.1	0
524	The Impact of the COVID-19 Pandemic on Health, Quality of Life and Intrafamilial Relations - A Population-Based Survey in Germany.. <i>Frontiers in Psychology</i> , 2022 , 13, 844057	3.4	1
523	Depression Mediates the Association Between Childhood Emotional Abuse and the Onset of Type 2 Diabetes: Findings From German Multi-Cohort Prospective Studies.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 825678	5	0
522	The association of depression and all-cause mortality: Explanatory factors and the influence of gender.. <i>Journal of Affective Disorders</i> , 2022 , 303, 315-322	6.6	0
521	Does social support prevent suicidal ideation in women and men? Gender-sensitive analyses of an important protective factor within prospective community cohorts.. <i>Journal of Affective Disorders</i> , 2022 , 306, 157-166	6.6	1
520	Depressive symptoms predict the incidence of common chronic diseases in women and men in a representative community sample.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	
519	The association of childhood abuse and neglect with tattoos and piercings in the population: evidence from a representative community survey.. <i>BMC Psychology</i> , 2022 , 10, 105	2.8	
518	The Predictors of Awareness of Sexual Abuse and Sexual Violence in the Media and the Influence on Actions of the Individuals.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 789144	5	
517	The mediation effect of personality functioning between different types of child maltreatment and the development of depression/anxiety symptoms - A German representative study.. <i>Journal of Affective Disorders</i> , 2021 , 299, 408-415	6.6	1
516	Excessiveness in Symptom-Related Thoughts, Feelings, and Behaviors: An Investigation of Somatic Symptom Disorders in the General Population. <i>Psychosomatic Medicine</i> , 2021 , 83, 164-170	3.7	1
515	Handling Missing Data in the Short Form-12 Health Survey (SF-12): Concordance of Real Patient Data and Data Estimated by Missing Data Imputation Procedures. <i>Assessment</i> , 2021 , 28, 1785-1798	3.7	2
514	From Bi-Dimensionality to Uni-Dimensionality in Self-Report Questionnaires. <i>European Journal of Psychological Assessment</i> , 2021 , 37, 135-148	2.2	6
513	Confirmatory and bi-factor analysis of the Short Form Health Survey 8 (SF-8) scale structure in a German general population sample. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 73	3	0
512	Long-term outcomes of children with severe chronic pain: Comparison of former patients with a community sample. <i>European Journal of Pain</i> , 2021 , 25, 1329-1341	3.7	4

511	Development and validation of a new instrument to measure social pain. <i>Scientific Reports</i> , 2021 , 11, 8283	4.9	0
510	Revised Short Screening Version of the Profile of Mood States (POMS) From the German General Population. <i>Frontiers in Psychology</i> , 2021 , 12, 631668	3.4	6
509	Bidimensional structure and measurement equivalence of the Patient Health Questionnaire-9: sex-sensitive assessment of depressive symptoms in three representative German cohort studies. <i>BMC Psychiatry</i> , 2021 , 21, 238	4.2	2
508	Psychological and Socio-Economical Determinants of Health: The Case of Inner German Migration. <i>Frontiers in Public Health</i> , 2021 , 9, 691680	6	0
507	The immediate impact of lockdown measures on mental health and couples' relationships during the COVID-19 pandemic - results of a representative population survey in Germany. <i>Social Science and Medicine</i> , 2021 , 278, 113954	5.1	8
506	The Cycle of Violence: Examining Attitudes Toward and Experiences of Corporal Punishment in a Representative German Sample. <i>Journal of Interpersonal Violence</i> , 2021 , 36, NP263-NP286	2.2	7
505	Factor Structure of the Self-Compassion Scale in 11 International Samples. <i>Measurement and Evaluation in Counseling and Development</i> , 2021 , 54, 1-23	0.8	13
504	Modified 2016 American College of Rheumatology Fibromyalgia Criteria, the Analgesic, Anesthetic, and Addiction Clinical Trial Translations Innovations Opportunities and Networks-American Pain Society Pain Taxonomy, and the Prevalence of Fibromyalgia. <i>Arthritis Care and Research</i> , 2021 , 73, 617-625	4.7	10
503	Loneliness predicts suicidal ideation and anxiety symptoms in long-term childhood cancer survivors. <i>International Journal of Clinical and Health Psychology</i> , 2021 , 21, 100201	5.1	2
502	Psychometric evaluation of the Eating Disorders in Youth-Questionnaire when used in adults: Prevalence estimates for symptoms of avoidant/restrictive food intake disorder and population norms. <i>International Journal of Eating Disorders</i> , 2021 , 54, 399-408	6.3	5
501	Psychometric Properties of Two Brief Versions of the Hopkins Symptom Checklist: HSCL-5 and HSCL-10. <i>Assessment</i> , 2021 , 28, 617-631	3.7	19
500	Later-life depressive symptoms and anxiety attacks in displaced and nondisplaced populations. <i>Journal of Affective Disorders Reports</i> , 2021 , 3, 100061	1.4	0
499	Antisemitismus in Sachsen 2021 , 185-215		
498	Inflammation predicts new onset of depression in men, but not in women within a prospective, representative community cohort. <i>Scientific Reports</i> , 2021 , 11, 2271	4.9	10
497	Similarities and Differences of Mental Health in Women and Men: A Systematic Review of Findings in Three Large German Cohorts. <i>Frontiers in Public Health</i> , 2021 , 9, 553071	6	11
496	Gender-Dependent Associations of Anxiety and Depression Symptoms With Eating Disorder Psychopathology in a Representative Population Sample. <i>Frontiers in Psychiatry</i> , 2021 , 12, 645654	5	2
495	Hormonal and Subjectively Perceived Stress of the Emergency Physicians of the Airborne Rescue Service. <i>Journal of Clinical Psychology in Medical Settings</i> , 2021 , 28, 771-780	2	1
494	The interplay of gender, social context, and long-term unemployment effects on subjective health trajectories. <i>BMC Public Health</i> , 2021 , 21, 290	4.1	2

493	Psychometric evaluations of the Life Orientation Test-Revised (LOT-R), based on nine samples. <i>Psychology and Health</i> , 2021 , 1-13	2.9	0
492	Psychometric Properties of the German Version of the Self-Regulation of Eating Behavior Questionnaire. <i>Frontiers in Psychology</i> , 2021 , 12, 649867	3.4	0
491	Risk factors, physical and mental health burden of male and female pathological gamblers in the German general population aged 40-80. <i>BMC Psychiatry</i> , 2021 , 21, 123	4.2	1
490	Mental health and loneliness in the German general population during the COVID-19 pandemic compared to a representative pre-pandemic assessment. <i>Scientific Reports</i> , 2021 , 11, 14946	4.9	12
489	The relation between childhood adversity and adult obesity in a population-based study in women and men. <i>Scientific Reports</i> , 2021 , 11, 14068	4.9	5
488	The Interplay between Child Maltreatment and Stressful Life Events during Adulthood and Cardiovascular Problems-A Representative Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
487	Weight Stigma and Disease and Disability Concepts of Obesity: A Survey of the German Population. <i>Obesity Facts</i> , 2021 , 14, 463-470	5.1	0
486	Somatic symptoms in the Eastern and Western states of Germany 30 years after unification: Population-based survey analyses. <i>Journal of Psychosomatic Research</i> , 2021 , 147, 110535	4.1	1
485	Personality functioning as a mediator of adult mental health following child maltreatment. <i>Journal of Affective Disorders</i> , 2021 , 291, 126-134	6.6	4
484	Psychometric properties of the German version of the Depressive and Anxious Avoidance in Prolonged Grief Questionnaire (DAAPGQ). <i>PLoS ONE</i> , 2021 , 16, e0254959	3.7	0
483	How can we support COVID-19 survivors? Five lessons from long-term cancer survival. <i>Public Health</i> , 2021 , 197, e8-e9	4	
482	Examining air pollution (PM), mental health and well-being in a representative German sample. <i>Scientific Reports</i> , 2021 , 11, 18436	4.9	4
481	Evaluation of a short version of the Experiences in Close Relationships-Revised questionnaire (ECR-RD8): results from a representative German sample. <i>BMC Psychology</i> , 2021 , 9, 140	2.8	3
480	Psychometric properties of the Somatic Symptom Scale 8 (SSS-8) in a representative sample of German adolescents. <i>Journal of Psychosomatic Research</i> , 2021 , 149, 110593	4.1	
479	Gender-specific associations of loneliness and suicidal ideation in a representative population sample: Young, lonely men are particularly at risk. <i>Journal of Affective Disorders</i> , 2021 , 294, 63-70	6.6	4
478	#patientstoo - Professional sexual misconduct by healthcare professionals towards patients: a representative study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e50	5.1	4
477	Detecting Authoritarianism Efficiently: Psychometric Properties of the Screening Instrument (A-US) in a German Representative Sample. <i>Frontiers in Psychology</i> , 2020 , 11, 533863	3.4	3
476	Authoritarianism and the transgenerational transmission of corporal punishment. <i>Child Abuse and Neglect</i> , 2020 , 106, 104537	4.3	4

475	Monitoring recent trends: The prevalence of disclosure of sexual abuse in a representative sample of the German population based on indicator 16.2.3 of the UN Sustainable Development Goals (SDG). <i>Child Abuse and Neglect</i> , 2020 , 107, 104575	4.3	3
474	Associations between self-rated health and the assessments of anchoring vignettes in cardiovascular patients. <i>International Journal of Clinical and Health Psychology</i> , 2020 , 20, 100-107	5.1	1
473	Validation of the German version of the Bodily Distress Syndrome 25 checklist in a representative German population sample. <i>Journal of Psychosomatic Research</i> , 2020 , 132, 109991	4.1	10
472	Psychometric properties of the German version of the Self-Image Scale (SIS-D). <i>PLoS ONE</i> , 2020 , 15, e0230331	3.7	3
471	What's past is prologue: Recalled parenting styles are associated with childhood cancer survivors' mental health outcomes more than 25 years after diagnosis. <i>Social Science and Medicine</i> , 2020 , 252, 112916	5.1	4
470	Frequency of stressful life events and associations with mental health and general subjective health in the general population. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020 , 29, 1071	1.4	8
469	Body hair removal: Prevalence, demographics, and body experience among men and women in Germany. <i>Journal of Cosmetic Dermatology</i> , 2020 , 19, 2886-2892	2.5	1
468	Experienced Childhood Maltreatment in a Sample of Pedophiles: Comparisons With Patients of a Psychosomatic Outpatient Clinic and the General Population. <i>Journal of Sexual Medicine</i> , 2020 , 17, 985-993	1.1	2
467	Norm values and psychometric properties for the German health regulatory focus scale - results of a representative survey. <i>BMC Medical Research Methodology</i> , 2020 , 20, 51	4.7	1
466	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. <i>Acta Oncologica</i> , 2020 , 59, 967-974	3.2	16
465	A reanalysis of the center for epidemiological studies depression scale (CES-D) using non-parametric item response theory. <i>Psychiatry Research</i> , 2020 , 290, 113132	9.9	3
464	Noise annoyance predicts symptoms of depression, anxiety and sleep disturbance 5 years later. Findings from the Gutenberg Health Study. <i>European Journal of Public Health</i> , 2020 , 30, 516-521	2.1	26
463	Fatigue in cancer patients: comparison with the general population and prognostic factors. <i>Supportive Care in Cancer</i> , 2020 , 28, 4517-4526	3.9	8
462	Measurement invariance, validation and normative data of the Jenkins Sleep Scale-4 (JSS-4) in the German general population across the life span. <i>Journal of Psychosomatic Research</i> , 2020 , 130, 109933	4.1	9
461	Risk factors for suicidal ideation in a large, registry-based sample of adult long-term childhood cancer survivors. <i>Journal of Affective Disorders</i> , 2020 , 265, 351-356	6.6	9
460	Revised short screening version of the attachment questionnaire for couples from the German general population. <i>PLoS ONE</i> , 2020 , 15, e0230864	3.7	1
459	The role of stress and self-efficacy in somatic and psychological symptoms during the climacteric period - Is there a specific association?. <i>Maturitas</i> , 2020 , 136, 1-6	5	2
458	Psychometric properties of an English short version of the Trier Inventory for chronic Stress. <i>BMC Medical Research Methodology</i> , 2020 , 20, 306	4.7	2

457	Krebskranke Eltern. <i>Familiendynamik</i> , 2020 , 45, 214-219	0.2	2
456	Erinnertes elterliches Erziehungsverhalten und die Langzeit-Entwicklung von Kindern und Jugendlichen mit Krebserkrankungen. <i>Familiendynamik</i> , 2020 , 45, 202-212	0.2	0
455	Recalled parental rearing behavior in adult women and men with depressive and anxiety symptoms: Findings from a community study. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2020 , 66, 243-258	1.3	0
454	Recalled parental rearing style, self-esteem, and psychopathological symptoms in the general population. <i>Psihologija</i> , 2020 , 53, 1-19	0.9	2
453	The Narcissistic Personality Inventory 8: Validation of a Brief Measure of Narcissistic Personality. <i>International Journal of Psychological Research</i> , 2020 , 13, 68-77	0.9	
452	Adverse Childhood Experiences and Avatar Preferences in Online Games. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2020 , 48, 15-23	1.8	1
451	Somatic Symptoms in the German General Population from 1975 to 2013. <i>Scientific Reports</i> , 2020 , 10, 1595	4.9	9
450	The desire for children among adult survivors of childhood cancer: Psychometric evaluation of a cancer-specific questionnaire and relations with sociodemographic and psychological characteristics. <i>Psycho-Oncology</i> , 2020 , 29, 485-492	3.9	2
449	Psychometric Properties of the Multidimensional Fatigue Inventory (MFI-20), Derived From Seven Samples. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 717-723	4.8	3
448	Declining Sexual Activity and Desire in Women: Findings from Representative German Surveys 2005 and 2016. <i>Archives of Sexual Behavior</i> , 2020 , 49, 919-925	3.5	8
447	Depression, anxiety and health status across different BMI classes: A representative study in Germany. <i>Journal of Affective Disorders</i> , 2020 , 276, 45-52	6.6	7
446	The association between recalled parental rearing behavior and depressiveness: a comparison between 1st immigrants and non-immigrants in the population-based Gutenberg Health Study. <i>BMC Psychiatry</i> , 2020 , 20, 367	4.2	0
445	Childhood Adversities and Later Attitudes towards Harmful Parenting Behaviour including Shaking in a German Population-based Sample. <i>Child Abuse Review</i> , 2020 , 29, 269-281	1.2	4
444	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. <i>Psycho-Oncology</i> , 2020 , 29, 1604-1612	3.9	3
443	Validation of a Three-Item Short Form of the Modified Weight Bias Internalization Scale (WBIS-3) in the German Population. <i>Obesity Facts</i> , 2020 , 13, 560-571	5.1	0
442	A Brief Assessment of Body Image Perception: Norm Values and Factorial Structure of the Short Version of the FKB-20. <i>Frontiers in Psychology</i> , 2020 , 11, 579783	3.4	0
441	Violence against children and adolescents by nursing staff: prevalence rates and implications for practice. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2020 , 14, 43	6.8	2
440	The long-lasting impact of unemployment on life satisfaction: results of a longitudinal study over 20 years in East Germany. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 361	3	4

439	Lifespan risks of growing up in a family with mental illness or substance abuse. <i>Scientific Reports</i> , 2020 , 10, 15453	4.9	5
438	The association of chronic anxiousness with cardiovascular disease and mortality in the community: results from the Gutenberg Health Study. <i>Scientific Reports</i> , 2020 , 10, 12436	4.9	3
437	Sex-dependent associations of low birth weight and suicidal ideation in adulthood: a community-based cohort study. <i>Scientific Reports</i> , 2020 , 10, 12969	4.9	2
436	Perceived Stress Scale (PSS-10) psychometric properties in migrants and native Germans. <i>BMC Psychiatry</i> , 2020 , 20, 450	4.2	10
435	The role of self-compassion in the relationship between attachment, depression, and quality of life. <i>Journal of Affective Disorders</i> , 2020 , 260, 45-52	6.6	11
434	Prevalence and overlap of somatic symptom disorder, bodily distress syndrome and fibromyalgia syndrome in the German general population: A cross sectional study. <i>Journal of Psychosomatic Research</i> , 2020 , 133, 110111	4.1	16
433	Prevalence and psychopathology of vegetarians and vegans - Results from a representative survey in Germany. <i>Scientific Reports</i> , 2020 , 10, 6840	4.9	22
432	A multi-cohort consortium for GEnde-Sensitive Analyses of mental health trajectories and implications for prevention (GESA) in the general population in Germany. <i>BMJ Open</i> , 2020 , 10, e034220 ³		6
431	Awareness of abusive head trauma in a German population-based sample: implications for prevention. <i>Pediatric Research</i> , 2019 , 86, 537-541	3.2	2
430	Parenting in the face of serious illness: Childhood cancer survivors remember different rearing behavior than the general population. <i>Psycho-Oncology</i> , 2019 , 28, 1663-1670	3.9	5
429	Status and predictors of planning ability in adult long-term survivors of CNS tumors and other types of childhood cancer. <i>Scientific Reports</i> , 2019 , 9, 7290	4.9	1
428	Did we learn the lesson after 60 years of Management by Objectives? A survey among former physician executives in German hospitals. <i>Work</i> , 2019 , 62, 353-359	1.6	
427	Sex-dependent associations of childhood neglect and bodyweight across the life span. <i>Scientific Reports</i> , 2019 , 9, 5080	4.9	4
426	Prevalence of mental distress among adult survivors of childhood cancer in Germany-Compared to the general population. <i>Cancer Medicine</i> , 2019 , 8, 1865-1874	4.8	17
425	Somatic symptom load in men and women from middle to high age in the Gutenberg Health Study - association with psychosocial and somatic factors. <i>Scientific Reports</i> , 2019 , 9, 4610	4.9	20
424	New onset of depression in aging women and men: contributions of social, psychological, behavioral, and somatic predictors in the community. <i>Psychological Medicine</i> , 2019 , 49, 1148-1155	6.9	15
423	Validation of the German Version of the Power of Food Scale in a General Population Sample. <i>Obesity Facts</i> , 2019 , 12, 416-426	5.1	6
422	Age and gender differences in anxiety and depression in cancer patients compared with the general population. <i>European Journal of Cancer Care</i> , 2019 , 28, e13129	2.4	29

421	Linking cancer and mental health in men and women in a representative community sample. <i>Journal of Psychosomatic Research</i> , 2019 , 124, 109760	4.1	9
420	Child maltreatment by nursing staff and caregivers in German institutions: A population-representative analysis. <i>Child Abuse and Neglect</i> , 2019 , 95, 104046	4.3	8
419	Symptom-Checklist-K-9: Norm values and factorial structure in a representative German sample. <i>PLoS ONE</i> , 2019 , 14, e0213490	3.7	16
418	Gender und psychische Gesundheit 2019 , 54-65		8
417	The Prevalence and Consequences of Adverse Childhood Experiences in the German Population. <i>Deutsches A&#x0308;rzteblatt International</i> , 2019 , 116, 635-642	2.5	23
416	Husliche Gewalt: Ein wichtiger Risikofaktor fur Kindesmisshandlung. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2019 , 67, 92-99	0.3	1
415	Spatfolgen von Kindheitstraumata. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2019 , 67, 77-80	0.3	
414	Measuring Illness Behavior in One Minute. <i>European Journal of Health Psychology</i> , 2019 , 26, 39-49	1.1	
413	Ressourcen und Ressourcenaktivierung. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2019 , 67, 141-143	0.3	
412	Kurzversion des Bielefelder Fragebogens zu Partnerschaftserwartungen (BFPE-12). <i>Zeitschrift fur Klinische Psychologie Und Psychotherapie</i> , 2019 , 48, 1-14	0.4	1
411	Body modification in Germany: prevalence, gender differences and attitude towards cosmetic surgery. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019 , 154, 646-649	0.8	1
410	Kindesmisshandlung und deren Langzeitfolgen – Analyse einer reprasentativen deutschen Stichprobe. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2019 , 67, 100-111	0.3	7
409	Kindheitsbelastungen und gestortes Essverhalten – Die Rolle von Selbstregulation. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2019 , 67, 112-124	0.3	3
408	Assessing Procrastination. <i>European Journal of Psychological Assessment</i> , 2019 , 35, 633-640	2.2	8
407	Differential Item Functioning in Brief Instruments of Disordered Eating. <i>European Journal of Psychological Assessment</i> , 2019 , 35, 823-833	2.2	5
406	Child maltreatment is mediating long-term consequences of household dysfunction in a population representative sample. <i>European Psychiatry</i> , 2019 , 58, 10-18	6	13
405	Zusammenhang von Mobbing, internalisierenden Verhaltensproblemen und Inanspruchnahme von psychiatrischer und psychotherapeutischer Behandlung in der deutschen Allgemeinbevolkerung. <i>Nervenheilkunde</i> , 2019 , 38, 10-16	0.3	1
404	Norm values and psychometric properties of the short version of the Trier Inventory for Chronic Stress (TICS) in a representative German sample. <i>PLoS ONE</i> , 2019 , 14, e0222277	3.7	9

403	Course of depressive symptoms in men and women: differential effects of social, psychological, behavioral and somatic predictors. <i>Scientific Reports</i> , 2019 , 9, 18929	4.9	16
402	Association between medicated obstructive pulmonary disease, depression and subjective health: results from the population-based Gutenberg Health Study. <i>Scientific Reports</i> , 2019 , 9, 20252	4.9	6
401	Different Contexts of Sexual Abuse With a Special Focus on the Context of Christian Institutions: Results From the General Population in Germany. <i>Journal of Interpersonal Violence</i> , 2019 , 886260519888340	3.2	5
400	Air Quality and Chronic Stress: A Representative Study of Air Pollution (PM2.5, PM10) in Germany. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, 144-147	2	9
399	Mental health among immigrants in Germany - the impact of self-attribution and attribution by others as an immigrant. <i>BMC Public Health</i> , 2019 , 19, 1697	4.1	6
398	Fatigue in survivors of malignant melanoma and its determinants: a register-based cohort study. <i>Supportive Care in Cancer</i> , 2019 , 27, 2809-2818	3.9	8
397	Obesity, depression and hip pain. <i>Musculoskeletal Care</i> , 2019 , 17, 126-132	1.6	7
396	Do we get the message through? Difficulties in the prevention of abusive head trauma. <i>European Journal of Pediatrics</i> , 2019 , 178, 139-146	4.1	7
395	The association of adverse childhood experiences and of resilience with chronic noncancer pain in the German adult population - A cross-sectional survey. <i>European Journal of Pain</i> , 2019 , 23, 555-564	3.7	1
394	Development and Validation of a Parenting Scale Short Form (PS-8) in a Representative Population Sample. <i>Journal of Child and Family Studies</i> , 2019 , 28, 30-41	2.3	3
393	Parental rearing style and socio-demography of married and cohabiting individuals in a representative German sample. <i>Journal of Family Studies</i> , 2019 , 25, 116-132	0.8	4
392	The Prevalence of Sexual Abuse in Institutions: Results From a Representative Population-Based Sample in Germany. <i>Sexual Abuse: Journal of Research and Treatment</i> , 2019 , 31, 643-661	3.3	8
391	Association Between Restless Legs Syndrome and Adult ADHD in a German Community-Based Sample. <i>Journal of Attention Disorders</i> , 2018 , 22, 300-308	3.7	21
390	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). <i>Psycho-Oncology</i> , 2018 , 27, 1802-1809	3.9	36
389	The latent nature of prolonged grief - A taxometric analysis: Results from a representative population sample. <i>Psychiatry Research</i> , 2018 , 260, 400-405	9.9	6
388	Associations between degree and sub-dimensions of depression and metabolic syndrome (MetS) in the community: results from the Gutenberg Health Study (GHS). <i>BMC Psychiatry</i> , 2018 , 18, 114	4.2	4
387	Quality of life in cancer patients-a comparison of inpatient, outpatient, and rehabilitation settings. <i>Supportive Care in Cancer</i> , 2018 , 26, 3533-3541	3.9	22
386	Psychometric properties of the Satisfaction with Life Scale (SWLS), derived from a large German community sample. <i>Quality of Life Research</i> , 2018 , 27, 1661-1670	3.7	22

385	Long-term effects on adult attachment in German occupation children born after World War II in comparison with a birth-cohort-matched representative sample of the German general population. <i>Aging and Mental Health</i> , 2018 , 22, 197-207	3.5	7
384	Anxiety, depression and quality of life in family caregivers of palliative cancer patients during home care and after the patient's death. <i>European Journal of Cancer Care</i> , 2018 , 27, e12606	2.4	54
383	One in two cancer patients is significantly distressed: Prevalence and indicators of distress. <i>Psycho-Oncology</i> , 2018 , 27, 75-82	3.9	202
382	Assessing age stereotypes in the German population in 1996 and 2011: socio-demographic correlates and shift over time. <i>European Journal of Ageing</i> , 2018 , 15, 47-56	3.6	4
381	Fatigue in the general population: German normative values of the EORTC QLQ-FA12. <i>Quality of Life Research</i> , 2018 , 27, 2681-2689	3.7	13
380	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). <i>BMC Psychology</i> , 2018 , 6, 31	2.8	118
379	Trends in child maltreatment in Germany: comparison of two representative population-based studies. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018 , 12, 24	6.8	23
378	The impact of child maltreatment on non-suicidal self-injury: data from a representative sample of the general population. <i>BMC Psychiatry</i> , 2018 , 18, 181	4.2	28
377	Cross-cultural validation of the German and Turkish versions of the PHQ-9: an IRT approach. <i>BMC Psychology</i> , 2018 , 6, 26	2.8	16
376	Psychometric properties and measurement invariance of the Beck hopelessness scale (BHS): results from a German representative population sample. <i>BMC Psychiatry</i> , 2018 , 18, 110	4.2	16
375	Factor structure and psychometric properties of the english version of the trier inventory for chronic stress (TICS-E). <i>BMC Medical Research Methodology</i> , 2018 , 18, 18	4.7	17
374	Declining Sexual Activity and Desire in Men-Findings From Representative German Surveys, 2005 and 2016. <i>Journal of Sexual Medicine</i> , 2018 , 15, 750-756	1.1	22
373	Structural validation of the Self-Compassion Scale with a German general population sample. <i>PLoS ONE</i> , 2018 , 13, e0190771	3.7	36
372	Prevalence Rate and Course of Symptoms of Disruptive Mood Dysregulation Disorder (DMDD). <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2018 , 46, 29-38	1.8	9
371	Persönlichkeitsdiagnostik in der Online-Psychotherapieforschung. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2018 , 66, 169-176	0.3	3
370	Konfirmatorische Prüfung der Skalenstruktur des SF-12 Version 2.0 in einer deutschen bevölkerungs-repräsentativen Stichprobe. <i>Diagnostica</i> , 2018 , 64, 84-96	0.8	19
369	Normierung des SF-12 Version 2.0 zur Messung der gesundheitsbezogenen Lebensqualität in einer deutschen bevölkerungsrepräsentativen Stichprobe. <i>Diagnostica</i> , 2018 , 64, 215-226	0.8	31
368	Association of Physical Morbidity and Health-Related Quality of Life in a Representative Sample of Older German People. <i>European Journal of Health Psychology</i> , 2018 , 25, 140-151	1.1	1

367	Predicting presenteeism via effort-reward imbalance and dispositional optimism: Is it the interaction that matters? Results from The Saxony Longitudinal Study. <i>Work</i> , 2018 , 61, 589-601	1.6	1
366	Emotion regulation strategies moderate the relationship of fatigue with depersonalization and derealization symptoms. <i>Journal of Affective Disorders</i> , 2018 , 227, 571-579	6.6	8
365	Norm values and psychometric properties of the brief symptom inventory-18 regarding individuals between the ages of 60 and 95. <i>BMC Medical Research Methodology</i> , 2018 , 18, 164	4.7	11
364	Evaluation of the revised sense of coherence scale in a representative German sample. <i>PLoS ONE</i> , 2018 , 13, e0209550	3.7	7
363	Associations of adverse childhood experiences and bullying on physical pain in the general population of Germany. <i>Journal of Pain Research</i> , 2018 , 11, 3099-3108	2.9	13
362	Association of child maltreatment subtypes and long-term physical health in a German representative sample. <i>Hjgre Utbildning</i> , 2018 , 9, 1510278	5	40
361	Doctor's recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. <i>PLoS ONE</i> , 2018 , 13, e0205160	3.7	8
360	Is assessment of depression equivalent for migrants of different cultural backgrounds? Results from the German population-based Gutenberg Health Study (GHS). <i>Depression and Anxiety</i> , 2018 , 35, 1178-1189	8.4	9
359	Body Image, Personality Traits, and Quality of Life in Botulinum Toxin A and Dermal Filler Patients. <i>Aesthetic Plastic Surgery</i> , 2018 , 42, 1119-1125	2	68
358	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. <i>Sleep Medicine</i> , 2017 , 30, 57-63	4.6	176
357	Utilization of professional psychological care in a large German sample of cancer patients. <i>Psycho-Oncology</i> , 2017 , 26, 537-543	3.9	52
356	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. <i>Journal of Affective Disorders</i> , 2017 , 210, 338-344	6.6	135
355	Measuring family functioning in families with parental cancer: Reliability and validity of the German adaptation of the Family Assessment Device (FAD). <i>Journal of Psychosomatic Research</i> , 2017 , 93, 110-117	4.1	9
354	Cross-cultural measurement invariance of the General Health Questionnaire-12 in a German and a Colombian population sample. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	14
353	Unaccompanied refugee minors in Germany: attitudes of the general population towards a vulnerable group. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 733-742	5.5	17
352	The impact of economic rationalization, prioritization and rationing on job satisfaction, motivation and team cohesion in hospitals: a survey among retired physician executives in Germany. <i>Patient Safety in Surgery</i> , 2017 , 11, 3	3	2
351	Brief assessment of subjective health complaints: Development, validation and population norms of a brief form of the Giessen Subjective Complaints List (GGB-8). <i>Journal of Psychosomatic Research</i> , 2017 , 95, 33-43	4.1	15
350	Medium- and long-term prognostic validity of competing classification proposals for the former somatoform disorders. <i>Psychological Medicine</i> , 2017 , 47, 1719-1732	6.9	9

349	Optimism and pessimism in the general population: Psychometric properties of the Life Orientation Test (LOT-R). <i>International Journal of Clinical and Health Psychology</i> , 2017 , 17, 161-170	5.1	57
348	Attention-Deficit/Hyperactivity Disorder Symptoms and Life Satisfaction in a Representative Adolescent and Adult Sample. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 720-724	1.8	3
347	Childhood maltreatment in children born of occupation after WWII in Germany and its association with mental disorders. <i>International Psychogeriatrics</i> , 2017 , 29, 1147-1156	3.4	11
346	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. <i>Patient Education and Counseling</i> , 2017 , 100, 1934-1942	3.1	37
345	Frequency of somatic symptoms in the general population: Normative values for the Patient Health Questionnaire-15 (PHQ-15). <i>Journal of Psychosomatic Research</i> , 2017 , 96, 27-31	4.1	40
344	Loneliness in the general population: prevalence, determinants and relations to mental health. <i>BMC Psychiatry</i> , 2017 , 17, 97	4.2	393
343	The Somatic Symptom Disorder - B Criteria Scale (SSD-12): Factorial structure, validity and population-based norms. <i>Journal of Psychosomatic Research</i> , 2017 , 97, 9-17	4.1	25
342	Menopausal syndrome limited to hot flushes and sweating a representative survey study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2017 , 38, 170-179	3.6	9
341	The risk of being depressed is significantly higher in cancer patients than in the general population: Prevalence and severity of depressive symptoms across major cancer types. <i>European Journal of Cancer</i> , 2017 , 72, 46-53	7.5	126
340	Psychological distress of cancer patients with children under 18 years and their partners-a longitudinal study of family relationships using dyadic data analysis. <i>Supportive Care in Cancer</i> , 2017 , 25, 255-264	3.9	6
339	Socio-demographic, health-related, and individual correlates of diagnostic self-testing by lay people: Results from a representative survey in Germany. <i>PLoS ONE</i> , 2017 , 12, e0188653	3.7	2
338	Individualized support for informal caregivers of people with dementia - effectiveness of the German adaptation of REACH II. <i>BMC Geriatrics</i> , 2017 , 17, 286	4.1	19
337	Resilient coping in the general population: standardization of the brief resilient coping scale (BRCS). <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 251	3	34
336	Child maltreatment in Germany: prevalence rates in the general population. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017 , 11, 47	6.8	90
335	Mini - social phobia inventory (mini-SPIN): psychometric properties and population based norms of the German version. <i>BMC Psychiatry</i> , 2017 , 17, 377	4.2	18
334	German Beck Scale for Suicide Ideation (BSS): psychometric properties from a representative population survey. <i>BMC Psychiatry</i> , 2017 , 17, 389	4.2	32
333	Therapeutic alliance and treatment outcome in psychodynamic psychotherapy of depressed breast cancer patients: the same old story or different from other populations?. <i>Breast Cancer</i> , 2017 , 24, 765-773	3.4	2
332	Public Support for Weight-Related Antidiscrimination Laws and Policies. <i>Obesity Facts</i> , 2017 , 10, 101-111	5.1	11

331	Screening for DSM-5 Somatic Symptom Disorder: Diagnostic Accuracy of Self-Report Measures Within a Population Sample. <i>Psychosomatic Medicine</i> , 2017 , 79, 974-981	3.7	20
330	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , 2017 , 123, 4236-4243	6.4	69
329	Psychometric analysis of the brief symptom inventory 18 (BSI-18) in a representative German sample. <i>BMC Medical Research Methodology</i> , 2017 , 17, 14	4.7	88
328	Associations of fatigue to work-related stress, mental and physical health in an employed community sample. <i>BMC Psychiatry</i> , 2017 , 17, 167	4.2	54
327	Euroscepticism and Right-Wing Extremist Attitudes in Germany: A Result of the Dialectic Nature of Progress. <i>German Politics</i> , 2017 , 26, 235-254	1.3	7
326	Language-related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	10
325	Screening disordered eating in a representative sample of the German population: Usefulness and psychometric properties of the German SCOFF questionnaire. <i>Eating Behaviors</i> , 2017 , 25, 81-88	3	18
324	Childhood adversities and distress - The role of resilience in a representative sample. <i>PLoS ONE</i> , 2017 , 12, e0173826	3.7	62
323	Prevalence and determinants of online-sex use in the German population. <i>PLoS ONE</i> , 2017 , 12, e0176449	3.7	15
322	Emotional and tangible social support in a German population-based sample: Development and validation of the Brief Social Support Scale (BS6). <i>PLoS ONE</i> , 2017 , 12, e0186516	3.7	18
321	Psychotherapeutische Versorgung von Geflüchteten aus der Sicht niedergelassener Psychotherapeuten in Deutschland. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2017 , 65, 145-154	0.3	5
320	Satisfaction with information and unmet information needs in men and women with cancer. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 62-70	5.1	119
319	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 289-96	9.4	65
318	The overlap of somatic, anxious and depressive syndromes: A population-based analysis. <i>Journal of Psychosomatic Research</i> , 2016 , 90, 51-56	4.1	41
317	The German version of the Perceived Stress Scale - psychometric characteristics in a representative German community sample. <i>BMC Psychiatry</i> , 2016 , 16, 159	4.2	203
316	The prevalence of Nonsuicidal Self-Injury (NSSI) in a representative sample of the German population. <i>BMC Psychiatry</i> , 2016 , 16, 353	4.2	37
315	Körperdysmorphie Störung. <i>Ästhetische Dermatologie & Kosmetologie</i> , 2016 , 8, 26-31	0	
314	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , 2016 , 33, 153-61	8.4	27

313	The eating disorder examination-questionnaire 8: A brief measure of eating disorder psychopathology (EDE-Q8). <i>International Journal of Eating Disorders</i> , 2016 , 49, 613-6	6.3	44
312	Eating pathology in medical students in Eastern Germany: comparison with general population and a sample at the time of the German reunification. <i>Eating and Weight Disorders</i> , 2016 , 21, 445-451	3.6	3
311	The relationship between perceived own health state and health assessments of anchoring vignettes. <i>International Journal of Clinical and Health Psychology</i> , 2016 , 16, 128-136	5.1	7
310	Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. <i>BMC Psychiatry</i> , 2016 , 16, 22	4.2	105
309	Prevalence of self-reported jaw pain in Germany: two cross-sectional surveys of the general German population. <i>Clinical Oral Investigations</i> , 2016 , 20, 1895-1901	4.2	6
308	Is the General Self-Efficacy Scale a Reliable Measure to be used in Cross-Cultural Studies? Results from Brazil, Germany and Colombia. <i>Spanish Journal of Psychology</i> , 2016 , 19, E29	1	6
307	Patient-Physician Communication and Knowledge Regarding Fertility Issues from German Oncologists' Perspective-a Quantitative Survey. <i>Journal of Cancer Education</i> , 2016 , 31, 115-22	1.8	10
306	Personality correlates and gender invariance of wording effects in the German version of the Rosenberg Self-Esteem Scale. <i>Personality and Individual Differences</i> , 2016 , 97, 13-18	3.3	24
305	The association between physical environment and health: indicating the direction of effects using German panel data. <i>International Journal of Occupational and Environmental Health</i> , 2016 , 22, 1-6		2
304	Medical consultations about fertility preservation with haematological patients of childbearing age: A qualitative study. <i>European Journal of Oncology Nursing</i> , 2016 , 21, 146-52	2.8	5
303	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. <i>Journal of Psychosomatic Research</i> , 2016 , 81, 24-30	4.1	67
302	Shadows of Beauty - Prevalence of Body Dysmorphic Concerns in Germany is Increasing: Data from Two Representative Samples from 2002 and 2013. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 83-90	2.2	5
301	Noise Annoyance Is Associated with Depression and Anxiety in the General Population- The Contribution of Aircraft Noise. <i>PLoS ONE</i> , 2016 , 11, e0155357	3.7	119
300	Prevalence and Correlates of Self-Harm in the German General Population. <i>PLoS ONE</i> , 2016 , 11, e0157928	3.7	30
299	2. DIE DÄMMITER-STUDIE 2016: METHODE, ERGEBNISSE UND LANGZEITVERLAUF 2016 , 23-66		27
298	Dimensional latent structure of PTSD-symptoms reporting: Is it adding by subtracting?. <i>Psychological Assessment</i> , 2016 , 28, 1663-1673	5.3	8
297	Procrastination, Distress and Life Satisfaction across the Age Range - A German Representative Community Study. <i>PLoS ONE</i> , 2016 , 11, e0148054	3.7	72
296	The Prevalence of Sexual Violence. <i>Deutsches A&#x0308;rztblatt International</i> , 2016 , 113, 107-13	2.5	15

295	Patterns of Childhood Abuse and Neglect in a Representative German Population Sample. <i>PLoS ONE</i> , 2016 , 11, e0159510	3.7	25
294	The German Version of the Dutch Eating Behavior Questionnaire: Psychometric Properties, Measurement Invariance, and Population-Based Norms. <i>PLoS ONE</i> , 2016 , 11, e0162510	3.7	48
293	Effort-Reward Imbalance and Mental Health Problems in 1074 German Teachers, Compared with Those in the General Population. <i>Stress and Health</i> , 2016 , 32, 224-30	3.7	24
292	Psychometric properties of a short version of the Eating Attitudes Test (EAT-8) in a German representative sample. <i>Eating Behaviors</i> , 2016 , 21, 198-204	3	16
291	Family physician-patient relationship and frequent attendance of primary and specialist health care: Results from a German population-based cohort study. <i>Patient Education and Counseling</i> , 2016 , 99, 1213-1219	3.1	15
290	The association between area-level socio-economic status and childhood overweight and the role of urbanicity. <i>Obesity Medicine</i> , 2016 , 2, 13-18	2.6	3
289	Depression, anxiety and suicidal ideation among 1(st) and 2(nd) generation migrants - results from the Gutenberg health study. <i>BMC Psychiatry</i> , 2016 , 16, 288	4.2	44
288	Adjustment disorder as proposed for ICD-11: Dimensionality and symptom differentiation. <i>Psychiatry Research</i> , 2015 , 229, 940-8	9.9	62
287	Motives and decisions for and against having children among nonheterosexuals and the impact of experiences of discrimination, internalized stigma, and social acceptance. <i>Journal of Sex Research</i> , 2015 , 52, 174-85	4	7
286	A brief form of the Perceived Social Support Questionnaire (F-SozU) was developed, validated, and standardized. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 551-62	5.7	77
285	The core self-evaluation scale: psychometric properties of the german version in a representative sample. <i>Journal of Personality Assessment</i> , 2015 , 97, 310-8	2.8	13
284	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015 , 15, 691	4.1	164
283	Does psychodynamic short-term psychotherapy for depressed breast cancer patients also improve fatigue? Results from a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 581-8	4.4	12
282	Attitudes Towards (Psychotherapy) Groups: Results of a Survey in a Representative Sample. <i>International Journal of Group Psychotherapy</i> , 2015 , 65, 410-30	0.5	14
281	Körperbild und Körperschmuck. <i>Psychotherapeut</i> , 2015 , 60, 505-510	0.5	2
280	The independent relations of both residential self-selection and the environment to physical activity. <i>International Journal of Environmental Health Research</i> , 2015 , 25, 288-98	3.6	10
279	Validating psychological classification criteria in the context of somatoform disorders: A one- and four-year follow-up. <i>Journal of Abnormal Psychology</i> , 2015 , 124, 1092-101	7	15
278	Self-Compassion as a Resource in the Self-Stigma Process of Overweight and Obese Individuals. <i>Obesity Facts</i> , 2015 , 8, 293-301	5.1	43

277	Depression, anxiety and quality of life in long-term survivors of malignant melanoma: a register-based cohort study. <i>PLoS ONE</i> , 2015 , 10, e0116440	3.7	48
276	Effects of an Innovative Psychotherapy Program for Surgical Patients: Bridging Intervention in Anesthesiology--A Randomized Controlled Trial. <i>Anesthesiology</i> , 2015 , 123, 148-59	4.3	7
275	A Rasch Re-Analysis of the Partnership Questionnaire. <i>SAGE Open</i> , 2015 , 5, 215824401558895	1.5	2
274	Depression, Somatization, and Posttraumatic Stress Disorder in Children Born of Occupation After World War II in Comparison With a General Population. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 742-8	1.8	11
273	Dimensional Latent Structure of Relationship Quality: Results of Three Representative Population Samples. <i>Journal of Marriage and Family</i> , 2015 , 77, 1190-1201	4.5	14
272	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. <i>Psycho-Oncology</i> , 2015 , 24, 1456-62	3.9	20
271	Predictors of quality of life of cancer patients, their children, and partners. <i>Psycho-Oncology</i> , 2015 , 24, 787-95	3.9	32
270	Prevalence of Chronic Disabling Noncancer Pain and Associated Demographic and Medical Variables: A Cross-Sectional Survey in the General German Population. <i>Clinical Journal of Pain</i> , 2015 , 31, 886-92	3.5	26
269	Is It Attachment Style or Socio-Demography: Singlehood in a Representative Sample. <i>Frontiers in Psychology</i> , 2015 , 6, 1738	3.4	8
268	Efficient and valid assessment of personality traits: population norms of a brief version of the NEO Five-Factor Inventory (NEO-FFI). <i>Archives of Psychiatry and Psychotherapy</i> , 2015 , 17, 21-32	2	6
267	Reply to C.e. Paiva et Al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1517	2.2	
266	Reply to J. Dekker et al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2828	2.2	
265	Is somatosensory amplification a risk factor for an increased report of side effects? Reference data from the German general population. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 492-7	4.1	10
264	Mental Status in Patients Before and After Liver Transplantation. <i>Annals of Transplantation</i> , 2015 , 20, 683-93	1.4	14
263	The Role of Self-Compassion in Buffering Symptoms of Depression in the General Population. <i>PLoS ONE</i> , 2015 , 10, e0136598	3.7	65
262	Resilience in the General Population: Standardization of the Resilience Scale (RS-11). <i>PLoS ONE</i> , 2015 , 10, e0140322	3.7	23
261	Depressive Störungen bei Krebserkrankungen 2015 ,		3
260	Brief Form of the Interpersonal Competence Questionnaire (ICQ-15). <i>European Journal of Psychological Assessment</i> , 2015 , 31, 272-279	2.2	7

259	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9552-9552	2.2	
258	Psychische Belastung und Krankheitsverarbeitung krebserkrankter Väter von minderjährigen Kindern. <i>Zeitschrift Fur Gesundheitspsychologie</i> , 2015 , 23, 77-88		3
257	German adaptation of the Resources for Enhancing Alzheimer's Caregiver Health II: study protocol of a single-centred, randomised controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 21	4.1	2
256	The association between night eating and body mass depends on age. <i>Eating Behaviors</i> , 2014 , 15, 683-5	3	28
255	Prevalence of internet addiction in the general population: results from a German population-based survey. <i>Behaviour and Information Technology</i> , 2014 , 33, 757-766	2.4	79
254	Children of cancer patients: prevalence and predictors of emotional and behavioral problems. <i>Cancer</i> , 2014 , 120, 2361-70	6.4	29
253	Sexual and physical abuse in childhood is associated with depression and anxiety over the life course: systematic review and meta-analysis. <i>International Journal of Public Health</i> , 2014 , 59, 359-72	4	311
252	Cancer-related fatigue in patients before and after radical prostatectomy. Results of a prospective multi-centre study. <i>Supportive Care in Cancer</i> , 2014 , 22, 2883-9	3.9	11
251	Untying chronic pain: prevalence and societal burden of chronic pain stages in the general population - a cross-sectional survey. <i>BMC Public Health</i> , 2014 , 14, 352	4.1	69
250	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 73-86	5.7	102
249	Psychological distress and quality of life of palliative cancer patients and their caring relatives during home care. <i>Supportive Care in Cancer</i> , 2014 , 22, 2775-82	3.9	71
248	The impact of body weight and depression on low back pain in a representative population sample. <i>Pain Medicine</i> , 2014 , 15, 1316-27	2.8	18
247	Complementary/alternative medicine and physiotherapy usage in German cervical dystonia patients. <i>Basal Ganglia</i> , 2014 , 4, 55-59		2
246	The German Version of the Hopkins Symptoms Checklist-25 (HSCL-25) --factorial structure, psychometric properties, and population-based norms. <i>Comprehensive Psychiatry</i> , 2014 , 55, 396-403	7.3	34
245	The desire for children and fertility issues among young German cancer survivors. <i>Journal of Adolescent Health</i> , 2014 , 54, 527-35	5.8	66
244	Health-related quality of life, depression, and anxiety in patients with autoimmune hepatitis. <i>Journal of Hepatology</i> , 2014 , 60, 618-24	13.4	57
243	Traumatic experiences, alexithymia, and posttraumatic symptomatology: a cross-sectional population-based study in Germany. <i>Hogre Utbildning</i> , 2014 , 5,	5	33
242	Prevalence and correlates of night eating in the German general population. <i>PLoS ONE</i> , 2014 , 9, e97667	3.7	43

241	Association of symptoms of attention-deficit/hyperactivity disorder with symptoms of excessive exercising in an adult general population sample. <i>BMC Psychiatry</i> , 2014 , 14, 250	4.2	50
240	Gender differences in a resources-demands model in the general population. <i>BMC Public Health</i> , 2014 , 14, 902	4.1	9
239	Four-week prevalence of mental disorders in patients with cancer across major tumor entities. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3540-6	2.2	363
238	Dimensional latent structure of somatic symptom reporting in two representative population studies: results from taxometric analyses. <i>Psychological Assessment</i> , 2014 , 26, 484-92	5.3	19
237	European reference values for the quality of life questionnaire EORTC QLQ-C30: Results of a German investigation and a summarizing analysis of six European general population normative studies. <i>Acta Oncologica</i> , 2014 , 53, 958-65	3.2	130
236	The somatic symptom scale-8 (SSS-8): a brief measure of somatic symptom burden. <i>JAMA Internal Medicine</i> , 2014 , 174, 399-407	11.5	238
235	Factors associated with fatigue in sarcoidosis. <i>Respiratory Care</i> , 2014 , 59, 1086-94	2.1	32
234	Weight bias internalization, core self-evaluation, and health in overweight and obese persons. <i>Obesity</i> , 2014 , 22, 79-85	8	103
233	Assessing modern health worries: dimensionality and factorial invariance across age and sex of the Modern Health Worries Scale in a general population sample. <i>Journal of Health Psychology</i> , 2014 , 19, 1302-8	3.1	5
232	The relationship of parental rearing behavior and resilience as well as psychological symptoms in a representative sample. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 95	3	17
231	Reliability and validity of the Beck Depression Inventory-Fast Screen for medical patients in the general German population. <i>Journal of Affective Disorders</i> , 2014 , 156, 236-9	6.6	31
230	Patient Health Questionnaire 15 as a generic measure of severity in fibromyalgia syndrome: surveys with patients of three different settings. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 307-11	4.1	25
229	Psychodynamic therapy from the perspective of self-organization. a concept of change and a methodological approach for empirical examination. <i>Clinical Psychology and Psychotherapy</i> , 2014 , 21, 299-310	2.9	3
228	The quality of life questionnaire EQ-5D-5L: psychometric properties and normative values for the general German population. <i>Quality of Life Research</i> , 2014 , 23, 443-7	3.7	131
227	Gender-specific quality of life after cancer in young adulthood: a comparison with the general population. <i>Quality of Life Research</i> , 2014 , 23, 1377-86	3.7	62
226	Weight bias internalization scale: psychometric properties and population norms. <i>PLoS ONE</i> , 2014 , 9, e86303	3.7	71
225	How is emotional awareness related to emotion regulation strategies and self-reported negative affect in the general population?. <i>PLoS ONE</i> , 2014 , 9, e91846	3.7	36
224	Validation of the Patient-Doctor-Relationship Questionnaire (PDRQ-9) in a representative cross-sectional German population survey. <i>PLoS ONE</i> , 2014 , 9, e91964	3.7	22

223	Brustkrebspatientinnen mit minderjährigen Kindern [Psychosoziale Belastung und Unterstützungswünsche. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2014 , 62, 55-63	0.3	1
222	Associations Between the Residential Environment and Physical Activity in German College Students and the Role of Self-Efficacy as a Mediator. <i>Zeitschrift Fur Gesundheitspsychologie</i> , 2014 , 22, 118-128		2
221	The Type D Construct. <i>European Journal of Psychological Assessment</i> , 2014 , 30, 283-288	2.2	3
220	Der Fragebogen zur sozialen Integration (FSI) - Psychometrische Testung und Akzeptanz bei Patienten mit hämatologischen Neoplasien. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2014 , 60, 3-16	1.3	2
219	Psychological distress in cancer patients with underage children: gender-specific differences. <i>Psycho-Oncology</i> , 2013 , 22, 823-8	3.9	33
218	Life satisfaction and health-related quality of life in immigrants and native-born Germans: the role of immigration-related factors. <i>Quality of Life Research</i> , 2013 , 22, 1005-13	3.7	49
217	Standardization of a screening instrument (PHQ-15) for somatization syndromes in the general population. <i>BMC Psychiatry</i> , 2013 , 13, 91	4.2	134
216	The distinction between "medically unexplained" and "medically explained" in the context of somatoform disorders. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 161-71	2.6	39
215	Disagreement in doctor's and patient's rating about medically unexplained symptoms and health care use. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 30-7	2.6	8
214	Elternschaft, Krebs und Kindersorgen. <i>Psychotherapeut</i> , 2013 , 58, 576-582	0.5	1
213	Einstellungen zu Psychotherapie. <i>Psychotherapeut</i> , 2013 , 58, 466-473	0.5	8
212	Internet als Ratgeber bei psychischen Problemen. <i>Psychotherapeut</i> , 2013 , 58, 63-72	0.5	11
211	Posttraumatic stress disorder in fibromyalgia syndrome: prevalence, temporal relationship between posttraumatic stress and fibromyalgia symptoms, and impact on clinical outcome. <i>Pain</i> , 2013 , 154, 1216-23	8	94
210	Coping skills and mental health status in adolescents when a parent has cancer: a multicenter and multi-perspective study. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 252-9	4.1	43
209	Frequency of child maltreatment in a representative sample of the German population. <i>BMC Public Health</i> , 2013 , 13, 980	4.1	60
208	Standardization of the depression screener patient health questionnaire (PHQ-9) in the general population. <i>General Hospital Psychiatry</i> , 2013 , 35, 551-5	5.6	289
207	What is the General Health Questionnaire-12 assessing? Dimensionality and psychometric properties of the General Health Questionnaire-12 in a large scale German population sample. <i>Comprehensive Psychiatry</i> , 2013 , 54, 406-13	7.3	77
206	Dimensional assessment of depressive severity in the elderly general population: psychometric evaluation of the PHQ-9 using Rasch Analysis. <i>Journal of Affective Disorders</i> , 2013 , 148, 323-30	6.6	41

205	Attitudes towards bariatric surgery in the general public. <i>Obesity Surgery</i> , 2013 , 23, 338-45	3.7	21
204	Fibromyalgia prevalence, somatic symptom reporting, and the dimensionality of polysymptomatic distress: results from a survey of the general population. <i>Arthritis Care and Research</i> , 2013 , 65, 777-85	4.7	266
203	Health Complaints and Unemployment: The Role of Self-Efficacy in a Prospective Cohort Study. <i>Journal of Social and Clinical Psychology</i> , 2013 , 32, 97-115	1.6	10
202	A taxometric exploration of the latent structure of hoarding. <i>Psychological Assessment</i> , 2013 , 25, 194-203	3.3	47
201	The effect of including a 'psychooncological statement' in the discharge summary on patient-physician communication: a randomized controlled trial. <i>Psycho-Oncology</i> , 2013 , 22, 2789-96	3.9	9
200	Extreme obesity is associated with suicidal behavior and suicide attempts in adults: results of a population-based representative sample. <i>Depression and Anxiety</i> , 2013 , 30, 975-81	8.4	38
199	Parental dyadic coping in families of children and adolescents with type 1 diabetes. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2013 , 26, 867-75	1.6	7
198	Attitudes of health care professionals towards female obese patients. <i>Obesity Facts</i> , 2013 , 6, 512-22	5.1	39
197	The impact of forced displacement in World War II on mental health disorders and health-related quality of life in late life - a German population-based study. <i>International Psychogeriatrics</i> , 2013 , 25, 310-9	3.4	17
196	Ethical attitudes of German specialists in reproductive medicine and legal regulation of preimplantation sex selection in Germany. <i>PLoS ONE</i> , 2013 , 8, e56390	3.7	6
195	Personality factors and suicide risk in a representative sample of the German general population. <i>PLoS ONE</i> , 2013 , 8, e76646	3.7	58
194	The internet as a mental health advisor in Germany--results of a national survey. <i>PLoS ONE</i> , 2013 , 8, e79206	3.6	102
193	6 FRAGEBOGEN ZUR RECHTSEXTREMEN EINSTELLUNG LEIPZIGER FORM (FR-LF) 2013 , 197-212		13
192	The health professional-patient-relationship in conventional versus complementary and alternative medicine. A qualitative study comparing the perceived use of medical shared decision-making between two different approaches of medicine. <i>Patient Education and Counseling</i> , 2012 , 88, 129-37	3.1	43
191	Psychometric properties and population-based norms of the Life Orientation Test Revised (LOT-R). <i>British Journal of Health Psychology</i> , 2012 , 17, 432-45	8.3	180
190	Crisis-repair sequences - considerations on the classification and assessment of breaches in the therapeutic relationship. <i>BMC Medical Research Methodology</i> , 2012 , 12, 10	4.7	9
189	Kultursensible Diagnostik in Forschung und Praxis. <i>Psychotherapeut</i> , 2012 , 57, 22-28	0.5	20
188	Predictors of emotional distress in patients with head and neck cancer. <i>Head and Neck</i> , 2012 , 34, 180-7	4.2	77

187	Adjustment disorders: prevalence in a representative nationwide survey in Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1745-52	4.5	55
186	Early continence in patients with localized prostate cancer. A comparison between open retropubic (RRPE) and endoscopic extraperitoneal radical prostatectomy (EERPE). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 798-803	2.8	6
185	The relationship of modern health worries to depression, symptom reporting and quality of life in a general population survey. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 318-20	4.1	49
184	Efficacy of psychodynamic short-term psychotherapy for depressed breast cancer patients: study protocol for a randomized controlled trial. <i>BMC Cancer</i> , 2012 , 12, 578	4.8	10
183	Widespread pain in older Germans is associated with posttraumatic stress disorder and lifetime employment status--results of a cross-sectional survey with a representative population sample. <i>Pain</i> , 2012 , 153, 2466-2472	8	19
182	An ultra-short screening version of the Recalled Parental Rearing Behavior questionnaire (FEE-US) and its factor structure in a representative German sample. <i>BMC Medical Research Methodology</i> , 2012 , 12, 169	4.7	9
181	Factor structure and psychometric properties of the trier inventory for chronic stress (TICS) in a representative German sample. <i>BMC Medical Research Methodology</i> , 2012 , 12, 42	4.7	72
180	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients - study protocol of an epidemiological multi-center study. <i>BMC Psychiatry</i> , 2012 , 12, 70	4.2	60
179	How frequent are eating disturbances in the population? Norms of the eating disorder examination-questionnaire. <i>PLoS ONE</i> , 2012 , 7, e29125	3.7	160
178	Obese children, adults and senior citizens in the eyes of the general public: results of a representative study on stigma and causation of obesity. <i>PLoS ONE</i> , 2012 , 7, e46924	3.7	66
177	What do you know about reproductive medicine?--results of a German representative survey. <i>PLoS ONE</i> , 2012 , 7, e50113	3.7	16
176	Medication adherence in the general population. <i>PLoS ONE</i> , 2012 , 7, e50537	3.7	28
175	Persistence of psychological distress in surgical patients with interest in psychotherapy: results of a 6-month follow-up. <i>PLoS ONE</i> , 2012 , 7, e51167	3.7	8
174	Körperbeschwerden nach politischer Inhaftierung und deren Zusammenhang mit Ängstlichkeit und Depressivität. <i>Verhaltenstherapie</i> , 2012 , 22, 37-46	0.9	2
173	Art therapy in psycho-oncology--recruitment of participants and gender differences in usage. <i>Supportive Care in Cancer</i> , 2012 , 20, 679-86	3.9	14
172	Gender Differences in Healthcare Utilization: The Mediating Effect of Utilization Propensity. <i>Journal of Applied Social Psychology</i> , 2012 , 42, 1266-1279	2.1	6
171	Standardisierte Verfahren in der empirischen Sexualforschung - Ein Update. <i>Zeitschrift Fur Sexualforschung</i> , 2012 , 25, 93-130	0.5	4
170	Corresponding instability of patient and therapist process ratings in psychodynamic psychotherapies. <i>Psychotherapy Research</i> , 2012 , 22, 26-39	3.6	22

169	Erectile dysfunction after radical prostatectomy: the impact of nerve-sparing status and surgical approach. <i>International Journal of Impotence Research</i> , 2012 , 24, 155-60	2.3	15
168	Quality of life of colorectal cancer patients in certified centers versus non-certified hospitals. <i>Onkologie</i> , 2012 , 35, 162-8		3
167	Interpersonelle Psychotherapie bei Essstörungen: Eine systematische und praxisorientierte Übersicht. <i>Verhaltenstherapie</i> , 2012 , 22, 149-157	0.9	4
166	More than 60 years later: the mediating role of trauma and posttraumatic stress disorder for the association of forced displacement in world war II with somatization in old age. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 911-4	1.8	18
165	Prevalence of suicidal ideation and related risk factors in the German general population. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 401-5	1.8	43
164	Validating the German version of the Quality of Relationship Inventory: confirming the three-factor structure and report of psychometric properties. <i>PLoS ONE</i> , 2012 , 7, e37380	3.7	20
163	The differential roles of trauma, posttraumatic stress disorder, and comorbid depressive disorders on suicidal ideation in the elderly population. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1141-6	4.6	9
162	Soziale Ungleichheit, psychische und körperliche Gesundheit – Welchen Einfluss hat das Alter?. <i>Zeitschrift Für Psychiatrie, Psychologie Und Psychotherapie</i> , 2012 , 60, 205-215	0.3	5
161	Messung der gesundheitsbezogenen Lebensqualität mit dem SF-8. <i>Diagnostica</i> , 2012 , 58, 145-153	0.8	49
160	Körperbildwahrnehmung als Risikofaktor für chronischen Stress. <i>Kindheit Und Entwicklung (discontinued)</i> , 2012 , 21, 227-237	0.3	3
159	Zur Vereinbarkeit von Promotion und Psychotherapieausbildung für Psychologinnen und Psychologen. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2012 , 41, 125-129	0.4	7
158	Entwicklung und Normierung einer Kurzform des Partnerschaftsfragebogens (PFB-K) an einer repräsentativen deutschen Stichprobe. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2012 , 41, 81-89	0.4	60
157	Die faktorielle Struktur des Partnerschaftsfragebogens. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2012 , 41, 109-113	0.4	11
156	Komorbide Belastungen bei Jugendlichen und jungen Erwachsenen mit ADHS. <i>Zeitschrift Für Psychiatrie, Psychologie Und Psychotherapie</i> , 2012 , 60, 015-026	0.3	3
155	Is the association of self-reported childhood maltreatments and adult fibromyalgia syndrome attributable to depression? A case control study. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 59-64	2.2	13
154	Normative values for the hospital anxiety and depression scale (HADS) in the general German population. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 74-8	4.1	217
153	Maltreatment in childhood and adolescence: results from a survey of a representative sample of the German population. <i>Deutsches A&#x0308;rztblatt International</i> , 2011 , 108, 287-94	2.5	141
152	The association of traumatic experiences and posttraumatic stress disorder with physical morbidity in old age: a German population-based study. <i>Psychosomatic Medicine</i> , 2011 , 73, 401-6	3.7	99

151	Lifetime traumatic experiences and posttraumatic stress disorder in the German population: results of a representative population survey. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 934-9	1.8	82
150	Evaluating new proposals for the psychiatric classification of patients with multiple somatic symptoms. <i>Psychosomatic Medicine</i> , 2011 , 73, 760-8	3.7	43
149	Perceived Appearance-Related Teasing in Body Dysmorphic Disorder: A Population-Based Survey. <i>International Journal of Cognitive Therapy</i> , 2011 , 4, 342-348	1.4	21
148	The association of depression and multimorbidity in the elderly: implications for the assessment of depression. <i>Psychogeriatrics</i> , 2011 , 11, 227-34	1.8	27
147	Determinants of fatigue and stress. <i>BMC Research Notes</i> , 2011 , 4, 238	2.3	61
146	Base rates for depersonalization according to the 2-item version of the Cambridge Depersonalization Scale (CDS-2) and its associations with depression/anxiety in the general population. <i>Journal of Affective Disorders</i> , 2011 , 128, 106-11	6.6	22
145	Prevalence of complicated grief in a representative population-based sample. <i>Journal of Affective Disorders</i> , 2011 , 131, 339-43	6.6	408
144	Type D personality is independently associated with major psychosocial stressors and increased health care utilization in the general population. <i>Journal of Affective Disorders</i> , 2011 , 134, 396-403	6.6	56
143	The association of traumatic experiences and posttraumatic stress disorder with health care utilization in the elderly - a German population based study. <i>General Hospital Psychiatry</i> , 2011 , 33, 177-84	5.6	12
142	Fatigue in patients with sarcoidosis, compared with the general population. <i>General Hospital Psychiatry</i> , 2011 , 33, 462-8	5.6	50
141	Demographic and clinical features of patients with fibromyalgia syndrome of different settings: a gender comparison. <i>Gender Medicine</i> , 2011 , 8, 116-25		27
140	Identifying tumor patients' depression. <i>Supportive Care in Cancer</i> , 2011 , 19, 1697-703	3.9	26
139	Subjective underchallenge at work and its impact on mental health. <i>International Archives of Occupational and Environmental Health</i> , 2011 , 84, 655-64	3.2	5
138	Ambulante Psychotherapie in Deutschland aus Sicht der Patienten. <i>Psychotherapeut</i> , 2011 , 56, 51-60	0.5	11
137	Prädiktoren tumorassoziierter Fatigue. <i>Psychotherapeut</i> , 2011 , 56, 216-223	0.5	13
136	Familienplanung junger onkologischer Patienten. <i>Psychotherapeut</i> , 2011 , 56, 371-378	0.5	4
135	Psychosoziale Versorgung von Krebspatienten. <i>Psychotherapeut</i> , 2011 , 56, 386-393	0.5	38
134	Health care utilization among first and second generation immigrants and native-born Germans: a population-based study in Germany. <i>International Journal of Public Health</i> , 2011 , 56, 541-8	4	29

133	Chronic somatic complaints in adolescents: prevalence, predictive validity of the parent reports, and associations with social class, health status, and psychosocial distress. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 1003-11	4.5	13
132	Assessing general side effects in clinical trials: reference data from the general population. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 405-15	2.6	78
131	Age- and gender-specific prevalence and risk factors for depressive symptoms in the elderly: a population-based study. <i>International Psychogeriatrics</i> , 2011 , 23, 1294-300	3.4	72
130	Verbal expression of emotions in the stage-wise progress of a case of long-term psychodynamic therapy. <i>Counselling and Psychotherapy Research</i> , 2011 , 11, 67-77	1.3	5
129	Unemployment during working life and mental health of retirees: results of a representative survey. <i>Aging and Mental Health</i> , 2011 , 15, 178-85	3.5	10
128	Regular and problematic leisure-time Internet use in the community: results from a German population-based survey. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2011 , 14, 291-6	4.4	56
127	The epidemiology of the proposed DSM-5 hoarding disorder: exploration of the acquisition specifier, associated features, and distress. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 780-6; quiz 878-9	4.6	118
126	IIP-32: Entwicklung, Validierung und Normierung einer Kurzform des Inventars zur Erfassung interpersonaler Probleme. <i>Diagnostica</i> , 2011 , 57, 68-83	0.8	36
125	Alters- und geschlechtsspezifische Neunormierung der Fragen zur Lebenszufriedenheit (FLZM) für die Altersspanne von 14 bis 64 Jahre. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2011 , 40, 172-178	0.4	11
124	The German Version of the Satisfaction With Life Scale (SWLS). <i>European Journal of Psychological Assessment</i> , 2011 , 27, 127-132	2.2	227
123	Psychisches Befinden, Beschwerden und Belastungen: Ergebnisse einer repräsentativen Studie. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2011 , 59, 155-165	0.3	1
122	The assessment of changes in cognitive functioning: reliable change indices for neuropsychological instruments in the elderly - a systematic review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 275-86	2.6	44
121	Life satisfaction, anxiety, depression and resilience across the life span of men. <i>Aging Male</i> , 2010 , 13, 32-9	2.1	74
120	Perception of body weight status: a case control study of obese and lean children and adolescents and their parents. <i>Obesity Facts</i> , 2010 , 3, 83-91	5.1	17
119	Instability and discontinuous change in the experience of therapeutic interaction: an extended single-case study of psychodynamic therapy processes. <i>Psychotherapy Research</i> , 2010 , 20, 398-412	3.6	15
118	Updates on the prevalence of body dysmorphic disorder: a population-based survey. <i>Psychiatry Research</i> , 2010 , 178, 171-5	9.9	254
117	Prediction of institutionalization in the elderly. A systematic review. <i>Age and Ageing</i> , 2010 , 39, 31-8	3	559
116	Traumatic experiences and post-traumatic stress disorder among elderly Germans: results of a representative population-based survey. <i>International Psychogeriatrics</i> , 2010 , 22, 661-70	3.4	70

115	Are psychological features useful in classifying patients with somatic symptoms?. <i>Psychosomatic Medicine</i> , 2010 , 72, 648-55	3.7	55
114	Psychoanalytisch-orientierte Fokalthherapie der Depression bei Krebskranken. <i>Psychotherapeut</i> , 2010 , 55, 321-328	0.5	7
113	Ambulante Psychotherapie in Deutschland aus Sicht der Patienten. <i>Psychotherapeut</i> , 2010 , 55, 503-514	0.5	39
112	Social withdrawal after laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010 , 267, 593-600	3.5	57
111	Kandidaten in psychotherapeutischer Ausbildung. <i>Forum Der Psychoanalyse</i> , 2010 , 26, 87-100	0.3	11
110	Standard values and relationship-specific validity of the Bielefeld Relationship Expectations Questionnaire (BFPE). <i>BMC Medical Research Methodology</i> , 2010 , 10, 92	4.7	2
109	Domains of disgust sensitivity: revisited factor structure of the questionnaire for the assessment of disgust sensitivity (QADS) in a cross-sectional, representative German survey. <i>BMC Medical Research Methodology</i> , 2010 , 10, 95	4.7	18
108	Validation of the Rasch-based Depression Screening in a large scale German general population sample. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 105	3	33
107	A 4-item measure of depression and anxiety: validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2010 , 122, 86-95	6.6	957
106	Desired and perceived participation in medical decision-making in patients with haemato-oncological diseases. <i>Leukemia Research</i> , 2010 , 34, 390-2	2.7	11
105	Wie stark sind Erwachsene mit ADHS und komorbiden Störungen in ihrer gesundheitsbezogenen Lebensqualität beeinträchtigt?. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2010 , 58, 9-21	0.3	14
104	Somatoforme Symptome, Angst und Depression bei Migranten aus der Türkei, aus Osteuropa und aus der ehemaligen Sowjetunion. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2010 , 58, 165-171	0.3	8
103	Sind Vergleiche im Depressions- und Somatisierungsausmaß zwischen Migranten und Deutschen möglich?. <i>Diagnostica</i> , 2010 , 56, 230-239	0.8	21
102	Messung chronischer Erschöpfung – Teststatistische Prüfung der Fatigue Skala (FS). <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2010 , 39, 33-44	0.4	16
101	Psychotherapie und Migration. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2010 , 58, 161-163	0.3	8
100	Breitbandverfahren klinischer Ratingskalen zur Messung von Psychosyndromen im Kindes- und Jugendalter. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2010 , 39, 222-233	0.4	0
99	Prostatitis and male pelvic pain syndrome: diagnosis and treatment. <i>Deutsches A&#x0308;rzteblatt International</i> , 2009 , 106, 175-83	2.5	29
98	Figurunzufriedenheit von Frauen in Abhängigkeit vom Lebensalter: Normative Daten für den Fragebogen zum Figurbewusstsein. <i>Verhaltenstherapie</i> , 2009 , 19, 14-20	0.9	6

97	A cluster within the continuum of biopsychosocial distress can be labeled "fibromyalgia syndrome"--evidence from a representative German population survey. <i>Journal of Rheumatology</i> , 2009 , 36, 2806-12	4.1	50
96	Towards a multi-methodological approach in the assessment of sensation seeking. <i>Personality and Individual Differences</i> , 2009 , 46, 247-249	3.3	9
95	Depression and anxiety in labor migrants and refugees--a systematic review and meta-analysis. <i>Social Science and Medicine</i> , 2009 , 69, 246-57	5.1	421
94	The assessment of recalled parental rearing behavior and its relationship to life satisfaction and interpersonal problems: a general population study. <i>BMC Medical Research Methodology</i> , 2009 , 9, 17	4.7	20
93	A pollen extract (Cernilton) in patients with inflammatory chronic prostatitis-chronic pelvic pain syndrome: a multicentre, randomised, prospective, double-blind, placebo-controlled phase 3 study. <i>European Urology</i> , 2009 , 56, 544-51	10.2	121
92	Angebot und Nachfrage. <i>Psychotherapeut</i> , 2009 , 54, 464-468	0.5	7
91	Die Psychotherapeutenausbildung aus Sicht der Teilnehmer. <i>Psychotherapeut</i> , 2009 , 54, 427-436	0.5	20
90	Psychotherapeutenausbildung aus Sicht der Absolventen. <i>Psychotherapeut</i> , 2009 , 54, 437-444	0.5	18
89	Die Psychotherapieausbildung aus Sicht der Lehrkräfte. <i>Psychotherapeut</i> , 2009 , 54, 445-456	0.5	16
88	Egg donation, surrogate mothering, and cloning: attitudes of men and women in Germany based on a representative survey. <i>Fertility and Sterility</i> , 2009 , 92, 124-30	4.8	24
87	What is "normal" disability? An investigation of disability in the general population. <i>Pain</i> , 2009 , 142, 36-48		51
86	Prevalence, correlates, and predictors of depersonalization experiences in the German general population. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 499-506	1.8	42
85	Life satisfaction, distress, and resiliency across the life span of women. <i>Menopause</i> , 2009 , 16, 1132-8	2.5	54
84	Impact of forced displacement during World War II on the present-day mental health of the elderly: a population-based study. <i>International Psychogeriatrics</i> , 2009 , 21, 748-53	3.4	49
83	Trauer um Professor Reinhold Schwarz. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2009 , 55, 203-204	1.3	
82	Fragebogen für hyperdysmorpher Symptome (FKS): Ein Screening-Instrument. <i>Verhaltenstherapie</i> , 2009 , 19, 237-242	0.9	35
81	Sind körperliche Beschwerden bei Kindern und Jugendlichen im Selbsturteil eindimensional und spezifisch objektiv messbar?. <i>Diagnostica</i> , 2009 , 55, 211-222	0.8	
80	Stigmatizing attitudes toward obesity in a representative population-based sample. <i>Obesity</i> , 2008 , 16, 1529-34	8	83

79	Use of complementary and alternative medicine in children with type 1 diabetes mellitus - prevalence, patterns of use, and costs. <i>Pediatric Diabetes</i> , 2008 , 9, 228-35	3.6	45
78	Lower decision threshold for doctor visits as a predictor of health care use in somatoform disorders and in the general population. <i>General Hospital Psychiatry</i> , 2008 , 30, 349-55	5.6	29
77	Differences in the Psychic Representation of the Body in Bulimic and Anorexic Patients: A Study with the Body Grid. <i>Journal of Constructivist Psychology</i> , 2008 , 21, 60-81	0.6	5
76	Dimensionality and Norms of the Rosenberg Self-esteem Scale in a German General Population Sample. <i>European Journal of Psychological Assessment</i> , 2008 , 24, 190-197	2.2	96
75	Evaluation and comparison of different versions of the Body Shape Questionnaire. <i>Psychiatry Research</i> , 2008 , 158, 67-73	9.9	68
74	Prediction of institutionalisation in dementia. A systematic review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 65-78	2.6	196
73	Between commodification and altruism: gender imbalance and attitudes towards organ donation. A representative survey of the German community. <i>Journal of Gender Studies</i> , 2008 , 17, 251-255	1.7	19
72	Validation and standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the general population. <i>Medical Care</i> , 2008 , 46, 266-74	3.1	1831
71	Der Gießener Beschwerdebogen für Kinder und Jugendliche (GBB-KJ): Faktorielle Validität, Reliabilität und gesamtdeutsche Normierung für 4- bis 18-Jährige im Eltern- und Selbsturteil. <i>Diagnostica</i> , 2008 , 54, 99-111	0.8	4
70	Verteilung des Glaubens an eine gerechte Welt in der Allgemeinbevölkerung. <i>Diagnostica</i> , 2008 , 54, 150-163	0.8	4
69	Sexual desire and sexual activity of men and women across their lifespans: results from a representative German community survey. <i>BJU International</i> , 2008 , 101, 76-82	5.6	66
68	Alexithymia in the German general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 54-62	4.5	208
67	Gesundheitsberichterstattung der Krankenkassen. <i>Psychotherapeut</i> , 2008 , 53, 456-460	0.5	3
66	Parameters influencing health variables in a sample of 949 German teachers. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 82, 117-23	3.2	32
65	The wide scope of medical psychology and sociology. <i>Zeitschrift Fur Gesundheitspsychologie</i> , 2008 , 16, 116-118		
64	Teststatistische Prüfung und Normierung der deutschen Versionen des EUROHIS-QOL Lebensqualität-Index und des WHO-5 Wohlbefindens-Index. <i>Diagnostica</i> , 2007 , 53, 83-96	0.8	183
63	Interpersonelle Schuldgefühle und psychische Beeinträchtigung. <i>Zeitschrift für Klinische Psychologie Und Psychotherapie</i> , 2007 , 36, 153-163	0.4	
62	Beyond a youthful behavior style: Age and sex differences in sensation seeking based on need theory. <i>Personality and Individual Differences</i> , 2007 , 43, 1839-1850	3.3	29

61	Innerdeutsche Migration und psychisches Befinden. <i>Psychotherapeut</i> , 2007 , 52, 347-354	0.5	0
60	Psychische Gesundheit von Studierenden der Medizin. <i>Psychotherapeut</i> , 2007 , 52, 280-286	0.5	23
59	What determines public support of obesity prevention?. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 585-90	5.1	48
58	Changes in body image and health-related quality of life following breast reduction surgery in German macromastia patients: a new tool for measuring body image changes. <i>Annals of Plastic Surgery</i> , 2007 , 58, 364-70	1.7	20
57	Contribution to the construct validity of the Perceived Stress Questionnaire from a population-based survey. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 71-81	4.1	69
56	The relationship between chronic fatigue and somatization syndrome: a general population survey. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 147-56	4.1	51
55	Körperliche Beschwerden bei Kindern und Jugendlichen in Deutschland. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2007 , 55, 49-58	0.3	2
54	Validity of the Brief Patient Health Questionnaire Mood Scale (PHQ-9) in the general population. <i>General Hospital Psychiatry</i> , 2006 , 28, 71-7	5.6	796
53	The prevalence of body dysmorphic disorder: a population-based survey. <i>Psychological Medicine</i> , 2006 , 36, 877-85	6.9	293
52	Hazardous alcohol consumption and sense of coherence in emergency department patients with minor trauma. <i>Drug and Alcohol Dependence</i> , 2006 , 82, 143-50	4.9	24
51	Ambivalent attitudes towards pre-implantation genetic diagnosis in Germany. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006 , 126, 217-25	2.4	8
50	Prevalence of tattooing and body piercing in Germany and perception of health, mental disorders, and sensation seeking among tattooed and body-pierced individuals. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 531-4	4.1	83
49	Assessing the Big-Five Personality Domains via Short Forms. <i>European Journal of Psychological Assessment</i> , 2006 , 22, 139-148	2.2	64
48	Social sex selection and the balance of the sexes: empirical evidence from Germany, the UK, and the US. <i>Journal of Assisted Reproduction and Genetics</i> , 2006 , 23, 311-8	3.4	21
47	Two-question depression-screeners - the solution to all problems?. <i>Wiener Medizinische Wochenschrift</i> , 2006 , 156, 185-8	2.9	1
46	Somatization in the population: from mild bodily misperceptions to disabling symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 704-12	4.5	167
45	Bevölkerungsrepräsentative Normierung der Skala zur Allgemeinen Selbstwirksamkeitserwartung. <i>Diagnostica</i> , 2006 , 52, 26-32	0.8	106
44	Normwerte für das Vereinfachte Beck-Depressions-Inventar (BDI-V) in der Allgemeinbevölkerung. <i>Diagnostica</i> , 2006 , 52, 51-59	0.8	60

43	Psychogenic urinary retention ('paruresis'): diagnosis and epidemiology in a representative male sample. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 308-14	9.4	24
42	The 'wish to have a child', childlessness and infertility in Germany. <i>Human Reproduction</i> , 2005 , 20, 2850-75;7		48
41	Specific effects of depression, panic, and somatic symptoms on illness behavior. <i>Psychosomatic Medicine</i> , 2005 , 67, 596-601	3.7	73
40	Sensation seeking in the community: Sex, age and sociodemographic comparisons on a representative German population sample. <i>Personality and Individual Differences</i> , 2005 , 39, 1261-1271	3.3	50
39	Investigating the Circumplex Structure of the Portrait Values Questionnaire (PVQ). <i>Journal of Individual Differences</i> , 2005 , 26, 185-193	1.8	35
38	Klinisches Untersuchungsverfahren. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2005 , 34, 294-295	0.4	
37	The Cognitive Representation of Human Rights: Knowledge, Importance, and Commitment.. <i>Peace and Conflict</i> , 2005 , 11, 267-292	1.8	24
36	Diagnostik somatoformer Beschwerden im Alter. <i>Zeitschrift Fuer Gerontopsychologie Und Psychiatrie</i> , 2005 , 18, 189-201		
35	Klinische Untersuchungsverfahren. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2004 , 33, 319-320	0.4	
34	Base rates for panic and depression according to the Brief Patient Health Questionnaire: a population-based study. <i>Journal of Affective Disorders</i> , 2004 , 82, 271-6	6.6	118
33	Psychotherapie und Versorgungsforschung. <i>Psychotherapeut</i> , 2004 , 49, 407-414	0.5	2
32	Deep impact--evaluation in the sciences. <i>International Journal of Public Health</i> , 2004 , 49, 10-4		9
31	Two-year experience with the german-translated version of the NIH-CPSI in patients with CP/CPPS. <i>Urology</i> , 2004 , 63, 1027-30	1.6	27
30	Fragebogen zur Messung beruflicher Gratifikationskrisen. <i>Zeitschrift Fur Differentielle Und Diagnostische Psychologie</i> , 2004 , 25, 227-238		40
29	On raising the international dissemination of German research: Does changing publication language to English attract foreign authors to publish in a German basic psychology research journal?. <i>Experimental Psychology</i> , 2004 , 51, 319-28	1.5	13
28	Somatoforme Beschwerden bei Jugendlichen in Deutschland. <i>Psychotherapeut</i> , 2003 , 48, 109-116	0.5	10
27	Experience with different questionnaires in the management of patients with CP/CPPS: GPSS, IPSS and NIH-CPSI. <i>World Journal of Urology</i> , 2003 , 21, 116-8; discussion 115	4	18
26	Urteileffekte beim NEO-FFI. <i>Diagnostica</i> , 2003 , 49, 157-163	0.8	5

25	Hypochondrie in der Allgemeinbevölkerung: <i>Diagnostica</i> , 2003 , 49, 34-42	0.8	44
24	Entwicklungstendenzen psychotherapeutischer Praxis und Forschung. <i>Psychotherapeut</i> , 2002 , 47, 269-277	1	
23	Subjective physical complaints and hypochondriacal features from an attachment theoretical perspective. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2002 , 75, 313-32	3.5	35
22	Alexithymia in the elderly general population. <i>Comprehensive Psychiatry</i> , 2002 , 43, 74-80	7.3	40
21	Die Forderung nach Internationalisierung der deutschen Psychologie am Beispiel der Zeitschrift für Pädagogische Psychologie. <i>Zeitschrift Für Pädagogische Psychologie</i> , 2002 , 16, 233-241	1.3	3
20	Zur Validität retrospektiver Datenerhebungen. <i>Zeitschrift Für Differentielle Und Diagnostische Psychologie</i> , 2002 , 23, 459-474		10
19	Das NEO-Fünf-Faktoren Inventar (NEO-FFI). <i>Diagnostica</i> , 2002 , 48, 19-27	0.8	43
18	Zur Vergleichbarkeit von internetbasierten und herkömmlichen Fragebogenerhebungen: <i>Diagnostica</i> , 2002 , 48, 172-180	0.8	2
17	Steht die aktuelle Partnerschaftszufriedenheit im Zusammenhang mit dem erinnerten Erziehungsverhalten der eigenen Eltern?. <i>Zeitschrift Für Entwicklungspsychologie Und Pädagogische Psychologie</i> , 2002 , 34, 227-235	0.8	2
16	Das Ausmaß von Müdigkeit und Erschöpfung in der über 60-jährigen Normalbevölkerung in Deutschland. <i>Psychotherapeut</i> , 2001 , 46, 332-338	0.5	5
15	Somatization symptoms and hypochondriacal features in the general population. <i>Psychosomatic Medicine</i> , 2001 , 63, 595-602	3.7	241
14	Symptom-Checkliste SCL-90-R: <i>Diagnostica</i> , 2001 , 47, 27-39	0.8	93
13	Für und Wider eines eigenen Kindes: Der Leipziger Fragebogen zu Kinderwunschmotiven (LKM). <i>Diagnostica</i> , 2001 , 47, 96-106	0.8	8
12	Der Partnerschaftsfragebogen (PFB): <i>Diagnostica</i> , 2001 , 47, 132-141	0.8	36
11	Bewertung von Publikationsleistungen in den psychosozialen Fächern. <i>Psychotherapeut</i> , 2000 , 45, 321-324	0.5	1
10	Interpersonale Probleme älterer Menschen. <i>Psychotherapeut</i> , 2000 , 45, 153-164	0.5	1
9	Fachpsychotherapie als Teil der Medizinischen Versorgung der Bevölkerung. <i>Forum Der Psychoanalyse</i> , 2000 , 16, 352-357	0.3	
8	Inanspruchnahme des Gesundheitswesens und Akzeptanz psychosozialer Kompetenzen. <i>Zeitschrift Für Psychosomatische Medizin Und Psychotherapie</i> , 2000 , 46, 226-241	1.3	2

7	Normierung des Fragebogens zur Beurteilung des eigenen Körpers (FBek) an einer repräsentativen Bevölkerungsstichprobe. <i>Diagnostica</i> , 2000 , 46, 156-164	0.8	21
6	Deutsche Normierung der Sense of Coherence Scale von Antonovsky. <i>Diagnostica</i> , 2000 , 46, 208-213	0.8	61
5	Outcome of antibiotic therapy with ciprofloxacin in chronic bacterial prostatitis. <i>Drugs</i> , 1999 , 58 Suppl 2, 103-6	12.1	54
4	Rückblick auf die Eltern: Der Fragebogen zum erinnerten elterlichen Erziehungsverhalten (FEE). <i>Diagnostica</i> , 1999 , 45, 194-204	0.8	58
3	Fragebogen zur Sozialen Unterstützung (F-SozU): Normierung an einer repräsentativen Stichprobe. <i>Diagnostica</i> , 1999 , 45, 212-216	0.8	90
2	Artifacts in the registration and interpretation of speech-process variables. <i>Language and Speech</i> , 1975 , 18, 166-79	1.5	12
1	Prävention von Suizidalität bei Menschen mit Krebs. <i>Onkologie</i> , 1	0.1	1