## Elmar Brähler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3663707/publications.pdf

Version: 2024-02-01

458 papers

35,576 citations

83 h-index 158

741 all docs

741 docs citations

times ranked

741

33451 citing authors

g-index

#	Article	IF	CITATIONS
1	Validation and Standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the General Population. Medical Care, 2008, 46, 266-274.	2.4	2,912
2	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. Journal of Affective Disorders, 2010, 122, 86-95.	4.1	1,581
3	Validity of the Brief Patient Health Questionnaire Mood Scale (PHQ-9) in the general population. General Hospital Psychiatry, 2006, 28, 71-77.	2.4	1,023
4	Prediction of institutionalization in the elderly. A systematic review. Age and Ageing, 2010, 39, 31-38.	1.6	690
5	Loneliness in the general population: prevalence, determinants and relations to mental health. BMC Psychiatry, 2017, 17, 97.	2.6	689
6	Depression and anxiety in labor migrants and refugees – A systematic review and meta-analysis. Social Science and Medicine, 2009, 69, 246-257.	3.8	537
7	Four-Week Prevalence of Mental Disorders in Patients With Cancer Across Major Tumor Entities. Journal of Clinical Oncology, 2014, 32, 3540-3546.	1.6	514
8	Prevalence of complicated grief in a representative population-based sample. Journal of Affective Disorders, 2011, 131, 339-343.	4.1	505
9	Standardization of the depression screener Patient Health Questionnaire (PHQ-9) in the general population. General Hospital Psychiatry, 2013, 35, 551-555.	2.4	490
10	Sexual and physical abuse in childhood is associated with depression and anxiety over the life course: systematic review and meta-analysis. International Journal of Public Health, 2014, 59, 359-372.	2.3	428
11	The Somatic Symptom Scale–8 (SSS-8). JAMA Internal Medicine, 2014, 174, 399.	5.1	408
12	The German version of the Perceived Stress Scale $\hat{a}\in$ "psychometric characteristics in a representative German community sample. BMC Psychiatry, 2016, 16, 159.	2.6	393
13	One in two cancer patients is significantly distressed: Prevalence and indicators of distress. Psycho-Oncology, 2018, 27, 75-82.	2.3	383
14	The prevalence of body dysmorphic disorder: a population-based survey. Psychological Medicine, 2006, 36, 877-885.	4.5	367
15	Fibromyalgia Prevalence, Somatic Symptom Reporting, and the Dimensionality of Polysymptomatic Distress: Results From a Survey of the General Population. Arthritis Care and Research, 2013, 65, 777-785.	3.4	352
16	The German Version of the Satisfaction With Life Scale (SWLS). European Journal of Psychological Assessment, 2011, 27, 127-132.	3.0	332
17	Updates on the prevalence of body dysmorphic disorder: A population-based survey. Psychiatry Research, 2010, 178, 171-175.	3.3	331
18	Normative values for the Hospital Anxiety and Depression Scale (HADS) in the general German population. Journal of Psychosomatic Research, 2011, 71, 74-78.	2.6	299

#	Article	IF	Citations
19	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). BMC Psychology, 2018, 6, 31.	2.1	298
20	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. BMC Public Health, 2015, 15, 691.	2.9	287
21	Somatization Symptoms and Hypochondriacal Features in the General Population. Psychosomatic Medicine, 2001, 63, 595-602.	2.0	283
22	Alexithymia in the German general population. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 54-62.	3.1	277
23	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. Sleep Medicine, 2017, 30, 57-63.	1.6	274
24	Prediction of Institutionalisation in Dementia. Dementia and Geriatric Cognitive Disorders, 2008, 26, 65-78.	1.5	249
25	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. Journal of Affective Disorders, 2017, 210, 338-344.	4.1	248
26	Psychometric properties and populationâ€based norms of the Life Orientation Test Revised (LOTâ€R). British Journal of Health Psychology, 2012, 17, 432-445.	3.5	247
27	Somatization in the population: from mild bodily misperceptions to disabling symptoms. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 704-712.	3.1	219
28	The risk of being depressed is significantly higher in cancer patients than in the general population: Prevalence and severity of depressive symptoms across major cancer types. European Journal of Cancer, 2017, 72, 46-53.	2.8	213
29	How Frequent Are Eating Disturbances in the Population? Norms of the Eating Disorder Examination-Questionnaire. PLoS ONE, 2012, 7, e29125.	2.5	210
30	Maltreatment in Childhood and Adolescence. Deutsches Ärzteblatt International, 2011, 108, 287-94.	0.9	204
31	Standardization of a screening instrument (PHQ-15) for somatization syndromes in the general population. BMC Psychiatry, 2013, 13, 91.	2.6	199
32	Loneliness before and during the COVID-19 pandemic: A systematic review with meta-analysis American Psychologist, 2022, 77, 660-677.	4.2	193
33	The quality of life questionnaire EQ-5D-5L: psychometric properties and normative values for the general German population. Quality of Life Research, 2014, 23, 443-447.	3.1	178
34	Satisfaction with information and unmet information needs in men and women with cancer. Journal of Cancer Survivorship, 2016, 10, 62-70.	2.9	175
35	European reference values for the quality of life questionnaire EORTC QLQ-C30: Results of a German investigation and a summarizing analysis of six European general population normative studies. Acta Oncol $A^3$ gica, 2014, 53, 958-965.	1.8	173
36	Child maltreatment in Germany: prevalence rates in the general population. Child and Adolescent Psychiatry and Mental Health, 2017, 11, 47.	2.5	170

#	Article	IF	Citations
37	Noise Annoyance Is Associated with Depression and Anxiety in the General Population- The Contribution of Aircraft Noise. PLoS ONE, 2016, 11, e0155357.	2.5	170
38	Psychometric analysis of the brief symptom inventory 18 (BSI-18) in a representative German sample. BMC Medical Research Methodology, 2017, 17, 14.	3.1	162
39	A brief form of the Perceived Social Support Questionnaire (F-SozU) was developed, validated, and standardized. Journal of Clinical Epidemiology, 2015, 68, 551-562.	5.0	154
40	Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. BMC Psychiatry, 2016, 16, 22.	2.6	153
41	A Pollen Extract (Cernilton) in Patients with Inflammatory Chronic Prostatitis–Chronic Pelvic Pain Syndrome: A Multicentre, Randomised, Prospective, Double-Blind, Placebo-Controlled Phase 3 Study. European Urology, 2009, 56, 544-551.	1.9	146
42	The Epidemiology of the Proposed <i>DSM-5</i> Hoarding Disorder. Journal of Clinical Psychiatry, 2011, 72, 780-786.	2.2	143
43	Base rates for panic and depression according to the Brief Patient Health Questionnaire: a population-based study. Journal of Affective Disorders, 2004, 82, 271-276.	4.1	141
44	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. Journal of Clinical Epidemiology, 2014, 67, 73-86.	5.0	138
45	The Internet as a Mental Health Advisor in Germanyâ€"Results of a National Survey. PLoS ONE, 2013, 8, e79206.	2.5	134
46	Posttraumatic stress disorder in fibromyalgia syndrome: Prevalence, temporal relationship between posttraumatic stress and fibromyalgia symptoms, and impact on clinical outcome. Pain, 2013, 154, 1216-1223.	4.2	132
47	2. DIE »MITTE«-STUDIE 2016: METHODE, ERGEBNISSE UND LANGZEITVERLAUF. , 2016, , 23-66.		128
48	Dimensionality and Norms of the Rosenberg Self-esteem Scale in a German General Population Sample. European Journal of Psychological Assessment, 2008, 24, 190-197.	3.0	126
49	Weight bias internalization, core selfâ€evaluation, and health in overweight and obese persons. Obesity, 2014, 22, 79-85.	3.0	122
50	The Association of Traumatic Experiences and Posttraumatic Stress Disorder With Physical Morbidity in Old Age. Psychosomatic Medicine, 2011, 73, 401-406.	2.0	121
51	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. Journal of Psychosomatic Research, 2016, 81, 24-30.	2.6	116
52	Assessing general side effects in clinical trials: reference data from the general population. Pharmacoepidemiology and Drug Safety, 2011, 20, 405-415.	1.9	115
53	Procrastination, Distress and Life Satisfaction across the Age Range – A German Representative Community Study. PLoS ONE, 2016, 11, e0148054.	2.5	115
54	Life satisfaction, anxiety, depression and resilience across the life span of men. Aging Male, 2010, 13, 32-39.	1.9	113

#	Article	IF	CITATIONS
55	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. Psychotherapy and Psychosomatics, 2016, 85, 289-296.	8.8	111
56	Weight Bias Internalization Scale: Psychometric Properties and Population Norms. PLoS ONE, 2014, 9, e86303.	2.5	110
57	Prevalence of tattooing and body piercing in Germany and perception of health, mental disorders, and sensation seeking among tattooed and body-pierced individuals. Journal of Psychosomatic Research, 2006, 60, 531-534.	2.6	109
58	Stigmatizing Attitudes Toward Obesity in a Representative Populationâ€based Sample. Obesity, 2008, 16, 1529-1534.	3.0	109
59	Prevalence of internet addiction in the general population: results from a German population-based survey. Behaviour and Information Technology, 2014, 33, 757-766.	4.0	107
60	Lifetime Traumatic Experiences and Posttraumatic Stress Disorder in the German Population. Journal of Nervous and Mental Disease, 2011, 199, 934-939.	1.0	106
61	What is the General Health Questionnaire-12 assessing?. Comprehensive Psychiatry, 2013, 54, 406-413.	3.1	106
62	Anxiety, depression and quality of life in family caregivers of palliative cancer patients during home care and after the patient's death. European Journal of Cancer Care, 2018, 27, e12606.	1.5	103
63	Factor structure and psychometric properties of the trier inventory for chronic stress (TICS) in a representative german sample. BMC Medical Research Methodology, 2012, 12, 42.	3.1	99
64	Traumatic experiences and post-traumatic stress disorder among elderly Germans: results of a representative population-based survey. International Psychogeriatrics, 2010, 22, 661-670.	1.0	97
65	Evaluation and comparison of different versions of the Body Shape Questionnaire. Psychiatry Research, 2008, 158, 67-73.	3.3	96
66	Sexual desire and sexual activity of men and women across their lifespans: results from a representative German community survey. BJU International, 2008, 101, 76-82.	2.5	95
67	Age- and gender-specific prevalence and risk factors for depressive symptoms in the elderly: a population-based study. International Psychogeriatrics, 2011, 23, 1294-1300.	1.0	95
68	Optimism and pessimism in the general population: Psychometric properties of the Life Orientation Test (LOT-R). International Journal of Clinical and Health Psychology, 2017, 17, 161-170.	5.1	93
69	Predictors of emotional distress in patients with head and neck cancer. Head and Neck, 2012, 34, 180-187.	2.0	92
70	The Hospital Anxiety and Depression Scale (HADS) and the 9â€item Patient Health Questionnaire (PHQâ€9) as screening instruments for depression in patients with cancer. Cancer, 2017, 123, 4236-4243.	4.1	92
71	Contribution to the construct validity of the Perceived Stress Questionnaire from a population-based survey. Journal of Psychosomatic Research, 2007, 63, 71-81.	2.6	91
72	The Desire for Children and Fertility Issues Among Young German Cancer Survivors. Journal of Adolescent Health, 2014, 54, 527-535.	2.5	91

#	Article	IF	Citations
73	Psychological distress and quality of life of palliative cancer patients and their caring relatives during home care. Supportive Care in Cancer, 2014, 22, 2775-2782.	2.2	90
74	Childhood adversities and distress - The role of resilience in a representative sample. PLoS ONE, 2017, 12, e0173826.	2.5	89
75	Untying chronic pain: prevalence and societal burden of chronic pain stages in the general population - a cross-sectional survey. BMC Public Health, 2014, 14, 352.	2.9	88
76	Frequency of somatic symptoms in the general population: Normative values for the Patient Health Questionnaire-15 (PHQ-15). Journal of Psychosomatic Research, 2017, 96, 27-31.	2.6	87
77	The Role of Self-Compassion in Buffering Symptoms of Depression in the General Population. PLoS ONE, 2015, 10, e0136598.	2.5	87
78	Specific Effects of Depression, Panic, and Somatic Symptoms on Illness Behavior. Psychosomatic Medicine, 2005, 67, 596-601.	2.0	85
79	Health-related quality of life, depression, and anxiety in patients with autoimmune hepatitis. Journal of Hepatology, 2014, 60, 618-624.	3.7	84
80	Utilization of professional psychological care in a large German sample of cancer patients. Psycho-Oncology, 2017, 26, 537-543.	2.3	84
81	Determinants of fatigue and stress. BMC Research Notes, 2011, 4, 238.	1.4	83
82	Assessing the Big-Five Personality Domains via Short Forms. European Journal of Psychological Assessment, 2006, 22, 139-148.	3.0	82
83	Frequency of child maltreatment in a representative sample of the German population. BMC Public Health, 2013, 13, 980.	2.9	82
84	Gender-specific quality of life after cancer in young adulthood: a comparison with the general population. Quality of Life Research, 2014, 23, 1377-1386.	3.1	81
85	Adjustment disorder as proposed for ICD-11: Dimensionality and symptom differentiation. Psychiatry Research, 2015, 229, 940-948.	3.3	81
86	The prevalence of Nonsuicidal Self-Injury (NSSI) in a representative sample of the German population. BMC Psychiatry, 2016, 16, 353.	2.6	81
87	Social withdrawal after laryngectomy. European Archives of Oto-Rhino-Laryngology, 2010, 267, 593-600.	1.6	80
88	Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. PLoS ONE, 2012, 7, e46924.	2.5	80
89	The German Version of the Dutch Eating Behavior Questionnaire: Psychometric Properties, Measurement Invariance, and Population-Based Norms. PLoS ONE, 2016, 11, e0162510.	2.5	80
90	The eating disorder examinationâ€questionnaire 8: A brief measure of eating disorder psychopathology (EDEâ€Q8). International Journal of Eating Disorders, 2016, 49, 613-616.	4.0	80

#	Article	IF	CITATIONS
91	Associations of fatigue to work-related stress, mental and physical health in an employed community sample. BMC Psychiatry, 2017, 17, 167.	2.6	79
92	Association of child maltreatment subtypes and long-term physical health in a German representative sample. Högre Utbildning, 2018, 9, 1510278.	3.0	78
93	Body Image, Personality Traits, and Quality of Life in Botulinum Toxin A and Dermal Filler Patients. Aesthetic Plastic Surgery, 2018, 42, 1119-1125.	0.9	78
94	Personality Factors and Suicide Risk in a Representative Sample of the German General Population. PLoS ONE, 2013, 8, e76646.	2.5	78
95	Life satisfaction, distress, and resiliency across the life span of women. Menopause, 2009, 16, 1132-1138.	2.0	76
96	Adjustment disorders: prevalence in a representative nationwide survey in Germany. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1745-1752.	3.1	74
97	Type D personality is independently associated with major psychosocial stressors and increased health care utilization in the general population. Journal of Affective Disorders, 2011, 134, 396-403.	4.1	73
98	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients $\hat{a} \in \text{``study protocol of an epidemiological multi-center study. BMC Psychiatry, 2012, 12, 70.}$	2.6	72
99	Age and gender differences in anxiety and depression in cancer patients compared with the general population. European Journal of Cancer Care, 2019, 28, e13129.	1.5	71
100	Life satisfaction and health-related quality of life in immigrants and native-born Germans: the role of immigration-related factors. Quality of Life Research, 2013, 22, 1005-1013.	3.1	70
101	What is "normal―disability? An investigation of disability in the general population. Pain, 2009, 142, 36-41.	4.2	69
102	Regular and Problematic Leisure-Time Internet Use in the Community: Results from a German Population-Based Survey. Cyberpsychology, Behavior, and Social Networking, 2011, 14, 291-296.	3.9	69
103	The impact of child maltreatment on non-suicidal self-injury: data from a representative sample of the general population. BMC Psychiatry, 2018, 18, 181.	2.6	69
104	Outcome of Antibiotic Therapy with Ciprofloxacin in Chronic Bacterial Prostatitis. Drugs, 1999, 58, 103-106.	10.9	68
105	Depression, anxiety and suicidal ideation among 1st and 2nd generation migrants - results from the Gutenberg health study. BMC Psychiatry, 2016, 16, 288.	2.6	68
106	Are Psychological Features Useful in Classifying Patients With Somatic Symptoms?. Psychosomatic Medicine, 2010, 72, 648-655.	2.0	67
107	Fatigue in patients with sarcoidosis, compared with the general population. General Hospital Psychiatry, 2011, 33, 462-468.	2.4	64
108	Impact of forced displacement during World War II on the present-day mental health of the elderly: a population-based study. International Psychogeriatrics, 2009, 21, 748-753.	1.0	63

#	Article	IF	Citations
109	Prevalence and Correlates of Night Eating in the German General Population. PLoS ONE, 2014, 9, e97667.	2.5	63
110	Similarities and Differences of Mental Health in Women and Men: A Systematic Review of Findings in Three Large German Cohorts. Frontiers in Public Health, 2021, 9, 553071.	2.7	63
111	Depression, Anxiety and Quality of Life in Long-Term Survivors of Malignant Melanoma: A Register-Based Cohort Study. PLoS ONE, 2015, 10, e0116440.	2.5	62
112	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. Patient Education and Counseling, 2017, 100, 1934-1942.	2.2	62
113	Sensation seeking in the community: Sex, age and sociodemographic comparisons on a representative German population sample. Personality and Individual Differences, 2005, 39, 1261-1271.	2.9	61
114	What determines public support of obesity prevention?. Journal of Epidemiology and Community Health, 2007, 61, 585-590.	3.7	61
115	A Cluster Within the Continuum of Biopsychosocial Distress Can Be Labeled "Fibromyalgia Syndrome― — Evidence from a Representative German Population Survey. Journal of Rheumatology, 2009, 36, 2806-2812.	2.0	61
116	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). Psycho-Oncology, 2018, 27, 1802-1809.	2.3	61
117	Use of complementary and alternative medicine in children with type 1 diabetes mellitus – prevalence, patterns of use, and costs. Pediatric Diabetes, 2008, 9, 228-235.	2.9	60
118	A taxometric exploration of the latent structure of hoarding Psychological Assessment, 2013, 25, 194-203.	1.5	60
119	The Somatic Symptom Disorder - B Criteria Scale (SSD-12): Factorial structure, validity and population-based norms. Journal of Psychosomatic Research, 2017, 97, 9-17.	2.6	60
120	Prevalence and psychopathology of vegetarians and vegans $\hat{a} \in \text{``Results from a representative survey in Germany. Scientific Reports, 2020, 10, 6840.}$	3.3	60
121	The overlap of somatic, anxious and depressive syndromes: A population-based analysis. Journal of Psychosomatic Research, 2016, 90, 51-56.	2.6	59
122	Structural validation of the Self-Compassion Scale with a German general population sample. PLoS ONE, 2018, 13, e0190771.	2.5	59
123	Resilient coping in the general population: standardization of the brief resilient coping scale (BRCS). Health and Quality of Life Outcomes, 2017, 15, 251.	2.4	58
124	German Beck Scale for Suicide Ideation (BSS): psychometric properties from a representative population survey. BMC Psychiatry, 2017, 17, 389.	2.6	58
125	The relationship between chronic fatigue and somatization syndrome: A general population survey. Journal of Psychosomatic Research, 2007, 63, 147-156.	2.6	57
126	The relationship of modern health worries to depression, symptom reporting and quality of life in a general population survey. Journal of Psychosomatic Research, 2012, 72, 318-320.	2.6	57

#	Article	IF	CITATIONS
127	Coping skills and mental health status in adolescents when a parent has cancer: A multicenter and multi-perspective study. Journal of Psychosomatic Research, 2013, 74, 252-259.	2.6	57
128	Self-Compassion as a Resource in the Self-Stigma Process of Overweight and Obese Individuals. Obesity Facts, 2015, 8, 293-301.	3.4	57
129	The Prevalence and Consequences of Adverse Childhood Experiences in the German Population. Deutsches Ärzteblatt International, 2019, 116, 635-642.	0.9	57
130	How Is Emotional Awareness Related to Emotion Regulation Strategies and Self-Reported Negative Affect in the General Population?. PLoS ONE, 2014, 9, e91846.	2.5	56
131	Prevalence, Correlates, and Predictors of Depersonalization Experiences in the German General Population. Journal of Nervous and Mental Disease, 2009, 197, 499-506.	1.0	55
132	Prevalence of Suicidal Ideation and Related Risk Factors in the German General Population. Journal of Nervous and Mental Disease, 2012, 200, 401-405.	1.0	55
133	Psychometric Properties of Two Brief Versions of the Hopkins Symptom Checklist: HSCL-5 and HSCL-10. Assessment, 2021, 28, 617-631.	3.1	55
134	Evaluating New Proposals for the Psychiatric Classification of Patients With Multiple Somatic Symptoms. Psychosomatic Medicine, 2011, 73, 760-768.	2.0	54
135	Association of symptoms of attention-deficit/hyperactivity disorder with symptoms of excessive exercising in an adult general population sample. BMC Psychiatry, 2014, 14, 250.	2.6	54
136	The â€wish to have a childâ€M, childlessness and infertility in Germany. Human Reproduction, 2005, 20, 2850-2857.	0.9	53
137	The Assessment of Changes in Cognitive Functioning: Reliable Change Indices for Neuropsychological Instruments in the Elderly – A Systematic Review. Dementia and Geriatric Cognitive Disorders, 2010, 29, 275-286.	1.5	53
138	Dimensional assessment of depressive severity in the elderly general population: Psychometric evaluation of the PHQ-9 using Rasch Analysis. Journal of Affective Disorders, 2013, 148, 323-330.	4.1	53
139	The Distinction Between "Medically Unexplained―and "Medically Explained―in the Context of Somatoform Disorders. International Journal of Behavioral Medicine, 2013, 20, 161-171.	1.7	52
140	Reliability and validity of the beck depression inventory-fast screen for medical patients in the general German population. Journal of Affective Disorders, 2014, 156, 236-239.	4.1	52
141	Noise annoyance predicts symptoms of depression, anxiety and sleep disturbance 5 years later. Findings from the Gutenberg Health Study. European Journal of Public Health, 2020, 30, 487-492.	0.3	51
142	Prevalence and overlap of somatic symptom disorder, bodily distress syndrome and fibromyalgia syndrome in the German general population: A cross sectional study. Journal of Psychosomatic Research, 2020, 133, 110111.	2.6	51
143	Health care utilization among first and second generation immigrants and native-born Germans: a population-based study in Germany. International Journal of Public Health, 2011, 56, 541-548.	2.3	50
144	Fragebogen körperdysmorpher Symptome (FKS): Ein Screening-Instrument. Verhaltenstherapie, 2009, 19, 237-242.	0.4	49

#	Article	IF	Citations
145	Attitudes of Health Care Professionals towards Female Obese Patients. Obesity Facts, 2013, 6, 512-522.	3.4	48
146	Prevalence of Chronic Disabling Noncancer Pain and Associated Demographic and Medical Variables. Clinical Journal of Pain, 2015, 31, 886-892.	1.9	48
147	Psychometric properties of the Satisfaction with Life Scale (SWLS), derived from a large German community sample. Quality of Life Research, 2018, 27, 1661-1670.	3.1	48
148	Alexithymia in the elderly general population. Comprehensive Psychiatry, 2002, 43, 74-80.	3.1	47
149	Parameters influencing health variables in a sample of 949 German teachers. International Archives of Occupational and Environmental Health, 2008, 82, 117-123.	2.3	47
150	The German Version of the Hopkins Symptoms Checklist-25 (HSCL-25) â€" Factorial structure, psychometric properties, and population-based norms. Comprehensive Psychiatry, 2014, 55, 396-403.	3.1	47
151	Predictors of quality of life of cancer patients, their children, and partners. Psycho-Oncology, 2015, 24, 787-795.	2.3	47
152	Mental health and loneliness in the German general population during the COVID-19 pandemic compared to a representative pre-pandemic assessment. Scientific Reports, 2021, 11, 14946.	3.3	47
153	Medication Adherence in the General Population. PLoS ONE, 2012, 7, e50537.	2.5	46
154	The health professional–patient-relationship in conventional versus complementary and alternative medicine. A qualitative study comparing the perceived use of medical shared decision-making between two different approaches of medicine. Patient Education and Counseling, 2012, 88, 129-137.	2.2	45
155	Prostatitis and Male Pelvic Pain Syndrome. Deutsches Ärzteblatt International, 2009, 106, 175-83.	0.9	44
156	Children of cancer patients: Prevalence and predictors of emotional and behavioral problems. Cancer, 2014, 120, 2361-2370.	4.1	44
157	Prevalence and Correlates of Self-Harm in the German General Population. PLoS ONE, 2016, 11, e0157928.	2.5	43
158	EXTREME OBESITY IS ASSOCIATED WITH SUICIDAL BEHAVIOR AND SUICIDE ATTEMPTS IN ADULTS: RESULTS OF A POPULATION-BASED REPRESENTATIVE SAMPLE. Depression and Anxiety, 2013, 30, n/a-n/a.	4.1	42
159	Subjective physical complaints and hypochondriacal features from an attachment theoretical perspective. Psychology and Psychotherapy: Theory, Research and Practice, 2002, 75, 313-332.	2.5	41
160	Validation of the Rasch-based Depression Screening in a large scale German general population sample. Health and Quality of Life Outcomes, 2010, 8, 105.	2.4	41
161	Factors Associated With Fatigue in Sarcoidosis. Respiratory Care, 2014, 59, 1086-1094.	1.6	41
162	Investigating the Circumplex Structure of the Portrait Values Questionnaire (PVQ). Journal of Individual Differences, 2005, 26, 185-193.	1.0	40

#	Article	IF	CITATIONS
163	The Cognitive Representation of Human Rights: Knowledge, Importance, and Commitment Peace and Conflict, 2005, 11, 267-292.	0.4	40
164	Traumatic experiences, alexithymia, and posttraumatic symptomatology: a cross-sectional population-based study in Germany. HÃ $\P$ gre Utbildning, 2014, 5, .	3.0	40
165	Effort-Reward Imbalance and Mental Health Problems in 1074 German Teachers, Compared with Those in the General Population. Stress and Health, 2016, 32, 224-230.	2.6	40
166	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). Depression and Anxiety, 2016, 33, 153-161.	4.1	40
167	Somatic symptom load in men and women from middle to high age in the Gutenberg Health Study - association with psychosocial and somatic factors. Scientific Reports, 2019, 9, 4610.	3.3	40
168	Psychological distress in cancer patients with underage children: genderâ€specific differences. Psycho-Oncology, 2013, 22, 823-828.	2.3	39
169	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. Acta Oncológica, 2020, 59, 967-974.	1.8	39
170	Beyond a youthful behavior style – Age and sex differences in sensation seeking based on need theory. Personality and Individual Differences, 2007, 43, 1839-1850.	2.9	38
171	Quality of life in cancer patients—a comparison of inpatient, outpatient, and rehabilitation settings. Supportive Care in Cancer, 2018, 26, 3533-3541.	2.2	38
172	The association of depression and multimorbidity in the elderly: implications for the assessment of depression. Psychogeriatrics, 2011, 11, 227-234.	1.2	37
173	Trends in child maltreatment in Germany: comparison of two representative population-based studies. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 24.	2.5	37
174	Psychometric properties and measurement invariance of the Beck hopelessness scale (BHS): results from a German representative population sample. BMC Psychiatry, 2018, 18, 110.	2.6	37
175	Demographic and Clinical Features of Patients With Fibromyalgia Syndrome of Different Settings: A Gender Comparison. Gender Medicine, 2011, 8, 116-125.	1.4	36
176	The association between night eating and body mass depends on age. Eating Behaviors, 2014, 15, 683-685.	2.0	36
177	Identifying tumor patients' depression. Supportive Care in Cancer, 2011, 19, 1697-1703.	2.2	35
178	Child maltreatment is mediating long-term consequences of household dysfunction in a population representative sample. European Psychiatry, 2019, 58, 10-18.	0.2	35
179	Psychometric properties of a short version of the Eating Attitudes Test (EAT-8) in a German representative sample. Eating Behaviors, 2016, 21, 198-204.	2.0	34
180	The immediate impact of lockdown measures on mental health and couples' relationships during the COVID-19 pandemic - results of a representative population survey in Germany. Social Science and Medicine, 2021, 278, 113954.	3.8	34

#	Article	IF	CITATIONS
181	Validation of the Patient-Doctor-Relationship Questionnaire (PDRQ-9) in a Representative Cross-Sectional German Population Survey. PLoS ONE, 2014, 9, e91964.	2.5	34
182	Two-year experience with the german-translated version of the NIH-CPSI in patients with CP/CPPS. Urology, 2004, 63, 1027-1030.	1.0	33
183	Lower decision threshold for doctor visits as a predictor of health care use in somatoform disorders and in the general population. General Hospital Psychiatry, 2008, 30, 349-355.	2.4	33
184	Individualized support for informal caregivers of people with dementia – effectiveness of the German adaptation of REACH II. BMC Geriatrics, 2017, 17, 286.	2.7	33
185	Cross-cultural validation of the German and Turkish versions of the PHQ-9: an IRT approach. BMC Psychology, 2018, 6, 26.	2.1	33
186	Declining Sexual Activity and Desire in Men—Findings From Representative German Surveys, 2005 and 2016. Journal of Sexual Medicine, 2018, 15, 750-756.	0.6	33
187	Symptom-Checklist-K-9: Norm values and factorial structure in a representative German sample. PLoS ONE, 2019, 14, e0213490.	2.5	33
188	Resilience in the General Population: Standardization of the Resilience Scale (RS-11). PLoS ONE, 2015, 10, e0140322.	2.5	33
189	Impact of the COVID-19 pandemic on depression, anxiety, loneliness, and satisfaction in the German general population: a longitudinal analysis. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2481-2490.	3.1	33
190	Patterns of Childhood Abuse and Neglect in a Representative German Population Sample. PLoS ONE, 2016, 11, e0159510.	2.5	32
191	Unaccompanied refugee minors in Germany: attitudes of the general population towards a vulnerable group. European Child and Adolescent Psychiatry, 2017, 26, 733-742.	4.7	32
192	Associations of adverse childhood experiences and bullying on physical pain in the general population of Germany. Journal of Pain Research, 2018, Volume 11, 3099-3108.	2.0	32
193	The role of self-compassion in the relationship between attachment, depression, and quality of life. Journal of Affective Disorders, 2020, 260, 45-52.	4.1	32
194	Depression, anxiety and health status across different BMI classes: A representative study in Germany. Journal of Affective Disorders, 2020, 276, 45-52.	4.1	32
195	Perceived Stress Scale (PSS-10) psychometric properties in migrants and native Germans. BMC Psychiatry, 2020, 20, 450.	2.6	32
196	Egg donation, surrogate mothering, and cloning: attitudes of men and women in Germany based on a representative survey. Fertility and Sterility, 2009, 92, 124-130.	1.0	31
197	Prevalence of mental distress among adult survivors of childhood cancer in Germanyâ€"Compared to the general population. Cancer Medicine, 2019, 8, 1865-1874.	2.8	31
198	Validating the German Version of the Quality of Relationship Inventory: Confirming the Three-Factor Structure and Report of Psychometric Properties. PLoS ONE, 2012, 7, e37380.	2.5	31

#	Article	IF	Citations
199	Emotional and tangible social support in a German population-based sample: Development and validation of the Brief Social Support Scale (BS6). PLoS ONE, 2017, 12, e0186516.	2.5	31
200	Attitudes Towards Bariatric Surgery in the General Public. Obesity Surgery, 2013, 23, 338-345.	2.1	30
201	Patient Health Questionnaire 15 as a generic measure of severity in fibromyalgia syndrome: Surveys with patients of three different settings. Journal of Psychosomatic Research, 2014, 76, 307-311.	2.6	30
202	Personality correlates and gender invariance of wording effects in the German version of the Rosenberg Self-Esteem Scale. Personality and Individual Differences, 2016, 97, 13-18.	2.9	30
203	Screening disordered eating in a representative sample of the German population: Usefulness and psychometric properties of the German SCOFF questionnaire. Eating Behaviors, 2017, 25, 81-88.	2.0	30
204	Hazardous alcohol consumption and sense of coherence in emergency department patients with minor traumaâ †. Drug and Alcohol Dependence, 2006, 82, 143-150.	3.2	29
205	The assessment of recalled parental rearing behavior and its relationship to life satisfaction and interpersonal problems: a general population study. BMC Medical Research Methodology, 2009, 9, 17.	3.1	28
206	Corresponding instability of patient and therapist process ratings in psychodynamic psychotherapies. Psychotherapy Research, 2012, 22, 26-39.	1.8	28
207	Screening for DSM-5 Somatic Symptom Disorder: Diagnostic Accuracy of Self-Report Measures Within a Population Sample. Psychosomatic Medicine, 2017, 79, 974-981.	2.0	28
208	Psychogenic Urinary Retention (â€ <sup>*</sup> Paruresisâ€ <sup>™</sup> ): Diagnosis and Epidemiology in a Representative Male Sample. Psychotherapy and Psychosomatics, 2005, 74, 308-314.	8.8	27
209	Base rates for depersonalization according to the 2-item version of the Cambridge Depersonalization Scale (CDS-2) and its associations with depression/anxiety in the general population. Journal of Affective Disorders, 2011, 128, 106-111.	4.1	27
210	More Than 60 Years Later. Journal of Nervous and Mental Disease, 2012, 200, 911-914.	1.0	26
211	The relationship of parental rearing behavior and resilience as well as psychological symptoms in a representative sample. Health and Quality of Life Outcomes, 2014, 12, 95.	2.4	26
212	Brief assessment of subjective health complaints: Development, validation and population norms of a brief form of the Giessen Subjective Complaints List (GBB-8). Journal of Psychosomatic Research, 2017, 95, 33-43.	2.6	26
213	Mini - social phobia inventory (mini-SPIN): psychometric properties and population based norms of the German version. BMC Psychiatry, 2017, 17, 377.	2.6	26
214	New onset of depression in aging women and men: contributions of social, psychological, behavioral, and somatic predictors in the community. Psychological Medicine, 2019, 49, 1148-1155.	4.5	26
215	Psychometric evaluation of the Eating Disorders in <scp>Youthâ€Questionnaire</scp> when used in adults: Prevalence estimates for symptoms of avoidant/restrictive food intake disorder and population norms. International Journal of Eating Disorders, 2021, 54, 399-408.	4.0	26
216	Between commodification and altruism: gender imbalance and attitudes towards organ donation. A representative survey of the German community. Journal of Gender Studies, 2008, 17, 251-255.	2.2	25

#	Article	IF	Citations
217	Factor structure and psychometric properties of the english version of the trier inventory for chronic stress (TICS-E). BMC Medical Research Methodology, 2018, 18, 18.	3.1	25
218	Norm values and psychometric properties of the short version of the Trier Inventory for Chronic Stress (TICS) in a representative German sample. PLoS ONE, 2019, 14, e0222277.	2.5	25
219	Course of depressive symptoms in men and women: differential effects of social, psychological, behavioral and somatic predictors. Scientific Reports, 2019, 9, 18929.	3.3	25
220	Fatigue in cancer patients: comparison with the general population and prognostic factors. Supportive Care in Cancer, 2020, 28, 4517-4526.	2.2	25
221	Modified 2016 American College of Rheumatology Fibromyalgia Criteria, the Analgesic, Anesthetic, and Addiction Clinical Trial Translations Innovations Opportunities and Networks–American Pain Society Pain Taxonomy, and the Prevalence of Fibromyalgia. Arthritis Care and Research, 2021, 73, 617-625.	3.4	25
222	Gender-specific associations of loneliness and suicidal ideation in a representative population sample: Young, lonely men are particularly at risk. Journal of Affective Disorders, 2021, 294, 63-70.	4.1	25
223	Prevalence and determinants of online-sex use in the German population. PLoS ONE, 2017, 12, e0176449.	2.5	25
224	Perception of Body Weight Status: A Case Control Study of Obese and Lean Children and Adolescents and Their Parents. Obesity Facts, 2010, 3, 1-1.	3.4	24
225	Perceived Appearance-Related Teasing in Body Dysmorphic Disorder: A Population-Based Survey. International Journal of Cognitive Therapy, 2011, 4, 342-348.	2.2	24
226	Widespread pain in older Germans is associated with posttraumatic stress disorder and lifetime employment status $\hat{a} \in \mathbb{C}$ Results of a cross-sectional survey with a representative population sample. Pain, 2012, 153, 2466-2472.	4.2	24
227	What Do You Know about Reproductive Medicine? – Results of a German Representative Survey. PLoS ONE, 2012, 7, e50113.	2.5	24
228	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. Psycho-Oncology, 2015, 24, 1456-1462.	2.3	24
229	Association Between Restless Legs Syndrome and Adult ADHD in a German Community-Based Sample. Journal of Attention Disorders, 2018, 22, 300-308.	2.6	24
230	Social sex selection and the balance of the sexes: Empirical evidence from Germany, the UK, and the US. Journal of Assisted Reproduction and Genetics, 2006, 23, 311-318.	2.5	23
231	Domains of disgust sensitivity: revisited factor structure of the questionnaire for the assessment of disgust sensitivity (QADS) in a cross-sectional, representative german survey. BMC Medical Research Methodology, 2010, 10, 95.	3.1	23
232	The Impact of Body Weight and Depression on Low Back Pain in a Representative Population Sample. Pain Medicine, 2014, 15, 1316-1327.	1.9	23
233	Crossâ€cultural measurement invariance of the General Health Questionnaireâ€12 in a German and a Colombian population sample. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	23
234	Norm values and psychometric properties of the brief symptom inventory-18 regarding individuals between the ages of 60 and 95. BMC Medical Research Methodology, 2018, 18, 164.	3.1	23

#	Article	IF	Citations
235	Fatigue in the general population: German normative values of the EORTC QLQ-FA12. Quality of Life Research, 2018, 27, 2681-2689.	3.1	23
236	Inflammation predicts new onset of depression in men, but not in women within a prospective, representative community cohort. Scientific Reports, 2021, 11, 2271.	3.3	23
237	Personality functioning as a mediator of adult mental health following child maltreatment. Journal of Affective Disorders, 2021, 291, 126-134.	4.1	23
238	The impact of forced displacement in World War II on mental health disorders and health-related quality of life in late life – a German population-based study. International Psychogeriatrics, 2013, 25, 310-319.	1.0	22
239	The Prevalence of Sexual Violence: Results From a Population-Based Sample. Deutsches Ärzteblatt International, 2016, 113, 107-13.	0.9	22
240	Family physician–patient relationship and frequent attendance of primary and specialist health care: Results from a German population-based cohort study. Patient Education and Counseling, 2016, 99, 1213-1219.	2.2	22
241	6 FRAGEBOGEN ZUR RECHTSEXTREMEN EINSTELLUNG – LEIPZIGER FORM (FR-LF). , 2013, , 197-212.		22
242	Changes in Body Image and Health-Related Quality of Life Following Breast Reduction Surgery in German Macromastia Patients. Annals of Plastic Surgery, 2007, 58, 364-370.	0.9	21
243	Instability and discontinuous change in the experience of therapeutic interaction: An extended single-case study of psychodynamic therapy processes. Psychotherapy Research, 2010, 20, 398-412.	1.8	21
244	Erectile dysfunction after radical prostatectomy: the impact of nerve-sparing status and surgical approach. International Journal of Impotence Research, 2012, 24, 155-160.	1.8	21
245	Dimensional latent structure of somatic symptom reporting in two representative population studies: Results from taxometric analyses Psychological Assessment, 2014, 26, 484-492.	1.5	21
246	Factor Structure of the Self-Compassion Scale in 11 International Samples. Measurement and Evaluation in Counseling and Development, 2021, 54, 1-23.	2.3	21
247	Experience with different questionnaires in the management of patients with CP/CPPS: GPSS, IPSS and NIH-CPSI. World Journal of Urology, 2003, 21, 116-118.	2.2	20
248	Chronic somatic complaints in adolescents: prevalence, predictive validity of the parent reports, and associations with social class, health status, and psychosocial distress. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1003-1011.	3.1	20
249	Validating psychological classification criteria in the context of somatoform disorders: A one- and four-year follow-up Journal of Abnormal Psychology, 2015, 124, 1092-1101.	1.9	20
250	Attitudes Towards (Psychotherapy) Groups: Results of a Survey in a Representative Sample. International Journal of Group Psychotherapy, 2015, 65, 410-430.	0.6	20
251	Doctor's recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. PLoS ONE, 2018, 13, e0205160.	2.5	20
252	Measurement invariance, validation and normative data of the Jenkins Sleep Scale-4 (JSS-4) in the German general population across the life span. Journal of Psychosomatic Research, 2020, 130, 109933.	2.6	20

#	Article	IF	Citations
253	Examining air pollution (PM10), mental health and well-being in a representative German sample. Scientific Reports, 2021, 11, 18436.	3.3	20
254	Mental Status in Patients Before and After Liver Transplantation. Annals of Transplantation, 2015, 20, 683-693.	0.9	20
255	Is somatosensory amplification a risk factor for an increased report of side effects? Reference data from the German general population. Journal of Psychosomatic Research, 2015, 79, 492-497.	2.6	19
256	Obesity, depression and hip pain. Musculoskeletal Care, 2019, 17, 126-132.	1.4	19
257	Brief Form of the Interpersonal Competence Questionnaire (ICQ-15). European Journal of Psychological Assessment, 2015, 31, 272-279.	3.0	19
258	On Raising the International Dissemination of German Research. Experimental Psychology, 2004, 51, 319-328.	0.7	19
259	Somatic Symptoms in the German General Population from 1975 to 2013. Scientific Reports, 2020, 10, 1595.	3.3	19
260	Deep impact? evaluation in the sciences. International Journal of Public Health, 2004, 49, 10-14.	2.6	18
261	Childhood maltreatment in children born of occupation after WWII in Germany and its association with mental disorders. International Psychogeriatrics, 2017, 29, 1147-1156.	1.0	18
262	Validation of the German version of the Bodily Distress Syndrome 25 checklist in a representative German population sample. Journal of Psychosomatic Research, 2020, 132, 109991.	2.6	18
263	The Cycle of Violence: Examining Attitudes Toward and Experiences of Corporal Punishment in a Representative German Sample. Journal of Interpersonal Violence, 2021, 36, NP263-NP286.	2.0	18
264	Dimensional Latent Structure of Relationship Quality: Results of Three Representative Population Samples. Journal of Marriage and Family, 2015, 77, 1190-1201.	2.6	17
265	The Core Self-Evaluation Scale: Psychometric Properties of the German Version in a Representative Sample. Journal of Personality Assessment, 2015, 97, 310-318.	2.1	17
266	Does psychodynamic short-term psychotherapy for depressed breast cancer patients also improve fatigue? Results from a randomized controlled trial. Breast Cancer Research and Treatment, 2015, 152, 581-588.	2.5	17
267	The mediation effect of personality functioning between different types of child maltreatment and the development of depression/anxiety symptoms – A German representative study. Journal of Affective Disorders, 2022, 299, 408-415.	4.1	17
268	Medium- and long-term prognostic validity of competing classification proposals for the former somatoform disorders. Psychological Medicine, 2017, 47, 1719-1732.	4.5	16
269	Is assessment of depression equivalent for migrants of different cultural backgrounds? Results from the German population-based Gutenberg Health Study (GHS). Depression and Anxiety, 2018, 35, 1178-1189.	4.1	16
270	Fatigue in survivors of malignant melanoma and its determinants: a register-based cohort study. Supportive Care in Cancer, 2019, 27, 2809-2818.	2.2	16

#	Article	IF	CITATIONS
271	The Prevalence of Sexual Abuse in Institutions: Results From a Representative Population-Based Sample in Germany. Sexual Abuse: Journal of Research and Treatment, 2019, 31, 643-661.	1.3	16
272	Declining Sexual Activity and Desire in Women: Findings from Representative German Surveys 2005 and 2016. Archives of Sexual Behavior, 2020, 49, 919-925.	1.9	16
273	Frequency of stressful life events and associations with mental health and general subjective health in the general population. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 1071-1080.	1.6	16
274	Risk factors for suicidal ideation in a large, registry-based sample of adult long-term childhood cancer survivors. Journal of Affective Disorders, 2020, 265, 351-356.	4.1	16
275	The relation between childhood adversity and adult obesity in a population-based study in women and men. Scientific Reports, 2021, 11, 14068.	3.3	16
276	Evaluation of a short version of the Experiences in Close Relationships-Revised questionnaire (ECR-RD8): results from a representative German sample. BMC Psychology, 2021, 9, 140.	2.1	16
277	Art therapy in psycho-oncology—recruitment of participants and gender differences in usage. Supportive Care in Cancer, 2012, 20, 679-686.	2.2	15
278	Health Complaints and Unemployment: The Role of Self-Efficacy in a Prospective Cohort Study. Journal of Social and Clinical Psychology, 2013, 32, 97-115.	0.5	15
279	Depression, Somatization, and Posttraumatic Stress Disorder in Children Born of Occupation After World War II in Comparison With a General Population. Journal of Nervous and Mental Disease, 2015, 203, 742-748.	1.0	15
280	Menopausal syndrome limited to hot flushes and sweating a representative survey study. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 170-179.	2.1	15
281	Public Support for Weight-Related Antidiscrimination Laws and Policies. Obesity Facts, 2017, 10, 101-111.	3.4	15
282	Child maltreatment by nursing staff and caregivers in German institutions: A population-representative analysis. Child Abuse and Neglect, 2019, 95, 104046.	2.6	15
283	The association of chronic anxiousness with cardiovascular disease and mortality in the community: results from the Gutenberg Health Study. Scientific Reports, 2020, 10, 12436.	3.3	15
284	Is the association of self-reported childhood maltreatments and adult fibromyalgia syndrome attributable to depression? A case control study. Clinical and Experimental Rheumatology, 2012, 30, 59-64.	0.8	15
285	Does social support prevent suicidal ideation in women and men? Gender-sensitive analyses of an important protective factor within prospective community cohorts. Journal of Affective Disorders, 2022, 306, 157-166.	4.1	15
286	Artifacts in the Registration and Interpretation of Speech-Process Variables. Language and Speech, 1975, 18, 166-179.	1.1	14
287	Desired and perceived participation in medical decision-making in patients with haemato-oncological diseases. Leukemia Research, 2010, 34, 390-392.	0.8	14
288	The association of traumatic experiences and posttraumatic stress disorder with health care utilization in the elderly â€" a German population based study. General Hospital Psychiatry, 2011, 33, 177-184.	2.4	14

#	Article	IF	Citations
289	Unemployment during working life and mental health of retirees: Results of a representative survey. Aging and Mental Health, 2011, 15, 178-185.	2.8	14
290	Measuring family functioning in families with parental cancer: Reliability and validity of the German adaptation of the Family Assessment Device (FAD). Journal of Psychosomatic Research, 2017, 93, 110-117.	2.6	14
291	Languageâ€related differential item functioning between English and German PROMIS Depression items is negligible. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	14
292	Parenting in the face of serious illness: Childhood cancer survivors remember different rearing behavior than the general population. Psycho-Oncology, 2019, 28, 1663-1670.	2.3	14
293	Prevalence Rate and Course of Symptoms of Disruptive Mood Dysregulation Disorder (DMDD). Zeitschrift FÄœr Kinder- Und Jugendpsychiatrie Und Psychotherapie, 2018, 46, 29-38.	0.7	14
294	Somatoforme Beschwerden bei Jugendlichen in Deutschland. Psychotherapeut, 2003, 48, 109-116.	0.1	13
295	Efficacy of psychodynamic short-term psychotherapy for depressed breast cancer patients: study protocol for a randomized controlled trial. BMC Cancer, 2012, 12, 578.	2.6	13
296	Disagreement in Doctor's and Patient's Rating About Medically Unexplained Symptoms and Health Care Use. International Journal of Behavioral Medicine, 2013, 20, 30-37.	1.7	13
297	Cancer-related fatigue in patients before and after radical prostatectomy. Results of a prospective multi-centre study. Supportive Care in Cancer, 2014, 22, 2883-2889.	2.2	13
298	The independent relations of both residential self-selection and the environment to physical activity. International Journal of Environmental Health Research, 2015, 25, 288-298.	2.7	13
299	Evaluation of the revised sense of coherence scale in a representative German sample. PLoS ONE, 2018, 13, e0209550.	2.5	13
300	Linking cancer and mental health in men and women in a representative community sample. Journal of Psychosomatic Research, 2019, 124, 109760.	2.6	13
301	Psychometric Properties of the Multidimensional Fatigue Inventory (MFI-20), Derived From Seven Samples. Journal of Pain and Symptom Management, 2020, 59, 717-723.	1.2	13
302	What's past is prologue: Recalled parenting styles are associated with childhood cancer survivors' mental health outcomes more than 25 years after diagnosis. Social Science and Medicine, 2020, 252, 112916.	3.8	13
303	Loneliness predicts suicidal ideation and anxiety symptoms in long-term childhood cancer survivors. International Journal of Clinical and Health Psychology, 2021, 21, 100201.	5.1	13
304	Gender-Dependent Associations of Anxiety and Depression Symptoms With Eating Disorder Psychopathology in a Representative Population Sample. Frontiers in Psychiatry, 2021, 12, 645654.	2.6	13
305	Revised Short Screening Version of the Profile of Mood States (POMS) From the German General Population. Frontiers in Psychology, 2021, 12, 631668.	2.1	13
306	Excessiveness in Symptom-Related Thoughts, Feelings, and Behaviors: An Investigation of Somatic Symptom Disorders in the General Population. Psychosomatic Medicine, 2021, 83, 164-170.	2.0	13

#	Article	IF	Citations
307	Ambivalent attitudes towards pre-implantation genetic diagnosis in Germany. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 126, 217-225.	1.1	12
308	An ultra-short screening version of the Recalled Parental Rearing Behavior questionnaire (FEE-US) and its factor structure in a representative German sample. BMC Medical Research Methodology, 2012, 12, 169.	3.1	12
309	The effect of including a â€~psychooncological statement' in the discharge summary on patientâ€physician communication: a randomized controlled trial. Psycho-Oncology, 2013, 22, 2789-2796.	2.3	12
310	Gender differences in a resources-demands model in the general population. BMC Public Health, 2014, 14, 902.	2.9	12
311	Efficient and valid assessment of personality traits: population norms of a brief version of the NEO Five-Factor Inventory (NEO-FFI). Archives of Psychiatry and Psychotherapy, 2015, 17, 21-32.	0.3	12
312	Motives and Decisions for and Against Having Children Among Nonheterosexuals and the Impact of Experiences of Discrimination, Internalized Stigma, and Social Acceptance. Journal of Sex Research, 2015, 52, 174-185.	2.5	12
313	Patient-Physician Communication and Knowledge Regarding Fertility Issues from German Oncologists' Perspective—a Quantitative Survey. Journal of Cancer Education, 2016, 31, 115-122.	1.3	12
314	Long-term effects on adult attachment in German occupation children born after World War II in comparison with a birth-cohort-matched representative sample of the German general population. Aging and Mental Health, 2018, 22, 197-207.	2.8	12
315	Emotion regulation strategies moderate the relationship of fatigue with depersonalization and derealization symptoms. Journal of Affective Disorders, 2018, 227, 571-579.	4.1	12
316	Validation of the German Version of the Power of Food Scale in a General Population Sample. Obesity Facts, 2019, 12, 416-426.	3.4	12
317	Mental health among immigrants in Germany $\hat{a}\in$ " the impact of self-attribution and attribution by others as an immigrant. BMC Public Health, 2019, 19, 1697.	2.9	12
318	Development and Validation of a Parenting Scale Short Form (PS-8) in a Representative Population Sample. Journal of Child and Family Studies, 2019, 28, 30-41.	1.3	12
319	Violence against children and adolescents by nursing staff: prevalence rates and implications for practice. Child and Adolescent Psychiatry and Mental Health, 2020, 14, 43.	2.5	12
320	Lifespan risks of growing up in a family with mental illness or substance abuse. Scientific Reports, 2020, 10, 15453.	3.3	12
321	Authoritarianism and the transgenerational transmission of corporal punishment. Child Abuse and Neglect, 2020, 106, 104537.	2.6	12
322	Bidimensional structure and measurement equivalence of the Patient Health Questionnaire-9: sex-sensitive assessment of depressive symptoms in three representative German cohort studies. BMC Psychiatry, 2021, 21, 238.	2.6	12
323	Gender und psychische Gesundheit. , 2019, , 54-65.		12
324	The Differential Roles of Trauma, Posttraumatic Stress Disorder, and Comorbid Depressive Disorders on Suicidal Ideation in the Elderly Population. Journal of Clinical Psychiatry, 2012, 73, 1141-1146.	2.2	12

#	Article	IF	CITATIONS
325	Towards a multi-methodological approach in the assessment of sensation seeking. Personality and Individual Differences, 2009, 46, 247-249.	2.9	11
326	Persistence of Psychological Distress in Surgical Patients with Interest in Psychotherapy: Results of a 6-Month Follow-Up. PLoS ONE, 2012, 7, e51167.	2.5	11
327	Crisis-repair sequences - considerations on the classification and assessment of breaches in the therapeutic relationship. BMC Medical Research Methodology, 2012, 12, 10.	3.1	11
328	Shadows of Beauty – Prevalence of Body Dysmorphic Concerns in Germany is Increasing: Data from Two Representative Samples from 2002 and 2013. Acta Dermato-Venereologica, 2014, 96, 83-90.	1.3	11
329	Psychological distress of cancer patients with children under 18Âyears and their partners—a longitudinal study of family relationships using dyadic data analysis. Supportive Care in Cancer, 2017, 25, 255-264.	2.2	11
330	Association between medicated obstructive pulmonary disease, depression and subjective health: results from the population-based Gutenberg Health Study. Scientific Reports, 2019, 9, 20252.	3.3	11
331	Do we get the message through? Difficulties in the prevention of abusive head trauma. European Journal of Pediatrics, 2019, 178, 139-146.	2.7	11
332	The Interplay between Child Maltreatment and Stressful Life Events during Adulthood and Cardiovascular Problems—A Representative Study. Journal of Clinical Medicine, 2021, 10, 3937.	2.4	11
333	Effects of an Innovative Psychotherapy Program for Surgical Patients. Anesthesiology, 2015, 123, 148-159.	2.5	10
334	The relationship between perceived own health state and health assessments of anchoring vignettes. International Journal of Clinical and Health Psychology, 2016, 16, 128-136.	5.1	10
335	Prevalence of self-reported jaw pain in Germany: two cross-sectional surveys of the general German population. Clinical Oral Investigations, 2016, 20, 1895-1901.	3.0	10
336	Euroscepticism and Right-Wing Extremist Attitudes in Germany: A Result of the  Dialectic Nature of Progress'?. German Politics, 2017, 26, 235-254.	1.3	10
337	Air Quality and Chronic Stress. Journal of Occupational and Environmental Medicine, 2019, 61, 144-147.	1.7	10
338	A reanalysis of the center for epidemiological studies depression scale (CES-D) using non-parametric item response theory. Psychiatry Research, 2020, 290, 113132.	3.3	10
339	A multi-cohort consortium for GEnder-Sensitive Analyses of mental health trajectories and implications for prevention (GESA) in the general population in Germany. BMJ Open, 2020, 10, e034220.	1.9	10
340	Assessing Procrastination. European Journal of Psychological Assessment, 2019, 35, 633-640.	3.0	10
341	Das Ausmaß von Müdigkeit und Erschöpfbarkeit in der über 60-jÃhrigen Normalbevölkerung in Deutschland. Psychotherapeut, 2001, 46, 332-338.	0.1	9
342	Figurunzufriedenheit von Frauen in AbhÄngigkeit vom Lebensalter: Normative Daten für den Fragebogen zum Figurbewusstsein. Verhaltenstherapie, 2009, 19, 14-20.	0.4	9

#	Article	IF	CITATIONS
343	Parental dyadic coping in families of children and adolescents with type 1 diabetes. Journal of Pediatric Endocrinology and Metabolism, 2013, 26, 867-75.	0.9	9
344	Associations between degree and sub-dimensions of depression and metabolic syndrome (MetS) in the community: results from the Gutenberg Health Study (GHS). BMC Psychiatry, 2018, 18, 114.	2.6	9
345	Different Contexts of Sexual Abuse With a Special Focus on the Context of Christian Institutions: Results From the General Population in Germany. Journal of Interpersonal Violence, 2022, 37, NP3130-NP3151.	2.0	9
346	Childhood Adversities and Later Attitudes towards Harmful Parenting Behaviour including Shaking in a German Populationâ€based Sample. Child Abuse Review, 2020, 29, 269-281.	0.8	9
347	The role of stress and self-efficacy in somatic and psychological symptoms during the climacteric period $\hat{a} \in \mathbb{C}$ Is there a specific association?. Maturitas, 2020, 136, 1-6.	2.4	9
348	Psychometric evaluations of the Life Orientation Test-Revised (LOT-R), based on nine samples. Psychology and Health, 2022, 37, 767-779.	2.2	9
349	From Bi-Dimensionality to Uni-Dimensionality in Self-Report Questionnaires. European Journal of Psychological Assessment, 2021, 37, 135-148.	3.0	9
350	Differential Item Functioning in Brief Instruments of Disordered Eating. European Journal of Psychological Assessment, 2019, 35, 823-833.	3.0	9
351	Cancer as a risk factor for distress and its interactions with sociodemographic variables in the context of the first wave of the COVID-19 pandemic in Germany. Scientific Reports, 2022, 12, 2021.	3.3	9
352	Gender Differences in Healthcare Utilization: The Mediating Effect of Utilization Propensity. Journal of Applied Social Psychology, 2012, 42, 1266-1279.	2.0	8
353	Psychodynamic Therapy from the Perspective of Selfâ€organization. A Concept of Change and a Methodological Approach for Empirical Examination. Clinical Psychology and Psychotherapy, 2014, 21, 299-310.	2.7	8
354	Is It Attachment Style or Socio-Demography: Singlehood in a Representative Sample. Frontiers in Psychology, 2015, 6, 1738.	2.1	8
355	Is the General Self-Efficacy Scale a Reliable Measure to be used in Cross-Cultural Studies? Results from Brazil, Germany and Colombia. Spanish Journal of Psychology, 2016, 19, E29.	2.1	8
356	The association of adverse childhood experiences and of resilience with chronic noncancer pain in the German adult population – A crossâ€sectional survey. European Journal of Pain, 2019, 23, 555-564.	2.8	8
357	The desire for children among adult survivors of childhood cancer: Psychometric evaluation of a cancerâ€specific questionnaire and relations with sociodemographic and psychological characteristics. Psycho-Oncology, 2020, 29, 485-492.	2.3	8
358	Detecting Authoritarianism Efficiently: Psychometric Properties of the Screening Instrument Authoritarianism – Ultra Short (A-US) in a German Representative Sample. Frontiers in Psychology, 2020, 11, 533863.	2.1	8
359	Body hair removal: Prevalence, demographics, and body experience among men and women in Germany. Journal of Cosmetic Dermatology, 2020, 19, 2886-2892.	1.6	8
360	Longâ€term outcomes of children with severe chronic pain: Comparison of former patients with a community sample. European Journal of Pain, 2021, 25, 1329-1341.	2.8	8

#	Article	IF	CITATIONS
361	Dimensional latent structure of PTSD-symptoms reporting: Is it adding by subtracting?. Psychological Assessment, 2016, 28, 1663-1673.	1.5	8
362	The Impact of the COVID-19 Pandemic on Health, Quality of Life and Intrafamilial Relations – A Population-Based Survey in Germany. Frontiers in Psychology, 2022, 13, 844057.	2.1	8
363	The association of depression and all-cause mortality: Explanatory factors and the influence of gender. Journal of Affective Disorders, 2022, 303, 315-322.	4.1	8
364	Differences in the Psychic Representation of the Body in Bulimic and Anorexic Patients: A Study with the Body Grid. Journal of Constructivist Psychology, 2008, 21, 60-81.	1.1	7
365	Subjective underchallenge at work and its impact on mental health. International Archives of Occupational and Environmental Health, 2011, 84, 655-664.	2.3	7
366	Ethical Attitudes of German Specialists in Reproductive Medicine and Legal Regulation of Preimplantation Sex Selection in Germany. PLoS ONE, 2013, 8, e56390.	2.5	7
367	The latent nature of prolonged grief - A taxometric analysis: Results from a representative population sample. Psychiatry Research, 2018, 260, 400-405.	3.3	7
368	Sex-dependent associations of childhood neglect and bodyweight across the life span. Scientific Reports, 2019, 9, 5080.	3.3	7
369	Handling Missing Data in the Short Form–12 Health Survey (SF-12): Concordance of Real Patient Data and Data Estimated by Missing Data Imputation Procedures. Assessment, 2021, 28, 1785-1798.	3.1	7
370	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. Psycho-Oncology, 2020, 29, 1604-1612.	2.3	7
371	The long-lasting impact of unemployment on life satisfaction: results of a longitudinal study over 20Âyears in East Germany. Health and Quality of Life Outcomes, 2020, 18, 361.	2.4	7
372	Experienced Childhood Maltreatment in a Sample of Pedophiles: Comparisons with Patients of a Psychosomatic Outpatient Clinic and the General Population. Journal of Sexual Medicine, 2020, 17, 985-993.	0.6	7
373	Somatic symptoms in the Eastern and Western states of Germany 30†years after unification: Population-based survey analyses. Journal of Psychosomatic Research, 2021, 147, 110535.	2.6	7
374	#patientstoo – Professional sexual misconduct by healthcare professionals towards patients: a representative study. Epidemiology and Psychiatric Sciences, 2021, 30, e50.	3.9	7
375	Eating disorder psychopathology: The role of attachment anxiety, attachment avoidance, and personality functioning. Journal of Psychosomatic Research, 2022, 160, 110975.	2.6	7
376	Early continence in patients with localized prostate cancer. A comparison between open retropubic (RRPE) and endoscopic extraperitoneal radical prostatectomy (EERPE). Urologic Oncology: Seminars and Original Investigations, 2012, 30, 798-803.	1.6	6
377	Körperbeschwerden nach politischer Inhaftierung und deren Zusammenhang mit Ängstlichkeit und DepressivitÃt. Verhaltenstherapie, 2012, 22, 37-46.	0.4	6
378	Complementary/alternative medicine and physiotherapy usage in German cervical dystonia patients. Basal Ganglia, 2014, 4, 55-59.	0.3	6

#	Article	IF	CITATIONS
379	Medical consultations about fertility preservation with haematological patients of childbearing age: A qualitative study. European Journal of Oncology Nursing, 2016, 21, 146-152.	2.1	6
380	Awareness of abusive head trauma in a German population-based sample: implications for prevention. Pediatric Research, 2019, 86, 537-541.	2.3	6
381	The interplay of gender, social context, and long-term unemployment effects on subjective health trajectories. BMC Public Health, 2021, 21, 290.	2.9	6
382	Psychometric properties of an English short version of the Trier Inventory for chronic Stress. BMC Medical Research Methodology, 2020, 20, 306.	3.1	6
383	Body modification in Germany: prevalence, gender differences and attitude towards cosmetic surgery. Giornale Italiano Di Dermatologia E Venereologia, 2019, 154, 646-649.	0.8	6
384	The Impact of Mental Health and Sociodemographic Characteristics on Quality of Life and Life Satisfaction during the Second Year of the COVID-19 Pandemicâ€"Results of a Population-Based Survey in Germany. International Journal of Environmental Research and Public Health, 2022, 19, 8734.	2.6	6
385	Verbal expression of emotions in the stageâ€wise progress of a case of longâ€term psychodynamic therapy. Counselling and Psychotherapy Research, 2011, 11, 67-77.	3.2	5
386	Quality of Life of Colorectal Cancer Patients in Certified Centers versus Non-Certified Hospitals. Onkologie, 2012, 35, 162-168.	0.8	5
387	Interpersonelle Psychotherapie bei EssstĶrungen: Eine systematische und praxisorientierte Übersicht. Verhaltenstherapie, 2012, 22, 149-157.	0.4	5
388	Assessing modern health worries: Dimensionality and factorial invariance across age and sex of the Modern Health Worries Scale in a general population sample. Journal of Health Psychology, 2014, 19, 1302-1308.	2.3	5
389	Eating pathology in medical students in Eastern Germany: comparison with general population and a sample at the time of the German reunification. Eating and Weight Disorders, 2016, 21, 445-451.	2.5	5
390	Attention-Deficit/Hyperactivity Disorder Symptoms and Life Satisfaction in a Representative Adolescent and Adult Sample. Journal of Nervous and Mental Disease, 2017, 205, 720-724.	1.0	5
391	Assessing age stereotypes in the German population in 1996 and 2011: socio-demographic correlates and shift over time. European Journal of Ageing, 2018, 15, 47-56.	2.8	5
392	Parental rearing style and socio-demography of married and cohabiting individuals in a representative German sample. Journal of Family Studies, 2019, 25, 116-132.	1.5	5
393	Validation of a Three-Item Short Form of the Modified Weight Bias Internalization Scale (WBIS-3) in the German Population. Obesity Facts, 2020, 13, 560-571.	3.4	5
394	Associations between self-rated health and the assessments of anchoring vignettes in cardiovascular patients. International Journal of Clinical and Health Psychology, 2020, 20, 100-107.	5.1	5
395	Revised short screening version of the attachment questionnaire for couples from the German general population. PLoS ONE, 2020, 15, e0230864.	2.5	5
396	Weight Stigma and Disease and Disability Concepts of Obesity: A Survey of the German Population. Obesity Facts, 2021, 14, 463-470.	3.4	5

#	Article	IF	CITATIONS
397	Adverse Childhood Experiences and Avatar Preferences in Online Games. Zeitschrift FÜr Kinder- Und Jugendpsychiatrie Und Psychotherapie, 2020, 48, 15-23.	0.7	5
398	Depression Mediates the Association Between Childhood Emotional Abuse and the Onset of Type 2 Diabetes: Findings From German Multi-Cohort Prospective Studies. Frontiers in Psychiatry, 2022, 13, 825678.	2.6	5
399	Standard values and relationship-specific validity of the Bielefeld Relationship Expectations Questionnaire (BFPE). BMC Medical Research Methodology, 2010, 10, 92.	3.1	4
400	The association between area-level socio-economic status and childhood overweight and the role of urbanicity. Obesity Medicine, 2016, 2, 13-18.	0.9	4
401	Sex-dependent associations of low birth weight and suicidal ideation in adulthood: a community-based cohort study. Scientific Reports, 2020, 10, 12969.	3 <b>.</b> 3	4
402	Monitoring recent trends: The prevalence of disclosure of sexual abuse in a representative sample of the German population based on indicator 16.2.3 of the UN Sustainable Development Goals (SDG). Child Abuse and Neglect, 2020, 107, 104575.	2.6	4
403	Psychometric properties of the German version of the Self-Image Scale (SIS-D). PLoS ONE, 2020, 15, e0230331.	2.5	4
404	Confirmatory and bi-factor analysis of the Short Form Health Survey 8 (SF-8) scale structure in a German general population sample. Health and Quality of Life Outcomes, 2021, 19, 73.	2.4	4
405	Psychometric properties of the German version of the Depressive and Anxious Avoidance in Prolonged Grief Questionnaire (DAAPGQ). PLoS ONE, 2021, 16, e0254959.	2.5	4
406	Bedingungen außerfamiliÃrer Kleinkindbetreuung in der DDR. , 2020, , 79-100.		4
407	Innerdeutsche Migration und seelische Gesundheit - Ergebnisse aus der SÃchsischen LÃngsschnittstudie. , 2014, , 89-102.		4
408	Die Forderung nach Internationalisierung der deutschen Psychologie am Beispiel der Zeitschrift für PÃdagogische Psychologie. Zeitschrift Fur Padagogische Psychologie, 2002, 16, 233-241.	3.0	4
409	A Mixed-Methods Investigation of Medical Follow-Up in Long-Term Childhood Cancer Survivors: What Are the Reasons for Non-Attendance?. Frontiers in Psychology, 2022, 13, 846671.	2.1	4
410	A Rasch Re-Analysis of the Partnership Questionnaire. SAGE Open, 2015, 5, 215824401558895.	1.7	3
411	The association between physical environment and health: indicating the direction of effects using German panel data. International Journal of Occupational and Environmental Health, 2016, 22, 1-6.	1.2	3
412	Socio-demographic, health-related, and individual correlates of diagnostic self-testing by lay people: Results from a representative survey in Germany. PLoS ONE, 2017, 12, e0188653.	2.5	3
413	Therapeutic alliance and treatment outcome in psychodynamic psychotherapy of depressed breast cancer patients: the same old story or different from other populations?. Breast Cancer, 2017, 24, 765-773.	2.9	3
414	The association between recalled parental rearing behavior and depressiveness: a comparison between 1st immigrants and non-immigrants in the population-based Gutenberg Health Study. BMC Psychiatry, 2020, 20, 367.	2.6	3

#	Article	IF	Citations
415	Norm values and psychometric properties for the German health regulatory focus scale $\hat{a} \in \text{``results of a}$ representative survey. BMC Medical Research Methodology, 2020, 20, 51.	3.1	3
416	Development and validation of a new instrument to measure social pain. Scientific Reports, 2021, 11, 8283.	3.3	3
417	The Type D Construct. European Journal of Psychological Assessment, 2014, 30, 283-288.	3.0	3
418	Depressive symptoms predict the incidence of common chronic diseases in women and men in a representative community sample. Psychological Medicine, 2023, 53, 4172-4180.	4.5	3
419	Interpersonale Probleme Ãlterer Menschen. Psychotherapeut, 2000, 45, 153-164.	0.1	2
420	Two-question depression-screeners – the solution to all problems?. Wiener Medizinische Wochenschrift, 2006, 156, 185-188.	1.1	2
421	German adaptation of the Resources for Enhancing Alzheimer's Caregiver Health II: study protocol of a single-centred, randomised controlled trial. BMC Geriatrics, 2014, 14, 21.	2.7	2
422	The impact of economic rationalization, prioritization and rationing on job satisfaction, motivation and team cohesion in hospitals: a survey among retired physician executives in Germany. Patient Safety in Surgery, 2017, 11, 3.	2.3	2
423	Predicting presenteeism via effort-reward imbalance and dispositional optimism: Is it the interaction that matters? Results from The Saxony Longitudinal Study. Work, 2019, 61, 589-601.	1.1	2
424	Later-life depressive symptoms and anxiety attacks in displaced and nondisplaced populations. Journal of Affective Disorders Reports, 2021, 3, 100061.	1.7	2
425	Psychometric Properties of the German Version of the Self-Regulation of Eating Behavior Questionnaire. Frontiers in Psychology, 2021, 12, 649867.	2.1	2
426	Risk factors, physical and mental health burden of male and female pathological gamblers in the German general population aged 40–80. BMC Psychiatry, 2021, 21, 123.	2.6	2
427	Association of Physical Morbidity and Health-Related Quality of Life in a Representative Sample of Older German People. European Journal of Health Psychology, 2018, 25, 140-151.	0.6	2
428	Recalled parental rearing style, self-esteem, and psychopathological symptoms in the general population. Psihologija, 2020, 53, 1-19.	0.6	2
429	Krebskranke Eltern. Familiendynamik, 2020, 45, 214-219.	0.1	2
430	Recalled parental rearing behavior in adult women and men with depressive and anxiety symptoms: Findings from a community study. Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie, 2020, 66, 243-258.	1.7	2
431	The Predictors of Awareness of Sexual Abuse and Sexual Violence in the Media and the Influence on Actions of the Individuals. Frontiers in Psychiatry, 2021, 12, 789144.	2.6	2
432	Development of the Hedonic Overeating–Questionnaire (HEDO–Q). Nutrients, 2022, 14, 1865.	4.1	2

#	Article	IF	CITATIONS
433	Bewertung von Publikationsleistungen in den psychosozialen FÄchern. Psychotherapeut, 2000, 45, 321-324.	0.1	1
434	Status and predictors of planning ability in adult long-term survivors of CNS tumors and other types of childhood cancer. Scientific Reports, 2019, 9, 7290.	3.3	1
435	Did we learn the lesson after 60 years of Management by Objectives? A survey among former physician executives in German hospitals. Work, 2019, 62, 353-359.	1.1	1
436	A Brief Assessment of Body Image Perception: Norm Values and Factorial Structure of the Short Version of the FKB-20. Frontiers in Psychology, 2020, 11, 579783.	2.1	1
437	Hormonal and Subjectively Perceived Stress of the Emergency Physicians of the Airborne Rescue Service. Journal of Clinical Psychology in Medical Settings, 2021, 28, 771-780.	1.4	1
438	Psychological and Socio-Economical Determinants of Health: The Case of Inner German Migration. Frontiers in Public Health, 2021, 9, 691680.	2.7	1
439	Psychometric properties of the Somatic Symptom Scale 8 (SSS-8) in a representative sample of German adolescents. Journal of Psychosomatic Research, 2021, 149, 110593.	2.6	1
440	Sex-Specific Mediation Effects of Workplace Bullying on Associations between Employees' Weight Status and Psychological Health Impairments. Nutrients, 2021, 13, 3867.	4.1	1
441	Erinnertes elterliches Erziehungsverhalten und die Langzeit-Entwicklung von Kindern und Jugendlichen mit Krebserkrankungen. Familiendynamik, 2020, 45, 202-212.	0.1	1
442	Self-Criticism in the General Population: Development and Psychometric Properties of the Depressive Experiences Questionnaire Self-Criticism 4 (DEQ-SC4). Journal of Personality Assessment, 2023, 105, 74-86.	2.1	1
443	Measuring physical, cognitive, and emotional aspects of exhaustion with the BOSS II-short version – results from a representative population-based study in Germany. BMC Public Health, 2022, 22, 579.	2.9	1
444	The association of childhood abuse and neglect with tattoos and piercings in the population: evidence from a representative community survey. BMC Psychology, 2022, 10, 105.	2.1	1
445	Fachpsychotherapie als Teil der Medizinischen Versorgung der Bevölkerung. Forum Der Psychoanalyse, 2000, 16, 352-357.	0.1	0
446	Klinisches Untersuchungsverfahren. Zeitschrift Fýr Klinische Psychologie Und Psychotherapie, 2005, 34, 294-295.	0.3	0
447	Interpersonelle Schuldgefühle und psychische BeeintrÃchtigung. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2007, 36, 153-163.	0.3	0
448	3081 POSTER Psychosocial Distress of Cancer Patients With Underage Children. European Journal of Cancer, 2011, 47, S246.	2.8	0
449	Psychoonkologie. Psychotherapeut, 2011, 56, 369-370.	0.1	0
450	Migration als VulnerabilitÃtsfaktor?. Psychotherapeut, 2012, 57, 5-6.	0.1	0

#	Article	IF	CITATIONS
451	Reply to C.E. Paiva et al. Journal of Clinical Oncology, 2015, 33, 1517-1517.	1.6	O
452	Reply to J. Dekker et al. Journal of Clinical Oncology, 2015, 33, 2828-2828.	1.6	0
453	Antisemitismus in Sachsen. , 2021, , 185-215.		O
454	How can we support COVID-19 survivors? Five lessons from long-term cancer survival. Public Health, 2021, 197, e8-e9.	2.9	0
455	89: Inflammation does not Influence Erectile Dysfunktion in Patients with CP/CPPS-NIH IIIA and B. Journal of Urology, 2007, 177, 31-32.	0.4	O
456	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities Journal of Clinical Oncology, 2015, 33, 9552-9552.	1.6	0
457	Measuring Illness Behavior in One Minute. European Journal of Health Psychology, 2019, 26, 39-49.	0.6	O
458	The Narcissistic Personality Inventory 8: Validation of a Brief Measure of Narcissistic Personality. International Journal of Psychological Research, 2020, 13, 68-77.	0.6	0