Ewa Kedzierska

List of Publications by Citations

Source: https://exaly.com/author-pdf/3663863/ewa-kedzierska-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

1,235
citations

13
g-index

54
ext. papers

4.19
ext. citations

avg, IF

L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 50 | Photodynamic therapy - mechanisms, photosensitizers and combinations. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 106, 1098-1107 | 7.5 | 623 |
| 49 | Antidepressant- and anxiolytic-like activity of magnesium in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 78, 7-12 | 3.9 | 84 |
| 48 | NMDA/glutamate mechanism of antidepressant-like action of magnesium in forced swim test in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2007 , 88, 158-64 | 3.9 | 62 |
| 47 | Antinociceptive activity of new imidazolidine carbonyl derivatives. Part 4. Synthesis and pharmacological activity of 8-aryl-3,4-dioxo-2H,8H-6,7-dihydroimidazo[2,1-c] [1,2,4]triazines. <i>European Journal of Medicinal Chemistry</i> , 2005 , 40, 127-34 | 6.8 | 57 |
| 46 | Disubstituted thiourea derivatives and their activity on CNS: synthesis and biological evaluation. <i>European Journal of Medicinal Chemistry</i> , 2012 , 55, 205-13 | 6.8 | 41 |
| 45 | Synthesis and pharmacological activity of urea and thiourea derivatives of 4-azatricyclo[5.2.2.0(2,6)]undec-8-ene-3,5-dione. <i>Chemical and Pharmaceutical Bulletin</i> , 2007 , 55, 796-9 | 1.9 | 35 |
| 44 | Enhancement of antidepressant-like activity by joint administration of imipramine and magnesium in the forced swim test: Behavioral and pharmacokinetic studies in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 81, 524-9 | 3.9 | 34 |
| 43 | Effects of acute and chronic treatment with magnesium in the forced swim test in rats. <i>Pharmacological Reports</i> , 2005 , 57, 654-8 | 3.9 | 34 |
| 42 | Synthesis, pharmacological and antiviral activity of 1,3-thiazepine derivatives. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 4960-9 | 6.8 | 21 |
| 41 | ADX-47273, a mGlu5 receptor positive allosteric modulator, attenuates deficits in cognitive flexibility induced by withdrawal from binge-like bethanol exposure in rats. <i>Behavioural Brain Research</i> , 2018 , 338, 9-16 | 3.4 | 19 |
| 40 | 5-HT2 receptor affinity, docking studies and pharmacological evaluation of a series of 1,3-disubstituted thiourea derivatives. <i>European Journal of Medicinal Chemistry</i> , 2016 , 116, 173-186 | 6.8 | 18 |
| 39 | Monoaminergic system is implicated in the antidepressant-like effect of hyperoside and protocatechuic acid isolated from Impatiens glandulifera Royle in mice. <i>Neurochemistry International</i> , 2019 , 128, 206-214 | 4.4 | 15 |
| 38 | Synthesis, Antimicrobial and Pharmacological Evaluation of Thioureaderivatives of 4H-1,2,4-triazole. <i>Letters in Drug Design and Discovery</i> , 2015 , 12, 263-276 | 0.8 | 15 |
| 37 | In Vivo Characterization of the Ultrapotent Monoacylglycerol Lipase Inhibitor {4-[bis-(benzo[d][1,3]dioxol-5-yl)methyl]-piperidin-1-yl}(1H-1,2,4-triazol-1-yl)methanone (JJKK-048). <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 359, 62-72 | 4.7 | 13 |
| 36 | New 5-HT, 5HT and 5HT receptor ligands containing a picolinic nucleus: Synthesis, in vitro and in vivo pharmacological evaluation. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 5820-5837 | 3.4 | 13 |
| 35 | Pharmacological effects of primaquine ureas and semicarbazides on the central nervous system in mice and antimalarial activity in vitro. <i>Fundamental and Clinical Pharmacology</i> , 2016 , 30, 58-69 | 3.1 | 11 |
| 34 | Synthesis, in vitro and in vivo pharmacological evaluation of serotoninergic ligands containing an isonicotinic nucleus. <i>European Journal of Medicinal Chemistry</i> , 2016 , 110, 133-50 | 6.8 | 10 |

(2016-2019)

| 33 | Synthesis, pharmacological and structural studies of 5-substituted-3-(1-arylmethyl-1,2,3,6-tetrahydropyridin-4-yl)-1H-indoles as multi-target ligands of aminergic GPCRs. <i>European Journal of Medicinal Chemistry</i> , 2019 , 180, 673-689 | 6.8 | 10 |
|----|---|-------------------|----|
| 32 | Pharmacological and structure-activity relationship evaluation of 4-aryl-1-diphenylacetyl(thio)semicarbazides. <i>Molecules</i> , 2014 , 19, 4745-59 | 4.8 | 10 |
| 31 | l-NAME differential effects on diazepam and flunitrazepam responses of rats in the object recognition test. <i>Pharmacological Reports</i> , 2016 , 68, 728-32 | 3.9 | 9 |
| 30 | Synthesis, central nervous system activity and structure-activity relationship of N-substituted derivatives of 1-arylimidazolidyn-2-ylideneurea and products of their cyclization. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2015 , 30, 746-60 | 5.6 | 8 |
| 29 | Synthesis, pharmacological activity and molecular modeling of 1-aryl-7-hydroxy-2,3-dihydroimidazo[1,2-a]pyrimidine-5(1H)-ones and their 6-substituted derivatives. <i>Medicinal Chemistry</i> , 2014 , 10, 460-75 | 1.8 | 8 |
| 28 | In Vitro and In Vivo Models for the Investigation of Potential Drugs Against Schizophrenia. <i>Biomolecules</i> , 2020 , 10, | 5.9 | 7 |
| 27 | Synthesis, central nervous system activity, and structure-activity relationship of 1-aryl-6-benzyl-7-hydroxy-2,3-dihydroimidazo[1,2-a]pyrimidine-5(1)-ones. <i>Medicinal Chemistry Research</i> , 2014 , 23, 4221-4237 | 2.2 | 7 |
| 26 | Antidepressant and anxiolytic-like activity of sodium selenite after acute treatment in mice. <i>Pharmacological Reports</i> , 2017 , 69, 276-280 | 3.9 | 7 |
| 25 | Synthesis and Pharmacological Activity of Thiourea Derivatives of 1,7,8,9-Tetramethyl-4-azatricyclo[5.2.1.02,6]dec-8-ene-3,5-dione. <i>Letters in Drug Design and Discovery</i> , 2009 , 6, 445-450 | 0.8 | 7 |
| 24 | New arylpiperazine derivatives with antidepressant-like activity containing isonicotinic and picolinic nuclei: evidence for serotonergic system involvement. <i>Naunyn-Schmiedebergys Archives of Pharmacology</i> , 2019 , 392, 743-754 | 3.4 | 6 |
| 23 | Impact of the metabotropic glutamate receptor7 (mGlu) allosteric agonist, AMN082, on fear learning and memory and anxiety-like behavior. <i>European Journal of Pharmacology</i> , 2019 , 858, 172512 | 5.3 | 6 |
| 22 | Effects of Mephedrone and Amphetamine Exposure during Adolescence on Spatial Memory in Adulthood: Behavioral and Neurochemical Analysis. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 6 |
| 21 | Synthesis, central nervous system activity and structure-activity relationships of novel 1-(1-Alkyl-4-aryl-4,5-dihydro-1H-imidazo)-3-substituted urea derivatives. <i>Molecules</i> , 2015 , 20, 3821-40 | 4.8 | 5 |
| 20 | Synergistic Action of Sodium Selenite with some Antidepressants and Diazepam in Mice. <i>Pharmaceutics</i> , 2018 , 10, | 6.4 | 4 |
| 19 | Synthesis, docking studies, and pharmacological evaluation of 5HT ligands containing the NUcyanoisonicotinamidine or NUcyanopicolinamidine nucleus. <i>Archiv Der Pharmazie</i> , 2019 , 352, e18003 | 7 3 ·3 | 3 |
| 18 | Identification of a Potent and Selective 5-HT Receptor Agonist with and Antinociceptive Activity. <i>ACS Chemical Neuroscience</i> , 2020 , 11, 4111-4127 | 5.7 | 3 |
| 17 | Rapamycin Improves Spatial Learning Deficits, Vulnerability to Alcohol Addiction and Altered Expression of the GluN2B Subunit of the NMDA Receptor in Adult Rats Exposed to Ethanol during the Neonatal Period. <i>Biomolecules</i> , 2021 , 11, | 5.9 | 3 |
| 16 | Using tests and models to assess antidepressant-like activity in rodents. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2016 , 29, 61-65 | 0.5 | 3 |

| 15 | G protein-coupled receptor binding and pharmacological evaluation of indole-derived thiourea compounds. <i>Archiv Der Pharmazie</i> , 2020 , 353, e1900218 | 4.3 | 2 |
|----|---|--------------|---|
| 14 | The Antipsychotic D2AAK1 as a Memory Enhancer for Treatment of Mental and Neurodegenerative Diseases. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 2 |
| 13 | Novel Positive Allosteric Modulators of $\bar{\mu}$ Opioid Receptor-Insight from In Silico and In Vivo Studies. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 2 |
| 12 | Response of immature rats to a low dose of nanoparticulate silver: Alterations in behavior, cerebral vasculature-related transcriptome and permeability. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 208, 111416 | 7 | 2 |
| 11 | Preliminary Pharmacological Screening of Some Thiosemicarbazide, s-triazole, and Thiadiazole Derivatives. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016 , 15, 730-9 | 2.6 | 1 |
| 10 | New Drugs - From Necessity to Delivery. Current Issues in Pharmacy and Medical Sciences, 2018, 31, 69-7 | 5 0.5 | 1 |
| 9 | Modification of NO-cGMP Pathway Differentially Affects Diazepam- and Flunitrazepam-Induced Spatial and Recognition Memory Impairments in Rodents. <i>Neurotoxicity Research</i> , 2020 , 37, 1036-1046 | 4.3 | 1 |
| 8 | N-(3-{4-[3-(trifluoromethyl)phenyl]piperazin-1-yl}propyl)-1H-indazole-3-carboxamide (D2AAK3) as a potential antipsychotic: In vitro, in silico and in vivo evaluation of a multi-target ligand. <i>Neurochemistry International</i> , 2021 , 146, 105016 | 4.4 | 1 |
| 7 | Synthesis and Pharmacological Evaluation of Novel 1-(1,4-Alkylaryldisubstituted-4,5-dihydro-1H-imidazo)-3-substituted Urea Derivatives. <i>Molecules</i> , 2016 , 21, | 4.8 | 1 |
| 6 | Anxiolytic-like effects of the new arylpiperazine derivatives containing isonicotinic and picolinic nuclei: behavioral and biochemical studies. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 254-266 | 3.1 | 1 |
| 5 | Synthesis, docking studies, and pharmacological evaluation of 2-hydroxypropyl-4-arylpiperazine derivatives as serotoninergic ligands. <i>Archiv Der Pharmazie</i> , 2021 , 354, e2000414 | 4.3 | 1 |
| 4 | p-Synephrine and its various pharmacological effects. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2021 , 34, 169-173 | 0.5 | 1 |
| 3 | In vitro and in vivo evaluation of antioxidant and neuroprotective properties of antipsychotic D2AAK1 <i>Neurochemical Research</i> , 2022 , 1 | 4.6 | О |
| 2 | Different molecular targets, one purpose treatment of depression. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2020 , 33, 177-183 | 0.5 | |
| 1 | The blue pill (sildenafil) and its descendants: an overview. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2017 , 30, 129-133 | 0.5 | |