

Jianling Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3663923/jianling-zhang-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

4,830
citations

38
h-index

64
g-index

146
ext. papers

5,689
ext. citations

7.6
avg, IF

5.54
L-index

#	Paper	IF	Citations
136	Microemulsions with ionic liquid polar domains. <i>Physical Chemistry Chemical Physics</i> , 2004 , 6, 2914	3.6	311
135	Metal-organic framework nanospheres with well-ordered mesopores synthesized in an ionic liquid/CO ₂ /surfactant system. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 636-9	16.4	249
134	Sonochemical formation of single-crystalline gold nanobelts. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 1116-9	16.4	217
133	Highly efficient electrochemical reduction of CO to CH in an ionic liquid using a metal-organic framework cathode. <i>Chemical Science</i> , 2016 , 7, 266-273	9.4	177
132	Efficient SO ₂ absorption by renewable choline chloride-glycerol deep eutectic solvents. <i>Green Chemistry</i> , 2013 , 15, 2261	10	173
131	Highly Efficient Electroreduction of CO to Methanol on Palladium-Copper Bimetallic Aerogels. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 14149-14153	16.4	151
130	Manganese acting as a high-performance heterogeneous electrocatalyst in carbon dioxide reduction. <i>Nature Communications</i> , 2019 , 10, 2980	17.4	144
129	Highly mesoporous metal-organic framework assembled in a switchable solvent. <i>Nature Communications</i> , 2014 , 5, 4465	17.4	137
128	Highly Electrocatalytic Ethylene Production from CO on Nanodeficient Cu Nanosheets. <i>Journal of the American Chemical Society</i> , 2020 , 142, 13606-13613	16.4	106
127	Surfactant-directed assembly of mesoporous metal-organic framework nanoplates in ionic liquids. <i>Chemical Communications</i> , 2012 , 48, 8688-90	5.8	104
126	Ru nanoparticles immobilized on metal-organic framework nanorods by supercritical CO ₂ -methanol solution: highly efficient catalyst. <i>Green Chemistry</i> , 2011 , 13, 2078	10	98
125	MIL-125-NH@TiO ₂ Core-Shell Particles Produced by a Post-Solvothermal Route for High-Performance Photocatalytic H ₂ Production. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 16418-16423 ⁹¹	9.5	91
124	Fabrication and characterization of magnetic carbon nanotube composites. <i>Journal of Materials Chemistry</i> , 2005 , 15, 4497		76
123	Recovery of silver nanoparticles synthesized on AOT/C(12)E(4) mixed reverse micelles by antisolvent CO ₂ . <i>Chemistry - A European Journal</i> , 2002 , 8, 3879-83	4.8	75
122	Supercritical or compressed CO ₂ as a stimulus for tuning surfactant aggregations. <i>Accounts of Chemical Research</i> , 2013 , 46, 425-33	24.3	74
121	Ionic liquid accelerates the crystallization of Zr-based metal-organic frameworks. <i>Nature Communications</i> , 2017 , 8, 175	17.4	72
120	Photocatalytic CO Transformation to CH ₄ by Ag/Pd Bimetals Supported on N-Doped TiO ₂ Nanosheet. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 24516-24522	9.5	67

119	Synthesis and characterization of TiO ₂ /montmorillonite nanocomposites and their application for removal of methylene blue. <i>Journal of Materials Chemistry</i> , 2006 , 16, 579-584		65
118	Solubility of Ls-36 and Ls-45 Surfactants in Supercritical CO ₂ and Loading Water in the CO ₂ /Water/Surfactant Systems. <i>Langmuir</i> , 2002 , 18, 3086-3089	4	62
117	High-internal-phase emulsions stabilized by metal-organic frameworks and derivation of ultralight metal-organic aerogels. <i>Scientific Reports</i> , 2016 , 6, 21401	4.9	59
116	Nonaqueous microemulsion-containing ionic liquid [bmim][PF ₆] as polar microenvironment. <i>Colloid and Polymer Science</i> , 2005 , 283, 1371-1375	2.4	59
115	A Novel Method to Immobilize Ru Nanoparticles on SBA-15 Firmly by Ionic Liquid and Hydrogenation of Arene. <i>Catalysis Letters</i> , 2005 , 103, 59-62	2.8	58
114	Solvent determines the formation and properties of metal-organic frameworks. <i>RSC Advances</i> , 2015 , 5, 37691-37696	3.7	56
113	Supramolecular assemblies of amphiphilic L-proline regulated by compressed CO ₂ as a recyclable organocatalyst for the asymmetric aldol reaction. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 7761-5	16.4	55
112	Nanoemulsions induced by compressed gases. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 3012-5.4	5.4	54
111	One-step synthesis of ultrathin Co(OH) nanomeshes and their high electrocatalytic activity toward the oxygen evolution reaction. <i>Chemical Communications</i> , 2018 , 54, 4045-4048	5.8	52
110	Large-pore mesoporous Mn ₃ O ₄ crystals derived from metal-organic frameworks. <i>Chemical Communications</i> , 2013 , 49, 11695-7	5.8	51
109	Fabrication of 2D metal-organic framework nanosheets with tailorable thickness using bio-based surfactants and their application in catalysis. <i>Green Chemistry</i> , 2019 , 21, 54-58	10	48
108	Sonochemical Formation of Single-Crystalline Gold Nanobelts. <i>Angewandte Chemie</i> , 2006 , 118, 1134-1137.6	3.6	48
107	A new method to recover the nanoparticles from reverse micelles: recovery of ZnS nanoparticles synthesized in reverse micelles by compressed CO ₂ . <i>Chemical Communications</i> , 2001 , 2724-2725	5.8	46
106	Highly efficient hydrogenation of levulinic acid into 2-methyltetrahydrofuran over Ni ₂ Cu/Al ₂ O ₃ /rO ₂ bifunctional catalysts. <i>Green Chemistry</i> , 2019 , 21, 606-613	10	45
105	Metal-Organic Framework Nanospheres with Well-Ordered Mesopores Synthesized in an Ionic Liquid/CO ₂ /Surfactant System. <i>Angewandte Chemie</i> , 2011 , 123, 662-665	3.6	45
104	Micellization of long-chain ionic liquids in deep eutectic solvents. <i>Soft Matter</i> , 2016 , 12, 5297-303	3.6	42
103	Hollow metal-organic framework polyhedra synthesized by a CO ₂ -ionic liquid interfacial templating route. <i>Journal of Colloid and Interface Science</i> , 2014 , 416, 198-204	9.3	41
102	CO ₂ capture by hydrocarbon surfactant liquids. <i>Chemical Communications</i> , 2011 , 47, 1033-5	5.8	41

101	Cellular graphene aerogel combines ultralow weight and high mechanical strength: A highly efficient reactor for catalytic hydrogenation. <i>Scientific Reports</i> , 2016 , 6, 25830	4.9	40
100	Poly(ethylene glycol) stabilized mesoporous metal-organic framework nanocrystals: efficient and durable catalysts for the oxidation of benzyl alcohol. <i>ChemPhysChem</i> , 2014 , 15, 85-9	3.2	39
99	Ru Nanoparticles Immobilized on Montmorillonite by Ionic Liquids: A Highly Efficient Heterogeneous Catalyst for the Hydrogenation of Benzene. <i>Angewandte Chemie</i> , 2006 , 118, 272-275	3.6	38
98	Assembling Metal-Organic Frameworks in Ionic Liquids and Supercritical CO ₂ . <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2610-2619	4.5	37
97	Carbon dioxide in ionic liquid microemulsions. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 9911-15.4	5.4	36
96	Preparation of ZnS/CdS composite nanoparticles by coprecipitation from reverse micelles using CO ₂ as antisolvent. <i>Journal of Colloid and Interface Science</i> , 2004 , 273, 160-4	9.3	35
95	A Pd-Cu ₂ O nanocomposite as an effective synergistic catalyst for selective semi-hydrogenation of the terminal alkynes only. <i>Chemical Communications</i> , 2016 , 52, 3627-30	5.8	34
94	Ultra-small gold nanoparticles immobilized on mesoporous silica/graphene oxide as highly active and stable heterogeneous catalysts. <i>Chemical Communications</i> , 2015 , 51, 4398-401	5.8	34
93	Metal-Organic Framework for Emulsifying Carbon Dioxide and Water. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 11372-6	16.4	32
92	Macro- and mesoporous polymers synthesized by a CO ₂ -in-ionic liquid emulsion-templating route. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 1792-5	16.4	32
91	Selenium-Doped Hierarchically Porous Carbon Nanosheets as an Efficient Metal-Free Electrocatalyst for CO ₂ Reduction. <i>Advanced Functional Materials</i> , 2020 , 30, 1906194	15.6	32
90	Multi-shelled CuO microboxes for carbon dioxide reduction to ethylene. <i>Nano Research</i> , 2020 , 13, 768-774	16.4	31
89	Pickering emulsions stabilized by a metal-organic framework (MOF) and graphene oxide (GO) for producing MOF/GO composites. <i>Soft Matter</i> , 2017 , 13, 7365-7370	3.6	30
88	A novel method to synthesize polystyrene nanospheres immobilized with silver nanoparticles by using compressed CO ₂ . <i>Chemistry - A European Journal</i> , 2004 , 10, 3531-6	4.8	29
87	Incorporation of metal-organic framework in polymer membrane enhances vanadium flow battery performance. <i>Electrochimica Acta</i> , 2017 , 257, 243-249	6.7	28
86	Synthesis of icosahedral gold particles by a simple and mild route. <i>Green Chemistry</i> , 2008 , 10, 1094	10	27
85	Fire-resistant, ultralight, superelastic and thermally insulated polybenzazole aerogels. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20769-20777	13	27
84	Converting Metal-Organic Framework Particles from Hydrophilic to Hydrophobic by an Interfacial Assembling Route. <i>Langmuir</i> , 2017 , 33, 12427-12433	4	26

83	CO controls the oriented growth of metal-organic framework with highly accessible active sites. <i>Nature Communications</i> , 2020 , 11, 1431	17.4	26
82	Nanosized poly(ethylene glycol) domains within reverse micelles formed in CO ₂ . <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 12325-9	16.4	25
81	Reversible switching of lamellar liquid crystals into micellar solutions using CO ₂ . <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 10119-23	16.4	25
80	High internal ionic liquid phase emulsion stabilized by metal-organic frameworks. <i>Soft Matter</i> , 2016 , 12, 8841-8846	3.6	25
79	Highly Mesoporous Ru-MIL-125-NH ₂ Produced by Supercritical Fluid for Efficient Photocatalytic Hydrogen Production. <i>ACS Applied Energy Materials</i> , 2019 , 2, 4964-4970	6.1	23
78	Nitrogen-carbon layer coated nickel nanoparticles for efficient electrocatalytic reduction of carbon dioxide. <i>Nano Research</i> , 2019 , 12, 1167-1172	10	23
77	Mesoporous inorganic salts with crystal defects: unusual catalysts and catalyst supports. <i>Chemical Science</i> , 2015 , 6, 1668-1675	9.4	23
76	Bipyridyl-Containing Cadmium-Organic Frameworks for Efficient Photocatalytic Oxidation of Benzylamine. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30953-30958	9.5	23
75	Amphiphile self-assemblies in supercritical CO ₂ and ionic liquids. <i>Soft Matter</i> , 2014 , 10, 5861-8	3.6	23
74	Metal-Organic Framework-Stabilized CO/Water Interfacial Route for Photocatalytic CO Conversion. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 41594-41598	9.5	23
73	synthesis of sub-nanometer metal particles on hierarchically porous metal-organic frameworks interfacial control for highly efficient catalysis. <i>Chemical Science</i> , 2018 , 9, 1339-1343	9.4	23
72	Flexible superhydrophobic polysiloxane aerogels for oil/water separation via one-pot synthesis in supercritical CO ₂ . <i>RSC Advances</i> , 2015 , 5, 76346-76351	3.7	22
71	Gas promotes the crystallization of nano-sized metal-organic frameworks in ionic liquid. <i>Chemical Communications</i> , 2015 , 51, 11445-8	5.8	22
70	Preparation of cadmium sulfide/poly(methyl methacrylate) composites by precipitation with compressed CO ₂ . <i>Journal of Applied Polymer Science</i> , 2004 , 94, 1643-1648	2.9	22
69	Cu Ni alloy nanoparticles embedded in a nitrogen-carbon network for efficient conversion of carbon dioxide. <i>Chemical Science</i> , 2019 , 10, 4491-4496	9.4	21
68	Room-Temperature Synthesis of Covalent Organic Framework (COF-LZU1) Nanobars in CO ₂ /Water Solvent. <i>ChemSusChem</i> , 2018 , 11, 3576-3580	8.3	21
67	Switching micellization of pluronics in water by CO ₂ . <i>Chemistry - A European Journal</i> , 2011 , 17, 4266-72	4.8	21
66	BiOCl nanosheets with periodic nanochannels for high-efficiency photooxidation. <i>Nano Energy</i> , 2020 , 78, 105340	17.1	21

65	Room-temperature synthesis of mesoporous CuO and its catalytic activity for cyclohexene oxidation. <i>RSC Advances</i> , 2015 , 5, 67168-67174	3.7	20
64	Formation of multiple water-in-ionic liquid-in-water emulsions. <i>Journal of Colloid and Interface Science</i> , 2012 , 368, 395-9	9.3	20
63	Effect of compressed CO ₂ on the properties of AOT reverse micelles studied by spectroscopy and phase behavior. <i>Journal of Chemical Physics</i> , 2003 , 119, 4873-4878	3.9	20
62	Fabrication of NH ₂ -MIL-125 nanocrystals for high performance photocatalytic oxidation. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 2823-2830	5.8	18
61	Ionic liquids produce heteroatom-doped Pt/TiO ₂ nanocrystals for efficient photocatalytic hydrogen production. <i>Nano Research</i> , 2019 , 12, 1967-1972	10	18
60	Reverse Micelles in Carbon Dioxide with Ionic-Liquid Domains. <i>Angewandte Chemie</i> , 2007 , 119, 3377-3379	9.6	18
59	Effect of compressed CO ₂ on the size and stability of reverse micelles: Small-angle x-ray scattering and phase behavior study. <i>Journal of Chemical Physics</i> , 2003 , 118, 3329-3333	3.9	18
58	Porosity control in mesoporous polymers using CO ₂ -swollen block copolymer micelles as templates and their use as catalyst supports. <i>Chemical Communications</i> , 2014 , 50, 11957-60	5.8	16
57	Synthesis of montmorillonite/polystyrene nanocomposites in supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 1194-1197	2.9	16
56	Effects of ultrasound on the microenvironment in reverse micelles and synthesis of nanorods and nanofibers. <i>Physical Chemistry Chemical Physics</i> , 2004 , 6, 2391	3.6	16
55	Preparation of mesoporous MCM-41/poly(acrylic acid) composites using supercritical CO ₂ as a solvent. <i>Journal of Materials Chemistry</i> , 2003 , 13, 1373		16
54	Improved photocatalytic performance of covalent organic frameworks by nanostructure construction. <i>Chemical Communications</i> , 2020 , 56, 4567-4570	5.8	15
53	A new separation method: combination of CO ₂ and surfactant aqueous solutions. <i>Green Chemistry</i> , 2008 , 10, 578	10	15
52	Emulsion inversion induced by CO ₂ . <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 6065-70	3.6	14
51	Synthesis of Ag/BSA composite nanospheres from water-in-oil microemulsion using compressed CO ₂ as antisolvent. <i>Biotechnology and Bioengineering</i> , 2005 , 89, 274-9	4.9	14
50	Boron-doped CuO nanobundles for electroreduction of carbon dioxide to ethylene. <i>Green Chemistry</i> , 2020 , 22, 2750-2754	10	14
49	Supercritical CO ₂ produces the visible-light-responsive TiO ₂ /COF heterojunction with enhanced electron-hole separation for high-performance hydrogen evolution. <i>Nano Research</i> , 2020 , 13, 983-988	10	13
48	Assembly of Mesoporous Metal-Organic Framework Templated by an Ionic Liquid/Ethylene Glycol Interface. <i>ChemPhysChem</i> , 2015 , 16, 2317-21	3.2	13

47	CO ₂ -responsive TX-100 emulsion for selective synthesis of 1D or 3D gold. <i>Soft Matter</i> , 2010 , 6, 6200	3.6	13
46	An NH ₂ -MIL-125 (Ti)/Pt/g-C ₃ N ₄ catalyst promoting visible-light photocatalytic H ₂ production. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 1233-1238	5.8	12
45	Solvent Impedes CO Cycloaddition on Metal-Organic Frameworks. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 386-389	4.5	12
44	Improved catalytic performance of Co-MOF-74 by nanostructure construction. <i>Green Chemistry</i> , 2020 , 22, 5995-6000	10	12
43	Water-in-Supercritical CO Microemulsion Stabilized by a Metal Complex. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13533-13537	16.4	12
42	Improved photocatalytic performance of metal-organic frameworks for CO conversion by ligand modification. <i>Chemical Communications</i> , 2020 , 56, 7637-7640	5.8	11
41	Metal Ionic Liquids for the Rapid Chemical Fixation of CO ₂ under Ambient Conditions. <i>ChemCatChem</i> , 2020 , 12, 1963-1967	5.2	11
40	Supramolecular Assemblies of Amphiphilic L-Proline Regulated by Compressed CO ₂ as a Recyclable Organocatalyst for the Asymmetric Aldol Reaction. <i>Angewandte Chemie</i> , 2013 , 125, 7915-7919	3.6	11
39	CO ₂ -controlled reactors: epoxidation in emulsions with droplet size from micron to nanometre scale. <i>Green Chemistry</i> , 2010 , 12, 452	10	11
38	Rapid, Room-Temperature and Template-Free Synthesis of Metal-Organic Framework Nanowires in Alcohol. <i>ChemCatChem</i> , 2019 , 11, 2058-2062	5.2	10
37	Highly selective and efficient reduction of CO to CO on cadmium electrodes derived from cadmium hydroxide. <i>Chemical Communications</i> , 2018 , 54, 5450-5453	5.8	10
36	A simple and inexpensive route to synthesize porous silica microflowers by supercritical CO ₂ . <i>Microporous and Mesoporous Materials</i> , 2005 , 87, 10-14	5.3	10
35	Template-free synthesis of mesoporous polymers. <i>Chemical Communications</i> , 2014 , 50, 8128-30	5.8	9
34	Nanoemulsions Induced by Compressed Gases. <i>Angewandte Chemie</i> , 2008 , 120, 3054-3057	3.6	9
33	Switching chirality in the assemblies of bio-based amphiphiles solely by varying their alkyl chain length. <i>Chemical Communications</i> , 2017 , 53, 2162-2165	5.8	8
32	CO/Water Emulsions Stabilized by Partially Reduced Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17613-17619	9.5	8
31	Tin(IV) Sulfide Greatly Improves the Catalytic Performance of UiO-66 for Carbon Dioxide Cycloaddition. <i>ChemCatChem</i> , 2018 , 10, 2945-2948	5.2	8
30	Interfacial assembly and hydrolysis for synthesizing a TiO/metal-organic framework composite. <i>Soft Matter</i> , 2017 , 13, 9174-9178	3.6	7

29	Macro- and Mesoporous Polymers Synthesized by a CO ₂ -in-Ionic Liquid Emulsion-Templating Route. <i>Angewandte Chemie</i> , 2013 , 125, 1836-1839	3.6	7
28	Enhanced stabilization of vesicles formed in mixed cationic and anionic surfactant systems by compressed gases. <i>RSC Advances</i> , 2011 , 1, 776	3.7	7
27	Efficient separation of surfactant and organic solvent by CO ₂ . <i>Chemical Communications</i> , 2011 , 47, 5816-5818	3.8	7
26	Ultrasound-induced capping of polystyrene on TiO ₂ nanoparticles by precipitation with compressed CO ₂ as antisolvent. <i>Journal of Nanoscience and Nanotechnology</i> , 2005 , 5, 945-50	1.3	7
25	Carbon dioxide droplets stabilized by g-C ₃ N ₄ . <i>Green Chemistry</i> , 2018 , 20, 4206-4209	10	6
24	Hierarchically macro-meso-microporous metal-organic framework for photocatalytic oxidation. <i>Chemical Communications</i> , 2020 , 56, 10754-10757	5.8	6
23	Carbon Dioxide in Ionic Liquid Microemulsions. <i>Angewandte Chemie</i> , 2011 , 123, 10085-10089	3.6	5
22	Water-in-Supercritical CO ₂ Microemulsion Stabilized by a Metal Complex. <i>Angewandte Chemie</i> , 2016 , 128, 13731-13735	3.6	5
21	Air atmospheric photocatalytic oxidation by ultrathin C,N-TiO ₂ nanosheets. <i>Green Chemistry</i> , 2021 , 23, 1165-1170	10	5
20	Photocatalytic carbon dioxide reduction coupled with benzylamine oxidation over Zn-Bi ₂ WO ₆ microflowers. <i>Green Chemistry</i> , 2021 , 23, 2913-2917	10	5
19	Nanosized Poly(ethylene glycol) Domains within Reverse Micelles Formed in CO ₂ . <i>Angewandte Chemie</i> , 2012 , 124, 12491-12495	3.6	4
18	Steering CO ₂ electroreduction toward methane or ethylene production. <i>Nano Energy</i> , 2021 , 88, 106239	17.1	4
17	In situ dual doping for constructing efficient CO-to-methanol electrocatalysts.. <i>Nature Communications</i> , 2022 , 13, 1965	17.4	4
16	Metal Ionic Liquids Produce Metal-Dispersed Carbon-Nitrogen Networks for Efficient CO ₂ Electroreduction. <i>ChemCatChem</i> , 2019 , 11, 3166-3170	5.2	3
15	Metal-Organic Framework for Emulsifying Carbon Dioxide and Water. <i>Angewandte Chemie</i> , 2016 , 128, 11544-11548	3.6	3
14	Formation of large nanodomains in liquid solutions near the phase boundary. <i>Chemical Communications</i> , 2016 , 52, 14286-14289	5.8	3
13	Reversible Switching of Lamellar Liquid Crystals into Micellar Solutions using CO ₂ . <i>Angewandte Chemie</i> , 2008 , 120, 10273-10277	3.6	3
12	Anchoring Ionic Liquid in Copper Electrocatalyst for Improving CO ₂ Conversion to Ethylene.. <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	3

11	Ultrathin and Porous Carbon Nanosheets Supporting Bimetallic Nanoparticles for High-Performance Electrocatalysis. <i>ChemCatChem</i> , 2018 , 10, 1241-1247	5.2	3
10	Hierarchical macro- and mesoporous assembly of metal oxide nanoparticles derived from metal-organic complex. <i>Microporous and Mesoporous Materials</i> , 2015 , 217, 6-11	5.3	2
9	Effect of ultrasound on the microstructure of polystyrene in cyclohexane: a synchrotron small-angle X-ray scattering study. <i>Colloid and Polymer Science</i> , 2007 , 285, 1275-1279	2.4	2
8	Water/alkane interface promotes the formation of metal-organic frameworks. <i>Microporous and Mesoporous Materials</i> , 2016 , 220, 270-274	5.3	1
7	Ultra-small UiO-66-NH ₂ nanoparticles immobilized on g-C ₃ N ₄ nanosheets for enhanced catalytic activity. <i>Green Energy and Environment</i> , 2020 ,	5.7	1
6	CO ₂ as a smart gelator for Pluronic aqueous solutions. <i>Chemical Communications</i> , 2014 , 50, 14233-6	5.8	1
5	Preparation of high entropy nitride ceramic nanofibers from liquid precursor for CO ₂ photocatalytic reduction. <i>Journal of the American Ceramic Society</i> ,	3.8	0
4	Boosting CO ₂ electroreduction to C ₂ + products on Fluorine-doped copper. <i>Green Chemistry</i> ,	10	0
3	Pickering emulsions stabilized by metal-organic frameworks, graphitic carbon nitride and graphene oxide.. <i>Soft Matter</i> , 2021 , 18, 10-18	3.6	0
2	Highly Crystalline Ag-based Coordination Polymers for Efficient Photocatalytic Oxidation of Sulfides.. <i>Chemistry - an Asian Journal</i> , 2022 , e202200031	4.5	0
1	Ionic Liquid-Based Microemulsions 2015 , 325-341		