Lilliam Flores

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/366510/lilliam-flores-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53	1,634	21	40
papers	citations	h-index	g-index
57 ext. papers	1,821 ext. citations	4.6 avg, IF	4.28 L-index

#	Paper	IF	Citations
53	Patients Undergoing Bariatric Surgery: a Special Risk Group for Lifestyle, Emotional and Behavioral Adaptations During the COVID-19 Lockdown. Lessons from the First Wave. <i>Obesity Surgery</i> , 2021 , 1	3.7	1
52	Duodenal-Jejunal Bypass Liner for the management of Type 2 Diabetes Mellitus and Obesity: A Multicenter Randomized Controlled Trial. <i>Annals of Surgery</i> , 2021 , 275,	7.8	6
51	Bariatric Surgery on Reproductive Outcomes: the Impact According to the Diagnosis of Polycystic Ovarian Syndrome and Surgical Procedures. <i>Obesity Surgery</i> , 2021 , 31, 2590-2598	3.7	1
50	The SEEN comprehensive clinical survey of adult obesity: Executive summary. <i>Endocrinologia, Diabetes Y Nutric</i> 內, 2021 , 68, 130-136	1.3	4
49	Psychosocial, Lifestyle, and Body Weight Impact of COVID-19-Related Lockdown in a Sample of Participants with Current or Past History of Obesity in Spain. <i>Obesity Surgery</i> , 2021 , 31, 2115-2124	3.7	7
48	Bariatric Support Groups Predicts Long-term Weight Loss. <i>Obesity Surgery</i> , 2020 , 30, 2118-2123	3.7	14
47	The Impact of Age on the Prevalence of Sarcopenic Obesity in Bariatric Surgery Candidates. <i>Obesity Surgery</i> , 2020 , 30, 2158-2164	3.7	11
46	New Metrics to Assess Type 2 Diabetes After Bariatric Surgery: The "Time-Within-Remission Range". <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
45	A Propensity Score Cohort Study on the Long-Term Safety and Efficacy of Sleeve Gastrectomy in Patients Older Than Age 60. <i>Journal of Obesity</i> , 2020 , 2020, 8783260	3.7	2
44	Ten-year outcomes after Roux-en-Y gastric bypass and sleeve gastrectomy: an observational nonrandomized cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2019 , 15, 382-388	3	20
43	Genetic background influences weight-loss trajectories on the mid-term after bariatric surgery. <i>International Journal of Obesity</i> , 2019 , 43, 1869-1874	5.5	3
42	Comment on: preoperative insulin therapy as a marker for type II diabetes remission in obese patients after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018 , 14, 337-338	3	
41	Metabolic and Bariatric Surgery for Obesity. <i>Gastroenterology</i> , 2017 , 152, 1780-1790	13.3	21
40	Midterm effects of bariatric surgery in patients with insulin-treated type 2 diabetes. <i>Surgery for Obesity and Related Diseases</i> , 2017 , 13, 2004-2009	3	12
39	Effect of weight loss on abnormal 24-hour blood pressure patterns in severely obese patients. Surgery for Obesity and Related Diseases, 2016 , 12, 1719-1724	3	6
38	Inflammation and iron status in bariatric surgery candidates. <i>Surgery for Obesity and Related Diseases</i> , 2015 , 11, 906-11	3	23
37	Prospective study of individualized or high fixed doses of vitamin D supplementation after bariatric surgery. <i>Obesity Surgery</i> , 2015 , 25, 470-6	3.7	21

(2012-2015)

Metabolic Surgery in Type 2 Diabetes: Roux-en-Y Gastric Bypass or Sleeve Gastrectomy as Procedure of Choice?. <i>Current Atherosclerosis Reports</i> , 2015 , 17, 58	6	6
Patterns of Weight Loss Response Following Gastric Bypass and Sleeve Gastrectomy. <i>Obesity Surgery</i> , 2015 , 25, 1177-83	3.7	58
Longitudinal changes of blood pressure after weight loss: factors involved. <i>Surgery for Obesity and Related Diseases</i> , 2015 , 11, 215-21	3	15
Remission of type 2 diabetes after Roux-en-Y gastric bypass or sleeve gastrectomy is associated with a distinct glycemic profile. <i>Annals of Surgery</i> , 2015 , 261, 316-22	7.8	33
Endothelial function in hypertensive obese patients: 1 year after surgically induced weight loss. <i>Obesity Surgery</i> , 2014 , 24, 1581-4	3.7	5
Metabolic surgery is no longer just bariatric surgery. <i>Diabetes Technology and Therapeutics</i> , 2014 , 16 Suppl 1, S78-84	8.1	5
Hypertension remission 1 year after bariatric surgery: predictive factors. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 661-5	3	35
Relevance of beta-cell function for improved glycemic control after gastric bypass surgery. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 9-13; quiz 189-90	3	29
Weight loss independently predicts urinary albumin excretion normalization in morbidly obese type 2 diabetic patients undergoing bariatric surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2046-51	5.2	37
Protein intake and lean tissue mass retention following bariatric surgery. <i>Clinical Nutrition</i> , 2013 , 32, 550-5	5.9	74
Glucose abnormalities associated with impaired nocturnal fall in blood pressure in normotensive severely obese patients. <i>Diabetes Research and Clinical Practice</i> , 2013 , 101, 153-8	7.4	4
Anthropometric indexes outperform bioelectrical impedance analysis-derived estimates of body composition in identification of metabolic abnormalities in morbid obesity. <i>Surgery for Obesity and Related Diseases</i> , 2013 , 9, 648-52	3	2
Long-term dietary intake and nutritional deficiencies following sleeve gastrectomy or Roux-En-Y gastric bypass in a mediterranean population. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013 , 113, 400-410	3.9	172
GLP-1 and the long-term outcome of type 2 diabetes mellitus after Roux-en-Y gastric bypass surgery in morbidly obese subjects. <i>Annals of Surgery</i> , 2013 , 257, 894-9	7.8	51
Prediction of whole-body and segmental body composition by bioelectrical impedance in morbidly obese subjects. <i>Obesity Surgery</i> , 2012 , 22, 587-93	3.7	25
Predictive factors of excess body weight loss 1 year after laparoscopic bariatric surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 1744-50	5.2	105
Comparable early changes in gastrointestinal hormones after sleeve gastrectomy and Roux-En-Y gastric bypass surgery for morbidly obese type 2 diabetic subjects. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 2231-9	5.2	132
Nystagmus: an uncommon neurological manifestation of thiamine deficiency as a serious complication of sleeve gastrectomy. <i>Nutrition in Clinical Practice</i> , 2012 , 27, 788-92	3.6	11
	Procedure of Choice?. Current Atherosclerosis Reports, 2015, 17, 58 Patterns of Weight Loss Response Following Gastric Bypass and Sleeve Gastrectomy. Obesity Surgery, 2015, 25, 1177-83 Longitudinal changes of blood pressure after weight loss: factors involved. Surgery for Obesity and Related Diseases, 2015, 11, 215-21 Remission of type 2 diabetes after Roux-en-Y gastric bypass or sleeve gastrectomy is associated with a distinct glycemic profile. Annals of Surgery, 2015, 261, 316-22 Endothelial function in hypertensive obese patients: 1 year after surgically induced weight loss. Obesity Surgery, 2014, 24, 1581-4 Metabolic surgery is no longer just bariatric surgery. Diabetes Technology and Therapeutics, 2014, 16 Suppl 1, 578-84 Hypertension remission 1 year after bariatric surgery: predictive factors. Surgery for Obesity and Related Diseases, 2014, 10, 661-5 Relevance of beta-cell function for improved glycemic control after gastric bypass surgery. Surgery for Obesity and Related Diseases, 2014, 10, 9-13; quiz 189-90 Weight loss independently predicts urinary albumin excretion normalization in morbidly obese type 2 diabetic patients undergoing bariatric surgery. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 2046-51 Protein intake and lean tissue mass retention following bariatric surgery. Clinical Nutrition, 2013, 32, 550-5 Glucose abnormalities associated with impaired nocturnal fall in blood pressure in normotensive severely obese patients. Diabetes Research and Clinical Practice, 2013, 101, 153-8 Anthropometric indexes outperform bioelectrical impedance analysis-derived estimates of body composition in identification of metabolic abnormalities in morbid obesity. Surgery for Obesity and Related Diseases, 2013, 9, 648-52 Long-term dietary intake and nutritional deficiencies following sleeve gastrectomy or Roux-En-Y gastric bypass in a mediterranean population. Journal of the Academy of Nutrition and Dietetics, 2013, 113, 400-410 GLP-1 and the long-term outcome of type 2 diabetes	Procedure of Choice?. Current Atherosclerosis Reports, 2015, 17, 58 Patterns of Weight Loss Response Following Gastric Bypass and Sleeve Gastrectomy. Obesity Surgery, 2015, 25, 1177-83 Longitudinal changes of blood pressure after weight loss: factors involved. Surgery for Obesity and Related Diseases, 2015, 11, 215-21 Remission of type 2 diabetes after Roux-en-Y gastric bypass or sleeve gastrectomy is associated with a distinct glycemic profile. Annals of Surgery, 2015, 261, 316-22 Endothelial function in hypertensive obese patients: 1 year after surgically induced weight loss. Obesity Surgery, 2014, 24, 1581-4 Metabolic surgery is no longer just bariatric surgery. Diabetes Technology and Therapeutics, 2014, 16 Suppl 1, 578-84 Hypertension remission 1 year after bariatric surgery: predictive factors. Surgery for Obesity and Related Diseases, 2014, 10, 661-5 Relevance of beta-cell function for improved glycemic control after gastric bypass surgery. Surgery for Obesity and Related Diseases, 2014, 10, 9-13; quiz 189-90 Weight loss independently predicts urinary albumin excretion normalization in morbidly obese type 2 diabetic patients undergoing bariatric surgery. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 2046-51 Protein intake and lean tissue mass retention following bariatric surgery. Clinical Nutrition, 2013, 32, 550-5 Glucose abnormalities associated with impaired nocturnal fall in blood pressure in normotensive severely obese patients. Diabetes Research and Clinical Practice, 2013, 101, 153-8 Anthropometric indexes outperform bioelectrical impedance analysis-derived estimates of body composition in identification of metabolic abnormalities in morbid obesity. Surgery for Obesity and Related Diseases, 2013, 9, 485-52 Long-term dietary intake and nutritional deficiencies following sleeve gastrectomy on Roux-En-Y gastric bypass in a mediterranean population. Journal of the Academy of Nutrition and Dietetics, 2013, 113, 400-410 GLP-1 and the long-term outcome of type 2 diabetic

18	Long-term effects of sleeve gastrectomy and Roux-en-Y gastric bypass surgery on type 2 diabetes mellitus in morbidly obese subjects. <i>Annals of Surgery</i> , 2012 , 256, 1023-9	7.8	182
17	Indicaciones de la cirugā bari ū rica en sujetos con diabetes mellitus tipo 2. <i>Avances En Diabetolog</i> ā, 2010 , 26, 167-172		O
16	¿Se cumplen los objetivos proteicos tras la cirug® bari®rica?. Actividad Dietetica, 2010 , 14, 124-128		
15	Calcium and vitamin D supplementation after gastric bypass should be individualized to improve or avoid hyperparathyroidism. <i>Obesity Surgery</i> , 2010 , 20, 738-43	3.7	43
14	Protein intake, body composition, and protein status following bariatric surgery. <i>Obesity Surgery</i> , 2010 , 20, 1509-15	3.7	78
13	Pica secundaria al dficit de hierro despu\(\text{l}\) de un a\(\text{l}\) del bypass g\(\text{l}\)trico: a prop\(\text{l}\)ito de un caso. **Actividad Dietetica, \(\text{2009}\), 13, 59-61		
12	Type 2 diabetes mellitus and the metabolic syndrome following sleeve gastrectomy in severely obese subjects. <i>Obesity Surgery</i> , 2008 , 18, 1077-82	3.7	222
11	Plasma ghrelin concentrations in type 1 diabetic patients with autoimmune atrophic gastritis. <i>European Journal of Endocrinology</i> , 2007 , 157, 763-9	6.5	16
10	Prognostic significance of the white coat hypertension in patients with type 1 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2006 , 74, 21-5	7.4	6
9	The effects of smoking and its cessation on 8-epi-PGF2alpha and transforming growth factor-beta 1 in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2004 , 21, 285-9	3.5	16
8	Transforming growth factor beta at clinical onset of Type 1 diabetes mellitus. A pilot study. <i>Diabetic Medicine</i> , 2004 , 21, 818-22	3.5	26
7	F2 isoprostane is already increased at the onset of type 1 diabetes mellitus: effect of glycemic control. <i>Metabolism: Clinical and Experimental</i> , 2004 , 53, 1118-20	12.7	28
6	Hypoglycaemia after pancreas transplantation: usefulness of a continuous glucose monitoring system. <i>Clinical Transplantation</i> , 2003 , 17, 534-8	3.8	12
5	HOMA test in diabetic patients with simultaneous pancreas and kidney transplantation. <i>Transplantation Proceedings</i> , 2002 , 34, 206-8	1.1	5
4	Usefulness of ambulatory blood pressure monitoring in pregnant women with type 1 diabetes. <i>Diabetes Care</i> , 1999 , 22, 1507-11	14.6	14
3	The role of IGF binding protein-3 as a parameter of activity in acromegalic patients. <i>European Journal of Endocrinology</i> , 1999 , 141, 145-8	6.5	6
2	Smoking increases serum levels of transforming growth factor-beta in diabetic patients. <i>Diabetes Care</i> , 1999 , 22, 1915-6	14.6	25
1	Insulin therapy in type 2 diabetic patients: effects on arterial blood pressure and endothelin-1 plasma levels. <i>Diabetes Research and Clinical Practice</i> , 1998 , 41, 151-5	7.4	1