

# Isabella Venza

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3665489/publications.pdf>

Version: 2024-02-01

21  
papers

632  
citations

623734

14  
h-index

713466

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

1210  
citing authors

#	ARTICLE	IF	CITATIONS
1	Possible protective role of the ABCA4 gene c.1268A>G missense variant in Stargardt disease and syndromic retinitis pigmentosa in a Sicilian family: Preliminary data. <i>International Journal of Molecular Medicine</i> , 2017, 39, 1011-1020.	4.0	27
2	DSS1 promoter hypomethylation and overexpression predict poor prognosis in melanoma and squamous cell carcinoma patients. <i>Human Pathology</i> , 2017, 60, 137-146.	2.0	28
3	Epidrugs in the Immunotherapy of Cutaneous and Uveal Melanoma. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2017, 17, 190-205.	1.7	7
4	Epitope Mapping of a Monoclonal Antibody Directed against Neisserial Heparin Binding Antigen Using Next Generation Sequencing of Antigen-Specific Libraries. <i>PLoS ONE</i> , 2016, 11, e0160702.	2.5	11
5	Functional characterization of a monoclonal antibody epitope using a lambda phage display-deep sequencing platform. <i>Scientific Reports</i> , 2016, 6, 31458.	3.3	12
6	DNA methylation-induced E-cadherin silencing is correlated with the clinicopathological features of melanoma. <i>Oncology Reports</i> , 2016, 35, 2451-2460.	2.6	38
7	miR-92a-3p and MYCBP2 are involved in MS-275-induced and c-myc-mediated TRAIL-sensitivity in melanoma cells. <i>International Immunopharmacology</i> , 2016, 40, 235-243.	3.8	24
8	Phage display revisited: Epitope mapping of a monoclonal antibody directed against <i>Neisseria meningitidis</i> adhesin A using the PROFILER technology. <i>MAbs</i> , 2016, 8, 741-750.	5.2	19
9	Neutrophils Directly Recognize Group B Streptococci and Contribute to Interleukin-1 $\beta$ Production during Infection. <i>PLoS ONE</i> , 2016, 11, e0160249.	2.5	39
10	Heavy Metals and Epigenetic Alterations in Brain Tumors. <i>Current Genomics</i> , 2015, 15, 457-463.	1.6	50
11	Cellular Mechanisms of Oxidative Stress and Action in Melanoma. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-11.	4.0	88
12	The overriding of TRAIL resistance by the histone deacetylase inhibitor MS-275 involves c-myc up-regulation in cutaneous, uveal, and mucosal melanoma. <i>International Immunopharmacology</i> , 2015, 28, 313-321.	3.8	13
13	Epigenetic regulation of p14 and p16 expression in cutaneous and uveal melanoma. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2015, 1849, 247-256.	1.9	58
14	Epigenetic marks responsible for cadmium-induced melanoma cell overgrowth. <i>Toxicology in Vitro</i> , 2015, 29, 242-250.	2.4	34
15	Epigenetic Effects of Cadmium in Cancer: Focus on Melanoma. <i>Current Genomics</i> , 2015, 15, 420-435.	1.6	27
16	Identification of microRNA Expression Patterns in Cutaneous and Uveal Melanoma Cell Lines. <i>Tumori</i> , 2014, 100, e4-e7.	1.1	13
17	Class I-specific histone deacetylase inhibitor MS-275 overrides TRAIL-resistance in melanoma cells by downregulating c-FLIP. <i>International Immunopharmacology</i> , 2014, 21, 439-446.	3.8	41
18	NOD2 triggers PGE2 synthesis leading to IL-8 activation in <i>Staphylococcus aureus</i> -infected human conjunctival epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 440, 551-557.	2.1	9

#	ARTICLE	IF	CITATIONS
19	Impact of DNA methyltransferases on the epigenetic regulation of tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) receptor expression in malignant melanoma. <i>Biochemical and Biophysical Research Communications</i> , 2013, 441, 743-750.	2.1	39
20	PGE2 induces <i>interleukin-8</i> derepression in human astrocytoma through coordinated DNA demethylation and histone hyperacetylation. <i>Epigenetics</i> , 2012, 7, 1315-1330.	2.7	50
21	Association of the DSS1 c.143G>A Polymorphism with Skin Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1719-1725.	0.7	5