

Rong Tao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/366637/publications.pdf>

Version: 2024-02-01

23
papers

415
citations

1040056

9
h-index

794594

19
g-index

24
all docs

24
docs citations

24
times ranked

477
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | GELAD chemotherapy with sandwiched radiotherapy for patients with newly diagnosed stage IE/IIe natural killer/T cell lymphoma: a prospective multicentre study. <i>British Journal of Haematology</i> , 2022, 196, 939-946. | 2.5 | 7 |
| 2 | Induction with <sc>MEDA</sc> regimen and consolidation with <sc>Autoâ€HSCCT</sc> for stage <sc>IV NKTCL</sc> patients: A prospective multicenter study. <i>International Journal of Cancer</i> , 2022, 151, 752-763. | 5.1 | 5 |
| 3 | Phenylacetylglutamine as a risk factor and prognostic indicator of heart failure. <i>ESC Heart Failure</i> , 2022, 9, 2645-2653. | 3.1 | 21 |
| 4 | GEMSTONE-201: Preplanned primary analysis of a multicenter, single-arm, phase 2 study of sugemalimab (suge) in patients (pts) with relapsed or refractory extranodal natural killer/T cell lymphoma (R/R) Tj ETQq0 0 0 rgBTi/Overlock 10 Tf 50 6 | 10.0 | 10 |
| 5 | Soluble ST2 levels for predicting the presence and severity of metabolic syndrome. <i>Endocrine Connections</i> , 2021, 10, 336-344. | 1.9 | 4 |
| 6 | Real-World Outcomes of Revascularization Strategies in Patients With Left Ventricular Dysfunction and Three-Vessel Coronary Disease Stratified by Mitral Regurgitation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 675722. | 2.4 | 4 |
| 7 | FABP3 Deficiency Exacerbates Metabolic Derangement in Cardiac Hypertrophy and Heart Failure via PPAR α Pathway. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 722908. | 2.4 | 18 |
| 8 | High Proteoglycan Decorin Levels Are Associated With Acute Coronary Syndrome and Provoke an Imbalanced Inflammatory Response. <i>Frontiers in Physiology</i> , 2021, 12, 746377. | 2.8 | 3 |
| 9 | Sintilimab for relapsed/refractory extranodal NK/T cell lymphoma: a multicenter, single-arm, phase 2 trial (ORIENT-4). <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 365. | 17.1 | 50 |
| 10 | Genomic and Transcriptomic Characterization of Natural Killer T Cell Lymphoma. <i>Cancer Cell</i> , 2020, 37, 403-419.e6. | 16.8 | 136 |
| 11 | Sintilimab for relapsed/refractory (r/r) extranodal NK/T cell lymphoma (ENKTL): Extended follow-up on the multicenter, single-arm phase II trial (ORIENT-4).. <i>Journal of Clinical Oncology</i> , 2020, 38, 8050-8050. | 1.6 | 8 |
| 12 | Clinical characteristics and drug tolerance for <i>Pseudomonas aeruginosa</i> infection in patients with agranulocytosis and fever in Shanghai. <i>European Journal of Inflammation</i> , 2019, 17, 205873921882494. | 0.5 | 1 |
| 13 | Gemcitabine, dexamethasone, and cisplatin (GDP) chemotherapy with sandwiched radiotherapy in the treatment of newly diagnosed stage IE/IIe extranodal natural killer/T cell lymphoma, nasal type. <i>Cancer Medicine</i> , 2019, 8, 3349-3358. | 2.8 | 8 |
| 14 | Sintilimab for relapsed/refractory (r/r) extranodal NK/T-cell lymphoma (ENKTL): A multicenter, single-arm, phase 2 trial (ORIENT-4).. <i>Journal of Clinical Oncology</i> , 2019, 37, 7504-7504. | 1.6 | 8 |
| 15 | Genetic analysis in a compound heterozygote family with familial hypercholesterolemia. <i>Molecular Medicine Reports</i> , 2018, 17, 8439-8449. | 2.4 | 2 |
| 16 | Increased Serum Interleukin-34 Levels Are Related to the Presence and Severity of Cardiac Dysfunction in Patients With Ischemic Cardiomyopathy. <i>Frontiers in Physiology</i> , 2018, 9, 904. | 2.8 | 12 |
| 17 | Reduced-dose EPOCH-R chemotherapy for elderly patients with advanced stage diffuse large B cell lymphoma. <i>Annals of Hematology</i> , 2018, 97, 1809-1816. | 1.8 | 7 |
| 18 | Prognostic Significance of Interleukin-34 (IL-34) in Patients With Chronic Heart Failure With or Without Renal Insufficiency. <i>Journal of the American Heart Association</i> , 2017, 6, . | 3.7 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Successful treatment of extranodal natural killer/T-cell lymphoma-associated hemophagocytic lymphohistiocytosis with MEDA chemotherapy. <i>Leukemia and Lymphoma</i> , 2017, 58, 1238-1241. | 1.3 | 4 |
| 20 | Elevated Serum Cyclophilin B Levels Are Associated with the Prevalence and Severity of Metabolic Syndrome. <i>Frontiers in Endocrinology</i> , 2017, 8, 360. | 3.5 | 20 |
| 21 | Chronic Myeloid Leukemia Developing After Successful Treatment of Acute Promyelocytic Leukemia. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2016, 32, 104-107. | 0.6 | 3 |
| 22 | High-dose methotrexate, etoposide, dexamethasone and pegaspargase (MEDA) combination chemotherapy is effective for advanced and relapsed/refractory extranodal natural killer/T cell lymphoma: a retrospective study. <i>International Journal of Hematology</i> , 2015, 102, 181-187. | 1.6 | 34 |
| 23 | Association of the R485K polymorphism of the Factor V gene with poor response to activated protein C and increased risk of coronary artery disease in the Chinese population. <i>Clinical Genetics</i> , 2000, 57, 296-303. | 2.0 | 30 |