

Jennifer P Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/367019/publications.pdf>

Version: 2024-02-01

120
papers

17,478
citations

18482

62
h-index

18647

119
g-index

128
all docs

128
docs citations

128
times ranked

26871
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A microenvironment-inspired synthetic three-dimensional model for pancreatic ductal adenocarcinoma organoids. <i>Nature Materials</i> , 2022, 21, 110-119. | 27.5 | 79 |
| 2 | Chemotherapy-induced infiltration of neutrophils promotes pancreatic cancer metastasis via Gas6/AXL signalling axis. <i>Gut</i> , 2022, 71, 2284-2299. | 12.1 | 33 |
| 3 | Suppression of mutant Kirsten-RAS (KRASG12D)-driven pancreatic carcinogenesis by dual-specificity MAP kinase phosphatases 5 and 6. <i>Oncogene</i> , 2022, 41, 2811-2823. | 5.9 | 10 |
| 4 | Loss of Cxcr2 in Myeloid Cells Promotes Tumour Progression and T Cell Infiltration in Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2022, , 1-14. | 0.4 | 0 |
| 5 | Limited nutrient availability in the tumor microenvironment renders pancreatic tumors sensitive to allosteric IDH1 inhibitors. <i>Nature Cancer</i> , 2022, 3, 852-865. | 13.2 | 37 |
| 6 | Targeting DNA Damage Response and Replication Stress in Pancreatic Cancer. <i>Gastroenterology</i> , 2021, 160, 362-377.e13. | 1.3 | 90 |
| 7 | Deep Learning-Based Annotation Transfer between Molecular Imaging Modalities: An Automated Workflow for Multimodal Data Integration. <i>Analytical Chemistry</i> , 2021, 93, 3061-3071. | 6.5 | 31 |
| 8 | An ARF GTPase module promoting invasion and metastasis through regulating phosphoinositide metabolism. <i>Nature Communications</i> , 2021, 12, 1623. | 12.8 | 18 |
| 9 | Cancer-Associated Fibroblasts in Pancreatic Ductal Adenocarcinoma Determine Response to SLC7A11 Inhibition. <i>Cancer Research</i> , 2021, 81, 3461-3479. | 0.9 | 62 |
| 10 | Suppression of tumor-associated neutrophils by lorlatinib attenuates pancreatic cancer growth and improves treatment with immune checkpoint blockade. <i>Nature Communications</i> , 2021, 12, 3414. | 12.8 | 65 |
| 11 | EPHA2-dependent outcompetition of KRASG12D mutant cells by wild-type neighbors in the adult pancreas. <i>Current Biology</i> , 2021, 31, 2550-2560.e5. | 3.9 | 32 |
| 12 | Genetic Screens Identify a Context-Specific PI3K/p27Kip1 Node Driving Extrahepatic Biliary Cancer. <i>Cancer Discovery</i> , 2021, 11, 3158-3177. | 9.4 | 12 |
| 13 | Translating complexity and heterogeneity of pancreatic tumor: 3D in vitro to in vivo models. <i>Advanced Drug Delivery Reviews</i> , 2021, 174, 265-293. | 13.7 | 53 |
| 14 | Single-cell analysis defines a pancreatic fibroblast lineage that supports anti-tumor immunity. <i>Cancer Cell</i> , 2021, 39, 1227-1244.e20. | 16.8 | 158 |
| 15 | New Insights Into Pancreatic Cancer: Notes from a Virtual Meeting. <i>Gastroenterology</i> , 2021, 161, 785-791. | 1.3 | 5 |
| 16 | Optimizing metastatic-cascade-dependent Rac1 targeting in breast cancer: Guidance using optical window intravital FRET imaging. <i>Cell Reports</i> , 2021, 36, 109689. | 6.4 | 12 |
| 17 | Intravital imaging technology guides FAK-mediated priming in pancreatic cancer precision medicine according to Merlin status. <i>Science Advances</i> , 2021, 7, eabh0363. | 10.3 | 23 |
| 18 | BRD4-mediated repression of p53 is a target for combination therapy in AML. <i>Nature Communications</i> , 2021, 12, 241. | 12.8 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Heterogeneity in Pancreatic Cancer Fibroblastsâ€™TGFÎ² as a Master Regulator?. <i>Cancers</i> , 2021, 13, 4984. | 3.7 | 9 |
| 20 | Pancreatic Cancer: From Genome Discovery to PRECISION-Panc. <i>Clinical Oncology</i> , 2020, 32, 5-8. | 1.4 | 15 |
| 21 | Environment Influences Tumor Progression and Transcriptional Subtype in a New Model of Pancreatic Cancer. <i>Cancer Discovery</i> , 2020, 10, 1448-1450. | 9.4 | 3 |
| 22 | Asymmetrically Substituted Quadruplex-Binding Naphthalene Diimide Showing Potent Activity in Pancreatic Cancer Models. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 1634-1644. | 2.8 | 26 |
| 23 | HNF4A and GATA6 Loss Reveals Therapeutically Actionable Subtypes in Pancreatic Cancer. <i>Cell Reports</i> , 2020, 31, 107625. | 6.4 | 78 |
| 24 | Repression of the Type I Interferon Pathway Underlies MYC- and KRAS-Dependent Evasion of NK and B Cells in Pancreatic Ductal Adenocarcinoma. <i>Cancer Discovery</i> , 2020, 10, 872-887. | 9.4 | 102 |
| 25 | Macropinocytosis Renders a Subset of Pancreatic Tumor Cells Resistant to mTOR Inhibition. <i>Cell Reports</i> , 2020, 30, 2729-2742.e4. | 6.4 | 28 |
| 26 | Cancer-Specific Loss of p53 Leads to a Modulation of Myeloid and T Cell Responses. <i>Cell Reports</i> , 2020, 30, 481-496.e6. | 6.4 | 111 |
| 27 | A Synthetic Lethal Approach to Eradicate AML Via Synergistic Activation of Pro-Apoptotic p53 By MDM2 and BET Inhibitors. <i>Blood</i> , 2020, 136, 14-14. | 1.4 | 0 |
| 28 | CAF hierarchy driven by pancreatic cancer cell p53-status creates a pro-metastatic and chemoresistant environment via perlecan. <i>Nature Communications</i> , 2019, 10, 3637. | 12.8 | 170 |
| 29 | The integrin Î±vÎ²6 drives pancreatic cancer through diverse mechanisms and represents an effective target for therapy. <i>Journal of Pathology</i> , 2019, 249, 332-342. | 4.5 | 66 |
| 30 | CAF Subpopulations: A New Reservoir of Stromal Targets in Pancreatic Cancer. <i>Trends in Cancer</i> , 2019, 5, 724-741. | 7.4 | 214 |
| 31 | Glutamine Anabolism Plays a Critical Role in Pancreatic Cancer by Coupling Carbon and Nitrogen Metabolism. <i>Cell Reports</i> , 2019, 29, 1287-1298.e6. | 6.4 | 105 |
| 32 | The innate immune sensor Toll-like receptor 2 controls the senescence-associated secretory phenotype. <i>Science Advances</i> , 2019, 5, eaaw0254. | 10.3 | 93 |
| 33 | A Stromal Lysolipidâ€™Autotaxin Signaling Axis Promotes Pancreatic Tumor Progression. <i>Cancer Discovery</i> , 2019, 9, 617-627. | 9.4 | 209 |
| 34 | Brf1 loss and not overexpression disrupts tissues homeostasis in the intestine, liver and pancreas. <i>Cell Death and Differentiation</i> , 2019, 26, 2535-2550. | 11.2 | 10 |
| 35 | Macrophage-Released Pyrimidines Inhibit Gemcitabine Therapy in Pancreatic Cancer. <i>Cell Metabolism</i> , 2019, 29, 1390-1399.e6. | 16.2 | 280 |
| 36 | Combating pancreatic cancer with PI3K pathway inhibitors in the era of personalised medicine. <i>Gut</i> , 2019, 68, 742-758. | 12.1 | 68 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Activation of PP2A and Inhibition of mTOR Synergistically Reduce MYC Signaling and Decrease Tumor Growth in Pancreatic Ductal Adenocarcinoma. <i>Cancer Research</i> , 2019, 79, 209-219. | 0.9 | 56 |
| 38 | Neutrophils: Homing in on the myeloid mechanisms of metastasis. <i>Molecular Immunology</i> , 2019, 110, 69-76. | 2.2 | 30 |
| 39 | Increased formate overflow is a hallmark of oxidative cancer. <i>Nature Communications</i> , 2018, 9, 1368. | 12.8 | 90 |
| 40 | Targeting Multiple Effector Pathways in Pancreatic Ductal Adenocarcinoma with a G-Quadruplex-Binding Small Molecule. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 2500-2517. | 6.4 | 114 |
| 41 | Reshaping the Tumor Stroma for Treatment of Pancreatic Cancer. <i>Gastroenterology</i> , 2018, 154, 820-838. | 1.3 | 173 |
| 42 | CSF1R+ Macrophages Sustain Pancreatic Tumor Growth through T Cell Suppression and Maintenance of Key Gene Programs that Define the Squamous Subtype. <i>Cell Reports</i> , 2018, 23, 1448-1460. | 6.4 | 169 |
| 43 | Tailored first-line and second-line CDK4-targeting treatment combinations in mouse models of pancreatic cancer. <i>Gut</i> , 2018, 67, 2142-2155. | 12.1 | 100 |
| 44 | Mutant p53s generate pro-invasive niches by influencing exosome podocalyxin levels. <i>Nature Communications</i> , 2018, 9, 5069. | 12.8 | 91 |
| 45 | MiR-142-3p is downregulated in aggressive p53 mutant mouse models of pancreatic ductal adenocarcinoma by hypermethylation of its locus. <i>Cell Death and Disease</i> , 2018, 9, 644. | 6.3 | 21 |
| 46 | Genomic instability in mutant p53 cancer cells upon entotic engulfment. <i>Nature Communications</i> , 2018, 9, 3070. | 12.8 | 64 |
| 47 | Removing physiological motion from intravital and clinical functional imaging data. <i>ELife</i> , 2018, 7, . | 6.0 | 34 |
| 48 | Intravital Imaging to Monitor Therapeutic Response in Moving Hypoxic Regions Resistant to PI3K Pathway Targeting in Pancreatic Cancer. <i>Cell Reports</i> , 2018, 23, 3312-3326. | 6.4 | 61 |
| 49 | Mutant p53R270H drives altered metabolism and increased invasion in pancreatic ductal adenocarcinoma. <i>JCI Insight</i> , 2018, 3, . | 5.0 | 24 |
| 50 | The senescence-associated secretory phenotype induces cellular plasticity and tissue regeneration. <i>Genes and Development</i> , 2017, 31, 172-183. | 5.9 | 471 |
| 51 | <sc>ROCK</sc> signaling promotes collagen remodeling to facilitate invasive pancreatic ductal adenocarcinoma tumor cell growth. <i>EMBO Molecular Medicine</i> , 2017, 9, 198-218. | 6.9 | 107 |
| 52 | PTEN deficiency permits the formation of pancreatic cancer in the absence of autophagy. <i>Cell Death and Differentiation</i> , 2017, 24, 1303-1304. | 11.2 | 23 |
| 53 | Substrate Rigidity Controls Activation and Durotaxis in Pancreatic Stellate Cells. <i>Scientific Reports</i> , 2017, 7, 2506. | 3.3 | 87 |
| 54 | Transient tissue priming via ROCK inhibition uncouples pancreatic cancer progression, sensitivity to chemotherapy, and metastasis. <i>Science Translational Medicine</i> , 2017, 9, . | 12.4 | 208 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Serp1B2 regulates stromal remodelling and local invasion in pancreatic cancer. <i>Oncogene</i> , 2017, 36, 4288-4298. | 5.9 | 77 |
| 56 | Phosphorylation of Rab-coupling protein by LMTK3 controls Rab14-dependent EphA2 trafficking to promote cell:cell repulsion. <i>Nature Communications</i> , 2017, 8, 14646. | 12.8 | 42 |
| 57 | CXCR2 inhibition in pancreatic cancer: opportunities for immunotherapy?. <i>Immunotherapy</i> , 2017, 9, 9-12. | 2.0 | 12 |
| 58 | A RhoA-FRET Biosensor Mouse for Intravital Imaging in Normal Tissue Homeostasis and Disease Contexts. <i>Cell Reports</i> , 2017, 21, 274-288. | 6.4 | 83 |
| 59 | Acinar-to-Ductal Metaplasia Induced by Transforming Growth Factor Beta Facilitates KRAS G12D-driven Pancreatic Tumorigenesis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 263-282. | 4.5 | 46 |
| 60 | MYC regulates ductal-neuroendocrine lineage plasticity in pancreatic ductal adenocarcinoma associated with poor outcome and chemoresistance. <i>Nature Communications</i> , 2017, 8, 1728. | 12.8 | 83 |
| 61 | Matrix stiffness induces epithelial-to-mesenchymal transition and promotes chemoresistance in pancreatic cancer cells. <i>Oncogenesis</i> , 2017, 6, e352-e352. | 4.9 | 358 |
| 62 | Hypermethylation In Pancreatic Cancer. <i>Gastroenterology</i> , 2017, 152, 68-74.e2. | 1.3 | 174 |
| 63 | Three-dimensional organotypic matrices from alternative collagen sources as pre-clinical models for cell biology. <i>Scientific Reports</i> , 2017, 7, 16887. | 3.3 | 22 |
| 64 | Notch3 drives development and progression of cholangiocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12250-12255. | 7.1 | 68 |
| 65 | mTORC2 Signaling Drives the Development and Progression of Pancreatic Cancer. <i>Cancer Research</i> , 2016, 76, 6911-6923. | 0.9 | 63 |
| 66 | CXCR2 Inhibition Profoundly Suppresses Metastases and Augments Immunotherapy in Pancreatic Ductal Adenocarcinoma. <i>Cancer Cell</i> , 2016, 29, 832-845. | 16.8 | 645 |
| 67 | Intravital FRAP Imaging using an E-cadherin-GFP Mouse Reveals Disease- and Drug-Dependent Dynamic Regulation of Cell-Cell Junctions in Live Tissue. <i>Cell Reports</i> , 2016, 14, 152-167. | 6.4 | 54 |
| 68 | Genomic analyses identify molecular subtypes of pancreatic cancer. <i>Nature</i> , 2016, 531, 47-52. | 27.8 | 2,700 |
| 69 | Inhibition of Tumor Growth and Metastasis in Pancreatic Cancer Models by Interference With CD44v6 Signaling. <i>Gastroenterology</i> , 2016, 150, 513-525.e10. | 1.3 | 78 |
| 70 | RelA regulates CXCL1/CXCR2-dependent oncogene-induced senescence in murine Kras-driven pancreatic carcinogenesis. <i>Journal of Clinical Investigation</i> , 2016, 126, 2919-2932. | 8.2 | 93 |
| 71 | CXCR2 inhibition suppresses acute and chronic pancreatic inflammation. <i>Journal of Pathology</i> , 2015, 237, 85-97. | 4.5 | 59 |
| 72 | Targeting the HIF-1 / hypoxia axis reverses many of the features that make pancreatic cancer deadly: inhibition of HIF-1 abrogates metastasis and enhances drug efficacy. <i>EMBO Molecular Medicine</i> , 2015, 7, 1063-1076. | 6.9 | 223 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | GEMMs as preclinical models for testing pancreatic cancer therapies. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 1185-1200. | 2.4 | 92 |
| 74 | Mitotic Stress Is an Integral Part of the Oncogene-Induced Senescence Program that Promotes Multinucleation and Cell Cycle Arrest. <i>Cell Reports</i> , 2015, 12, 1483-1496. | 6.4 | 67 |
| 75 | Functions of TAp63 and p53 in restraining the development of metastatic cancer. <i>Oncogene</i> , 2014, 33, 3325-3333. | 5.9 | 30 |
| 76 | Targeting mTOR dependency in pancreatic cancer. <i>Gut</i> , 2014, 63, 1481-1489. | 12.1 | 107 |
| 77 | Monitoring the dynamics of Src activity in response to anti-invasive dasatinib treatment at a subcellular level using dual intravital imaging. <i>Cell Adhesion and Migration</i> , 2014, 8, 478-486. | 2.7 | 7 |
| 78 | The Rac-FRET Mouse Reveals Tight Spatiotemporal Control of Rac Activity in Primary Cells and Tissues. <i>Cell Reports</i> , 2014, 6, 1153-1164. | 6.4 | 79 |
| 79 | Fascin Is Regulated by Slug, Promotes Progression of Pancreatic Cancer in Mice, and Is Associated With Patient Outcomes. <i>Gastroenterology</i> , 2014, 146, 1386-1396.e17. | 1.3 | 100 |
| 80 | Three-dimensional cancer models mimic cell-matrix interactions in the tumour microenvironment. <i>Carcinogenesis</i> , 2014, 35, 1671-1679. | 2.8 | 123 |
| 81 | BIM Is the Primary Mediator of MYC-Induced Apoptosis in Multiple Solid Tissues. <i>Cell Reports</i> , 2014, 8, 1347-1353. | 6.4 | 64 |
| 82 | Expression of KOC, S100P, mesothelin and MUC1 in pancreatobiliary adenocarcinomas: development and utility of a potential diagnostic immunohistochemistry panel. <i>BMC Clinical Pathology</i> , 2014, 14, 35. | 1.8 | 32 |
| 83 | Activation and repression by oncogenic MYC shape tumour-specific gene expression profiles. <i>Nature</i> , 2014, 511, 483-487. | 27.8 | 392 |
| 84 | Mutant p53-associated myosin-X upregulation promotes breast cancer invasion and metastasis. <i>Journal of Clinical Investigation</i> , 2014, 124, 1069-1082. | 8.2 | 133 |
| 85 | AKT regulates NPM dependent ARF localization and p53mut stability in tumors. <i>Oncotarget</i> , 2014, 5, 6142-6167. | 1.8 | 30 |
| 86 | Activation of the IL-6R/Jak/Stat Pathway is Associated with a Poor Outcome in Resected Pancreatic Ductal Adenocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 887-898. | 1.7 | 80 |
| 87 | p53 status determines the role of autophagy in pancreatic tumour development. <i>Nature</i> , 2013, 504, 296-300. | 27.8 | 614 |
| 88 | MYC ^{Cre} mice: From tumour initiation to therapeutic targeting of endogenous MYC. <i>Molecular Oncology</i> , 2013, 7, 248-258. | 4.6 | 40 |
| 89 | A complex secretory program orchestrated by the inflammasome controls paracrine senescence. <i>Nature Cell Biology</i> , 2013, 15, 978-990. | 10.3 | 1,566 |
| 90 | Intravital FLIM-FRET Imaging Reveals Dasatinib-Induced Spatial Control of Src in Pancreatic Cancer. <i>Cancer Research</i> , 2013, 73, 4674-4686. | 0.9 | 111 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Advanced intravital subcellular imaging reveals vital three-dimensional signalling events driving cancer cell behaviour and drug responses in live tissue. <i>FEBS Journal</i> , 2013, 280, 5177-5197. | 4.7 | 10 |
| 92 | Dasatinib inhibits mammary tumour development in a genetically engineered mouse model. <i>Journal of Pathology</i> , 2013, 230, 430-440. | 4.5 | 14 |
| 93 | Exploiting inflammation for therapeutic gain in pancreatic cancer. <i>British Journal of Cancer</i> , 2013, 108, 997-1003. | 6.4 | 73 |
| 94 | Mutant p53 enhances MET trafficking and signalling to drive cell scattering and invasion. <i>Oncogene</i> , 2013, 32, 1252-1265. | 5.9 | 162 |
| 95 | MicroRNA Molecular Profiles Associated with Diagnosis, Clinicopathologic Criteria, and Overall Survival in Patients with Resectable Pancreatic Ductal Adenocarcinoma. <i>Clinical Cancer Research</i> , 2012, 18, 534-545. | 7.0 | 192 |
| 96 | Rab25 and CLIC3 Collaborate to Promote Integrin Recycling from Late Endosomes/Lysosomes and Drive Cancer Progression. <i>Developmental Cell</i> , 2012, 22, 131-145. | 7.0 | 275 |
| 97 | The right time, the right place: will targeting human cancer-associated mutations to the mouse provide the perfect preclinical model?. <i>Current Opinion in Genetics and Development</i> , 2012, 22, 28-35. | 3.3 | 5 |
| 98 | Autophagic targeting of Src promotes cancer cell survival following reduced FAK signalling. <i>Nature Cell Biology</i> , 2012, 14, 51-60. | 10.3 | 171 |
| 99 | Timing Is Everything: Brca2 and p53 Mutations in Pancreatic Cancer. <i>Gastroenterology</i> , 2011, 140, 1143-1146. | 1.3 | 6 |
| 100 | FLIM-FRET imaging in vivo reveals 3D-environment spatially regulates RhoGTPase activity during cancer cell invasion. <i>Small GTPases</i> , 2011, 2, 239-244. | 1.6 | 25 |
| 101 | Activation of the PIK3CA/AKT Pathway Suppresses Senescence Induced by an Activated RAS Oncogene to Promote Tumorigenesis. <i>Molecular Cell</i> , 2011, 42, 36-49. | 9.7 | 179 |
| 102 | P-Rex1 is required for efficient melanoblast migration and melanoma metastasis. <i>Nature Communications</i> , 2011, 2, 555. | 12.8 | 152 |
| 103 | β -Catenin activation synergizes with PTEN loss to cause bladder cancer formation. <i>Oncogene</i> , 2011, 30, 178-189. | 5.9 | 92 |
| 104 | Ras, PI3K/Akt and senescence. <i>Small GTPases</i> , 2011, 2, 264-267. | 1.6 | 29 |
| 105 | A FAK-PI-3K-mTOR axis is required for Wnt-Myc driven intestinal regeneration and tumorigenesis. <i>Cell Cycle</i> , 2011, 10, 173-175. | 2.6 | 17 |
| 106 | Spatial Regulation of RhoA Activity during Pancreatic Cancer Cell Invasion Driven by Mutant p53. <i>Cancer Research</i> , 2011, 71, 747-757. | 0.9 | 127 |
| 107 | p53 mutation and loss have different effects on tumorigenesis in a novel mouse model of pleomorphic rhabdomyosarcoma. <i>Journal of Pathology</i> , 2010, 222, 129-137. | 4.5 | 77 |
| 108 | Mutant p53 drives metastasis and overcomes growth arrest/senescence in pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 246-251. | 7.1 | 530 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Dasatinib Inhibits the Development of Metastases in a Mouse Model of Pancreatic Ductal Adenocarcinoma. <i>Gastroenterology</i> , 2010, 139, 292-303. | 1.3 | 123 |
| 110 | LKB1 Haploinsufficiency Cooperates With Kras to Promote Pancreatic Cancer Through Suppression of p21-Dependent Growth Arrest. <i>Gastroenterology</i> , 2010, 139, 586-597.e6. | 1.3 | 130 |
| 111 | Focal Adhesion Kinase Is Required for Intestinal Regeneration and Tumorigenesis Downstream of Wnt/c-Myc Signaling. <i>Developmental Cell</i> , 2010, 19, 259-269. | 7.0 | 176 |
| 112 | The EMT-activator ZEB1 promotes tumorigenicity by repressing stemness-inhibiting microRNAs. <i>Nature Cell Biology</i> , 2009, 11, 1487-1495. | 10.3 | 1,547 |
| 113 | Trp53 Deletion Stimulates the Formation of Metastatic Pancreatic Tumors. <i>American Journal of Pathology</i> , 2008, 172, 1081-1087. | 3.8 | 29 |
| 114 | Sonic hedgehog acts at multiple stages during pancreatic tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 5103-5108. | 7.1 | 211 |
| 115 | RNA polymerase III transcription is repressed in response to the tumour suppressor ARF. <i>Nucleic Acids Research</i> , 2007, 35, 3046-3052. | 14.5 | 19 |
| 116 | Shh Signaling and Pancreatic Cancer: Implications for Therapy?. <i>Cell Cycle</i> , 2007, 6, 1553-1557. | 2.6 | 44 |
| 117 | Deregulation of RNA polymerase III transcription in cervical epithelium in response to high-risk human papillomavirus. <i>Oncogene</i> , 2005, 24, 880-888. | 5.9 | 37 |
| 118 | p53 represses RNA polymerase III transcription by targeting TBP and inhibiting promoter occupancy by TFIIIB. <i>EMBO Journal</i> , 2003, 22, 2810-2820. | 7.8 | 118 |
| 119 | CK2 Forms a Stable Complex with TFIIIB and Activates RNA Polymerase III Transcription in Human Cells. <i>Molecular and Cellular Biology</i> , 2002, 22, 3757-3768. | 2.3 | 71 |
| 120 | Fas-independent apoptosis in T-cell tumours induced by the CD2-myc transgene. <i>Cell Death and Differentiation</i> , 2000, 7, 80-88. | 11.2 | 9 |