

Manabu Ohyama

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3670528/manabu-ohyama-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

2,325
citations

22
h-index

47
g-index

75
ext. papers

2,647
ext. citations

3.2
avg, IF

4.83
L-index

#	Paper	IF	Citations
73	Histological assessment of granuloma formation for the management of cutaneous <i>Mycobacterium chelonae</i> infection. <i>Journal of Dermatology</i> , 2021 ,	1.6	0
72	Alopecia areata: Current understanding of the pathophysiology and update on therapeutic approaches, featuring the Japanese Dermatological Association guidelines. <i>Journal of Dermatology</i> , 2021 ,	1.6	8
71	Long-term remission of unusual plasmocanthoma on the nasal canthus achieved by intralesional corticosteroid injection: Insights into the pathogenesis and treatment planning based on a literature review. <i>Journal of Dermatology</i> , 2021 , 48, 1081-1085	1.6	
70	Development of pemphigus foliaceus in a mucous membrane pemphigoid patient: An insight into possible mechanism eliciting a distinct autoimmune bullous disease in a rare anti-basement membrane autoimmunity. <i>Journal of Dermatology</i> , 2021 , 48, 710-714	1.6	
69	Long-term remission of severe nail psoriasis after discontinuation of apremilast in a colorectal cancer survivor. <i>Journal of Dermatology</i> , 2021 , 48, e248-e249	1.6	
68	Perianal amebiasis cutis masked by giant condyloma acuminatum in a HIV-seropositive patient. <i>Journal of Dermatology</i> , 2021 , 48, e333-e334	1.6	1
67	Clinicopathological insight into self-reported hair loss with no findings: How do we manage this enigmatic condition?. <i>Journal of Dermatology</i> , 2021 , 48, 1447-1452	1.6	
66	Caffeine relaxes hair follicles in androgenetic alopecia. <i>British Journal of Dermatology</i> , 2021 , 184, 7-8	4	0
65	Development of a scoring system to predict outcomes of i.v. corticosteroid pulse therapy in rapidly progressive alopecia areata adopting digital image analysis of hair recovery. <i>Journal of Dermatology</i> , 2021 , 48, 301-309	1.6	2
64	Distinctive age distribution and hair loss pattern putatively highlighting uniqueness of Japanese cases of fibrosing alopecia in a pattern distribution. <i>Journal of Dermatology</i> , 2021 ,	1.6	1
63	Activators of WNT, sonic hedgehog and ectodysplasin A signaling pathways exert synergetic influence on folliculogenic epithelial-mesenchymal interactions in 3-D skin equivalents: An implication for regenerative medicine. <i>Journal of Dermatology</i> , 2020 , 47, 1195-1197	1.6	1
62	Elucidation of demographic, clinical and trichoscopic features for early diagnosis of self-healing acute diffuse and total alopecia. <i>Journal of Dermatology</i> , 2020 , 47, 583-591	1.6	6
61	Cutaneous adverse events induced by azacitidine in myelodysplastic syndrome patients: Case reports and a lesson from published work review. <i>Journal of Dermatology</i> , 2020 , 47, 363-368	1.6	4
60	Does skewing of cytokine production link alopecia areata and depression?. <i>British Journal of Dermatology</i> , 2020 , 182, 15-16	4	1
59	Intracellular accumulation of PD-1 molecules in circulating T lymphocytes in advanced malignant melanoma: an implication for immune evasion mechanism. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1861-1869	4.2	1
58	Holocrine Secretion Occurs outside the Tight Junction Barrier in Multicellular Glands: Lessons from Claudin-1-Deficient Mice. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 298-308.e5	4.3	5
57	Use of trichoscopy for the diagnosis of alopecia areata coexisting with primary scarring alopecia in a female hair loss patient. <i>Journal of Dermatology</i> , 2019 , 46, 418-421	1.6	2

56	Benefit of electron beam therapy in combination with medium-dose systemic corticosteroid as a palliative treatment for elderly patients with blastic plasmacytoid dendritic cell neoplasm: case report and review of the literature. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 221-224	1.8	0
55	Chronological observation of surgically-treated granuloma faciale implies the necessity of circumspect management for perinasal nodular subset. <i>Journal of Dermatology</i> , 2018 , 45, 1122-1125	1.6	1
54	Chronological clinicopathological characterization of rapidly progressive alopecia areata resistant to multiple i.v. corticosteroid pulse therapies: An implication for improving the efficacy. <i>Journal of Dermatology</i> , 2018 , 45, 1071-1079	1.6	4
53	Immunohistochemical dissection of cystic panfolliculoma focusing on the expression of multiple hair follicle lineage markers with an insight into the pathogenesis. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 861-866	1.7	3
52	The ovariectomized mouse simulates the pathophysiology of postmenopausal female pattern hair loss. <i>Journal of Dermatological Science</i> , 2017 , 87, 79-82	4.3	5
51	Identification of factors contributing to phenotypic divergence via quantitative image analyses of autosomal recessive woolly hair/hypotrichosis with homozygous c.736T>A LIPH mutation. <i>British Journal of Dermatology</i> , 2017 , 176, 138-144	4	13
50	Promise of human induced pluripotent stem cells in skin regeneration and investigation. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 605-609	4.3	19
49	The use of induced pluripotent stem cells to reveal pathogenic gene mutations and explore treatments for retinitis pigmentosa. <i>Molecular Brain</i> , 2014 , 7, 45	4.5	78
48	Histopathological insights into hair loss in Cronkhite-Canada syndrome: diffuse anagen-telogen conversion precedes clinical hair loss progression. <i>Australasian Journal of Dermatology</i> , 2014 , 55, 145-8	1.3	12
47	Unusually extensive disseminated herpes zoster with multiple ulcer formation in a methotrexate-treated rheumatoid arthritis patient. <i>Journal of Dermatology</i> , 2014 , 41, 181-2	1.6	4
46	Use of cyclosporin A for successful management of steroid-resistant Sweet's syndrome patient with possible myelodysplastic syndrome. <i>Journal of Dermatology</i> , 2014 , 41, 465-6	1.6	7
45	Rheumatoid neutrophilic dermatosis with tense blister formation: a case report and review of the literature. <i>Australasian Journal of Dermatology</i> , 2014 , 55, e12-4	1.3	5
44	Follicular microhemorrhage: a unique dermoscopic sign for the detection of coexisting trichotillomania in alopecia areata. <i>Journal of Dermatology</i> , 2014 , 41, 518-20	1.6	15
43	Hapten-induced lymphadenosis benigna cutis secondary to squaric acid dibutylester sensitization for alopecia areata. <i>Journal of Dermatology</i> , 2014 , 41, 182-3	1.6	2
42	Alopecia as a rare but distinct manifestation of pemphigus vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 86-91	4.6	17
41	Human induced pluripotent stem cell-derived ectodermal precursor cells contribute to hair follicle morphogenesis in vivo. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1479-88	4.3	50
40	Epidermal structure created by canine hair follicle keratinocytes enriched with bulge cells in a three-dimensional skin equivalent model in vitro: implications for regenerative therapy of canine epidermis. <i>Veterinary Dermatology</i> , 2013 , 24, 77-83.e19-20	1.8	10
39	Strategies to enhance epithelial-mesenchymal interactions for human hair follicle bioengineering. <i>Journal of Dermatological Science</i> , 2013 , 70, 78-87	4.3	50

38	CD200-expressing human basal cell carcinoma cells initiate tumor growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1434-9	11.5	26
37	Improvement of mucocutaneous involvement of immunoglobulin light chain amyloidosis after chemotherapy and hematopoietic stem cell transplantation for multiple myeloma. <i>Journal of Dermatology</i> , 2013 , 40, 768-9	1.6	
36	Immune response involving the bulge region in addition to telogen conversion contributes to hair loss in a case of atypical drug-induced hypersensitivity syndrome. <i>Journal of Dermatology</i> , 2013 , 40, 928-9	1.6	0
35	Ectopic expression of epidermal antigens renders the lung a target organ in paraneoplastic pemphigus. <i>Journal of Immunology</i> , 2013 , 191, 83-90	5.3	37
34	A missense mutation within the helix initiation motif of the keratin K71 gene underlies autosomal dominant woolly hair/hypotrichosis. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2342-2349	4.3	41
33	Mitochondrial dysfunction associated with increased oxidative stress and β -synuclein accumulation in PARK2 iPSC-derived neurons and postmortem brain tissue. <i>Molecular Brain</i> , 2012 , 5, 35	4.5	27 ¹
32	Stress-induced production of chemokines by hair follicles regulates the trafficking of dendritic cells in skin. <i>Nature Immunology</i> , 2012 , 13, 744-52	19.1	229
31	Brief report: requirement of TACE/ADAM17 for hair follicle bulge niche establishment. <i>Stem Cells</i> , 2012 , 30, 1781-5	5.8	9
30	Primary cicatricial alopecia: recent advances in understanding and management. <i>Journal of Dermatology</i> , 2012 , 39, 18-26	1.6	35
29	Restoration of the intrinsic properties of human dermal papilla in vitro. <i>Journal of Cell Science</i> , 2012 , 125, 4114-25	5.3	96
28	Generation of human melanocytes from induced pluripotent stem cells. <i>PLoS ONE</i> , 2011 , 6, e16182	3.7	84
27	Ichthyosis follicularis, alopecia, and photophobia syndrome: a case report and a pathological insight into pilosebaceous anomaly. <i>American Journal of Dermatopathology</i> , 2011 , 33, 403-6	0.9	9
26	Molecular biological and immunohistological characterization of canine dermal papilla cells and the evaluation of culture conditions. <i>Veterinary Dermatology</i> , 2011 , 22, 414-22	1.8	15
25	Involvement of the bulge region with decreased expression of hair follicle stem cell markers in senile female cases of alopecia areata. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 1346-50	4.6	13
24	A Japanese case of ichthyosis follicularis with atrichia and photophobia syndrome with an MBTPS2 mutation. <i>Journal of Human Genetics</i> , 2011 , 56, 250-2	4.3	11
23	The mesenchymal component of hair follicle neogenesis: background, methods and molecular characterization. <i>Experimental Dermatology</i> , 2010 , 19, 89-99	4	14 ⁰
22	A gene therapy approach for long-term normalization of blood pressure in hypertensive mice by ANP-secreting human skin grafts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 1178-83	11.5	13
21	Canine follicle stem cell candidates reside in the bulge and share characteristic features with human bulge cells. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1988-95	4.3	34

20	Experimental evaluation of ebastine, a second-generation anti-histamine, as a supportive medication for alopecia areata. <i>Journal of Dermatological Science</i> , 2010 , 58, 154-7	4.3	22
19	Management of hair loss diseases. <i>Dermatologica Sinica</i> , 2010 , 28, 139-145	1.1	12
18	The disruption of Sox21-mediated hair shaft cuticle differentiation causes cyclic alopecia in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9292-7	11.5	58
17	Canine hair-follicle keratinocytes enriched with bulge cells have the highly proliferative characteristic of stem cells. <i>Veterinary Dermatology</i> , 2009 , 20, 338-46	1.8	26
16	Intractable ulcer caused by Mycobacterium shinshuense: successful identification of mycobacterium strain by 16S ribosomal RNA 3'end sequencing. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, e712-5	1.8	4
15	Primary tuberculosis of the penis after intravesical bacillus Calmette-Guerin instillation therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 77-8	4.6	5
14	Sparing of the bulge area could preserve intact lower portion of hair follicles in a case of tufted folliculitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 87-9	4.6	4
13	Cutaneous Serratia marcescens infection on the face of a healthy female. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 1213-5	4.6	7
12	William J. Cunliffe Scientific Awards. Advances in the study of stem-cell-enriched hair follicle bulge cells: a review featuring characterization and isolation of human bulge cells. <i>Dermatology</i> , 2007 , 214, 342-51	4.4	15
11	Gene ontology analysis of human hair follicle bulge molecular signature. <i>Journal of Dermatological Science</i> , 2007 , 45, 147-50	4.3	11
10	Hair follicle bulge: a fascinating reservoir of epithelial stem cells. <i>Journal of Dermatological Science</i> , 2007 , 46, 81-9	4.3	147
9	Bone marrow-derived keratinocytes are not detected in normal skin and only rarely detected in wounded skin in two different murine models. <i>Experimental Hematology</i> , 2006 , 34, 672-9	3.1	28
8	Aleukaemic leukaemia cutis as an initial manifestation of myeloid/NK cell precursor acute leukaemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 453-6	4.6	6
7	Characterization and isolation of stem cell-enriched human hair follicle bulge cells. <i>Journal of Clinical Investigation</i> , 2006 , 116, 249-60	15.9	474
6	Suppression of the immune response against exogenous desmoglein 3 in desmoglein 3 knockout mice: an implication for gene therapy. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 610-5	4.3	11
5	Gene delivery to the hair follicle. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2003 , 8, 204-6	1.1	24
4	Immunologic and histopathologic characterization of an active disease mouse model for pemphigus vulgaris. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 199-204	4.3	32
3	A Case of pemphigus foliaceus which occurred after five years of remission from pemphigus vulgaris. <i>Dermatology</i> , 2001 , 203, 174-6	4.4	12

2	Clinical phenotype and anti-desmoglein autoantibody profile in paraneoplastic pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 593-8	4.5	35
1	Management of hair loss after severe acute respiratory syndrome coronavirus 2 infection: Insight into the pathophysiology with implication for better management. <i>Journal of Dermatology</i> ,	1.6	0