## Marek Walczak

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3671409/publications.pdf

Version: 2024-02-01

339 papers 9,023 citations

66250 44 h-index 97045 71 g-index

356 all docs

356 docs citations

356 times ranked

7996 citing authors

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 1  | Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                   | 1.6 | 6         |
| 2  | Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. Journal of High Energy Physics, 2022, 2022, 1.   | 1.6 | 8         |
| 3  | Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 3         |
| 4  | Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 1         |
| 5  | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.                                    | 1.4 | 18        |
| 6  | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                     | 1.6 | 13        |
| 7  | Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 1.6 | 5         |
| 8  | Measurement of the inclusive $\$\$$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.     | 1.6 | 2         |
| 9  | Search for single production of a vector-like T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, . | 1.6 | 5         |
| 10 | Search for the lepton flavor violating decay $\ddot{l}$ , $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                  | 1.6 | 3         |
| 11 | Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.                  | 1.4 | 33        |
| 12 | Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 54        |
| 13 | Search for top squark pair production using dilepton final states in $\{p\}$ ext $\{p\}$ s collision data collected at $\{p\}$ at $\{p\}$ s. European Physical Journal C, 2021, 81, 3.   | 1.4 | 33        |
| 14 | Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 14        |
| 15 | Measurements of $f^{p}} {mathrm{p}} ightarrow {mathrm{Z}} {mathrm{Z}} $$ production cross sections and constraints on anomalous triple gauge couplings at $$sqrt{s} = 13,ext {TeV} $$. European Physical Journal C, 2021, 81, 200.$    | 1.4 | 24        |
| 16 | Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                                   | 1.6 | 15        |
| 17 | Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                      | 1.6 | 26        |
| 18 | Search for new physics in top quark production with additional leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.                     | 1.6 | 12        |

| #  | Article  | IF               | CITATIONS        |
|----|--|------------------|------------------|
| 19 | Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6              | 5                |
| 20 | Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6              | 28               |
| 21 | Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.   | 1.4              | 12               |
| 22 | Angular analysis of the decay B+ $\hat{a}$ †' K $\hat{a}$ ^-(892)+ $\hat{l}$ 1/4+ $\hat{l}$ 1/4 $\hat{a}$ °' in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 8<br>1.6         | 9                |
| 23 | Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{5}{100} = 13$ , ext $\frac{7}{100} = 13$ , where $\frac{7}{100} = 13$ , and $\frac{7}{100} = 13$ , where $\frac{7}{100} = 13$ , and $\frac{7}{100} = 13$ , where $\frac{7}{100} = 13$ , and $\frac{7}{100} = 13$ ,   | 1.4              | 40               |
| 24 | Measurement of b jet shapes in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6              | 4                |
| 25 | First measurement of large area jet transverse momentum spectra in heavy-ion collisions. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6              | 11               |
| 26 | Study of Drell-Yan dimuon production in proton-lead collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6              | 3                |
| 27 | Measurements of the differential cross sections of the production of Z + jets and $\hat{I}^3$ + jets and of Z boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6              | 2                |
| 28 | In-medium modification of dijets in PbPb collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6              | 5                |
| 29 | Measurement of the Z boson differential production cross section using its invisible decay mode (Z →) Tj ETQq1 Physics, 2021, 2021, 1.   | 1 0.78431<br>1.6 | .4 rgBT /Ov<br>2 |
| 30 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.  | 1.4              | 35               |
| 31 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6              | 27               |
| 32 | Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6              | 62               |
| 33 | MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.   | 1.4              | 18               |
| 34 | Search for a heavy vector resonance decaying to a $f(Z)_{\mathrm{S}}^{\mathrm{S}} = 13$ , where $f(Z)_{\mathrm{S}}^{\mathrm{S}} = 13$ , where $f(Z)_{\mathrm{S}}^{\mathrm{S}} = 13$ , we have $f(Z)_{\mathrm{S}}^{\mathrm{S}} = 13$ , where $f(Z)_{\mathrm{S}}^$ | 1.4              | 9                |
| 35 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.   | 1.4              | 19               |
| 36 | Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ sollisions. European Physical Journal C, 2021, 81, 852.   | 1.4              | 2                |

| #  | Article  | IF            | CITATIONS |
|----|--|---------------|-----------|
| 37 | Precision luminosity measurement in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.   | 1.4           | 123       |
| 38 | Search for chargino-neutralino production in events with Higgs and W bosons using 137 fbâ^1 of proton-proton collisions at $\$ sqrt{s} $\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6           | 8         |
| 39 | Measurements of the pp $\hat{a}$ †' $\hat{W}$ A± $\hat{I}$ 3 $\hat{I}$ 3 and pp $\hat{a}$ †' $\hat{Z}$ 1 $\hat{I}$ 3 $\hat{I}$ 3 cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1. | on<br>1.6     | 7         |
| 40 | Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.  | 1.4           | 18        |
| 41 | Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the ττbb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6           | 11        |
| 42 | Observation of tW production in the single-lepton channel in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6           | 2         |
| 43 | Measurement of prompt open-charm production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6           | 2         |
| 44 | Measurement of the inclusive and differential t\$\$ overline{t} $\$\$\hat{I}^3$ cross sections in the single-lepton channel and EFT interpretation at $\$\$$ sqrt{s} $\$\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6           | 3         |
| 45 | Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6           | 5         |
| 46 | Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6           | 8         |
| 47 | Search for a heavy resonance decaying to a top quark and a W boson at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6           | 1         |
| 48 | The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6           | 4         |
| 49 | Investigation into the event-activity dependence of $\ddot{l}'(nS)$ relative production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6           | 12        |
| 50 | Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6           | 11        |
| 51 | A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.   | 1.3           | 21        |
| 52 | Search for electroweak production of a vector-like T quark using fully hadronic final states. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6           | 14        |
| 53 | Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6           | 14        |
| 54 | Measurement of properties of \$\$ {mathrm{B}}_{{mathrm{s}}}^0 \$\$a†' $1^{1}/4+1^{1}/4$ a^' decays and search for B0a†' $1^{1}/4+1$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.  | 1/4â^'<br>1.6 | 41        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | Search for a light pseudoscalar Higgs boson in the boosted μμττ final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 23        |
| 56 | Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \leq  s  = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.   | 0.5 | 27        |
| 57 | Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 10        |
| 58 | Measurement of the cross section for $\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.                 | 1.6 | 5         |
| 59 | Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.                                     | 1.6 | 41        |
| 60 | Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 37        |
| 61 | Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.   | 0.5 | 3         |
| 62 | Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$\$qrt\{s\} = 5.02\$\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.                  | 1.4 | 7         |
| 63 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{5}=13$ , {ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752. | 1.4 | 23        |
| 64 | Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 25        |
| 65 | Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a} \leq  x  = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.  | 0.5 | 84        |
| 66 | Search for decays of the 125 GeV Higgs boson into a Z boson and a ϕor ϕ meson. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 6         |
| 67 | Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.                                      | 1.6 | 21        |
| 68 | Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 66        |
| 69 | Search for supersymmetry in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.                            | 1.6 | 4         |
| 70 | Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 20        |
| 71 | Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.                                   | 1.6 | 2         |
| 72 | Search for new neutral Higgs bosons through the $\$ mathrm{H}o mathrm{ZA}o {ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.         | 1.6 | 27        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.  | 1.4 | 22        |
| 74 | Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\mbox{smathrm {PbPb}$$ collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 2.76$$ and 5.02$$,ext {TeV}$$. European Physical Journal C, 2020, 80, 534.$   | 1.4 | 14        |
| 75 | Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 20        |
| 76 | Determination of the strong coupling constant $\hat{l}\pm S(mZ)$ from measurements of inclusive $W\hat{A}\pm$ and Z boson production cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 7 and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 6         |
| 77 | Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\$ sqrt{s} $\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 7         |
| 78 | Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.   | 1.4 | 11        |
| 79 | Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 1         |
| 80 | Evidence for $\$$ ext $\{W\}$ ext $\{W\}$ \$\$ production from double-parton interactions in protonacollisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2020, 80, 1.   | 1.4 | 10        |
| 81 | Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.  | 1.4 | 78        |
| 82 | Searches for physics beyond the standard model with the $M_{mathrm {T2}}$ variable in hadronic final states with and without disappearing tracks in protonâe"proton collisions at $s=13,ext \{Te\}$ European Physical Journal C, 2020, 80, 3.   | 1.4 | 70        |
| 83 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements.<br>European Physical Journal C, 2020, 80, 4.  | 1.4 | 198       |
| 84 | Search for lepton flavour violating decays of a neutral heavy Higgs boson to $1\frac{1}{4}$ , and ei, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 15        |
| 85 | A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy<br>Physics, 2020, 2020, 1.   | 1.6 | 20        |
| 86 | Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 25        |
| 87 | Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 14        |
| 88 | A multi-dimensional search for new heavy resonances decaying to boosted $\$ ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$ \$\$ext{ Z }{}{}\$\$ \$\$ext{ Z }{}{}\$\$ \$\$ext{ Z }{}{}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237. | 1.4 | 31        |
| 89 | Measurement of the top quark pair production cross section in dilepton final states containing one $\ddot{l}$ , lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 2         |
| 90 | Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 26        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 8         |
| 92  | Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 13        |
| 93  | Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.  | 1.4 | 5         |
| 94  | Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ $\in$ proton collisions at $\frac{1}{s}=13$ \$, ext $Te$ ext $V$ \$. European Physical Journal C, 2020, 80, 370.   | 1.4 | 22        |
| 95  | Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two $\ddot{l}$ , leptons and two jets in proton-proton collisions at \$\$ $q^{2} = 13 $ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 33        |
| 96  | Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 5         |
| 97  | Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 13        |
| 98  | Inclusive search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 3         |
| 99  | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 17        |
| 100 | Search for excited leptons in $\hat{a}$ , " $\hat{a}$ ," " $\hat{a}$ " final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 3         |
| 101 | Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 24        |
| 102 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ qrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.  | 1.4 | 9         |
| 103 | Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\}_{}^{}\}\}$ $\{0\}$ \$\$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_}{mathrm {NN}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.  | 1.4 | 33        |
| 104 | Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$   | 1.4 | 35        |
| 105 | Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ . European Physical Journal C, 2019, 79, 564.   | 1.4 | 50        |
| 106 | Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 8         |
| 107 | Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.   | 1.4 | 40        |
| 108 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$ , ext $f(x) = 13$ , | 1.4 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Search for charged Higgs bosons in the H± â†' $\ddot{l}$ ,± $\dot{l}$ /2 $\ddot{l}$ , decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 54        |
| 110 | Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.   | 1.4 | 4         |
| 111 | Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 13        |
| 112 | Search for a low-mass $\ddot{\parallel}$ , $\hat{a}$ , $\ddot{\parallel}$ , + resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 9         |
| 113 | Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to $\ddot{\ }$ , leptons. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 7         |
| 114 | Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}^4/4\hat{a}^*$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 5         |
| 115 | Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$\$qrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.  | 1.4 | 355       |
| 116 | Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.  | 1.4 | 11        |
| 117 | Measurements of the pp $\hat{a}^{*}$ WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 14        |
| 118 | Measurement of the $f(t) = \frac{1}{2} $ Measurement of $f(t$ | 1.4 | 68        |
| 119 | Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.  | 1.4 | 12        |
| 120 | Search for nonresonant Higgs boson pair production in the $\$$ mathrm{b}overline{mathrm{b}} mathrm{b}} s final state at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 11        |
| 121 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.  | 1.4 | 29        |
| 122 | Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 13        |
| 123 | Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.   | 1.4 | 48        |
| 124 | Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ $\in$ proton collisions at $\$$ qrt $\{s\} = 13$ , ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.  | 1.4 | 34        |
| 125 | Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.   | 1.4 | 11        |
| 126 | Search for rare decays of $\frac{Z}$ \$ Z and Higgs bosons to $\frac{J}{psi} $ \$ J / $\tilde{\Gamma}$ and a photon in proton-proton collisions at $\frac{s}$ \$ = 13 \$\$,ext {TeV}\$ TeV. European Physical Journal C, 2019, 79, 94.   | 1.4 | 20        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 127 | Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 15        |
| 128 | Measurements of $\$ mathrm{t}-overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 28        |
| 129 | Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1. | 1.6 | 28        |
| 130 | Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 6         |
| 131 | Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 14        |
| 132 | Search for resonant $\$ mathrm{t}-overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 23        |
| 133 | Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 14        |
| 134 | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at $13\text{TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 12        |
| 135 | Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 40        |
| 136 | Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.  | 1.4 | 18        |
| 137 | Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a€™â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 10        |
| 138 | Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\frac{p}{mathrm{p}}$ collisions at $\frac{s}{r} = 8$ , ext $TeV$ \$. European Physical Journal C, 2019, 79, 969.   | 1.4 | 6         |
| 139 | Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 18        |
| 140 | Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 11        |
| 141 | Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\frac{1}{5}=13$ ,ext $TeV$ \$. European Physical Journal C, 2019, 79, 893.  | 1.4 | 12        |
| 142 | Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 54        |
| 143 | Search for new physics in top quark production in dilepton final states in proton-proton collisions at $s=13,ext TeV$ \$. European Physical Journal C, 2019, 79, 886.  | 1.4 | 16        |
| 144 | Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 13        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Search for supersymmetry using Higgs boson to diphoton decays at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 4         |
| 146 | Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 28        |
| 147 | Search for anomalous triple gauge couplings in WW and WZ production in lepton $+$ jet events in proton-proton collisions at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 15        |
| 148 | Study of the $\$$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} $\$$ \$ decay in proton-proton collisions at $\$$ \$ sqrt{s} $\$$ \$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 3         |
| 149 | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.  | 1.4 | 10        |
| 150 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{NN}}}= $5.02 \$\$$ and $8.16 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 8         |
| 151 | Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ , " $\hat{1}$ / $2\hat{a}$ ," $\hat{1}$ / $2\hat{a}$ | 1.6 | 36        |
| 152 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.   | 1.4 | 27        |
| 153 | Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p â†' Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z â†' 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.  | 1.4 | 52        |
| 154 | Measurement of associated Z + charm production in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.  | 1.4 | 16        |
| 155 | Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 5         |
| 156 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 0         |
| 157 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 5         |
| 158 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 6         |
| 159 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 57        |
| 160 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 63        |
| 161 | Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 4         |
| 162 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                  | 1.6 | 18        |
| 164 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                       | 1.6 | 17        |
| 165 | Search for ZZ resonances in the 2â, "2ν final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 4         |
| 166 | Search for $\$\$$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ mathrm $\{H\}$ $\$\$$ production in the all-jet final state in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.            | 1.6 | 20        |
| 167 | Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.                                    | 1.6 | 9         |
| 168 | Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 12        |
| 169 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                            | 1.6 | 11        |
| 170 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                        | 1.6 | 19        |
| 171 | Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 43        |
| 172 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 12        |
| 173 | Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{l}$ , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 34        |
| 174 | Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 26        |
| 175 | Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                     | 1.6 | 13        |
| 176 | Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 17        |
| 177 | Measurement of the top quark mass with lepton+jets final states using \$\$mathrm {p}\$\$\$mathrm {p}\$\$\$ collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2018, 78, 891.   | 1.4 | 34        |
| 178 | Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                     | 1.6 | 18        |
| 179 | Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 57        |
| 180 | Event shape variables measured using multijet final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 23        |
| 182 | Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.      | 1.6 | 82        |
| 183 | Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 17        |
| 184 | Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                | 1.6 | 17        |
| 185 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 14        |
| 186 | Search for supersymmetry in events with a $\ddot{I}$ , lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                 | 1.6 | 21        |
| 187 | Search for the decay of a Higgs boson in the $\hat{a}$ , " $\hat{a}$ , " $\hat{a}$ " channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                       | 1.6 | 17        |
| 188 | Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.                        | 1.4 | 46        |
| 189 | Measurement of differential cross sections for $\{z\}$ boson production in association with jets in proton-proton collisions at $\{z\}$ = 13,ext $\{z\}$ \$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.        | 1.4 | 39        |
| 190 | Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 $\hat{a}$ — ( 5840 ) 0 and \$\${mathrm {B}}  |     |           |
|     |  |     |           |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / $\hat{I}^3$ â^— â†' $\hat{I}$ ,, $\hat{I}$ , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708. | 1.4 | 10        |
| 200 | Search for vector-like T and B quark pairs in final states with leptons at $\$\$ $ sqrt $\$\$=13 \$\$ $ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 42        |
| 201 | Search for dark matter produced in association with a Higgs boson decaying to $\hat{l}^3\hat{l}^3$ or $\hat{l}_* + \hat{l}_*$ $\hat{a}^2$ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 12        |
| 202 | Search for additional neutral MSSM Higgs bosons in the $\ddot{l}$ , $\ddot{l}$ , final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 73        |
| 203 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 11        |
| 204 | Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 34        |
| 205 | Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 10        |
| 206 | Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 35        |
| 207 | Search for beyond the standard model Higgs bosons decaying into a $\$\$$ mathrm{b}overline{mathrm{b}} $\$\$$ pair in pp collisions at $\$\$$ sqrt{s}=13 $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 21        |
| 208 | Measurement of the weak mixing angle using the forwardâ€"backward asymmetry of Drellâ€"Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.  | 1.4 | 58        |
| 209 | Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.   | 1.4 | 83        |
| 210 | Search for lepton flavour violating decays of the Higgs boson to $\hat{l}\sqrt[4]{}$ , and $\hat{e}$ , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 29        |
| 211 | Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\ddot{l}$ , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                          | 1.6 | 38        |
| 212 | Electroweak production of two jets in association with a Z boson in protonâ $\in$ "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.   | 1.4 | 17        |
| 213 | Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 29        |
| 214 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 20        |
| 215 | Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 16        |
| 216 | Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{l}$ , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 15        |
| 218 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 13        |
| 219 | Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 62        |
| 220 | Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 31        |
| 221 | Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 86        |
| 222 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 42        |
| 223 | Jet properties in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{N};mathrm{N}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 13        |
| 224 | Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 37        |
| 225 | Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.  | 1.4 | 44        |
| 226 | Measurement of b hadron lifetimes in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$\$,ext \{Te\}ext \{V\}\$\$ TeV.$ European Physical Journal C, 2018, 78, 457.   | 1.4 | 15        |
| 227 | Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell ) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV} )., 2018, 78, 1.                              |     | 3         |
| 228 | Measurement of b hadron lifetimes in pp collisions at (sqrt $\{s\} = 8$ ) (,ext $\{Te\}$ ext $\{V\}$ )., 2018, 78, 1.   |     | 1         |
| 229 | Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t  production cross section using events in the \$\$mathrm {e}mu \$\$ e μ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.                    | 1.4 | 40        |
| 230 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 54        |
| 231 | Search for electroweak production of charginos in final states with two $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 11        |
| 232 | Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.   | 1.4 | 16        |
| 233 | Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}$ \$ TeV and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}$ \$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.           | 1.4 | 37        |
| 234 | Measurement of prompt and nonprompt $\$$ mathrm{J}/{psi}\$\$J/ $\ddot{\Gamma}$ production in $\$$ mathrm {p}mathrm {p}\$\$ p p and $\$$ mathrm {p}mathrm {Pb}\$\$ p Pb collisions at $\$$ sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269. | 1.4 | 53        |

| #   | Article  | IF               | CITATIONS |
|-----|--|------------------|-----------|
| 235 | A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$                                  | 1.4              | 29        |
| 236 | Search for new physics in the monophoton final state in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6              | 17        |
| 237 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt{s} = $8$ \$, s = $8$ \$, ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.             | 1.4              | 52        |
| 238 | Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{N}}}= $5.02 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6              | 103       |
| 239 | Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.    | 1.6              | 22        |
| 240 | Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.             | 1.6              | 14        |
| 241 | Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6              | 48        |
| 242 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 $ \$\$ $sqrt{s}=7 $ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.                              | 1.6              | 35        |
| 243 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                                   | 1.6              | 13        |
| 244 | Measurement of the semileptonic t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ + $\hat{I}^3$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                              | 1.6              | 11        |
| 245 | Measurements of the pp $\hat{a}$ †' $\hat{W}^{\hat{3}\hat{3}}$ and pp $\hat{a}$ †' $\hat{Z}^{\hat{3}\hat{3}}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | <sup>S</sup> 1.6 | 10        |
| 246 | Search for new phenomena with the $M_{\text{mathrm }T2}$ M T 2 variable in the all-hadronic final state produced in protonâe proton collisions at $\frac{5}{5} = 13$ s, ext $TeV$ TeV. European Physical Journal C, 2017, 77, 710.                           | 1.4              | 98        |
| 247 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6              | 14        |
| 248 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6              | 23        |
| 249 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6              | 14        |
| 250 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6              | 23        |
| 251 | Suppression and azimuthal anisotropy of prompt and nonprompt $f(x) = 1 $ production in PbPb collisions at $f(x) = 1 $ production Physical Journal C, 2017, 77, 252.  | 1.4              | 82        |
| 252 | Searches for pair production of third-generation squarks in $\frac{13}{s} = 13$ , ext $TeV$ pp collisions. European Physical Journal C, 2017, 77, 327.   | 1.4              | 32        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ or $s=8$  | 1.4 | 23        |
| 254 | Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 95        |
| 255 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 22        |
| 256 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.   | 1.4 | 38        |
| 257 | Measurement of electroweak-induced production of $\hat{Wl^3}$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 17        |
| 258 | Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 8         |
| 259 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 10        |
| 260 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 22        |
| 261 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 15        |
| 262 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 27        |
| 263 | Search for top squark pair production in pp collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 31        |
| 264 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 15        |
| 265 | Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 15        |
| 266 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 5         |
| 267 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ $\in$ proton collisions at $\frac{5}{100} = 13$ ,ext $\frac{70}{100} = 13$ | 1.4 | 57        |
| 268 | Search for top quark partners with charge $5/3$ in proton-proton collisions at $s = 13 $ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 3         |
| 269 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 29        |
| 270 | Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 17        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$\$ sqrt $s=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 21        |
| 272 | Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 15        |
| 273 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 62        |
| 274 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                               | 1.6 | 41        |
| 275 | Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.  | 1.4 | 2         |
| 276 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.   | 1.4 | 38        |
| 277 | Search for high-mass $Z^{\hat{j}3}$ resonances in e+eâ <sup>-</sup> ' $\hat{i}^3$ and $\hat{i}^1/4 + \hat{i}^1/4$ â <sup>-</sup> ' $\hat{i}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 7         |
| 278 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\ddot{l}$ , leptons and two jets in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                      | 1.6 | 22        |
| 279 | Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 4         |
| 280 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ spaces and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.   | 1.4 | 23        |
| 281 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 10        |
| 282 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                                 | 1.6 | 14        |
| 283 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 101       |
| 284 | Measurements of the associated production of a Z boson and b jets in pp collisions at $\{s\} = 8$ , ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.   | 1.4 | 30        |
| 285 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 11        |
| 286 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 23        |
| 287 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = $2.76$ \$\$ sqrt{s_{mathrm{N};mathrm{N}}}= $2.76$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 18        |
| 288 | Measurement of the double-differential inclusive jet cross section in proton $\hat{s}$ "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.  | 1.4 | 55        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 289 | Measurement of the $f(W) ^{+} \$ mathrm $W ^{-} \$ where $f(W) = 0$ in percollisions at $f(W) = 0$ in the second limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.  | 1.4 | 74        |
| 290 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.   | 1.4 | 33        |
| 291 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 17        |
| 292 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm $\{e\}$ mu \$\$ e $\hat{l}\frac{1}{4}$ pair in protonâ $\in$ "proton collisions at \$\$sqrt $\{s\}=8-ext\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317. | 1.4 | 16        |
| 293 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 5         |
| 294 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = $2.76$ \$\$ sqrt{s_{mathrm{NN}}}= $2.76$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 31        |
| 295 | Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 27        |
| 296 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 7         |
| 297 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 13        |
| 298 | Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8<br>\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.  | 1.4 | 25        |
| 299 | Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.   | 1.4 | 64        |
| 300 | Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.   | 1.4 | 16        |
| 301 | Search for dark matter particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 4         |
| 302 | Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 14        |
| 303 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$$ sqrt $s_{mathrm}$ =5.02,mathrm $TeV$ \$\$ s NN. European Physical Journal C, 2016, 76, 372.  | 1.4 | 29        |
| 304 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 19        |
| 305 | Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the el\(^4\) channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 41        |
| 306 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 17        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 13        |
| 308 | Evidence for exclusive $\hat{1}^3\hat{1}^3$ $\hat{a}^4$ ' W + W $\hat{a}^2$ ' production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 42        |
| 309 | Search for supersymmetry in pp collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 14        |
| 310 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$ ; ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.   | 1.4 | 18        |
| 311 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$ sqrt $\{s\}=7 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 20        |
| 312 | Phenomenological MSSM interpretation of CMS searches in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 12        |
| 313 | Measurement of the mass of the top quark in decays with a J/l^ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 6         |
| 314 | Measurement of $\mbox{mathrm {t}-verline{mathrm {t}}}$ tt $\mbox{$\hat{A}^{-}$}$ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.   | 1.4 | 34        |
| 315 | Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ mathrm $\{w\}^{p}$ p $\{p\}$ $\{p\}$ w $\{p\}$ p | 1.4 | 83        |
| 316 | Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 23        |
| 317 | Search for Wâ $\in$ 2 → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 3         |
| 318 | Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 29        |
| 319 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 5         |
| 320 | Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 16        |
| 321 | Measurement of the $\mbox{mathrm}{t}$ overline ${\{\mbox{mathrm}{t}\}}$ \$\$ t t $\mbox{$\hat{A}^{-}$}$ production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.  | 1.4 | 41        |
| 322 | Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.   | 1.4 | 499       |
| 323 | Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ $\hat{a}$ ," $\hat{l}$ /2 b b $\hat{A}$ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.  | 1.4 | 30        |
| 324 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 16        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 15        |
| 326 | Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + j$ ets and $e\hat{A}\pm \hat{l}\frac{1}{4}\hat{A}\pm + j$ ets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 35        |
| 327 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                   | 1.6 | 19        |
| 328 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.                               | 1.4 | 62        |
| 329 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                    | 1.6 | 8         |
| 330 | Search for third-generation scalar leptoquarks in the $t\ddot{i}$ , channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 24        |
| 331 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $s = 8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 37        |
| 332 | Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 81        |
| 333 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 12        |
| 334 | Search for a light charged Higgs boson decaying to c s $\hat{A}^-$ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.                                      | 1.6 | 44        |
| 335 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 1         |
| 336 | Search for a Higgs boson in the mass range from $145$ to $1000$ GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, $2015$ , $2015$ , $1$ .  | 1.6 | 92        |
| 337 | Comparison of the $Z/\hat{i}^3$ $\hat{a}$ — + jets to $\hat{i}^3$ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 6         |
| 338 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 30        |
| 339 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \$\$$ sqrt $\{s\}=2.76 \$\$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 10        |