Michael Bauer

List of Publications by Citations

Source: https://exaly.com/author-pdf/3672579/michael-bauer-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 19,698 376 130 h-index g-index citations papers 6.41 430 24,257 5.5 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
376	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
375	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360,	33.3	666
374	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
373	Pharmacogenetics of antidepressants and antipsychotics: the contribution of allelic variations to the phenotype of drug response. <i>Molecular Psychiatry</i> , 2004 , 9, 442-73	15.1	575
372	Neuropilin-1 is a host factor for SARS-CoV-2 infection. <i>Science</i> , 2020 , 370, 861-865	33.3	568
371	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. Brain Imaging and Behavior, 2014 , 8, 153-82	4.1	539
370	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
369	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
368	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders, part 1: update 2013 on the acute and continuation treatment of unipolar depressive disorders. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 334-85	3.8	346
367	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
366	Bipolar disorder. <i>Lancet, The</i> , 2002 , 359, 241-7	40	305
365	Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1710-1716	15.1	283
364	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Acute and continuation treatment of major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 5-43	3.8	252
363	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. <i>World Journal of Biological Psychiatry</i> , 2007 , 8, 67-104	3.8	249
362	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014 , 5, 3339	17.4	248
361	The thyroid-brain interaction in thyroid disorders and mood disorders. <i>Journal of Neuroendocrinology</i> , 2008 , 20, 1101-14	3.8	239
360	A double-blind, placebo-controlled study of quetiapine and lithium monotherapy in adults in the acute phase of bipolar depression (EMBOLDEN I). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 150-62	4.6	239

(2016-2002)

359	Thyroid hormones, serotonin and mood: of synergy and significance in the adult brain. <i>Molecular Psychiatry</i> , 2002 , 7, 140-56	15.1	232
358	Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. <i>American Journal of Human Genetics</i> , 2011 , 88, 372-81	11	221
357	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	40	216
356	Single-dose infusion ketamine and non-ketamine N-methyl-d-aspartate receptor antagonists for unipolar and bipolar depression: a meta-analysis of efficacy, safety and time trajectories. <i>Psychological Medicine</i> , 2016 , 46, 1459-72	6.9	210
355	Lithium augmentation in treatment-resistant depression: meta-analysis of placebo-controlled studies. <i>Journal of Clinical Psychopharmacology</i> , 1999 , 19, 427-34	1.7	192
354	Does thyroid supplementation accelerate tricyclic antidepressant response? A review and meta-analysis of the literature. <i>American Journal of Psychiatry</i> , 2001 , 158, 1617-22	11.9	190
353	Response and remission criteria in major depressiona validation of current practice. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1063-8	5.2	174
352	Echocardiographic speckle-tracking based strain imaging for rapid cardiovascular phenotyping in mice. <i>Circulation Research</i> , 2011 , 108, 908-16	15.7	172
351	Benefits from aerobic exercise in patients with major depression: a pilot study. <i>British Journal of Sports Medicine</i> , 2001 , 35, 114-7	10.3	171
350	Acceleration and augmentation of antidepressants with lithium for depressive disorders: two meta-analyses of randomized, placebo-controlled trials. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 935-40	4.6	163
349	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
348	Extended-release quetiapine as adjunct to an antidepressant in patients with major depressive disorder: results of a randomized, placebo-controlled, double-blind study. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 540-9	4.6	152
347	Temporal relation between sleep and mood in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2006 , 8, 160-7	3.8	145
346	Bipolar mixed states: an international society for bipolar disorders task force report of symptom structure, course of illness, and diagnosis. <i>American Journal of Psychiatry</i> , 2013 , 170, 31-42	11.9	135
345	A randomised, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>British Journal of Sports Medicine</i> , 2007 , 41, 29-33	10.3	135
344	Double-blind, placebo-controlled trial of the use of lithium to augment antidepressant medication in continuation treatment of unipolar major depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1429	9- 35 9	135
343	Prescribing patterns of antidepressants in Europe: results from the Factors Influencing Depression Endpoints Research (FINDER) study. <i>European Psychiatry</i> , 2008 , 23, 66-73	6	128
342	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125

341	Does early improvement triggered by antidepressants predict response/remission? Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>Journal of Affective Disorders</i> , 2009 , 115, 439-49	6.6	125
340	Lithium for prevention of mood episodes in bipolar disorders: systematic review and meta-analysis. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 15	5.4	123
339	Time experience and time judgment in major depression, mania and healthy subjects. A controlled study of 93 subjects. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 222-9	6.5	123
338	Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed? A systematic review. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 387-400	5.1	120
337	Supraphysiological doses of levothyroxine alter regional cerebral metabolism and improve mood in bipolar depression. <i>Molecular Psychiatry</i> , 2005 , 10, 456-69	15.1	119
336	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders. part 2: maintenance treatment of major depressive disorder-update 2015. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 76-95	3.8	116
335	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013 , 8, e65636	3.7	113
334	Comparative efficacy, acceptability, and tolerability of augmentation agents in treatment-resistant depression: systematic review and network meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e487-	9 8 .6	111
333	The International Consortium on Lithium Genetics (ConLiGen): an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> , 2010 , 62, 72-8	4	109
332	Atypical Antipsychotic Augmentation for Treatment-Resistant Depression: A Systematic Review and Network Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18, pyv060	5.8	107
331	The suicide prevention effect of lithium: more than 20 years of evidence-a narrative review. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 32	5.4	106
330	Mood episodes and mood disorders: patterns of incidence and conversion in the first three decades of life. <i>Bipolar Disorders</i> , 2009 , 11, 637-49	3.8	104
329	Algorithms and collaborative-care systems for depression: are they effective and why? A systematic review. <i>Biological Psychiatry</i> , 2006 , 59, 1029-38	7.9	102
328	Treatment of refractory depression with high-dose thyroxine. <i>Neuropsychopharmacology</i> , 1998 , 18, 444	- 5 57	101
327	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 2: Maintenance treatment of major depressive disorder and treatment of chronic depressive disorders and subthreshold depressions. <i>World Journal of</i>	3.8	101
326	Brain glucose metabolism in hypothyroidism: a positron emission tomography study before and after thyroid hormone replacement therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2922-9	5.6	96
325	Epidemiology of bipolar disorders. <i>Epilepsia</i> , 2005 , 46 Suppl 4, 8-13	6.4	96
324	Using technology to improve longitudinal studies: self-reporting with ChronoRecord in bipolar disorder. <i>Bipolar Disorders</i> , 2004 , 6, 67-74	3.8	93

(2008-2001)

323	Thyroid hormone, neural tissue and mood modulation. <i>World Journal of Biological Psychiatry</i> , 2001 , 2, 59-69	3.8	91
322	Neuroprotective effect of lithium on hippocampal volumes in bipolar disorder independent of long-term treatment response. <i>Psychological Medicine</i> , 2014 , 44, 507-17	6.9	88
321	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
320	Response to lithium augmentation in depression is associated with the glycogen synthase kinase 3-beta -50T/C single nucleotide polymorphism. <i>Biological Psychiatry</i> , 2007 , 62, 1295-302	7.9	81
319	Treatment of intractable non-rapid cycling bipolar affective disorder with high-dose thyroxine: an open clinical trial. <i>Neuropsychopharmacology</i> , 1994 , 10, 183-9	8.7	79
318	Lithiumß emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> , 2010 , 62, 36-42	4	78
317	Pharmacological treatment of unipolar depressive disorders: summary of WFSBP guidelines. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 166-176	2.4	75
316	Clinical use of lithium salts: guide for users and prescribers. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 16	5.4	75
315	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
314	The effect of venlafaxine compared with other antidepressants and placebo in the treatment of major depression: a meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 172-85	5.1	75
313	Role of lithium augmentation in the management of major depressive disorder. <i>CNS Drugs</i> , 2014 , 28, 331-42	6.7	74
312	Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1047-54	4.6	68
311	Risk constellations prior to the development of bipolar disorders: rationale of a new risk assessment tool. <i>Journal of Affective Disorders</i> , 2012 , 136, 1000-10	6.6	66
310	Diagnostic guidelines for bipolar disorder: a summary of the International Society for Bipolar Disorders Diagnostic Guidelines Task Force Report. <i>Bipolar Disorders</i> , 2008 , 10, 117-28	3.8	66
309	Ethical perspectives on recommending digital technology for patients with mental illness. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 6	5.4	65
308	A pooled analysis of two randomised, placebo-controlled studies of extended release quetiapine fumarate adjunctive to antidepressant therapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2010 , 127, 19-30	6.6	65
307	The characteristics of sleep in patients with manifest bipolar disorder, subjects at high risk of developing the disease and healthy controls. <i>Journal of Neural Transmission</i> , 2012 , 119, 1173-84	4.3	64
306	Rapid cycling bipolar disorderdiagnostic concepts. <i>Bipolar Disorders</i> , 2008 , 10, 153-62	3.8	63

305	Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>European Neuropsychopharmacology</i> , 2010 , 20, 346-55	1.2	61
304	Efficacy of an algorithm-guided treatment compared with treatment as usual: a randomized, controlled study of inpatients with depression. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 327-33	3 ^{1.7}	61
303	Clinical predictors of response and remission in inpatients with depressive syndromes. <i>Journal of Affective Disorders</i> , 2011 , 133, 137-49	6.6	60
302	Efficacy and mechanisms of action of lithium augmentation in refractory major depression. <i>Current Pharmaceutical Design</i> , 2006 , 12, 2985-92	3.3	58
301	Effectiveness and feasibility of a standardized stepwise drug treatment regimen algorithm for inpatients with depressive disorders: results of a 2-year observational algorithm study. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 782-90	4.6	57
300	Gender differences in thyroid system function: relevance to bipolar disorder and its treatment. <i>Bipolar Disorders</i> , 2014 , 16, 58-71	3.8	56
299	Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> , 2002 , 27, 470-8	8.7	56
298	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018 , 20, 419	3.8	54
297	Smartphone-based objective monitoring in bipolar disorder: status and considerations. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 6	5.4	54
296	Memory improvement with treatment of hypothyroidism. <i>International Journal of Neuroscience</i> , 2006 , 116, 895-906	2	54
295	Predictors of response to lithium augmentation in tricyclic antidepressant-resistant depression. Journal of Affective Disorders, 2001 , 64, 261-5	6.6	54
294	Smartphones in mental health: a critical review of background issues, current status and future concerns. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 2	5.4	53
293	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0171595	3.7	53
292	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. Lancet Psychiatry, the, 2018 , 5, 930-939	23.3	53
291	Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015 , 5, e678	8.6	52
290	Depression, anxiety disorders, and metabolic syndrome in a population at risk for type 2 diabetes mellitus. <i>Brain and Behavior</i> , 2015 , 5, e00306	3.4	52
289	Big data are coming to psychiatry: a general introduction. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 21	5.4	52
288	Self-reporting software for bipolar disorder: validation of ChronoRecord by patients with mania. <i>Psychiatry Research</i> , 2008 , 159, 359-66	9.9	52

(2014-2003)

287	Implications of the neuroprotective effects of lithium for the treatment of bipolar and neurodegenerative disorders. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S250-4	2	52
286	Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 440-8	4.8	52
285	Extended-release quetiapine fumarate (quetiapine XR) monotherapy and quetiapine XR or lithium as add-on to antidepressants in patients with treatment-resistant major depressive disorder. Journal of Affective Disorders, 2013, 151, 209-19	6.6	51
284	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 27	5.4	50
283	Disturbed sleep as risk factor for the subsequent onset of bipolar disorderData from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2015 , 68, 76-82	5.2	49
282	The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , 2011 , 13, 227-37	3.8	49
281	Thyroid hypofunction in patients with rapid-cycling bipolar disorder after lithium challenge. <i>Biological Psychiatry</i> , 2003 , 53, 899-905	7.9	49
280	Psychological and endocrine abnormalities in refugees from East Germany: Part I. Prolonged stress, psychopathology, and hypothalamic-pituitary-thyroid axis activity. <i>Psychiatry Research</i> , 1994 , 51, 61-73	9.9	47
279	Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> , 2002 , 27, 620-8	8.7	46
278	Neuropilin-1 is a host factor for SARS-CoV-2 infection		45
278 277	Neuropilin-1 is a host factor for SARS-CoV-2 infection Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302	6.6	45
	Quality of life outcomes among patients with depression after 6 months of starting treatment:	6.6	
277	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302		44
² 77 276	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302 Early recognition of bipolar disorder. <i>European Psychiatry</i> , 2007 , 22, 92-8 Does prophylaxis-delay in bipolar disorder influence outcome? Results from a long-term study of	6	44
² 77 ² 76 ² 75	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302 Early recognition of bipolar disorder. <i>European Psychiatry</i> , 2007 , 22, 92-8 Does prophylaxis-delay in bipolar disorder influence outcome? Results from a long-term study of 147 patients. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 260-7 Early mood swings as symptoms of the bipolar prodrome: preliminary results of a retrospective	6.5	44 42 41
² 77 ² 76 ² 75 ² 74	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302 Early recognition of bipolar disorder. <i>European Psychiatry</i> , 2007 , 22, 92-8 Does prophylaxis-delay in bipolar disorder influence outcome? Results from a long-term study of 147 patients. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 260-7 Early mood swings as symptoms of the bipolar prodrome: preliminary results of a retrospective analysis. <i>Psychopathology</i> , 2009 , 42, 337-42 Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar	6.5	44 42 41 40
277 276 275 274 273	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. <i>Journal of Affective Disorders</i> , 2009 , 113, 296-302 Early recognition of bipolar disorder. <i>European Psychiatry</i> , 2007 , 22, 92-8 Does prophylaxis-delay in bipolar disorder influence outcome? Results from a long-term study of 147 patients. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 260-7 Early mood swings as symptoms of the bipolar prodrome: preliminary results of a retrospective analysis. <i>Psychopathology</i> , 2009 , 42, 337-42 Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar disorder: 2-centre study. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 185-92 Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in	6 6.5 3.4 4.5	44 42 41 40 40

269	Increased depressive behaviour in mice harboring the mutant thyroid hormone receptor alpha 1. <i>Behavioural Brain Research</i> , 2010 , 214, 187-92	3.4	37
268	Approximate entropy of self-reported mood prior to episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2006 , 8, 424-9	3.8	37
267	Effects of supraphysiological thyroxine administration in healthy controls and patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2002 , 68, 285-94	6.6	37
266	Big data for bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 10	5.4	37
265	Chronic and treatment resistant depression: diagnosis and stepwise therapy. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014 , 111, 766-75; quiz 775	2.5	36
264	Relationship among latitude, climate, season and self-reported mood in bipolar disorder. <i>Journal of Affective Disorders</i> , 2009 , 116, 152-7	6.6	36
263	Presence and predictors of pain in depression: results from the FINDER study. <i>Journal of Affective Disorders</i> , 2010 , 125, 53-60	6.6	36
262	Thyroid, brain and mood modulation in affective disorder: insights from molecular research and functional brain imaging. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S215-21	2	36
261	Lithium® antiviral effects: a potential drug for CoViD-19 disease?. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 21	5.4	36
260	Treatment options for acute depression in bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14 Suppl 2, 37-50	3.8	35
259	The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 181-9	5.8	35
258	Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 162-8	4.6	35
257	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
256	Bone mineral density in pre-and post-menopausal women with affective disorder treated with long-term L-thyroxine augmentation. <i>Journal of Affective Disorders</i> , 2001 , 66, 185-91	6.6	34
255	Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Molecular Psychiatry</i> , 2016 , 21, 229-36	15.1	33
254	Balanced efficacy, safety, and tolerability recommendations for the clinical management of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14 Suppl 2, 1-21	3.8	33
253	Legionella bacteria in shower aerosols increase the risk of Pontiac fever among older people in retirement homes. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 913-20	5.1	33
252	Long-term combination therapy versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 174-82	4.6	33

(2010-2017)

251	How Effective is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 721-730	5.8	32	
250	Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> , 2008 , 41, 252-7	2	32	
249	Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 567-75	5.1	31	
248	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31	
247	Influence of atypical features on the quality of prophylactic effectiveness of long-term lithium treatment in bipolar disorders. <i>Bipolar Disorders</i> , 2010 , 12, 390-6	3.8	31	•
246	How long should the lithium augmentation strategy be maintained? A 1-year follow-up of a placebo-controlled study in unipolar refractory major depression. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 427-30	1.7	31	
245	Osteochondritis dissecans of the elbow. A long-term follow-up study. <i>Clinical Orthopaedics and Related Research</i> , 1992 , 156-60	2.2	31	
244	Drug treatment patterns in bipolar disorder: analysis of long-term self-reported data. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 5	5.4	30	
243	Hypothyroidism and mood disorders: integrating novel insights from brain imaging techniques. <i>Thyroid Research</i> , 2011 , 4 Suppl 1, S3	2.4	30	
242	Self-reported data from patients with bipolar disorder: frequency of brief depression. <i>Journal of Affective Disorders</i> , 2007 , 101, 227-33	6.6	30	
241	Treatment of lithium intoxication: facing the need for evidence. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 23	5.4	29	
240	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261 Suppl 3, 207-45	5.1	29	
239	Using ultrasonography to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. <i>Journal of Affective Disorders</i> , 2007 , 104, 45-51	6.6	29	
238	PsychiatristsPperceptions of potential reasons for non- and partial adherence to medication: results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012 , 143, 125-30	6.6	28	
237	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28	
236	The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>Journal of Psychopharmacology</i> , 2016 , 30, 40-7	4.6	27	
235	Cyber-support: an analysis of online self-help forums (online self-help forums in bipolar disorder). <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 185-90	2.3	27	
234	Subsyndromal mood symptoms: a useful concept for maintenance studies of bipolar disorder?. <i>Psychopathology</i> , 2010 , 43, 1-7	3.4	27	

233	Diagnosis and treatment in the early illness phase of bipolar disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 50-4	5.1	27
232	Mood changes related to antidepressants: a longitudinal study of patients with bipolar disorder in a naturalistic setting. <i>Psychiatry Research</i> , 2005 , 133, 73-80	9.9	27
231	Adult cardiac progenitor cell aggregates exhibit survival benefit both in vitro and in vivo. <i>PLoS ONE</i> , 2012 , 7, e50491	3.7	27
230	The potential influence of LED lighting on mental illness. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 59-73	3.8	26
229	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12	6	26
228	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
227	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013 , 151, 551-560	6.6	26
226	Serotonin transporter gene and response to lithium augmentation in depression. <i>Psychiatric Genetics</i> , 2008 , 18, 92-7	2.9	26
225	Adjunctive thyroid hormone treatment in rapid cycling bipolar disorder: A double-blind placebo-controlled trial of levothyroxine (L-T) and triiodothyronine (T). <i>Bipolar Disorders</i> , 2018 , 20, 594	- 6 63	25
224	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 1	5.4	25
223	Bone mineral density during maintenance treatment with supraphysiological doses of levothyroxine in affective disorders: a longitudinal study. <i>Journal of Affective Disorders</i> , 2004 , 83, 183-90	o ^{6.6}	25
222	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
221	Verbal memory retrieval deficits associated with untreated hypothyroidism. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007 , 19, 132-6	2.7	24
220	Shall we really say goodbye to first rank symptoms?. <i>European Psychiatry</i> , 2016 , 37, 8-13	6	23
219	Frequency of subsyndromal symptoms and employment status in patients with bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 515-22	4.5	23
218	Paroxetine and amitriptyline augmentation of lithium in the treatment of major depression: a double-blind study. <i>Journal of Clinical Psychopharmacology</i> , 1999 , 19, 164-71	1.7	23
217	The Essential Guide to Lithium Treatment 2016 ,		23
216	The E3 Ubiquitin Ligase Mind Bomb 1 Controls Adenovirus Genome Release at the Nuclear Pore Complex. <i>Cell Reports</i> , 2019 , 29, 3785-3795.e8	10.6	23

215	Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	22
214	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1	3 1 .7	22
213	Association between age of onset and mood in bipolar disorder: comparison of subgroups identified by cluster analysis and clinical observation. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1170-5	5.2	22
212	The diagnosis and treatment of bipolar disorder: recommendations from the current s3 guideline. Deutsches Ärzteblatt International, 2013, 110, 92-100	2.5	21
211	Algorithm-guided treatment of depression reduces treatment costsresults from the randomized controlled German Algorithm Project (GAPII). <i>Journal of Affective Disorders</i> , 2011 , 134, 249-56	6.6	21
210	Differential effects of venlafaxine in the treatment of major depressive disorder according to baseline severity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 329-39	5.1	21
209	Changes in self-reported sleep duration predict mood changes in bipolar disorder. <i>Psychological Medicine</i> , 2008 , 38, 1069-71	6.9	21
208	The electronic assessment of the longitudinal course of bipolar disorder: the ChronoRecord software. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S244-9	2	21
207	Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> , 2003 , 36 Suppl 3, S230-4	2	21
206	Regional cardiac dysfunction and dyssynchrony in a murine model of afterload stress. <i>PLoS ONE</i> , 2013 , 8, e59915	3.7	21
205	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
204	Monitoring for antidepressant-associated adverse events in the treatment of patients with major depressive disorder: An international consensus statement. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 330-348	3.8	20
203	Efficacy and Effectiveness of Lithium in the Long-Term Treatment of Bipolar Disorders: An Update 2018. <i>Pharmacopsychiatry</i> , 2018 , 51, 173-176	2	20
202	Early specific cognitive-behavioural psychotherapy in subjects at high risk for bipolar disorders: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 161	2.8	20
201	Factors influencing depression endpoints research (FINDER): study design and population characteristics. <i>European Psychiatry</i> , 2008 , 23, 57-65	6	20
200	Awareness of metabolic concerns in patients with bipolar disorder: a survey of European psychiatrists. <i>European Psychiatry</i> , 2008 , 23, 169-77	6	20
199	Diagnosing bipolar disorders in DSM-5. International Journal of Bipolar Disorders, 2013, 1, 14	5.4	19
198	Psychotherapeutic interventions in individuals at risk of developing bipolar disorder: a systematic review. <i>Microbial Biotechnology</i> , 2014 , 8, 3-11	3.3	19

197	Comparison of paroxetine and amitriptyline as adjunct to lithium maintenance therapy in bipolar depression: a reanalysis of a randomized, double-blind study. <i>Journal of Affective Disorders</i> , 2010 , 126, 453-7	6.6	19
196	Efficacy of quetiapine monotherapy in rapid-cycling bipolar disorder in comparison with sodium valproate. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 555-60	1.7	19
195	"Caseness" for depression and anxiety in a depressed outpatient population: symptomatic outcome as a function of baseline diagnostic categories. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009 , 11, 307-15		19
194	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996	3	18
193	Comparison of sleep/wake parameters for self-monitoring bipolar disorder. <i>Journal of Affective Disorders</i> , 2009 , 116, 170-5	6.6	18
192	Duloxetine: a new selective and dual-acting antidepressant. <i>Expert Opinion on Pharmacotherapy</i> , 2006 , 7, 421-7	4	18
191	Do antidepressants influence mood patterns? A naturalistic study in bipolar disorder. <i>European Psychiatry</i> , 2006 , 21, 262-9	6	18
190	Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2003 , 37, 135-43	5.2	18
189	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
188	Acid ceramidase of macrophages traps herpes simplex virus in multivesicular bodies and protects from severe disease. <i>Nature Communications</i> , 2020 , 11, 1338	17.4	17
187	Availability of prescription drugs for bipolar disorder at online pharmacies. <i>Journal of Affective Disorders</i> , 2016 , 193, 59-65	6.6	17
186	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17
185	Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>Journal of Affective Disorders</i> , 2015 , 173, 126-33	6.6	17
184	The association between concurrent psychotropic medications and self-reported adherence with taking a mood stabilizer in bipolar disorder. <i>Human Psychopharmacology</i> , 2010 , 25, 47-54	2.3	17
183	Symptom characteristics of depressive episodes prior to the onset of mania or hypomania. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 196-204	6.5	17
182	Longitudinal changes in the antecedent and early manifest course of bipolar disorder-A narrative review of prospective studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 509-523	2.6	16
181	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
180	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16

179	Searching the internet for health information about bipolar disorder: some cautionary issues. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 22	5.4	16	
178	Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 11	5.4	16	
177	Extended release quetiapine fumarate as adjunct to antidepressant therapy in patients with major depressive disorder: pooled analyses of data in patients with anxious depression versus low levels of anxiety at baseline. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 155-66	3.8	16	
176	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15	
175	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: results from a pilot study. <i>Journal of Affective Disorders</i> , 2015 , 173, 39-44	6.6	15	
174	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15	
173	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15	
172	Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. <i>Journal of Affective Disorders</i> , 2012 , 136, e89-e94	6.6	15	
171	Chronic post-COVID-19 syndrome and chronic fatigue syndrome: Is there a role for extracorporeal apheresis?. <i>Molecular Psychiatry</i> , 2021 ,	15.1	15	
170	Are national suicide prevention programs effective? A comparison of 4 verum and 4 control countries over 30 years. <i>BMC Psychiatry</i> , 2019 , 19, 158	4.2	14	
169	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 26	5.4	14	
168	Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 2019 , 52, 117-125	2	14	
167	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14	
166	Characteristics, symptomatology and naturalistic treatment in individuals at-risk for bipolar disorders: baseline results in the first 180 help-seeking individuals assessed at the Dresden high-risk project. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 427-33	6.6	14	
165	Self-reported data from patients with bipolar disorder: impact on minimum episode length for hypomania. <i>Journal of Affective Disorders</i> , 2006 , 96, 101-5	6.6	14	
164	Quality of reporting of randomized controlled trials of pharmacologic treatment of bipolar disorders: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1214-21	4.6	14	
163	Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2016 , 189, 240-5	6.6	13	
162	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)-recommendations. <i>Translational Psychiatry</i> , 2019 , 9, 162	8.6	13	

161	Predictors and outcomes of suicidal ideation during peripartum period. <i>Journal of Affective Disorders</i> , 2019 , 257, 518-526	6.6	13
160	Antidepressant dosage taken by patients with bipolar disorder: factors associated with irregularity. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 26	5.4	13
159	Does lithium reduce acute suicidal ideation and behavior? A protocol for a randomized, placebo-controlled multicenter trial of lithium plus Treatment As Usual (TAU) in patients with suicidal major depressive episode. <i>BMC Psychiatry</i> , 2015 , 15, 117	4.2	13
158	Efficacy of a systematic depression management program in high utilizers of primary care: a randomized trial. <i>BMC Health Services Research</i> , 2012 , 12, 298	2.9	13
157	Commentary on a recent review of lithium toxicity: what are its implications for clinical practice?. <i>BMC Medicine</i> , 2012 , 10, 132	11.4	13
156	Decreasing the minimum length criterion for an episode of hypomania: evaluation using self-reported data from patients with bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 341-7	5.1	13
155	Congenital radioulnar synostosis. Radiological characteristics and hand function: case reports. <i>Scandinavian Journal of Plastic and Reconstructive Surgery</i> , 1988 , 22, 251-5		13
154	A randomised, placebo-controlled 24-week study evaluating adjunctive brexpiprazole in patients with major depressive disorder. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 27-35	3.9	13
153	Common use of dietary supplements for bipolar disorder: a naturalistic, self-reported study. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 29	5.4	12
152	Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry</i> , 2014 , 47, 174-9	2	12
151	Effects of supraphysiological doses of levothyroxine on sleep in healthy subjects: a prospective polysomnography study. <i>Journal of Thyroid Research</i> , 2011 , 2011, 420580	2.6	12
150	Brief depressive symptoms in patients with bipolar disorder: analysis of long-term self-reported data. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 1068-78	2.6	12
149	Identifying early changes in myocardial microstructure in hypertensive heart disease. <i>PLoS ONE</i> , 2014 , 9, e97424	3.7	12
148	Decreased medial prefrontal cortex activation during self-referential processing in bipolar mania. Journal of Affective Disorders, 2017 , 219, 157-163	6.6	11
147	A clinical approach to treatment resistance in depressed patients: What to do when the usual treatments don®t work well enough?. World Journal of Biological Psychiatry, 2021, 22, 483-494	3.8	11
146	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology,</i> 2020 , 36, 121-136	1.2	11
145	The validity of self-rated psychotic symptoms in depressed inpatients. <i>European Psychiatry</i> , 2012 , 27, 547-52	6	11
144	Regularity in daily mood stabilizer dosage taken by patients with bipolar disorder. <i>Pharmacopsychiatry</i> , 2013 , 46, 163-8	2	11

143	Thyroid hormone augmentation with levothyroxine in bipolar depression. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 109-10	3.8	11
142	Automation to optimise physician treatment of individual patients: examples in psychiatry. <i>Lancet Psychiatry,the</i> , 2019 , 6, 338-349	23.3	10
141	The "DGPPN-Cohort": A national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 695-701	5.1	10
140	Spot identification and quality control in cell-based microarrays. <i>ACS Combinatorial Science</i> , 2012 , 14, 471-7	3.9	10
139	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials <i>Molecular Psychiatry</i> , 2021 ,	15.1	10
138	Digital phenotyping: towards replicable findings with comprehensive assessments and integrative models in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 35	5.4	10
137	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e10	5.1	10
136	Effectiveness of smartphone-based ambulatory assessment (SBAA-BD) including a predicting system for upcoming episodes in the long-term treatment of patients with bipolar disorders: study protocol for a randomized controlled single-blind trial. <i>BMC Psychiatry</i> , 2018 , 18, 349	4.2	10
135	Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020 , 22, 517-529	3.8	9
134	Early Symptom Improvement as a Predictor of Response to Extended Release Quetiapine in Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 706-10	1.7	9
133	Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 692-69	7 ^{5.8}	9
132	Comparison of pre-episode and pre-remission states using mood ratings from patients with bipolar disorder. <i>Pharmacopsychiatry</i> , 2011 , 44 Suppl 1, S49-53	2	9
131	Increasing Cybercrime Since the Pandemic: Concerns for Psychiatry. <i>Current Psychiatry Reports</i> , 2021 , 23, 18	9.1	9
130	Trajectories of adherence to mood stabilizers in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 19	5.4	9
129	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 228, 20-25	6.6	9
128	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 905-906	11.9	9
127	Cognitive impairment and medial temporal lobe structure in young adults with a depressive episode. <i>Journal of Affective Disorders</i> , 2018 , 237, 112-117	6.6	9
126	Lithium Clinics in Berlin and Dresden: a 50-Year Experience. <i>Pharmacopsychiatry</i> , 2018 , 51, 166-171	2	8

125	Antibodies in autoimmune thyroiditis affect glucose metabolism of anterior cingulate. <i>Brain, Behavior, and Immunity</i> , 2014 , 37, 73-7	16.6	8
124	Impulsivity and Saliva Cortisol in Patients with Suicide Attempt and Controls. <i>Neuropsychobiology</i> , 2017 , 75, 162-168	4	8
123	Association between median family income and self-reported mood symptoms in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2011 , 52, 17-25	7.3	8
122	Treatment of bipolar depression with supraphysiologic doses of levothyroxine: a randomized, placebo-controlled study of comorbid anxiety symptoms. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 21	5.4	8
121	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
120	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020 , 50, 284-292	6.9	8
119	Ketamine in the Treatment of Depressive Episodes. <i>Pharmacopsychiatry</i> , 2020 , 53, 45-50	2	8
118	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
117	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
116	Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020 , 10, 57	8.6	7
115	Regularity of self-reported daily dosage of mood stabilizers and antipsychotics in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 10	5.4	7
114	Regional cerebral glucose metabolism and anxiety symptoms in bipolar depression: effects of levothyroxine. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 181, 71-6	2.9	7
113	Thyroid hormone and mood modulation: new insights from functional brain imaging techniques. <i>Current Psychiatry Reports</i> , 2003 , 5, 163-5	9.1	7
112	Is successful lithium augmentation limited to serotonergic antidepressants?. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 240-1; author reply 241-2	1.7	7
111	Neuroendocrine responses to cold stress in normal subjects and depressives. <i>Psychoneuroendocrinology</i> , 1987 , 12, 483-90	5	7
110	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 22	5.4	7
109	Does the use of an automated tool for self-reporting mood by patients with bipolar disorder bias the collected data?. <i>MedGenMed: Medscape General Medicine</i> , 2005 , 7, 21		7
108	Versorgungserfahrungen bipolarer Patienten in Deutschland. <i>Nervenheilkunde</i> , 2011 , 30, 333-340	0.3	7

(2012-2018)

107	A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). <i>Journal of Affective Disorders</i> , 2018 , 228, 173-177	6.6	7
106	Potential Drug interactions with Drugs used for Bipolar Disorder: A Comparison of 6 Drug Interaction Database Programs. <i>Pharmacopsychiatry</i> , 2020 , 53, 220-227	2	6
105	Drug treatment for patients with bipolar disorders in psychiatric practices in Germany in 2009 and 2018. <i>Psychiatry Research</i> , 2020 , 289, 112965	9.9	6
104	Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> , 2016 , 16, 153	4.2	6
103	Sleep spindles in bipolar disorder - a comparison to healthy control subjects. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 163-172	6.5	6
102	Extended-release quetiapine fumarate in the treatment of patients with major depressive disorder: adjunct therapy. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 1183-200	4.3	6
101	Pooled analysis of sustained response rates for extended release quetiapine fumarate as monotherapy or adjunct to antidepressant therapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 150, 639-43	6.6	6
100	Quetiapine XR monotherapy in major depressive disorder: a pooled analysis to assess the influence of baseline severity on efficacy. <i>International Clinical Psychopharmacology</i> , 2013 , 28, 113-20	2.2	6
99	Concurrent agranulocytosis and acute hepatitis resulting from combination of classic neuroleptics and subsequent successful clozapine treatment. <i>Pharmacopsychiatry</i> , 1995 , 28, 29-31	2	6
98	Role of thyroid hormone therapy in depressive disorders. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 2341-2347	5.2	6
97	Lithium: A therapeutic option in Alzheimerß disease and its prodromal stages?. <i>Neuroscience Letters</i> , 2021 , 760, 136044	3.3	6
96	Non-fatal Lithium Intoxication with 5.5 mmol/L Serum Level. <i>Pharmacopsychiatry</i> , 2015 , 48, 121-2	2	5
95	Perception of social stimuli in mania: an fMRI study. Psychiatry Research - Neuroimaging, 2015, 231, 71-6	2.9	5
94	Effectiveness of the First German-Language Group Psychotherapy Manual to Accompany Short-Term Treatment in Methamphetamine Dependence. <i>Frontiers in Psychiatry</i> , 2020 , 11, 130	5	5
93	Impulsivity predicts illness severity in long-term course of bipolar disorder: A prospective approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 876-886	2.6	5
92	Long-term treatment with supraphysiologic doses of levothyroxine in treatment-refractory mood disorders - A prospective study of cardiovascular tolerability. <i>Journal of Affective Disorders</i> , 2018 , 238, 213-217	6.6	5
91	Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>Journal of Affective Disorders</i> , 2013 , 151, 605-610	6.6	5
90	No correlation between lithium serum levels and psychopathological features during the euthymic interval of patients with recurrent affective disorder. <i>Pharmacopsychiatry</i> , 2012 , 45, 1-6	2	5

89	Deficits in explicit emotion regulation in bipolar disorder: a systematic review. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 15	5.4	5
88	Naming for Psychotropic Drugs: Dilemma and Challenge. <i>Pharmacopsychiatry</i> , 2017 , 50, 1-2	2	4
87	Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 314	5	4
86	Evaluation of adjunct extended-release quetiapine fumarate on sleep disturbance and quality in patients with major depressive disorder and an inadequate response to on-going antidepressant therapy. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1755-65	5.8	4
85	Relationship between adjunctive medications for anxiety and time spent ill in patients with bipolar disorder. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009 , 13, 70-7	2.4	4
84	Absolutely therapy-resistant depression and mixed movement disorder in an unusual case of polycythemia vera. <i>Pharmacopsychiatry</i> , 1995 , 28, 66-8	2	4
83	Survey of psychiatrist use of digital technology in clinical practice. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 29	5.4	4
82	Personality differences in early versus late suicide attempters. <i>BMC Psychiatry</i> , 2016 , 16, 282	4.2	4
81	Creativity in persons at-risk for bipolar disorder-A pilot study. <i>Microbial Biotechnology</i> , 2019 , 13, 1165-1	1 <i>3</i> .3	4
80	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185	- 1 - 2 4	4
79	Melatonin suppression by melanopsin-weighted light in patients with bipolar I disorder compared to healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 79-87	4.5	3
78	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438	4.5	3
77	Analysis of potentially predictive factors of efficacy of adjunct extended-release quetiapine fumarate in patients with major depressive disorder. <i>Journal of Psychopharmacology</i> , 2015 , 29, 565-74	4.6	3
76	Pooled analysis of adjunct extended-release quetiapine fumarate in patients with major depressive disorder according to ongoing SSRI or SNRI treatment. <i>International Clinical Psychopharmacology</i> , 2014 , 29, 16-25	2.2	3
75	Novel Antidepressants in the Pipeline (Phase II and III): A Systematic Review of the US Clinical Trials Registry <i>Pharmacopsychiatry</i> , 2022 ,	2	3
74	Short group psychoeducation followed by daily electronic self-monitoring in the long-term treatment of bipolar disorders: a multicenter, rater-blind, randomized controlled trial. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 23	5.4	3
73	Risk factors for dementia are not associated with cognitive dysfunction in young people with major depressive disorder. <i>Journal of Affective Disorders</i> , 2019 , 245, 140-144	6.6	3
72	Glioblastoma multiforme presenting as postpartum depression: a case report. <i>Journal of Medical Case Reports</i> , 2018 , 12, 374	1.2	3

(2021-2021)

71	Implications of the COVID-19 pandemic for people with bipolar disorders: A scoping review. <i>Journal of Affective Disorders</i> , 2021 , 295, 740-751	6.6	3
70	Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia Research</i> , 2019 , 209, 185-192	3.6	2
69	Lithium, Thyroid Hormones and Further Augmentation Strategies in Treatment-resistant Depression 2013 , 129-157		2
68	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
67	Association of pro-inflammatory cytokines with clinical features in euthymic patients with Bipolar-I-Disorder. <i>Journal of Affective Disorders</i> , 2020 , 277, 450-455	6.6	2
66	Practical Management of Lithium 2016 , 113-128		2
65	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74	6	2
64	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021 , 11, 485	8.6	2
63	Case of Severe Acute-on-Chronic Lithium Intoxication with 8.6 mmol/l and Prompt Hemodialysis. <i>Pharmacopsychiatry</i> , 2020 , 53, 235-236	2	1
62	Suicide Prevention with Lithium 2016 , 81-89		1
61	Role of the IL-6-Receptor expression in CD14+ monocytes in modulating sleep in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 239, 152-160	6.6	1
60	The impact of treatment decisions on the diagnosis of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 3	5.4	1
59	Neuroendocrinology of Bipolar Illness 2010 , 255-262		1
58	Review: electroconvulsive therapy may be an effective short term treatment for people with depression. <i>Evidence-Based Mental Health</i> , 2003 , 6, 83	11.1	1
57	Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>Journal of Affective Disorders</i> , 2021 , 299, 73-84	6.6	1
56	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
55	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 37	5.4	1
54	Association between Adherence with an Atypical Antipsychotic and with Other Psychiatric Drugs in Patients with Bipolar Disorder. <i>Pharmacopsychiatry</i> , 2021 , 54, 75-80	2	1

53	The E3 ubiquitin ligase Mind bomb 1 enhances nuclear import of viral DNA by inactivating a virion linchpin protein that suppresses exposure of virion pathogen-associated molecular patterns		1
52	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1
51	Bipolare Stflungen. <i>Springer-Lehrbuch</i> , 2011 , 857-877	0.4	1
50	Medikamente zur Behandlung bipolarer affektiver Stflungen 2012 , 629-657		1
49	Suicide risk after psychiatric discharge: study protocol of a naturalistic, long-term, prospective observational study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 145	1.9	1
48	Risk Stratification for Bipolar Disorder Using Polygenic Risk Scores Among Young High-Risk Adults. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552532	5	1
47	Internet of things issues related to psychiatry. International Journal of Bipolar Disorders, 2021, 9, 11	5.4	1
46	Divergent Dimethylarginine Dimethylaminohydrolase Isoenzyme Expression in the Central Nervous System. <i>Cellular and Molecular Neurobiology</i> , 2021 , 1	4.6	1
45	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202	6.6	1
44	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021 , 11, 1155	4.9	1
43	Cardiovascular Effects of Combining Subcutaneous or Intravenous Esketamine and the MAO Inhibitor Tranylcypromine for the Treatment of Depression: A Retrospective Cohort Study. <i>CNS Drugs</i> , 2021 , 35, 881-892	6.7	1
42	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1
41	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
40	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
39	A call for improving lithium literacy among clinicians and patients <i>International Journal of Bipolar Disorders</i> , 2022 , 10, 5	5.4	1
38	A Novel Study Design to Systematically Explore the Impact of Trial Methodology on Psychopharmacological Treatment Outcome in Patients with Depression. <i>Pharmacopsychiatry</i> , 2019 , 52, 170-174	2	O
37	The big five model in bipolar disorder: a latent profile analysis and its impact on longterm illness severity <i>International Journal of Bipolar Disorders</i> , 2022 , 10, 1	5.4	О
36	Physical Health Profile and Associated Behavior During the COVID-19 Pandemic in Patients With Bipolar Disorder <i>Frontiers in Psychiatry</i> , 2021 , 12, 759694	5	Ο

35	Associations between pituitary-thyroid hormones and depressive symptoms in individuals with anorexia nervosa before and after weight-recovery <i>Psychoneuroendocrinology</i> , 2021 , 137, 105630	5	O
34	Maintenance Treatment with Lithium 2016 , 45-60		O
33	Lithium and Its History 2016 , 25-31		О
32	Bipolare affektive Stflungen 2017 , 1819-1854		O
31	Early detection of bipolar disorders and treatment recommendations for help-seeking adolescents and young adults: Findings of the Early Detection and Intervention Center Dresden. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 23	5.4	0
30	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	Ο
29	Bipolar Disorder and Outcomes of Monotherapy with Lithium, Valproate, Quetiapine, Olanzapine, Venlafaxine, and Citalopram. <i>Pharmacopsychiatry</i> , 2021 , 54, 126-130	2	O
28	Commercial Use of Emotion Artificial Intelligence (AI): Implications for Psychiatry <i>Current Psychiatry Reports</i> , 2022 , 24, 203	9.1	Ο
27	Psychological and behavioral response on the COVID-19 pandemic in individuals with bipolar disorder: A multicenter study <i>Psychiatry Research</i> , 2022 , 310, 114451	9.9	O
26	Lithium: What can we do to overcome the discrepancies between evidence, guideline recommendations and clinical practice?. <i>European Neuropsychopharmacology</i> , 2022 , 60, 1-3	1.2	Ο
25	Lithium in der Langzeittherapie der bipolaren Stflung Iwas gibt es Neues?. <i>Der Neurologe Und Psychiater</i> , 2017 , 18, 27-31	O	
24	Reply to the letter to the editor by George et Al. World Journal of Biological Psychiatry, 2014, 15, 169-7	0 3.8	
23	FC15-05 - Determinants of guideline-concordant care in routine treatment of mood, anxiety and somatoform disorders. <i>European Psychiatry</i> , 2011 , 26, 1902-1902	6	
22	Effects of lithium on the HPA axis in patients with unipolar major depression. <i>European Psychiatry</i> , 2011 , 26, 612-612	6	
21	Bipolare affektive Stflungen 2011 , 1665-1700		
20	¿Predice la mejorच precoz inducida por los antidepresivos la respuesta/remisiच? Anlisis de los datos de un estudio naturalista en una muestra a gran escala de pacientes hospitalizados con depresiच mayor,. <i>Psiquiatria Biologica</i> , 2010 , 17, 45-53	0.2	
19	Response to letter to the editor from Andrade et al. (2003) ECT in the management of major depression: Implications of recent research, World J Biol Psychiatry 4: 139-140. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 140-141	3.8	
18	Covid-19: Contributions from Psychopharmacology <i>Pharmacopsychiatry</i> , 2022 , 55, 5-6	2	

17	Bipolare Stflungen 2020 , 1005-1026	
16	On a Very Basic Behavior in Science: Importance and Issues with Quotations. <i>Pharmacopsychiatry</i> , 2020 , 53, 245-246	2
15	Diagnostik und Therapie bipolarer Stflungen. InFo Neurologie & Psychiatrie, 2020, 22, 32-39	O
14	Modelos de prescripcifi de antidepresivos en Europa: Resultados del estudio de los Factores que Influyen en la Investigacifi de los Criterios de Valoracifi de la Depresifi (FINDER). <i>European</i> <i>Psychiatry (Ed Espatola)</i> , 2008 , 15, 167-175	
13	Psychopharmakotherapie von Traumafolgestflungen 2019 , 365-378	
12	Bipolare affektive Stflungen 2015 , 1-36	
11	Natural Course of Bipolar Disorder and Implications for Treatment 2016 , 11-23	
10	Diagnosis and Classification of Mood Disorders 2016 , 1-9	
9	Conocimiento de los problemas metab l icos de los pacientes con trastorno bipolar: encuesta a psiquiatras europeos. <i>European Psychiatry (Ed Espa<mark>b</mark>la)</i> , 2008 , 15, 273-282	
8	Chronische und therapieresistente Depressionen (ICD-10 F3) 2009 , 171-197	
7	Aktuelle ethische Fragen in der Depressionsforschung 2013 , 185-192	
6	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965	4.5
5	Treatment of Depression with Lithium 2016 , 71-80	
4	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment - ADDENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e23	5.1
3	Lithium: The best current treatment for the well-informed bipolar patient. <i>Bipolar Disorders</i> , 2021 , 23, 92	3.8
2	Collaboration between medical examiner and toxicologist-analyst. <i>Soudni Lekarstvi</i> , 2009 , 54, 49-51	0

Psychopharmacotherapy of Trauma Sequelae 2022, 347-359